sanas South African National Accreditation System

NON-CONFORMANCE, CORRECTIVE ACTION AND CLEARANCE REPORT

SANAS No.: **T1195**

Organisation Name: **Azuresky Laboratory**

NC Report Number: **AB18**

Area/Scope Assessed: **Management Requirements**

Assessor / Inspector / Expert: **A. Bougart**

PART 1: DETAILED OBSERVATION

At the time of the assessment, it was observed that ASMF 8.7 page 7 states that all audit records should be available in hardcopy and softcopy, at the time of the assessment ony hard copy records were available.

Signed (Representative):

Signed (Team Leader / Inspector): A. Bougart

MAJOR: [X] MINOR: [ ]

Reference No. of relevant Guide / Standard / Requirement: **ISO/IEC 17025 requirement 8.8.2e**

Date: **08/04/2026**

PART 2: ROOT CAUSE ANALYSIS

(Provide an analysis of the extent and cause of the nonconformity)

- Non-adherence to procedure given personnel did not follow procedure 8.7 ASMF in producing both the soft & hard copies of the non-conformances to the auditor
- Rigid procedural design since both methods of NCs (hard & soft copies) are acceptable to produce which would prompt an update to the procedure (ASMF 8.7).

PART 3: CORRECTIVE ACTION TAKEN

(Clearly indicate what corrective action was taken, and attach supportig evidence of implementation)

Procedure ASMF 8.7 has been revised to highlight that personnel can produce "either" soft copies "or" hard copies of the non-conformances to auditors, either the methods presented are acceptable.

Acknowledgement of chages to procedure ASMF 8.7 signed by personnel, evidence attached.

Date: 17/04/2026

Signed (Representative): Apongya

PART 4: CORRECTIVE ACTION VERIFIED AND CLEARED

(Comment on whether the corrective action is sufficient and appropriate)

Date:

Signed: Assessor / Inspector/Expert:

PART 5: FOLLOW-UP AT NEXT ASSESSMENT

(Comment on the implementation of the corrective actions)

Date:

Signed: Assessor / Inspector/Expert:

©SANAS

AS004MF 07/25

BRAINSTORMING FORM

IRQ no: AB18

Brainstorming team

Tshepo Maponya
Sizi'so Nyamb;
Keitumetse Moleka
Nosipho Ongwane

What went Wrong? At the time of the assessment, ASMF 8.7 states that all audit records should be readily available in hardcopy or soft copy, only hard copies were available.

Why 1: Why was there only hardcopies of audits records and not both hardcopies and soft copies?
> Personnel made audit records available during the audit in hardcopies & not in soft copies as documented resulting in non-adherence to procedure.

Why 2: Why was there non-adherence to procedure?
> The system/procedural design was too rigid as both methods of presentation of records are acceptable which ~~will~~ would prompt an update to the procedure to explicitly highlight ~~that all audit records must be available "either"~~ In soft copies ~~or hardcopies~~. It is acceptable to produce either soft copies or hardcopies of all audit records during assessment

Reasons: Non-adherence to procedure
: Complex/Rigid procedural design

Supervisor: Maponya


AS001MF

07/25

ROOT CAUSE ANALYSIS FORM

IRQ NO: AB 18

At the time of assessment, it was observed that AGMF 8.7 page 7 states that all audit records should be available in hardcopy and softcopy, at the time of assessment, only hardcopies records were available.



SUPERVISOR

- The audit objectives,
- The audit scope,
- Identification of the auditee,
- Identification of audit team and Auditee's participants,
- The dates and locations where the audit activities were conducted
- The audit findings and,
- The audit conclusions.

conduct follow up audit and audit close out

- The Auditee shall within the specified time frame provide the Lead Auditor with evidence of the corrective action implemented.
- The Lead Auditor and the audit team members shall assess the suitability of the evidence of the corrective action submitted by the auditee.
- In the event that the provided corrective actions/evidence are suitable then, the non-conformances shall be closed.
- In the event that the implemented corrective actions provided are not suitable, appropriate action shall be taken to address the gap.
- Should the assessment indicate that the corrective actions are not effectively implemented, then the non-conformance(s) will remain open.
- The Lead Auditor shall conduct the close out sign off the non-conformance indicating the status of the corrective action (Closed/Rejected).
- The copies of non-conformances shall be retained or stored both hardcopy and softcopy.
- The Lead Auditor shall share the audit results at the management review meeting.

Audit records

- All records of the audit evidence shall be readily available both hardcopy and softcopy.

CONTROLLED DOC

AFTER

- The Lead Auditor shall conduct the close-out sign-off of the non-conformance, indicating the status of the corrective action (Closed/Rejected).
- The copies of non-conformances shall be retained or stored **either** in hardcopy or softcopy. It is acceptable to store the non-conformances on soft copies or hard copies as long as either the soft copies or the hard copies are easily retrievable during the audits or MRMs.
- The audit results shall be made available at the management review meeting.

Audit records

- All records of the audit evidence shall be readily available either on hardcopy or softcopy.

CONTROLLED DOC

AFTER

AzurESky "ensure quality of test"	**INTERNAL AUDITS PROCEDURE** **Document no:** **ASMF 8.7**

Compiled by:	**Sifiso Nyambi - Laboratory Manager**	
Approved by:	**Nonhlanhla Msibi - Operations Manager**	

Revisions

Date	Rev.	Content Changed	Reason for change
17/04/2026	01	• The steps in the laboratory audit procedure, step 4 omitted & step 6 amended. • Introductory paragraph omitted, under "Conduct laboratory audit." • "Attain all signed off non-conformances" amended to "Issue non-conformances when they arise." • "Record all non-conformances on ASMF 8.7.3 improvement action request." Amended to "record all non-conformances on the SANAS F03-09 document." • Some of the documents that can be used during the audit include but not limited to SANAS F44, F48. F49, F90, F91, F66, F176 added under "conduct laboratory audit" • Compile Report section omitted. • Audit records amended to say that all audit evidence shall be made available "either" in soft "or" hard copies. • "It is acceptable to store the non-conformances on soft copies or hard copies as long as either the soft copies or the hard copies are easily retrievable during the audits or MRMs", added under Conduct a follow up and close out	Simplification of the management system.

CONTROLLED DOC

Effective date	Rev status	Next review date
04/2026	01	04/2029

AzurESky

ATTENDANCE REGISTER

Document no:	Version:	Page:
ASMF 17043-8.4.1	0	1
Compiled by:	Sifiso Nyambi - Laboratory Manager	
Approved by:	Nonhlanhla Msibi - Operations Manager	

Date:	17/04/2026		
Chair:	TMJ Mapanga	Scribe	
Subject:	Acknowledgement of changes to procedure 8.7 (Internal audit procedure).		
Absent:			

Present	Cell Number	Designation	Signature	Email address
TMJ Mapanga	076 455 0692	Lab Supervisor		tshepo@azuresky.it.com
SB Nyambi	072174 1852	Lab Manager		Sifiso@azuresky.it.com.
K. Maleka	071 724 9031	Lab analyst		Keitumetse@azuresky.it.com
N. Msibi	082786 8149	Ops Manager		nonhlanhla@azuresky.it.com
A-Jama	060 6111 584	Lab analyst		abdinasir@azuresky.it.com