sanas South African National Accreditation System	**MANAGEMENT REQUIREMENTS FOR PROFICIENCY TESTING SCHEMES** **ISO/IEC 17043:2023 Conformity Assessment – General Requirements for Proficiency Testing**	Organisation's SANAS No/s. **PTS 00XX**

Date/s of evaluation	
Assessor/s & Observers	**Neville James Tayler**
Name of Proficiency Testing Provider (PTP)	**Azuresky (Pty) Ltd**
Area / field of operation	**PT provider for coal testing methods**
Laboratory Representative	**Nonhlanhla Msibi**

This report covers the following:

Document Review only	✓	Implementation on Site Visit only		Document Review and Site Visit		Other	

Compliance = C, Non-compliance = NC

REQUIREMENTS & COMMENTS.

Compliance = C, Non-compliance = NC. Where a clause is marked as NA, reason must be provided as to why it's not applicable

NB1: *References to ISO/IEC 17043:2023 are in italics. The order of assessment need not follow the order of the checklist. Assessors are expected to know & have the standard, this worksheet is designed as guidance to prompt detailed recording of the process.*

REFER TO ISO/IEC 17043:2023 FOR DETAIL AND FOR CLARIFICATION NOTES.

CLAUSE	ISO/IEC 17043:2023 REQUIREMENTS	CAB's COMMENTS The CAB must provide information on **how** requirements have been addressed, documented and/or implemented. Make reference to policies / procedures, incl. clause numbers.	C/ NC	ASSESSOR's COMMENTS Indicate **WHAT** has been checked and **HOW** requirements have been implemented.
4.1	**Impartiality**			
4.1.1	Are PT activities undertaken impartially?	Yes		The Facility has documented their requirements for Impartiality covering ISO 17034 and ISO/IEC 17043 in the document **IMPARTIALITY POLICY document no: ASMF4.2**. this document was approved by: Nonhlanhla Msibi - Operations Manager. *The document incorrectly refers to ISO 17043 in the Introduction. There is no such document.* Although the Policy requires Continuous mandatory disclosure of conflicts of interests, it does not describe how these are to be achieved. The **Conflict-of-Interest form Document no: ASMF4.2.1** includes a description of what a conflict is, without referring to it as a Definition. The Policy ASMF4.2 requires the policy to be reviewed on an annual basis (Reviews & Communication) however to Block addressing the revision status states that the next revision date is in July/2028. **This statement is therefore contradictory.**
4.1.2	Is the PT provider structured and managed so as to safeguard impartiality?	• Maintain clear job descriptions and reporting lines to prevent undue influence. (attached on website) • Include impartiality as part of the onboarding for new employees. • There's impartiality policy ASMF 4.2  4.2. IMPARTIALITY POLICY.pdf implemented. • There's conflict of interest declaration ASMF 4.2.1 completed  4.2. 1 Conflict of Interest Declaration.pdf by personnel		
4.1.3	Is the PT provider responsible for the impartiality of its PT activities and does the PT provider prohibit commercial, financial or other pressures to compromise its impartiality?	Within the impartiality policy document under Commitment to remaining autonomous, it reads as follows: To ensure independence and objectivity and protect impartiality risks within us as an organization and from any outside influence, the following needs to be enforced: • Continuous mandatory disclosure of conflicts of interests • Separate commercial functions from technical decision-making, ensuring that financial pressures do not affect scientific integrity. • Disclosure of incentives from		

CLAUSE	ISO/IEC 17043:2023 REQUIREMENTS	CAB's COMMENTS *The CAB must provide information on **how** requirements have been addressed, documented and/or implemented. Make reference to policies / procedures, incl. clause numbers.*	C/ NC	ASSESSOR's COMMENTS *Indicate **WHAT** has been checked and **HOW** requirements have been implemented.*
		clients and registering them in the incentive register form (This is to protect personnel from any undue pressure in the organisations' activities.)		It should be noted that none of the clauses within the Policy document have been numbered, and the declaration form has only been separated by bullet points. The facility has created an Excel Spreadsheet to address the Risks associated with Impartiality and is assumed to be separate from other risks. The document no: **ASMF 7.11 Data Integrity Risk Management and Preventative Maintenance Procedure** requires that the Risk Register be reviewed **bi-Annually (every six months), See § 5.4 Verification and Review.** The 4th Paragraph of the **Quality Policy ASMSDoc 8.2-01** refers to the commitment by Top management to Operate in an Impartial and confidential Manner. This The Authorised by Laboratory Manager: Mr SB Nyambi, & Authorised by Managing Director: Ms NP Msibi
4.1.4	Does the PT provider monitor the activities and relationships (including personnel) to identify threats to impartiality?	Conflict of interest declaration was developed, implemented and signed by all personnel ASMF 4.2.1		
4.1.5	If a threat to impartiality is identified, does the PT provider eliminate or minimize the effects so that the impartiality is not compromised?	Risk assessment to impartiality was conducted and the control measures to eliminate or minimize the impact were identified and implemented.  Risk assessment to impartiality.pdf		
4.1.6	Does the PT provider have top management who are committed to impartiality?	• Impartiality policy in place, that has a mission statement on how management commits to safeguard impartiality. See ASMF4.2. • Quality Policy has stated that Top Management is committed to impartiality. Impartiality policy has been developed.  8.2. Quality Policy Statement.pdf		

4.2	Confidentiality			
4.2.1	Is the PT provider responsible, through legally enforceable agreements, for the management of all information obtained or created during the performance of PT activities?	NDA signed by all personnel see doc 4.3.1 B NON DICLOSURE CONTRACT 4.3.1 B NON DICLOSURE CONTRAC		The facility has documented their confidentiality in the document **ASMF4.3. Management of Confidential Information.** Under § 1 Purpose this document refers exclusively to ISO 17034 § 4.3. This procedure requires all disclosures to follow the disclosure protocol addressed in § 5.5 of the document. This document alone does not mandate the requirement for personnel to sign a **confidentiality agreement.(NDA's)** The facility has implemented a **non-disclosure agreement and confidentiality contract ASMF4.3.1.** This agreement is fairly comprehensive and would appear to satisfy the requirements of a '**Legally enforceable' agreement**, as it is signed by both parties, includes provision of the names, is dated and has provision for each page to be initialled. Again, the Procedure **ASMF4.3. Management of Confidential Information.** Is stated to apply to all personnel, subcontractors, and external parties involved in RM production, including handling of
4.2.1	Does the PT provider inform the client in advance of the information it intends to place in the public domain?	Covered in section 5.5. of the 4.3. Confidentiality **procedure.** 4.3. CONFIDENTIALITY.pdf		
4.2.1	Except for information that the client makes publicly available, or when agreed between the PT provider and the client (e.g. for the purpose of responding to complaints), is all other information considered proprietary information and regarded as confidential?	Covered in section 5.5. of the 4.3. Confidentiality **procedure.**		
4.2.2	When the PT provider is required by law or authorized by contractual arrangements to release confidential information, is the client concerned, unless prohibited by law, notified of the information released?	Covered in section 5.5. of the 4.3. Confidentiality **procedure.**		
4.2.3	Is the information about the participant or customer from a source other than the participant or customer (e.g. complainant or regulator) kept confidential by the PT provider? Is the identity of the source kept confidential by the PT provider and not be shared with the participant or the customer, unless agreed by the source?	Covered in section 5.5. of the 4.3. Confidentiality **procedure.** **Also this is informed to customer on the Application form for participation.** Application for PT participation.pdf		
4.2.4	Do personnel, including any committee members, contractors, personnel of external bodies, or persons acting on the PT provider's behalf, keep confidential all information obtained or created during the performance of the PT activities?	• All Azuresky personnel signed NDA's • Visitors or contractors or sub-contractors register their attendance in the visitor's register book which has included a statement for them to manage all information obtained at Azuresky confidentially.		

4.2.5	Is the identity of participants in a PT scheme dealt with confidentially and known only to persons involved in the operation of the PT scheme, unless the participant or the customer waives confidentiality?	See attached PT report , other reports will be made available onsite.  SEPTEMBER 2025 PT B FINAL REPORT LAB.pdf		customer data, proprietary methods, and internal technical records, **however, omits to mention ISO/IEC 17043:2023.**
5.	**Structural Requirements**			
5.1	Is the PT provider a legal entity, or a defined part of a legal entity, that is legally responsible for its PT activities?	• The company is a legally registered entity; details of registration can be found under ASMF5 section 1		The CAB has defined their **structural requirements in the Document ASMF5**, this includes details of their company registration, registered address etc. *Note that a copy of the Company's CICP company registration document will be required at the time of the assessment.* The CAB has stated the responsibilities of the Managing Director, Laboratory Manager, Laboratory supervisor and Financial Manager. The procedure does not specifically state where the activities are to take place, but the following address had been included: **17 Makriel, Unit 3 Wadeville, Germiston, 1401.** The assumption is therefore that the activities related to PT and RMP activities all take place at this address. The CAB has in procedure ASMF5.3 Claimed compliance with the requirements of ISO/IEC
5.2	Has the PT provider identified management that has overall responsibility for the PT activities?	• See structural requirements ASMF5 section 2		
5.3	Does the PT provider define and document the PT schemes for which it conforms with this document? Does the PT provider only claim conformity with this document for those PT schemes?	• Azuresky PT provider has outlined the scope of activities to which it wants accreditation for, and has also listed outsourced functions see doc 5.3. Statement of conformity		
5.4	Are the PT activities carried out in such a way so as to meet the requirements of this document and address the requirements of participants, customers, regulatory authorities, and organizations providing recognition?	• Azuresky PT provider carries the activities of the PT consistent with the requirements stated in ISO/IEC 17043:2023 see **Management system document ASDP001**		
5.4	Are these requirements being applied to all PT activities performed in the PT provider's permanent facilities and any other facility or site?	• All PT activities are performed at unit 3, 17 Makriel Road, Wadeville Germiston 1428		
5.5	Does the PT provider:			
a)	define its organization and management structure, its place in any parent organization and the relationships between the management, technical operations and support services?	• Structural requirements document ASMF5 section 1,to 5 provide information		
b)	specify the responsibility, authority and interrelationships of all personnel who manage, perform or verify work affecting the results of its PT activities?	• Job descriptions, the organogram, Structural requirements ASMF5 and Management system document ASDP001		

c)	document its procedures to the extent necessary to ensure the consistent application and validity of its PT activities?	• Yes procedure were developed and implemented following the contents structure of ISO 17043:2023 for easy reference and identification to requirements.ie the document number of procedures follows the numbering of the standards for easy reference.		17025, ISO 17034 and ISO/IEC 17043.
5.6	Does the PT provider have **personnel** who, irrespective of other responsibilities, have the authority and resources needed to carry out their duties, including:			
a)	implementation, maintenance and improvement of the management system?	• Yes, see Job descriptions, the organogram, Structural requirements ASMF5 and Management system document ASDP001		Job Descriptions are available for various positions and individuals in the organization. • JD Managing Director – ASHR 6.2.2 E; • Lab Supervisor – ASHR 6.2.2 B; • Lab Manager – ASHR 6.2.2 A; • Lab Operator – ASHR 6.2.2 C Unsigned; • Lab Analyst – ASHR 6.2.2 D; It was noted that the Job Descriptions do not all follow the same of a similar format: • The do not address who the incumbent reports to, and who they report to; • The do not all include details of the Educational and training requirements necessary to fulfil the position; • Do not identify who is responsible for the review of the Management System Documents; • Does not indicate who is responsible for the scheduling and conducting of Internal Audits; It must be noted that some of these
b)	identification of deviations from the management system or from the procedures while performing the PT activities?	• Non-conforming work and corrective action procedure documented, see doc 7.17. Management of non-conforming work • Improvement Action Request doc 8.7.3. used to initiate actions to prevent deviations, and identify NC work, to prevent future reoccurrence.		
c)	initiation of actions to prevent or minimize such deviations?	• 8.5 Actions to address risks and opportunities were identified, control measures defined and implemented. See attachment of SANAS website Azuresky uploaded documents • There are also other forms used in the root cause analysis, internal audits. Forms such as AS001MF, AS003MF , AS004MF		
d)	reporting to its management on the performance of the management system and any need for improvement?	• Objectives [Key performance indicators ASMF 17043 8.9.2 (b)]were defined, they are measurable and monitored.		
e)	ensuring the effectiveness of the PT activities?	• Monitoring all technical and process requirements, KPI's and risks and opportunities.		

5.7	Does the PT provider management ensure that:			responsibilities may be addressed in other documents, creating a situation where duties and responsibilities are not consolidated.
a)	communication takes place regarding the effectiveness of the management system and the importance of meeting the requirements of participants, customers, regulatory authorities and organizations providing recognition?	• Any changes or improvements to the management system is communicated to personnel via memorandums and/or WhatsApp group. 5.6. Azuresky memorandum template • 8.2. Quality Policy Statement also outlines the review of management system through auditing the system periodically to provide confidence in its effectiveness. **Lastly, management review meeting to held in Jan 2026 will address this requirement.**		
b)	the integrity of the management system is maintained when changes to the management system are planned and implemented?	• Any changes or improvements to the management system is communicated to personnel via memorandums and/or WhatsApp group. 5.6. Azuresky memorandum template		
6.	**Resource Requirements**			
6.1.1	Does the PT provider have access to the personnel, facilities, equipment, systems and support services necessary to manage and perform its PT activities?	• Yes, no subcontracting of PT activities is conducted.		The Laboratory Document **ASDP001 Management System Requirements** is basically a Quality Manual that addresses the Management requirements. This document does not state that all personnel be supervised and competent, it is rather simply implied. There is also no stated requirement for personnel to work in accordance with the CAB's management system. The CAB is required to have competency declarations. ASDP0001 requires the Personnel declaration form **ASMF6.1.1** to be **used to declare personnel competent.** This form is task based and lists the following
6.1.2	Are the measurements or tests conducted under the responsibility of the PT provider, related to PT item characterization or for assessing homogeneity and stability, conducted in accordance with the relevant requirements of ISO/IEC 17025 standard?	• **Yes,** Azuresky PT provider has outlined the scope of activities to which it wants accreditation for and has also listed outsourced functions see doc 5.3. Statement of conformity		

				tasks Quick ash, ISO Volatile matter, ISO Inherent Moisture, ISO Calorific Value, Total Sulphur, Sample Preparation. It is unclear if these Tasks are for testing and if the form part of the Production process of the RM's, and this would need to be clarified during the assessment. The use of a Training Matrix is not addressed in ASDP001. The CAB has another document that addresses the **competence of Personnel ASMF 6.2 Procedure**, but this has not been included in the completed SANAS Checklist, this procedure is more comprehensive and its implementation versus the completed forms is to be evaluated during the on-site assessment.
6.1.3	Is the PT item, a material that meets the definition of "reference material", produced under conditions that meet the relevant requirements of ISO 17034 standard?	• Yes, the homogeneity checks and stability checks, characterisation ASMF 7.12 of material and assignment of property values ASMF 7.13 including the addition of uncertainties are determined		The CAB has produced the Document **ASMF7.12 titled Characterization**. This document describes 3 different methods can they may use in the characterization process of a RM. Whilst the Document address the different possibilities for the use during the characterization process requirements it does not specifically address any of these in any detail. Follow up during the on-site assessment. The CAB has also produced a document **ASMF 7.13 titled Characterization and**

				Assignment of Property Values and their uncertainties. ***There is clearly some overlap between these two documents, the first claims 3 different methods to characterise the RM, the 2nd list only 2. This is therefore contradictory.*** Clause 8.5 of **ASMF 7.13** describes the process for the Uncertainty Evaluation.
6.3	**Facilities & Environmental conditions**			
				The CAB has prepared document **ASMF7.2.3. Environmental Contro**l, and its aims are to ensure that the 'Laboratory' conditions (does it apply to production areas as well?), the scope does not extend to Proficiency Testing, but it is assumed that the PT Samples would be prepared in the same manner as the RM's. Parameters have been set for Temperature and Humidity, a Positive pressure is proposed, as well as avoidance of direct sunlight. Implementation to be evaluated during the on-site assessment, including a review of Calibration Certificates of environmental monitoring equipment.

©SANAS

6.4. Externally provided products and services				
6.4.1	Does the PT provider ensure that it does not use external service providers for the following activities:	• No subcontracting was/is applied at the company.		***The document 'Production Planning ' ASMF7.2.1, does not address the planning and design of PT Schemes.***
a)	the design and planning of PT schemes?	• ASMF 7.2.1 Design and planning of PT scheme version 00		
b)	the evaluation of performance?	Azuresky performs the tasks as per Management system document ASDP001 • See latest report of PT and the first PT report produced.		***This may be a result in incorrect identification or naming of Documents with the Azuresky documented management system.***
c)	the authorization of reports?	Azuresky performs the tasks as per Management system document ASDP001 • See latest report of PT and the first PT report produced.		The responsibility for the authorization of PT reports is that of the **Operations Manager**.as per ASDP001. *There is no Job Description available for the Operations Manager to ensure that this is listed as part of his or her responsibilities.* ***ASDP001 does not specify who is responsible for the authorization of Reference material and CRM's reports/certificates.***
6.4.2	Does the PT provider have procedures to ensure that the experience and technical competence of the providers of external products and services are sufficient for their assigned tasks?	• Document ASMF6.2. defines the procedure for selecting, evaluating, approving, and monitoring of subcontractors.		The CAB has documented their requirement for the **Selection, Evaluation and Monitoring of sub-contractors in Document no: ASMF-6.2.**
6.4.2	Does the PT provider have procedures to ensure that providers of external products and services comply with the relevant clauses of ISO/IEC 17043:2023 and other appropriate documents?	• Yes, Document ASMF 6.2 was developed and implemented to ensure that requirements of ISO 17043:2023 are not compromised in terms of sample prep, testing for homogeneity and stability, distribution and final reporting.		The completed document (F90 § 6.4.1) has indicated they do not make use of sub-contractors, but it is not clear what the difference between a sub-contractor and a supplier is?

6.4.3	Does the PT provider inform participants and customers, in advance and in writing, of products and services that are or can be provided externally, when they affect the validity of the PT activities?	• This requirement is addressed in Management system document ASDP001 page 9 paragraph 1.		Is the courier service a sub-contractor or a service provider. Is the Calibration Laboratory used to calibrate laboratory equipment a sub-contractor or a supplier? Please note procedure ASMF 6.3 Provision of Equipment, Service and supplies, has not been provided for evaluation. Please note **procedure ASMF 6.3 Provision of Equipment, Service and supplies**, has not been provided for evaluation. ***ASMF6.3.1 is a check list titled Provision of Equipment, Services and Supplies Checklist, this is not a Procedure***
6.4.4	Does the PT provider have a procedure for, and retain records for:			
a)	defining, reviewing and approving the PT provider's requirements for externally provided products and services?	• Document ASMF6.2. defines the procedure for selecting, evaluating, approving, and monitoring of subcontractors. • "Provision of equipment, services and supplies" number ASMF6.3.1 shall be used to maintain a record.		
b)	defining the criteria for selection of the external providers and for evaluating and monitoring their performance?	• Document ASMF6.2. also outlines each of these points.		
c)	ensuring that externally provided products and services conform to the PT provider's established requirements and, when applicable, to the relevant requirements of this document, before they are used or directly provided to the customer or participant?	• "Provision of equipment, services and supplies" number ASMF6.3.1 shall be used to maintain a record.		
d)	taking any actions arising from the performance monitoring and evaluation of the external providers?	• An Early warning notification ASMF 6.2B is implemented to warn of slip ups by the contractor, this is to take action to prevent the ultimate negative impact. • Apply 8.7.3 Improvement action request		
6.4.5	Does the PT provider communicate its requirements to external providers for:			
a)	the products and services to be provided?	• Document ASMF6.2. mandates communication of this requirement. See page 2.		
b)	the acceptance criteria?	• Document ASMF6.2. mandates communication of this requirement. See page 2. • Checklist in place, see doc 6.2 ASMF, which will be approved by the operations manager after review.		
c)	competence, including any required qualification of the organization or personnel involved?	• Document ASMF6.2. mandates communication of this requirement. See page 2.		

d)	PT activities that the PT provider or its customers intend to perform at the external provider's premises?	• Document ASMF6.2. mandates communication of this requirement. See page 2.		
6.4.6	Is the PT provider responsible to the participants or customers for the externally provided products and services?	• Document ASMF6.2. mandates communication of this requirement. See page 2.		

7	**Resource Requirements**			
7.1	**Establishing, contracting and communicating the PT scheme objectives**			
7.1.1	**Review of requests, tenders and contracts**			The CAB has produced the document **ASMF4.7.1 Procedure to handle the review of Contracts, Tenders, and Customer Requests**. This procedure in clause 1 Purpose, describes the procedure as being relevant for both PT and RM's. The incoming request, for an enquiry, RFQ or tender document to be reviewed using the form (Checklist) ASFM 4.1.2. The resource check requires (Capability check) of availability of equipment, staff competency & workload. It also provided the option of sub-contracting to an approved sub-contractor. The CAB has documented their requirement for the Selection, Evaluation and Monitoring of sub-contractors in Document no: ASMF-6.2. The completed SANAS F90 (F90 § 6.4.1) document has indicated ***they do not make use of sub-contractors.***
7.1.1.1	Does the PT provider have a procedure for the review of requests, tenders and contracts to ensure that:	ASMF 4.7.1 Procedure to handle contractual matters- requests, tenders and contracts		
a)	the objectives of the PT scheme are sufficiently defined and in agreement with the customers' needs?	• Section 3.2 of ASMF 4.7.1. Document outlines the requirements to be agreed with customer which is PT objectives and a checklist (4.1.2.) ensures the marking and adherence to requirements implemented.		
b)	the requirements are adequately defined, documented and understood?	• Section 3.2 of ASMF 4.7.1 addresses that		
c)	the PT provider has the capability and resources necessary to meet the requirements?	• 4.7.1. Document outlines the capability assessment under section 3.3.		
d)	the PT scheme is technically appropriate taking into account the needs of the given application or field of application?	• The aim is to meets the set requirements of the PT scheme such participation info, etc. so the CAB meets their PT participation strategy.		
7.1.1.2	Does the review cover all aspects of the request, including any externally provided products and services?	• Checklist 4.1.2 ensure adherence to the requirement		

7.1.1.3	Are records of such reviews, including any significant changes, and the pertinent discussions with a customer relating to their requirements, or the results of the PT activities retained?	• Records to be stored for two accreditation cycles.		***The Procedure ASFM 4.7.1 Clause 4 Record keeping does not specify the period for which records muse be maintained.***
7.1.1.4	Is the customer informed of any deviation from the contract?	• Customer to be informed in writing as stipulated in 4.7.1. • There is also a deviations or comments section together with approval/acceptance by client before work commences under 4.1.4.		
7.1.1.5	If a request or contract is amended after the PT scheme is underway, is the same review process repeated and are the amendments communicated to all affected personnel?	• Checklist 4.1.2 ensure adherence to the requirement		
7.5	**Control of the PT scheme process**			
7.5.2	**Control of data and information management**			
7.5.2.1	Does the PT provider have access to the data and information needed to perform its activities?	• ISO Standards available • Access to equipment and facilities such as QMWARELIMS 12		The CAB has prepared the **Data Quality management and Preventative maintenance Procedure ASMF 7.11** to address the identification of Potential Risks to Data Integrity, but is limited to 17043 (PT) and 17025 (testing & Calibration) The Scope is said to be computer systems, servers, external storage devices, software applications (e.g., LIMS, spreadsheets), and other information management systems used for data acquisition, processing, reporting, and storage in the laboratory. ***This procedure ASMF 7.11 does not address:*** • ***How the systems are protected from unauthorized access; (Passwords, Limited access, Antivirus, Firewalls***
7.5.2.2	Are PT provider information management system used for the collection, processing, recording, reporting, storage or retrieval of data validated for functionality, including the proper functioning of interfaces before introduction? Whenever there are any changes, including PT provider software configuration or modifications to commercial off-the-shelf software, are they authorized, documented and validated before implementation?	• Yes , ASMF 7.11 Data integrity risk management and preventive maintenance procedure states that "The functioning of the Laboratory Information Management System shall be validated for proper functioning of interface before implementation. Formulas, calculations and all required entries/input data is able or activated to collect, process, record, store and report." Evidence is available for perusal at the laboratory.		
7.5.2.3	Are the PT provider information management system:	Yes QMWARELIMS 12 is used in the laboratory		
a)	protected from unauthorized access?	Access to the laboratory server (data drive) is restricted to management personnel only. All other staff members have limited user permissions preventing unauthorized		

		access, modification, or deletion of data. Password protection and access control are in place, and user rights are reviewed periodically.		***etc)*** • ***Safeguarding against tampering and loss; (Locking spreadsheets, limiting access, backup procedures);*** • ***Validation of LIMS Systems;*** • ***Details of Maintenance Contracts etc.*** ***Note capturing what happens in this SANAS form F90 does not constitute fulfilment of the requirement to documents how this Clause of the standard is addressed.***
b)	safeguarded against tampering and loss?	All files on the server are backed up to an external hard drive on a monthly basis. Access to data and information is limited to management to prevent tampering. Backup integrity is verified regularly to ensure data recoverability.		
c)	operated in an environment that complies with the system supplier or PT provider specifications or, in the case of non-computerized systems, provides conditions which safeguard the accuracy of manual recording and transcription?	The server and computer systems are located in a fixed, secure area. The environmental conditions of the analysis room and storage areas (temperature, humidity, and dust levels) are monitored and maintained within defined limits to prevent data corruption and equipment malfunction.		
d)	maintained in a manner that ensures the integrity of the data and information?	The information management system and related hardware are maintained according to the manufacturer's specifications. Regular system maintenance, software updates, antivirus protection, and integrity checks are conducted to ensure data accuracy and reliability. Any identified risks to data integrity are recorded and mitigated through preventive maintenance schedules		
e)	Inclusive of recordings of system failures and the appropriate immediate and corrective actions?	Any server, computer, or software malfunction is immediately reported to management. The incident is logged in the non-conformance register, including details of the failure, immediate containment actions taken, and corrective/preventive measures implemented. The system is not returned to operational use until functionality and data integrity are verified and approved by management.		
7.5.2.4	When a PT provider information management system is managed and maintained off-site or through an external service provider, does the PT provider ensure that the external service provider or operator of the system complies with all applicable requirements of this document?	LIMS managed and maintained by an external provider. Also provides support as required.		Follow up during the on-site assessment to ensure the existence of a contract between Azuresky and the external provided, to ensure that it adequately covers the requirements of this standard, including confidentiality.
7.5.2.5	Does the PT provider ensure that instructions, manuals and reference data relevant to the PT provider information management system are made readily available to	There are no user manuals for LIMS, instead training is provided, and competency assessments are done to		

	personnel?	ensure personnel can operate it The procedures on how to conduct each of the tests analysis are available upon request/		
7.5.2.6	Does the PT provider ensure that calculations and data transfers are checked in an appropriate and systematic manner?	LIMS Validation is done bi-annually, these calculations are verified independently by a second analyst		Follow up during the on-site assessment to ensure the existence of validation reports for all software used by Azuresky and all internally generated Excel Spreadsheets.
7.5.4	**Nonconforming work**			
7.5.4.1	Does the PT provider have a procedure that shall be implemented when any aspect of its PT schemes does not conform to its own procedures or the agreed requirements of its participants or customers? Does the procedure ensure that:	• ASMF 7.17 management of non-conforming work procedure was developed and implemented as well as ASMF 8.7.3 Improvement Action request was implemented to adequately investigate and analyse the non-conforming work.		The CAB has documented their requirements for **non-conforming work in ASFM 7.17** both PT and RM production including sampling, characterization, homogeneity, stability, certification labelling and distribution. ***The procedure ASFM 7.17 does not in the section or clause 3 Responsibilities Include the authority for both halting and restarting of work, when non-conforming work has been identified.***
a)	the responsibilities and authorities for the management of nonconforming work are defined?	• Yes responsibilities are described in section 3 of the document		
b)	actions (including halting work of ongoing PT schemes and/or PT rounds and withholding PT schemes and/or PT round reports, as necessary) are defined and are based upon the risk levels established by the PT provider?	• Yes, section 5 of the procedure states initial steps to be taken		
c)	an evaluation of the significance of the nonconforming work is made, including an impact analysis on previous PT activities?	• Risk analysis should be assessed, and this requirement is stated in section 7 of ASMF 7.17 management of non-conforming work		
d)	a decision on the need for action and timescale is taken immediately, together with any decision about the acceptability of the nonconforming work?	• ASMF 8.7.3 Improvement Action request was implemented and provide acceptance of NC, remedial action, root cause, which may indicate timescale.		
e)	PT scheme participants and customers, as appropriate, are informed and the nonconforming PT items or PT reports already sent to participants are recalled or disregarded?	• Requirements is stated in section 8 of ASMF 7.17 management of non-conforming work		
f)	the responsibility for authorization of the resumption of work is defined?	• Section 9 of ASMF 7.17 management of non-conforming work states that “Document closure with review sign-off from operations/lab manager and resume work.		See comment above, it is not included in the table of responsibilities.

7.5.4.2	Does PT provider retain records of nonconforming work and actions as specified in 7.5.4.1 items b) to f)?	• NCW records must be stored for minimum of 10 years, linked to batch records.		
7.5.4.3	Where the evaluation indicates that nonconforming work can recur or that there is doubt about the compliance of the PT provider with their own procedures, is the corrective action procedure in 8.7 promptly followed?	• **Yes**		
7.6	**Handling of complaints**			
7.6.1	Does the PT provider have a documented procedure for handling complaints that shall include at least the following?	• ASMF 7.18 Complaints handling procedure		The CAB has documented their requirements for the **handing of Complaints and Appeals in their Document no: ASMF 7.18** ***The procedure requires that complaints /appeals shall be received in writing through and logged in the complaints register. There is no such requirement in the standard complains could also be telephonic, in person etc. and the procedure must make provision for this.*** ***Whilst the procedure is specified to cover both Appeals and Complaints these have not been defined, and no explanation included to describe the difference between a compliant and an appeal. Not all appeals are complaints however some may be.***
a)	a description of the process for receiving, substantiating and investigating the complaint and deciding what actions shall be taken in response;	• Yes, all four points are covered in ASMF 7.18 complaints handling procedure		
b)	tracking and recording the complaint, including the actions undertaken to resolve it;	• Yes, all four points are covered in ASMF 7.18 complaints handling procedure		
c)	ensuring that any appropriate action is taken.	• Yes, it is stated in the procedure that “Take the final decision after careful review of the evidence gathered and where necessary,”		
7.6.2	Are there a description of the process for handling complaints and is it publicly available.	• Yes www.azuresky.it.com		
7.6.3	Upon receipt of a complaint, does the PT provider confirm whether the complaint relates to PT activities and, if so, has the provider resolve the complaint.	• No complaint or appeal received currently.		
7.6.4	Is the PT provider receiving the complaint responsible for gathering all necessary information to determine whether the complaint is substantiated.	• Yes, it is stated in the procedure that “Gather all evidence needed for the investigation which will include but not be limited to test records, shipping logs and communication history”		
7.6.5	Whenever possible does the PT provider acknowledge receipt of the complaint and provide to the complainant with the outcome and, if applicable, progress reports.	• Yes, acknowledge of receipt of the complaint is a requirement of the procedure and also, • **It** is stated in the procedure that “Should corrective/preventive action take time to resolve as per described action on ASMF 8.7.3 Improvement Action request,		

©SANAS

		provide progress report to the complainant and the final outcome.		
7.6.6	Ensure that the Investigation and resolution of complaints does not result in any discriminatory actions.			
7.6.7	Does PT-provider ensure that the resolution of complaints shall be made by, or reviewed and approved by, persons not involved in the subject of the complaint in question. Where resources do not permit this, any alternative approach shall not compromise impartiality.	Yes, this requirements has been included in the procedure		
7.6.8	Whenever possible, did the PT provider give formal notice of the end of the handling of the complaint to the complainant.	No complaint or appeal received currently.		
7.6.9	The PT provider shall be responsible for all decisions at all levels of the handling process for complaints.	Yes, it is stated in the procedure that “Take the final decision after careful review of the evidence gathered and where necessary,”		
7.7	**Handling of appeals**			
7.7.1	Does the PT provider have a documented procedure for handling appeal that shall include at least the following?	• **ASMF 7.18 Complaints handling procedure**		The CAB has documented their requirements for the **handing of Complaints and Appeals in their Document no: ASMF 7.18** **See comments above that is also applicable when handling Appeals.**
a)	a description of the process for receiving, substantiating and investigating the appeal and deciding what actions shall be taken in response;	Yes, all four points are covered in ASMF 7.18 complaints handling procedure		
b)	tracking and recording the appeal, including the actions undertaken to resolve it;	Yes, this statement it is made in the procedure: “Record, non-conformity in the ASMF 8.7.3 Improvement Action request document.” 7.10 non-conforming work register is implemented		
c)	ensuring that any appropriate action is taken.	Yes, it is stated in the procedure that “Take the final decision after careful review of the evidence gathered and where necessary,”		
7.7.2	Are there a description of the process for handling appeals and is it publicly available	Yes www.azuresky.it.com		
7.7.3	Does the PT provider acknowledge receipt of the appeal and provide the appellant with the outcome and, if applicable, progress reports.	No complaint or appeal received currently. But requirement it is stated in the procedure. **It** is stated in the procedure that “Should corrective/preventive action take time to resolve as per described action on ASMF 8.7.3 Improvement Action request, provide		

		progress report to the complainant and the final outcome.		
7.7.4	Is the PT provider receiving the appeal responsible for gathering all necessary information to determine whether the appeal is valid.	Yes, it is stated in the procedure that "Gather all evidence needed for the investigation which will include but not be limited to test records, shipping logs and communication history"		
7.7.5	Is the PT provider responsible for all decisions during the process for handling appeals.	Yes, it is stated in the procedure that "Take the final decision after careful review of the evidence gathered and where necessary,"		
7.7.6	Does PT-provider ensure that the decision on the appeal shall be made by, or reviewed and approved by, persons not involved in the decision that is the subject of the appeal in question.	Yes, these requirements have been included in the procedure		
7.7.7	Ensure that the Investigation and decision on appeals shall not result in any discriminatory actions.	Yes, this requirements has been included in the procedure		
8	**Management System Requirements**			
8.1	**General Requirements**			
8.1.1	Does the PT provider establish, document, implement and maintain a management system to support and demonstrate the consistent fulfilment of the requirements of ISO/IEC 17043:023 and its scope of PT activities?	The PT provider has adopted Option A and established a documented management system consistent with ISO/IEC 17043:2023. Policies, objectives, procedures and records form the backbone of this system ASDP001 Quality Manual, 8.2 Quality Statement, Scope of work		The CAB has presented a Documented Quality Management System that is in General Compliance with the Requirements of Both ISO/IEC 17043 and ISO 17034. For the ISO/IEC 17043 the documentation has been presented to comply with Option A. Where non-compliance or omission has been identified it has been recorded in the Assessor Notes of this Document Review (F90 & F148). The CAB has issued a Quality Policy Statement ASMS Doc 8.2.-01 this includes a list of Commitments by 'Top Management' ***rather than a list of objectives***, these commitments are on behalf of Top Managements, rather that Azuresky as whole,
8.1.2	As a minimum, does the management system of the PT provider include at least the following:			
a)	policies?	8.2 Quality Statement and others		
b)	responsibilities?	Organogram defined and Job descriptions defined.		
c)	management system documentation?	ASDP001 Management system document		
d)	control of management system documents?	Defined in clause 4.1 of ASDP001 management system document		
e)	control of records?	Defined in clause 4.2 of ASDP001 management system document		
f)	actions to address risks and opportunities?	Defined in clause 4.3 of ASDP001 management system document		
g)	improvement?	Defined in clause 4.4 of ASDP001 management system document		
h)	corrective actions?	Defined in clause 4.5 of ASDP001		

		management system document		i.e. A commitment by all personnel (staff) of the organization.
i)	internal audits?	Defined in clause 4.6 of ASDP001 management system document		
j)	management reviews?	Defined in clause 4.7 of ASDP001 management system document		
8.1.3	Does the PT provider meet the requirement in section 8.1.2 above by establishing, implementing and maintaining a quality management system (e.g. in accordance with the requirements of ISO 9001)?	The PT provider has adopted Option A and established a documented management system consistent with ISO/IEC 17043:2023.		
8.1.3	Does the PT provider's quality management system support and demonstrate the consistent fulfilment of the requirements of ISO/IEC 17043:2023 standard?	Yes, subject to be tested by SANAS		
8.1.4	Does the PT provider's management provide evidence of commitment to the development and implementation of the management system and to continually improving its effectiveness?	Senior management signs off on the quality policy and allocates resources (staff, infrastructure, training) to support continuous system improvement. Work instructions, checklists were developed, authorised and implemented. Competence records are available. Equipment maintenance records are available, etc. The CAB was established in April 2025, the first management review will be held in January 2026; thereafter, annually.		
8.2	**Management system documentation**			
8.2.1	Do the policies and objectives address the competence, impartiality and consistent operation of the PT provider?	Yes: 8.2 Quality Statement, The policy regarding the disclosure of assigned values was defined clause 3.5 of ASDP001 Managements system document as clause 7.2.3.5 ISO 17043. KPI mid-term review		The CAB has issued a **Quality Policy Statement ASMS Doc 8.2.-01** The Quality Policy Statement has been signed (Authorized) by the Managing Director Ms NP Msibi on 27 July 2025. The Quality Policy stages that the review of the Review of the Management System will take place during the Internal Audit process.
8.2.2	Are all documentation, processes, systems and records related to the fulfilment of the requirements of ISO/IEC 17043:2023 included in, or referenced from, the management system?	**Yes:** All laboratory procedures, work instructions, forms, systems (including LIMS), and records are either part of, or referenced in, the management system. Document index and links ensure traceability(see doc ASDP001 Quality Manual)		

8.2.3	Do all personnel involved in PT activities have access to the parts of the management system documentation and related information that are applicable to their responsibilities?	Yes: Personnel have access (electronic and physical) to relevant portions of the management system. Controlled shared folders or intranet access ensure up-to-date versions are available at points of use.		
8.3	**Control of management system documents**			
8.3.1	Does the PT provider control the documents (internal and external) that relate to the fulfilment of this document?	• ASMF 8.4 Document control was implemented and references ISO 17025, ISO 17034 and ISO 17043		The CAB has documented their requirements for **Document Control in the Document no: ASMF 8.4**. In clause 4.1 & 4.7 designates the Operations manager as being responsible for the approval of all CAB documents. § 4.6 specifies that Review of Documents will be undertaken at least every 5 years of if there is any change to the Standards (Called Code of Practice in the procedure.) § 4.9 indicates that all documents will be available but does not indicate how these will be made available (Hardcopy. Desk tops, lab tops, etc). *The procedure **ASMF 8.4 § 4.9 refers to a Master List of Documents, however it is not sure if a copy of this Master List has been made available for review.***
8.3.2	Does the PT provider shall ensure that:			
a)	documents are approved for adequacy prior to issue by authorized personnel?	• Yes, Operations Manager signed the documents. ASMF 8.4 Document control section 4.1		
b)	documents are periodically reviewed and updated as necessary?	• Yes, There is dates of review stated on document (ie.5 years or during audits or when codes of practice change) ASMF 8.4 Document control section 4.6		
c)	changes and the current revision status of documents are identified?	• Yes identified, ASMF 8.4 Document control section 4.2		
d)	relevant versions of applicable documents are available at points of use and their distribution is controlled?	• Yes this requirements id defined ASMF 8.4 Document control section 4.3		
e)	documents are uniquely identified?	• Yes, requirement stated in ASMF 8.4 Document control section 4.9 • Each document shall be given a unique reference code. The prefix letters of the code refer to a particular kind of document		
f)	the unintended use of obsolete documents is prevented, and that suitable identification is applied to them if they are retained for any purpose?	• Yes requirement stated in ASMF 8.4 Document control section 4.5 • Withdrawn and obsolete documents are held in the Withdrawn/Obsolete Document file and retained for a specific period with a minimum period of 3 years.		
8.4	**Control of records**			
8.4.1	Does the PT provider establish and retain legible records to demonstrate fulfilment of the requirements of ISO/IEC 17043:2023?	• ASCR001 record matrix document describe the procedure to protect, access from the management		The CAB has addressed their requirements of **Technical Records in their Document ASMF7.16.**

		system		This document is said to cover the requirements for Technical Records for both RM's and PTS. The document includes a list under section 4 of all of the documents/records that will be controlled. The list does include 'Certificates of Analysis' – note this title may not be appropriate when the CRM reference may derived or determined through another process such as a consensus value. ***The list of records required does not include PT Scheme reports.*** ***The retention times for the records are stated in Section 7 and tend to vary, some of which are not in compliance with SANAS requirements which state that records must be kept for up to 2 Accreditation Cycles (potentially up to 10 years).*** The overall responsibility for Records is the Laboratory manager (Section 3)
8.4.2	Does the PT provider implement the controls needed for the identification, storage, protection, back-up, archive, retrieval, retention time and disposal of its records?	• ASCR001 record matrix document describe the procedure to protect, access from the management system		
8.4.3	Does the PT provider retain records for a period consistent with its contractual obligations?	• Yes, ASDP001 management system document clause 4.2 states that: The records produced by the laboratory shall be retained for 10years minimum and/ or the contractual obligation terms shall be superseding the 10years period if it is greater.		
8.4.3	Is access to these records consistent with the confidentiality commitments, and are the records readily available?	• Yes records are readily available in the laboratory and they access to them is consistent with document ASMF 4.3.1 NDA clause 2.1.1.3		
8.5	**Actions to address risks and opportunities**			
8.5.1	Does the PT provider consider the risks and opportunities associated with the PT activities in order to:			***The CAB has not provided a procedure that addresses how risks and opportunities will be addressed. The procedure must indicate how, what, when, who and why the CAB will conduct risk evaluations.*** What has been provided is evidence of implementation of risk evaluation using an Excel Spreadsheet.
a)	give assurance that the management system achieves its intended results?	• Yes, the whole system was assessed to identify the risks from sample preparation until to packing and shipping both PT and RM with the rationale to enhance intended results or achieve intended results or achieve improvement or prevent undesirable effects 8.5 Actions to address the risks and opportunities		
b)	enhance desirable effects to achieve the purpose and objectives of the PT provider?			
c)	prevent, or reduce, undesired impacts and potential failures in the PT activities?			
d)	achieve improvement?			

8.5.2	Does the PT provider plan:			
a)	actions to address these risks and opportunities?	• Yes, causes, existing controls of causes, consequences, existing controls of consequences all were identified. 8.5 Actions to address the risks and opportunities		
b)	how to integrate and implement these actions into its management system?	• Yes (management of safety of personnel) for example, the personnel are now using respirators rather than dusk mask during sample preparation to mitigate against high dust levels of sample prep area.		
c)	how to evaluate the effectiveness of these actions	• **Yes,** 8.5 Actions to address the risks and opportunities evaluation of effectiveness is there.		
8.5.3	Are the actions taken to address risks and opportunities proportional to the potential impact on the validity of the PT scheme?	• Yes, causes, existing controls of causes, consequences, existing controls of consequences all were identified. 8.5 Actions to address the risks and opportunities		
8.6	**Improvement**			
8.6.1	Does the PT provider identify and select opportunities for improvement and implement any necessary actions?	Yes, NC are reported and procedures are in place to be implemented to effect management system compliant to ISO 17034:2016		*The Laboratory has not included a reference to a **procedure** that states how Improvements is going to be addressed by Azuresky*. The use of a Customer Feedback form is one method, but there are other ways to identify and action potential improvements. The customer Feedback for has not been submitted for review, will be reviewed during the on-site assessment.
8.6.2	Does the PT provider seek feedback, both positive and negative, from its participants and customers?	Yes, a feedback form was developed, and implemented (Customer feedback form AS006MF It's in the best interest of the business to use the feedback and increased efficiency, improved customer satisfaction, and better regulatory compliance. One of our clients shared an NC recorded of our PT report during their audit, the investigation of the NC improved the PT report content.		

©SANAS

8.6.2	Is the feedback analysed and used to improve the management system, PT activities and customer service?	• Yes, the requirements is stipulated in ASDP001 section 4.4		
8.7	**Corrective actions**			
8.7.1	When a nonconformity occurs, does the PT provider:			**ASMF8.7.3 is a Form entitled Improvement, or non-conformity report**, the form that is designed primarily to capture the details of any non-conformity, and details of the Root-Cause-Analysis, the corrective action to be taken, follow-up and closeout. ***This is not a Procedure that describes how the corrective action is to be taken when a non-conformance is identifies through any means.***
a)	react to the nonconformity and, as applicable: (i) take action to control and correct it? (ii) address the consequences?	• Yes; ASMF 8.7.3 Improvement action request is used to state the objective evidence of finding and corrective action. • Customers who may be affected by the non-conforming work or RM shall be notified. • Through SANAS or internal audits this requirement will be officially tested to determine if it is met by the business.		
(b)	evaluate the need for action to eliminate the cause(s) of the nonconformity, in order that it does not recur or occur elsewhere, by: (i) reviewing and analysing the nonconformity? (ii) determining the causes of the nonconformity? (iii) determining if similar nonconformities exist, or can potentially occur?	• Yes; ASMF 8.7.3 Improvement action request is used to state the objective evidence of finding and corrective action. The document requires the investigation to identify the root cause. Through the best analysis tools CAB will be able to select and implement action most likely to eliminate and prevent recurrence of the problem.		
c)	implement any action needed?	• Yes appropriately determined through root cause analysis.		
d)	review the effectiveness of any corrective action taken?	• An internal audit will test if corrective actions are still in implementation by personnel and their effectiveness.		
e)	update risks and opportunities determined during planning, if necessary?	• Yes, the requirements is stated in ASDP001 clause 4.5.		
f)	make changes to the management system, if necessary?	• Yes, currently the business is growing, and identification of improvement areas/NC's/ risks and opportunities is the order of the day to make best changes to the developing management system.		
8.7.2	Are the corrective actions appropriate to the effects of the nonconformities encountered?	• Through the best analysis tools CAB will be able to select and implement action most likely to eliminate and prevent recurrence of the problem.		

8.7.3	Does the PT provider retain records as evidence of:			
a)	the nature of the nonconformities, cause(s) and any subsequent actions taken?	• ASCR001 record matrix document describe the procedure to protect, access from the management system		
b)	the effectiveness of any corrective action?	• ASCR001 record matrix document describe the procedure to protect, access from the management system (internal audit report listed in the record)		
8.8	**Internal audits**			
8.8.1	Does the PT provider conduct internal audits at planned intervals to provide information on whether the management system:			The facility has documented their requirements for Internal Audits in **Internal Audits Procedure Document no: ASMF 8.7** This procedure is said to comply with the ISO 17025:2017; ISO 17034:2016; ISO 17043:2023 and other relevant SANAS codes of practice. *This procedure has incorrectly referred to the standards ISO 17025 and not ISO 17043, instead of ISO/IEC 17025 & ISO/IEC 17043, this error has been repeated in numerous places in the documentation. The Procedure also refers to SANAS codes of practice. It is not clear what this refers to as SANAS does not publish 'Codes of Practice'.* The Procedure **has not included clause or section numbering** making it difficult to identify those clause when making comments on the suitability of the procedure.
a)	conforms to: (i) the PT provider's own requirements for its management system, including the PT activities? (ii) the requirements of this document?	• Audit of the system is planned for Nov-Dec 2026. This will be the very first comprehensive audit program, given that the company has been business for ~7 months. Please see the audit programme doc AUI001-INTERNAL AUDIT PLAN FOR 2026 • This audit programme is comprehensive and thus covers 8.81-8.8.2 (a-e)		
b)	is effectively implemented and maintained?	• Report will be shared with assessors.		
8.8.2	Does the PT provider:			
a)	plan, establish, implement and maintain an audit programme including the frequency, methods, responsibilities, planning requirements and reporting, which take into consideration the importance of the PT activities concerned, changes affecting the PT provider and the results of previous audits?	• Yes, however results of previous audits is not available yet.		
b)	ensure that internal audits are conducted by personnel knowledgeable in conduct of PT activities and auditing and the requirements of this document and that these personnel are independent of activities being audited, wherever resources permit?	• Yes, ASMF 8.7 Internal Audit procedure that "Azuresky management shall be responsible for scheduling and performing laboratory audits."		

c)	define the audit criteria and scope for each audit?	• Yes, it is mentioned in ASMF 8.7 Internal Audit procedure		The Section entitled **'Planning the laboratory Audit',** states the following The **Management team shall discuss and appoint the Lead Auditor.** Has the CAB identified who the Management team is? The Lead Auditor shall generate the scope of the audit and any necessary requirements to the Auditee at least 24 hours prior to the day of the audit or unless otherwise there is urgent need to conduct the audit with immediate effect. The last section/clause of the procedure refers to the Audit Records without listing what those records are (i.e. Audit report, checklists, opening and closing meeting agendas, attendance register, etc. etc.) The procedure also states that Lead Auditor shall share the audit results at the management review meeting. *Is the intention to wait for the MR Meeting, which could be months,* ***should the report not be shared with relevant management before then?***
d)	ensure that the results of the audits are reported to relevant management?	• Yes, it is mentioned in the ASMF 8.7 Internal Audit procedure		
e)	implement appropriate corrections and corrective actions without undue delay?	ASMF 8.7 Internal Audit procedure section "conducting internal audit" **require that** Major NC shall be addressed within 24 hours; Minor NC shall be addressed within 72 hours		
f)	retain records as evidence of the implementation of the audit programme and the audit results?	• **Yes as per the** ASCR001 record matrix document describe the procedure to protect, access from the management system		
8.9	**Management reviews**			
8.9.1	Does the PT provider review its management system at **planned intervals**, in order to ensure its continuing suitability, adequacy and effectiveness, including the stated policies and objectives related to the fulfilment of this document?	• **As per ASDP001 Management System section 4.7** Management review meetings shall be conducted annually in January month		**The Management system requirements Document no:ASDP001 § 4.7** requires that Management Review Meetings take place on an **annual basis in January of each year**.

8.9.2	Are the inputs to management review recorded and do they include information related to the following:		
a)	changes in internal and external issues that are relevant to the PT provider?	• See the attached template of the minutes designed to be held in January 2026 ASTR 8.6 Management Review meeting minutes	**№ 2**
b)	fulfilment of objectives?		**№ 3**
c)	suitability of policies and procedures?		**№ 4**
d)	status of actions from previous management reviews?	• See the attached template of the minutes designed to be held in January 2026 ASTR 8.6 Management Review meeting minutes	**№ 5**
e)	outcome of recent internal audits?		**№ 6**
f)	corrective actions?		**№ 7**
g)	assessments by external bodies?	• See the attached template of the minutes designed to be held in January 2026 ASTR 8.6 Management Review meeting minutes	**№ 8**
h)	changes in the volume and type of the work or in the range of PT activities?		**№ 9**
i)	customer, participant and personnel feedback?		**№ 10**
j)	complaints and appeals?	• See the attached template of the minutes designed to be held in January 2026 ASTR 8.6 Management Review meeting minutes	**№ 11**
k)	effectiveness of any implemented improvements?		**№ 12**
l)	adequacy of resources?		**№ 13**
m)	results of risk identification?	• See the attached template of the minutes designed to be held in January 2026 ASTR 8.6 Management Review meeting minutes	**№ 14**
n)	outcomes of the surveillance of the processes?		**№ 15**
o)	other relevant factors, such as training?		**№ 16**
8.9.3	Do the outputs from the management review record all decisions and actions related to at least:		
a)	the effectiveness of the management system and its processes?	See the attached template of the minutes designed to be held in January 2026 ASTR 8.6 Management Review meeting minutes	**№ a**
b)	improvement of the activities related to the fulfilment of the requirements of this document?		**№ b**
c)	provision of required resources?		**№ c**
d)	any need for changes?		**№ d**

This procedure requires that the Management review address the requirements for Management Review as per the Standards ISO/IEC 17025, ISO 17034 & ISO/IEC 17043.

This document ***does not refe***r to any other Azuresky supporting documents as described in this completed SANAS Management checklist that is required to tie the requirements together.

The document Management Review Meeting Document no: ASTR 8.6 appears to be a template for the ***Agenda for the Management Review Meeting***. It includes provision for recording the Names of those present and those absent, the date the chairperson, minute taker, but does not include the Venue for the meeting to be captured.

This is not a template for the Meeting Minutes it is an Agenda template.

The Document ASTR 8.6 satisfactorily addresses the **agenda items** as prescribed in ISO/IEC 17043:2023.

Additional / General Comments *This space may also be used to expand on comments in specific sections*			
The CAB has satisfactorily addressed the majority of the requirements for ISO 17034, but a number of Procedures have not been provided for the Document Review, where certain issues have been omitted from the existing procedures these have been noted.			
Team Leader's Signature:		**Date:**	

©SANAS