	PERSONNEL COMPETENCE DECLARATION FORM		
AzurESky "ensure quality of test"	Document no: ASMF6.1 FORM		
	Compiled by:	Sifiso Nyambi - Laboratory Manager	
	Approved by:	Nonhlanhla Msibi - Operations Manager	

TECHNICAL SIGNATORY COMPETENCE DECLARATION FORM

PERSONNEL

Employee name: Sifiso Nyambi

ID Number: 970407 6373 081

Coy Number: 03

I declare that I am competent, trained, and authorized to perform my assigned tasks in accordance with the company's management system. I understand and agree to follow all applicable instructions as per the outlined procedure. I accept responsibility of being a technical signatory in accordance with SANAS R03.

Tasks:

Quick ash ☑

ISO Volatile matter ☑

ISO Inherent Moisture ☑

ISO Calorific Value ☑

Total Sulphur ☑

Sample Preparation ☑

Technical Signatory Assessment ☑

Employee signature

AUTHORIZING OFFICER

Name: N. P. Msibi

Designation: Operations Manager

Coy number: 01

CONTROLLED DOC

Effective date	Rev status	Next review date
07/2025	00	07/2028

AzurESky "ensure quality of test"	**PERSONNEL COMPETENCE DECLARATION FORM**		
	Document no: ASMF6.1 FORM		
	Compiled by:	**Sifiso Nyambi - Laboratory Manager**	
	Approved by:	**Nonhlanhla Msibi - Operations Manager**	

I declare that the above-named individual has been assessed and is authorized to perform the specified tasks in accordance with the company's management system and competency requirements.

Authorizing Signature



CONTROLLED DOC

Effective date	Rev status	Next review date
07/2025	00	07/2028

AzurESky (PTY) LTD
Unit 3, 17 Makriel Rd, Wadeville, Germiston, 1421, Gauteng, South Africa
Tel: +27 (0) 13 690 2867/2818 Fax: +27 (0) 13 690 2818

To	AZURESKY	Reference number:	SEPTEMBER 2025 1611
For Attention	NONHLANHLA MSIBI	Sample submitted:	2025/09/09
Tel:		Sample description:	
Fax:		Contact Person:	MAPONYA
Cell:	082 786 8149	Report date:	2025/11/18
Address \ Email:	NONHLANHLA@AZURESKY.IT.COM	Report status:	Final
		Number of pages	1 OF 2

TEST REPORT

			Results reported on an Air-Dry Basis							
Lab.no.	Sample name	Description	Inherent Moisture	Ash Content	Volatile Matter	Fixed carbon	Calorific Value	Total sulphur	Phos *	Total H2O
			%	%	%	Calc / %	MJ/Kg	%	%	%
11	SEPT 1 - SIFISO	SEPT 1 - SIFISO	3.5	18.0	25.8	52.7	24.76			

Tests marked with an asterisk (*) does not form part of the scope of SANAS accredited tests. All other tests are not included in the schedule of accreditation for this laboratory.

(Condition of test item if abnormal / additional information)

Technical Signiture

A signed copy of this report is available at the laboratory

Maponya TMJ

Results reported are only representative of the sample received for testing

While every endeavour has been made to ensure that the results reported are accurate, the laboratory shall not be liable for any error nor for any damage or loss what so ever that may arise from the issuing of this certificate. This certificate may not be reproduced in part or full without written permission from the Technical Managers of the laboratory.

Refer to Addendum to this report for method identification as well as scope of accreditation

AzurESky	AZURESKY PTY LTD	Document # AZCA-005	Revision# 0
Subject	ASSESSMENT FOR SAMPLE PREPARATION		

PERSONAL DETAILS:

Name:	Ifiso Nyambi
Job Title:	Laboratory Manager

ASSESSMENT:

Attempt:	1st
Date:	8 September 2025
Time:	09H00

ASSESSORS:

Name	1.	
	2.	

Instructions and Information

1.	The competency and development tool is based on the Sample Preparation **Desired Outcome:** At the end of this module the employee should be able to perform the determination of ash content in line with the test procedure in a manner which will give accurate, repeatable and traceable results. The employee should have adequate knowledge of the method and its limitations
2.	You are allowed to use the following documentation during the assessment: • Any other relevant **printed** reference material you may feel will assist you.
3.	You are going to demonstrate the determination of the Sample Preparation. During the assessment, the assessor may ask you additional relevant questions, the answer to which he/she will then immediately note down on the assessment sheet. The assessment consists of **20** points of which **2** are critical. To be declared competent, you must obtain 80% for the assessment. You are not allowed to get one of the critical questions wrong. The assessment shall then be stopped, and the result will be that you are not yet competent. Some of the questions may be structured to assess your reflective competence.
4.	You have the right to an interpreter and the right to have an observer present during the assessment.
5.	You are allowed to ask the assessor(s) to clarify any question during the assessment.

AzurESky	AZURESKY PTY LTD	Document # AZCA-005	Revision# 0
Subject	ASSESSMENT FOR SAMPLE PREPARATION		

Assessment Sample Preparation

Date: _/_____

Candidate name: _____ **Staff No:** 03

Candidate Signature: _____

No	Question:	Points	Score
1.	Name two apparatus used to mix sample for preparation Homogeneity Drum, Splitter, Cone & quartering	2	2
2.	What is the purpose of crushing the sample? To liberate the coal thereby increasing the surface area and allowing it to mix more.	2	2
3.	Why do we air dry the sample if it is visible wet? Dry the sample on the floor or in drying oven where temperature is ≤ 40°C.	2	2
4.	Why is housekeeping such an important part of Good Laboratory Practices (GLP)? Clean lab, less chances for contamination	1	1
5.	Name 5 steps to be followed air-drying the sample ⇒ Crushing (Stage crush) ⇒ Air drying oven at 3mm (≤40°C) < 4hrs. ⇒ Pulverising ⇒ Splitting. ⇒ Packaging ⇒ Homogeneity testing.	* 5	5
6.	At what temperature is the test sample dry for the general analysis? ≤ 40°C	* 1	1
7.	When is the pulveriser verification to be done? At the beginning of the shift (before pulverising can be used).	1	1
8.	What mass is extracted from the homogeneity drum during packaging? ±600g	1	1
9.	What are the acceptance criteria for crusher efficiency? Dust loss ≤ 10% and Crusher eff > 90%	1	1

10.	Samples should be stored into a non-labeled bottle (True or false) Support your answer. False. Labelling allows easy identification of sample and prevents cross-contamination ✓	2	2
11.	Reference samples are kept in the lab for future disputes by the clients. (True or false) True. ✓	1	1
12.	How frequently must stored samples be checked for stability? Once a month. ✓	1	1
	Total:	20	20

Comments by Assessor(s): Competent

Comments by Candidate:

Assessor Declaration:

I hereby state that the candidate has been assessed according to the requirements of this document and found to be *competent / not yet competent** **and** *may / may not* proceed* **to the Assessment Panel for authorisation.**

* Delete as applicable.

Assessor Name N. Mehdi **Signature:** _____ **Date:** 8/09/2025

If you do not agree with the feedback, please discuss this. If you can not come to an agreement, ask for an explanation of the appeals procedure.

I declare that I am satisfied with this assessment and can perform these tasks.

Learner Signature: _____ Date: 08/09/25

Senior analyst Signature: _____ Date: _____

AzurESky "ensure quality of test"	AZURESKY PTY LTD	Document # AZCA-004	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF THE ASH CONTENT (COAL-QUICK ASH METHOD)		

PERSONAL DETAILS:

Name:	Ifiso Nyanibi
Job Title:	Laboratory Manager

ASSESSMENT:

Attempt:	1 07
Date:	08 Sept 2025
Time:	10H00

ASSESSORS:

Name	1.	
	2.	

AzurESky "ensure quality of test"	AZURESKY PTY LTD	Document # AZCA-004	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF THE ASH CONTENT (COAL-QUICK ASH METHOD)		

Instructions and Information

1.	The competency and development tool is based on the ISO 1171 **Desired Outcome:** At the end of this module the employee should be able to perform the determination of ash content in line with the test procedure in a manner which will give accurate, repeatable and traceable results. The employee should have adequate knowledge of the method and its limitations
2.	You are allowed to use the following documentation during the assessment: • Any manual(s) associated with the Ash Content determination(s) in use. • Any Corporate Standard, Corporate Guideline or Corporate Manual. • Any other relevant **printed** reference material you may feel will assist you.
3.	You are going to demonstrate the determination of the Ash Content. During the assessment, the assessor may ask you additional relevant questions, the answer to which he/she will then immediately note down on the assessment sheet. The assessment consists of **23** points of which **13** are critical. To be declared competent, you must obtain 80% for the assessment. You are not allowed to get one of the critical questions wrong. The assessment shall then be stopped, and the result will be that you are not yet competent. Some of the questions may be structured to assess your reflective competence.
4.	You have the right to an interpreter and the right to have an observer present during the assessment.
5.	You are allowed to ask the assessor(s) to clarify any question during the assessment.

AzurESky "ensure quality of test"	AZURESKY PTY LTD	Document # AZCA-004	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF THE ASH CONTENT (COAL-QUICK ASH METHOD)		

Assessment Ash Content

Date: _/_____

Candidate name: _____ **Staff No:** 03

Candidate Signature: _____

No	Question:	Points	Score
1.	At what temperature is the ash sample incinerated to constant mass? 815±10 °C	* 1	1
2.	What problems could be encountered if the sample is incinerated in a furnace without a specified ramping profile? More sulfur can actually be retained due to rapid ...	1	1
3.	Between which masses are the ash samples controlled? 0.2495-0.5000 g (QA) 0.95-1.05g (ISO AR) .	* 2	2
4.	What is the maximum temperature at which samples can be inserted into the furnace? 815 C for QA. ≤ 100 C ISO adl.	2	2
5.	Complete the sentence: The sample is incinerated at 815 C for 1 hour until constant mass is achieved all organic matter disappears	* 2	2
6.	Where are the crucibles cooled after the analysis is complete? Bench for 10 min and 10 min inside desiccator.	* 2	2
7.	What accompanies each batch of samples? control sample.	1	1
8.	What is the maximum number of crucibles allowed in a furnace? 22	* 1	1

AzurESky "ensure quality of test"	AZURESKY PTY LTD	Document # AZCA-004	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF THE ASH CONTENT (COAL-QUICK ASH METHOD)		

9.	Who is responsible for investigating any deviation? Lab analyst/Supervisor/manager.	* 1	1
10.	Two grams of samples can be used for ash. True or False? false	1	1
11.	The repeatability of ash is 0.3%. True or False? false, 0.2%	1	1
12.	The unit for reporting ash is grams True or False? false, %	* 1	1
13.	What is the formula for calculating the ash content? %Ash = Mass after heating / mass sample weighed x100 %	1	1
14.	Who is responsible for plotting control charts? Lab technicians.	* 1	1
17.	A single repeat sample can be used for ash True/False false, duplicate for all CRM.	* 1	1
18.	At what temperature are the ash crucibles weighed back? 19-26 °C.	1	1
19.	What is the repeatability limit for ash determinations? 0.2% of ash < 10%, and 2% of ave for ash > 10%	* 1	1
20.	Unmarked and unidentified crucibles can be used for ash determination. True/ False false.	* 1	1
	Total:	23	23

AzurESky "ensure quality of test"	AZURESKY PTY LTD	Document # AZCA-004	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF THE ASH CONTENT (COAL-QUICK ASH METHOD)		

Comments by Assessor(s): Competent

Comments by Candidate:

Assessor Declaration:

I hereby state that the candidate has been assessed according to the requirements of this document and found to be *competent / not yet competent** **and** *may / may not* proceed* **to the Assessment Panel for authorisation.**

* Delete as applicable.

Assessor Name N. Mehdi **Signature:** _____ **Date:** 8/9/2025

If you do not agree with the feedback, please discuss this. If you cannot come to an agreement, ask for an explanation of the appeals procedure.

I declare that I am satisfied with this assessment, and I can perform these tasks.

Learner Signature: _____ Date: _____

Senior analyst/supervisor Signature: _____ Date: _____

Learner Signature: _____ Date: 08/09/25

Note: 1. This shall be done after theoretical test has been completed.
2. Trainee to be constantly supervised until Initial training is signed off by competent trainer.

Sample Used		Lims Number	Known Value	Duplicate Test Results	
		1611	18.5	17.84	18.06

Acceptance Tolerance: 0.2% between duplicate results for Ash≤10% and 2% of average for ash>10%.

AzurESky "ensure quality of test"	AZUREKY PTY LTD	Document # AZCA-003	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF CALORIFIC VALUE IN COAL		

PERSONAL DETAILS

Name:	Ifiso Nyambi
Staff No:	03
Job Title:	Lab Manager

ASSESSMENT:

Attempt:	01
Date:	08/ Sept 2025
Time:	

ASSESSORS:

Name & Staff nr.:	1.	
	2.	
	3.	
	4.	
Observers: (optional)	1.	2.
Translator: (if required)		

AzurESky "ensure quality of test"	AZUREKY PTY LTD	Document # AZCA-003	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF CALORIFIC VALUE IN COAL		

Instructions and Information

1.	The competency-based assessment instrument was developed in line with the requirements to be declared competent in **Determination of the Calorific Value in Coal** **Desired Outcome:** At the end of this module the employee should be able to perform total sulphur determination in line with the test procedure in a manner which will give accurate, repeatable and traceable results. The employee should have adequate knowledge of the method and its limitations
2.	The competency and development tool is based on ISO 1928
3.	You are allowed to use the following documentation during the assessment: • Any manual(s) associated with the Calorific Value determination(s) in use. • Any Corporate Standard, Corporate Guideline or Corporate Manual. • Any other relevant **printed** reference material you may feel will assist you.
4.	You are going to demonstrate the determination of Calorific Value. During the assessment, the assessor may ask you additional relevant questions, the answer to which he/she will then immediately note down on the assessment sheet. The assessment consists of **23** points of which **14** are critical. To be declared competent, you must obtain 80% for the assessment. You are not allowed to get one of the critical questions wrong. The assessment shall then be stopped, and the result will be that you are not yet competent. Some of the questions may be structured to assess your reflective competence. There is a set time limit of **60** minutes for the completion of the assessment
5.	You have the right to an interpreter and the right to have an observer present during the assessment.
6.	You are allowed to ask the assessor(s) to clarify any question during the assessment.

AzurESky "ensure quality of test"	AZUREKY PTY LTD	Document # AZCA-003	Revision# 0
Subject	ASSESSMENT FOR DETERMINATION OF CALORIFIC VALUE IN COAL		

Assessment of Calorific Value

Date: _/_____

Candidate name: _____ **Staff No:** _____

Candidate Signature: _____

No	Question:	Points	Score
1.	What is meant by calorific Value? Measures the energy generated by coal during combustion.	* 1	1
2.	What chemical is used to calibrate the machine? Benzoic tabs.	* 1	1
3.	What is meant by repeatability? Results obtained over a short period of time under the same conditions/day/analyst/equipment.	1	1
4.	What is used to clean the bomb vessel inside? Teethbrush and soap.	1	1
5.	Can grease or oil be used on oxygen gauges? No.	1	1
6.	Complete the sentence: Duplicate results by the same bomb, analyst, conditions over a short period of time (aka repeatability)	* 2	2
7.	Which documents must be used to record raw data? AS003TF	* 1	1
8.	How often is the instrument calibrated? When necessary, there is no fixed frequency.	1	1

9.	How often are and with what are drift checks analyzed? After every 10 runs using CRM 002.	* 2	2
10.	Can the bombs be immersed in water? No.	1	2
11.	A Benzoic Acid can be used until the bottle is empty True or False? True, but not recommended.	* 1	2
12.	Stanley knife is used to cut o-rings. True or False? True.	1	2
13.	Within which masses are test samples controlled 0.5000 - 0.5099 g	* 2	2
14.	What is the repeatability limit for Calorific Value determination? < 0.12 MJ/kg.	* 1	1
15.	When is the maintenance on Calorific Value done? At the beginning of the shift (before using bomb)	* 1	1
16.	How many samples are used in repeat analyses? Two/duplicate	* 1	1
17.	Who plots the control charts? Lab technician.	* 1	1
18.	What material is used to clean electrodes? Sandpaper, teebrush and soap.	1	1
19.	Calorific value crucibles can never be reused True/ False False.	1	1
20.	What gas is used in the calorific value analyzer? pure O_2 (99%)	1	1

	Total:	23	

Comments by Assessor(s): Competence is deemed

Comments by Candidate:

Assessor Declaration:

I hereby state that the candidate has been assessed according to the requirements of this document and found to be *competent / not yet competent and *may / may not* proceed* to the Assessment Panel for authorisation.**

Assessor Name N. Mabi **Signature:** _____ **Date:** 8/9/25

Learner Signature: Siso Nyambi **Date:** 08/09/2025

Note: 1. This shall be done after theoretical test has been completed.
2. Trainee to be constantly supervised until Initial training is signed off by competent trainer.

Sample Used		Lims Number	Known Value	Duplicate Test Results	
		1611	24.77	24.74	24.78
Acceptance Tolerance: 0.12% between duplicate results					