sanas South African National Accreditation System

NON-CONFORMANCE, CORRECTIVE ACTION AND CLEARANCE REPORT

SANAS No.: T1195

Organisation Name: **Azuresky Laboratory**

NC Report Number: **AB04**

Area/Scope Assessed: **Management Requirements**

Assessor / Inspector / Expert: **A. Bougart**

PART 1: DETAILED OBSERVATION

At the time of the assessment it was observed that the Risk for impartiality for financial dependence was done but the existing risk control was that an alternative company number can be used for business relations, but the alternative company number was never shared with clients in order to mitigate the risk.

Signed (Representative):

Signed (Team Leader / Inspector): A. Bougart

MAJOR: [X] MINOR: [ ]

Reference No. of relevant Guide / Standard / Requirement: **ISO/IEC 17025 requirement 4.1.4**

Date: **08/04/2026**

PART 2: ROOT CAUSE ANALYSIS

(Provide an analysis of the extent and cause of the nonconformity)

Alternative number was not shared with clients due to oversight, the risk-assessment failed to explicitly highlight the number in use nor was it referenced anywhere within the QMS documentation. Furthermore the personnel were not specifically trained to ensure that this specific information is clearly highlighted as a risk mitigation measure during the audit.

PART 3: CORRECTIVE ACTION TAKEN

(Clearly indicate what corrective action was taken, and attach supportig evidence of implementation)

⇒ Filled PT instruction form (ASP001PT) and a screenshot of company website clearly displaying the alternative number used for business relations

⇒ ASRI 4.2. updated to explicitly list the specific documents (ASP001PT & website) as records for the mitigation control

⇒ Formal memo issued to management confirming the only approved number for client communication is 087 786 [illegible]

Date: 15/04/2026

Signed (Representative):

PART 4: CORRECTIVE ACTION VERIFIED AND CLEARED

(Comment on whether the corrective action is sufficient and appropriate)

Date:

Signed: Assessor / Inspector/Expert:

PART 5: FOLLOW-UP AT NEXT ASSESSMENT

(Comment on the implementation of the corrective actions)

Date:

Signed: Assessor / Inspector/Expert:

©SANAS

AS004MF 07/25

BRAINSTORMING FORM

IRQ no: AB04

Brainstorming team

Tshepo Mapanya
Kgetumetse Maleka
Ofiso Nyambi

What went wrong? Risk for financial dependence done by the CAB ~~team~~. Existing control was providing an alternative number. However the alternative number was never shared with clients to mitigate the risk.

Why 1? Why the alternative number was not shared with client? Oversight. Risks assessment did identify the risk mitigation, but did not explicitly mandate that the number (082 786 8149) be used in all formal client facing documents.

Why 2? Why was the number not formalised and entered into the QMS? ~~The number~~ While the number was being used on specific forms (eg PT instruction form & website) It was not formally ~~addressed~~ cross-referenced on the impartiality risk assessment as primary proof of implementation.

Training needs:

Why 1? Why was the number not clearly highlighted during the audit? Personnel were aware of the number but were not specifically trained to ensure the specific information is clearly highlighted as a risk mitigation measure during the audit.

Supervisor:


AS001MF

07/25

ROOT CAUSE ANALYSIS FORM

IRQ NO: AB04

At the time of the assessment it was observed that the risk for impartiality for financial dependence was done but existing risk control was that an alternative company number can be used for business relations, but the alternative company number was never shared with clients in order to mitigate the risk.



.....

SUPERVISOR

AzureSky Pty Ltd
Proficiency Testing Scheme – Participant Instructions
AzureSky PT Scheme- Round 13
Date: 17 November 2025

"Sample B"

Dear Participants, below are the instructions to participate in the AzureSky (Pty) Ltd Proficiency Testing scheme.

1. Objective of the Study

The purpose of this proficiency testing (PT) round is to evaluate the performance and analytical capability of participating laboratories in determining the analysis as outlined in the ***link*** provided via email.

2. Confidentiality and Independence

Participants are strictly prohibited from exchanging results or comparing data with other laboratories during the study. This measure ensures the integrity and independence of the performance evaluation. Collusion or collaborative data sharing undermines the objectives of ISO 33405.

3. Replicate Determinations

Participants are required to perform 2 replicate determination(s) per unit, using their routine analytical methods.

4. Method Instructions

- Put a zero (0) for all parameters which you have not participated in this round, **this is crucial as you will not be able to submit the form with blank spaces.**

- All results submitted should be on an air-dry basis.

- Samples shall be conditioned for at least 3 hours prior to analysis.

- All volatile results should be corrected for inherent moisture.
For example, Volatile as analysed= 23.6% and Inherent moisture= 2.8%. Corrected volatile = Volatile as analysed – Inherent moisture = 23.6-2.8=20.8%.

- Only use a reducing atmosphere for Ash Fusion Temperature analysis

- Submit calorific value analysis results as they appear on the instrument, do not convert or correct for sulphur.
- All results submitted for hydrogen analysis must be corrected for inherent moisture, use below formula: Corrected Hydrogen = Hydrogen (obtained from instrument) – inherent moisture x 0.1119.

Effective date	Rev status	Revision date
09/2025	01	09/2028

5. Measurement Quality and Traceability

- Measurements must be traceable to recognized national/international standards.

- Apply internal quality assurance (QA) and quality control (QC) procedures.

- Ensure accuracy and identify bias through appropriate measures.

6. Time Schedule

Distribution of samples	: No later than 10th of every month
Submission of results	: No later than 25th of every month
Feedback report to participants	: No later than 06th of every month

7. Mode of Dispatch

Samples will be dispatched via courier or hand delivered by Azuresky Pty Ltd, securely packaged and labelled.

8. Sample Storage Requirements

Upon receipt, store samples as following:

- Temperature: Room temperature should not be greater than 23°C.

- Conditions: Keep sealed, dry, and away from heat or contamination.

9. Sample Treatment Instructions

Where applicable, follow specific instructions for sample pre-treatment. If none are provided, proceed with routine preparation methods.

10. Internal Quality Control Measures

Participants should implement QC measures such as:

- Use of internal reference materials

- Control charts

- Duplicate analysis

- Spike recovery (where relevant)

NB: Any anomalies or suspected bias should be documented and submitted with your results.

11. Laboratory Identification and Data Use Policy

- Each lab will be assigned a unique confidential code.

- Results will be anonymized in reporting unless explicit permission is granted.

- Data may be used for further characterization or interlaboratory comparison.

12. Standards

- Ash Content (ISO 1171)
- Volatile Matter (ISO 562)
- Gross Calorific Value (ISO 1928)
- Total Sulphur (ASTM D42390)
- Total Moisture (ISO 589)
- Inherent Moisture (SANS 2925-2007)
- Ash Fusion Temperature (SANS 43:2008) **Reducing atmosphere only**
- Particle Size Distribution (ISO 1953)

13. Contact Information

Proficiency Testing Coordinator: **Sifiso B Nyambi**

Email: sifiso@azuresky.it.com

Phone: 082 786 8149 Alternative number.

Website: https://azuresky.it.com/

14. Participant Confirmation

Kindly confirm receipt of the PT materials and intent to participate within 1 week of receiving the PT sample(s) using the provided emails.

Thank you for your participation and your continued commitment to quality improvement.



Nonhlanhla Msibi: Managing Director/ Proficiency Testing Scheme Manager

Email: nonhlanhla@azuresky.it.com

Effective date	Rev status	Revision date
09/2025	01	09/2028

	PROFICIENCY INSTRUCTION FORM		
AzurESky	Document no: AS001PT		
	Compiled by:	Sifiso Nyambi - Laboratory Manager	
	Approved by:	Nonhlanhla Msibi - Operations Manager	

Sample ID: Proficiency Testing Sample General Analysis 09/2025 A
Date: 08 September 2025

Dear Participants, below are the instructions to participate in the AzureSky (Pty) Ltd Proficiency Testing scheme.

1. Objective of the Study

The purpose of this proficiency testing (PT) is to evaluate the performance and analytical capability of participating laboratories in determining the analysis as outlined in the ***link*** provided via email.

2. Confidentiality and Independence

Participants are strictly prohibited from exchanging results or comparing data with other laboratories during the course of the study. This measure ensures the integrity and independence of the performance evaluation. Collusion or collaborative data sharing undermines the objectives of ISO 33405.

3. Replicate Determinations

Participants are required to perform 2 replicate determination(s) per unit, using their routine analytical methods.

4. Method Instructions

- Put a zero (0) for all parameters which you have not participated in this round, **this is crucial as you will not be able to submit the form with blank spaces**

- All results submitted should be on an air-dry basis.

- Samples shall be conditioned for at least 3 hours prior to analysis.

- All volatile results should be corrected for inherent moisture.
For example, Volatile as analysed= 23.6% and Inherent moisture= 2.8%. Corrected volatile = Volatile as analysed – Inherent moisture = 23.6-2.8=20.8%.

Effective date	Rev status	Revision date
09/2025	01	09/2028

- Only use a reducing atmosphere for Ash Fusion Temperature analysis

- Submit calorific value analysis results as they appear on the instrument, do not convert or correct for sulphur.
- All results submitted for hydrogen analysis must be corrected for inherent moisture, use below formula: Corrected Hydrogen = Hydrogen (obtained from instrument) – inherent moisture x 0.1119

5. Measurement Quality and Traceability

- Measurements must be traceable to recognized national/international standards.

- Apply internal quality assurance (QA) and quality control (QC) procedures.

- Ensure accuracy and identify bias through appropriate measures.

6. Time Schedule

Distribution of samples : No later than 10th of every month

Submission of results : No later than 25th of every month

Feedback report to participants : No later than 06th of every month

7. Mode of Dispatch

Samples will be dispatched via courier or hand delivered by Azuresky Pty Ltd, securely packaged and labelled.

8. Sample Storage Requirements

Upon receipt, store samples as follows:

- Temperature: Room temperature should not be greater than 23°C.

- Conditions: Keep sealed, dry, and away from heat or contamination.

9. Sample Treatment Instructions

Where applicable, follow specific instructions for sample pre-treatment. If none are provided, proceed with routine preparation methods.

10. Internal Quality Control Measures

Participants should implement QC measures such as:

- Use of internal reference materials
- Control charts
- Duplicate analysis
- Spike recovery (where relevant)

NB: Any anomalies or suspected bias should be documented and submitted with your results.

11. Laboratory Identification and Data Use Policy

- Each lab will be assigned a unique confidential code.
- Results will be anonymized in reporting unless explicit permission is granted.
- Data may be used for further characterization or interlaboratory comparison.

12. Standards

- Ash Content (ISO 1171)

- Volatile Matter (ISO 562)

- Gross Calorific Value (ISO 1928)

- Total Sulphur (ASTM D4239)

- Total Moisture (ISO 589)

- Inherent Moisture (SANS 5925)

- Ash Fusion Temperature (ISO 540) **Reducing atmosphere only**

- Particle Size Distribution (ISO 1953)

12. Contact Information

Proficiency Testing Coordinator: Nonhlanhla Msibi

Email: nonhlanhla@azuresky.it.com, info@azuresky.it.com

Phone: 082 786 8149

Website: https://azuresky.it.com/

13. Participant Confirmation

Kindly confirm receipt of the PT materials and intend to participate within 1 week of receiving the PT sample(s) using the provided emails.

Thank you for your participation and your continued commitment to quality improvement.


Alternative number

AzurESky	PROFICIENCY INSTRUCTION FORM		
	Document no: AS001PT		
	Compiled by:	Sifiso Nyambi - Laboratory Manager	
	Approved by:	Nonhlanhla Msibi - Operations Manager	



Nonhlanhla Msibi: Managing Director/ Proficiency Testing Coordinator


Effective date	Rev status	Revision date
09/2025	01	09/2028



Alternative number.

Risk Assessment

2. Causes (of the risk)	
1	Financial dependance from a single client
2	Incentives for faster results
3	Offer internal staff money/incentives in exchange for PT results
4	job security
5	
6	
7	
8	
9	
10	



1. Risk
Financial risks/Commercial pressure

3. Consequences (of the risk)		
1	The lab runs a risk of financial jeorpardy if the relationship with this client is dissolved/not in good terms	
2	The lab might give favours to certain clients to release results at the client's request.	
3	Afftect the integrity of the whole PT scheme.	
4	Retrenchments, liquidation, strikes	
5		
6		
7		
8		
9		
10		

	4. Existing Control	Eff	Control Owner
	Managing director to setup a fund to combat such a risk when it emerges.		Managing director
	The alternative number is 082 786 8149 as displayed in the company website & in all client-facing documents e.g AS001 PT instruction form.	F	Managing director
	An alternative company number can be used for business relations with clients instead of personal numbers.	P	Managing Director
	Upper management to seek out more work	P	Managing Director

AzurESky	**Document No.** AS008MF	**Page 1 of 1**
	Effective Date	**April 2026**
	Revision Date	**April 2029**

Title:	Memorandum	
Document by:	Azuresky Pty Ltd	**Revision No**
Compiled by:	Sifiso Nyambi & Tshepo Maponya	**00**
Authorizing Officer: N Msibi	**Signature:**	

Department: Management

Memorandum no: 003

Position: Laboratory Supervisor

Date: 15/04/2026

Title: Number to be used for business relations with Clients

Please take note that the only number to ~~this~~ be used for all client communications, all client-facing documents is 082 786 8149, which also appears on the company website.

AzurESky	ATTENDANCE REGISTER		
	Document no:	Version:	Page:
	ASMF 17043-8.4.1	0	1
	Compiled by:	Sifiso Nyambi - Laboratory Manager	
	Approved by:	Nonhlanhla Msibi - Operations Manager	
Date:	15/04/2026		
Chair:	TMJ Maponya	Scribe	
Subject:	Offcial number to be used for business relations with clients.		
Absent:			

Present	Cell Number	Designation	Signature	Email address
TMJ Maponya	0764580692	Lab Supervisor		tshepo@azuresky.it.com
JB Nyambi	0721741852	Lab Manager		sifiso@azuresky.it.com
N. Msibi	0807868149	Ops Manager		nonhlanhla@azuresky.it.co