Cucumber Report

| Start : Jul 25, 7:39:41.098 PM	End : Jul 25, 7:41:05.139 PM	Duration : 1 m 24.041 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 7 SKIPPED - 0	PASSED - 15 FAILED - 7 SKIPPED - 14

1

9

36

Pass %

0 %

22 %

41 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
UserFunction	1 m 24.041 s	9	2	7	0	36	15	7	14

| #	Feature Name	Scenario Name
1	*UserFunction*	*Add Multiple Address*
2		*Add Multiple Phone*
3		*Manage contacts*
4		*Manage passwords*
5		*Manage Documents*
6		*Notification preferences*
7		*Manage References*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@tag1	1	1	0	0	1	0	1	0
@tag2	1	0	1	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0
@tag4	1	1	0	0	1	0	1	0
@tag5	1	0	1	0	1	0	1	0
@tag6	1	0	1	0	1	0	1	0
@tag7	1	0	1	0	1	0	1	0
@tag8	1	0	1	0	1	0	1	0
@tag9	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	UserFunction	9	2	7	0	1 m 24.041 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	UserFunction	Update your Profile	9	9	0	0	14.229 s
2		Add Multiple Address	6	1	1	4	10.423 s
3		Add Multiple Phone	5	1	1	3	0.112 s
4		Manage setting	3	3	0	0	1.199 s
5		Manage contacts	2	1	1	0	13.627 s
6		Manage passwords	5	0	1	4	10.283 s
7		Manage Documents	2	0	1	1	13.311 s
8		Notification preferences	2	0	1	1	10.299 s
9		Manage References	2	0	1	1	10.310 s

UserFunction

FAILED	DURATION - 1 m 24.041 s		Scenarios		Steps	
			Total - 9		Total - 36	
/ 7:39:41.098 PM // 7:41:05.139 PM /			Pass - 2	9	Pass - 15	36
			Fail - 7		Fail - 7	
			Skip - 0		Skip - 14	

Update your Profile

PASSED	DURATION - 14.229 s		Steps	
			Total - 9	
/ 7:39:41.104 PM // 7:39:55.333 PM /			Pass - 9	9
UserFunction			Fail - 0	
@tag1			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User Should go to the login pages	PASSED	4.626 s
	PassInitiate Browser		
2	When User should submit username and password and login to the application	PASSED	2.441 s
	Mprakash		
	prakash@123		
	PassLogin Compeleted		
3	And User click on profile icon and then edit button	PASSED	2.952 s
	PassEdit Clicked		
4	And User should upload a profile image	PASSED	2.905 s
	PassProfile image imported		
5	And User should click name text field & email text field and enter valid detailss	PASSED	0.340 s
6	Then User Should click name field in addresses & enter valid name	PASSED	0.214 s
7	And User Should click address line1 field in addresses & enter valid details	PASSED	0.268 s
8	When User Should click city field & enter city name	PASSED	0.234 s
9	And User Should click region/state field in addresses & enter valid details	PASSED	0.218 s

Add Multiple Address

FAILED	DURATION - 10.423 s
/ 7:39:55.380 PM // 7:40:05.803 PM /	
UserFunction	
@tag2	

Steps
Total - 6
Pass - 1
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User Should click Add address button	PASSED	0.182 s
2	Then User Should click name text field & enter "Prakash"	FAILED	10.220 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.cssSelector: #address_name_0' (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)		
	at org.stepDefinitionFirstModule.UserFunctionSteps.user_should_click_name_text_field_enter(UserFunctionSteps.java:142)		
	at ?.User Should click name text field & enter "Prakash"(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/1_User_Functions/UserFunction1.feature:20)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#address_name_0"} (Session info: chrome=115.0.5790.102) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'L-INE-7PMWM93', ip: '10.192.192.213', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMURUG~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fa1d75e65068597a7bb9a8b94042f2 *** Element info: {Using=css selector, value=#address_name_0}		
	at jdk.internal.reflect.GeneratedConstructorAccessor17.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:450)		
	at org.openqa.selenium.By$ByCssSelector.findElement(By.java:431)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy23.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:43)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:300)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:297)		
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:670)		
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:666)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)		
	at org.stepDefinitionFirstModule.UserFunctionSteps.user_should_click_name_text_field_enter(UserFunctionSteps.java:142)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:110)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:110)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
3	Then User Should click Address line1 text field and enter "chennai,tambaram"	SKIPPED	0.001 s
4	And User Should click city text field and enter "madras"	SKIPPED	0.000 s
5	And User Should click Zipcode text field and enter "600096"	SKIPPED	0.001 s
6	And User Should click country text field & enter valid country	SKIPPED	0.000 s

Add Multiple Phone

FAILED	*DURATION - 0.112 s*

/ 7:40:05.864 PM // 7:40:05.976 PM /

UserFunction

@tag3

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given User Should click edit button	PASSED	0.000 s
2	And User Should click Add mobile button	FAILED	0.105 s

	java.lang.ClassCastException: class jdk.proxy2.$Proxy23 cannot be cast to class org.openqa.selenium.interactions.internal.Locatable (jdk.proxy2.$Proxy23 is in module jdk.proxy2 of loader 'app'; org.openqa.selenium.interactions.internal.Locatable is in unnamed module of loader 'app')
	    at org.openqa.selenium.interactions.Actions.moveToElement(Actions.java:388)
	    at org.stepDefinitionFirstModule.UserFunctionSteps.user_should_click_add_mobile_button(UserFunctionSteps.java:181)
	    at ?.User Should click Add mobile button(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/1_User_Functions/UserFunction1.feature:29)
	* Not displayable characters are replaced by '?'.		

3	When User Should enter the valid mobile phone name in mobile phone name text field	SKIPPED	0.001 s
4	Then User Should enter the valid mobile phone number in mobile phone number text field	SKIPPED	0.000 s
5	And click on save button	SKIPPED	0.001 s

Manage setting

PASSED	*DURATION - 1.199 s*

/ 7:40:06.007 PM // 7:40:07.206 PM /

UserFunction

@tag4

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User Should click the Profile button	PASSED	0.246 s
2	And User Should Navigate to Setting	PASSED	0.182 s

#	Step / Hook Details	Status	Duration
3	And User Should click Dark button	PASSED	0.767 s

Manage contacts

FAILED	DURATION - 13.627 s		
/ 7:40:07.224 PM // 7:40:20.851 PM /			
UserFunction			
@tag5			

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given User Should contacts	PASSED	0.313 s
2	And Click on list view	FAILED	13.313 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.102) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'L-INE-7PMWM93', ip: '10.192.192.213', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMURUG~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fa1d75e65068597a7bb9a8b94042f2 *** Element info: {Using=xpath, value=(//label[@role='radio'])[2]}
	    at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458)
	    at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at org.stepDefinitionFirstModule.UserFunctionSteps.click_on_list_view(UserFunctionSteps.java:227) at ?.Click on list view(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/ 1_User_Functions/UserFunction1.feature:43) * Not displayable characters are replaced by '?'.		

Manage passwords

FAILED	DURATION - 10.283 s
/ 7:40:20.882 PM // 7:40:31.165 PM /	
UserFunction	
@tag6	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	And User Should click password and change button	FAILED	10.279 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.102) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'L-INE-7PMWM93', ip: '10.192.192.213', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMURUG~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fa1d75e65068597a7bb9a8b94042f2 *** Element info: {Using=xpath, value=(//a[@class='nav-item'])[3]} at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at org.stepDefinitionFirstModule.UserFunctionSteps.user_should_click_password_and_change_button(UserFunctionSteps.java:232) at ?.User Should click password and change button(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/1_User_Functions/UserFunction1.feature:47) * Not displayable characters are replaced by '?'.		
2	And User Should enter the valid password in old password text field	SKIPPED	0.000 s
3	And User Should enter the valid password in new password text field	SKIPPED	0.000 s
4	Then User Should enter the valid password in password confirmation text field	SKIPPED	0.000 s
5	And Click on Submit button	SKIPPED	0.000 s

Manage Documents

FAILED	DURATION - 13.311 s		Steps
/ 7:40:31.174 PM // 7:40:44.485 PM /			Total - 2
			Pass - 0
UserFunction			Fail - 1
			Skip - 1
@tag7			

#	Step / Hook Details	Status	Duration
1	Given User should Click Document	FAILED	13.307 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.102) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'L-INE-7PMWM93', ip: '10.192.192.213', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMURUG~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fa1d75e65068597a7bb9a8b94042f2 *** Element info: {Using=xpath, value=(//a[@class='nav-item'])[4]}
	  at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458)
	  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy23.toString(Unknown Source)
	  at java.base/java.lang.String.valueOf(String.java:4216)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683)
	  at java.base/java.lang.String.valueOf(String.java:4216)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268)
	  at org.stepDefinitionFirstModule.UserFunctionSteps.user_should_click_document(UserFunctionSteps.java:260)
	  at ?.User should Click Document(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/ 1_User_Functions/UserFunction1.feature:55)
	* Not displayable characters are replaced by '?'.		

2	And User should click download button and verify	SKIPPED	0.000 s

Notification preferences

FAILED	DURATION - 10.299 s
/ 7:40:44.508 PM // 7:40:54.807 PM /	
UserFunction	
@tag8	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

2

#	Step / Hook Details	Status	Duration
1	Given Click on notification	FAILED	10.295 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.102) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'L-INE-7PMWM93', ip: '10.192.192.213', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMURUG~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fa1d75e65068597a7bb9a8b94042f2 *** Element info: {Using=xpath, value=(//a[@class='nav-item'])[8]}
   at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120)
   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
   at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458)
   at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy23.toString(Unknown Source)
   at java.base/java.lang.String.valueOf(String.java:4216)
   at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
   at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683)

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at org.stepDefinitionFirstModule.UserFunctionSteps.click_on_notification(UserFunctionSteps.java:281) at ?.Click on notification(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/1_User_Functions/UserFunction1.feature:60) * Not displayable characters are replaced by '?'.		
2	And Click on unread checkbox	SKIPPED	0.000 s

Manage References

FAILED	DURATION - 10.310 s		Steps	
/ 7:40:54.829 PM // 7:41:05.139 PM /			Total - 2	
UserFunction			Pass - 0	
			Fail - 1	
@tag9			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Click on References	FAILED	10.308 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=115.0.5790.102) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'L-INE-7PMWM93', ip: '10.192.192.213', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.102, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PMURUG~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 68fa1d75e65068597a7bb9a8b94042f2 *** Element info: {Using=xpath, value=(//a[@class='nav-item'])[9]} at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:185) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:586) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:458) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:348) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:683) at java.base/java.lang.String.valueOf(String.java:4216) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:268) at org.stepDefinitionFirstModule.UserFunctionSteps.click_on_references(UserFunctionSteps.java:293) at ?.Click on References(file:///C:/Users/pmurugesan/Downloads/Expleons_Proj/Expleons_Proj/src/test/resources/FeatureFiles/1_User_Functions/UserFunction1.feature:65) * Not displayable characters are replaced by '?'.		
2	And user should take Screenshot	SKIPPED	0.000 s