Software Bill of Materials (CycloneDX) and Change Lineage

Generated from CycloneDX SBOM and git lineage

April 13, 2026

Contents

1 Software Bill of Materials (CycloneDX) 2

1.1 AI Core PAL (MCP / HANA PAL) . . . 2
1.2 AI Core Streaming (mesh coordinator) . . . 2
1.3 SAP AI SDK (JavaScript) . . . 2
1.4 CAP LLM Plugin . . . 59
1.5 Elasticsearch (SAP fork) . . . 75
1.6 Generative AI Toolkit for SAP HANA Cloud . . . 75
1.7 LangChain Integration for SAP HANA Cloud . . . 76
1.8 OData Vocabularies . . . 77
1.9 Data Cleaning Copilot . . . 82
1.10 UI5 Web Components (Angular) . . . 84
1.11 vLLM (inference engine) . . . 155
1.12 World Monitor . . . 168

2 Change Lineage from Original Software 197

2.1 Data Cleaning Copilot . . . 197
2.2 AI Core PAL (MCP / HANA PAL) . . . 199

1 Software Bill of Materials (CycloneDX)

Each subsection is generated from a CycloneDX 1.5 BOM (components, purl, license, dependency graph). Package URLs (purls) follow the PURL spec.

1.1 AI Core PAL (MCP / HANA PAL)

Path: `ai-core-pal`
CycloneDX: spec 1.5, serial `urn:uuid:e4bed47a-ab8a-4955-8975-72871093cd25...`
Generated: 2026-02-28T09:52:34Z
Tool: components

Components

Name	Version	Type	purl	License	Description

Dependency graph (top-level refs)

```
root-component
  ->
```

1.2 AI Core Streaming (mesh coordinator)

Path: `ai-core-streaming`
CycloneDX: spec 1.5, serial `urn:uuid:35ea06e8-175a-4a0d-a4c3-2fb9f8e1cad9...`
Generated: 2026-02-28T09:52:34Z
Tool: components

Components

Name	Version	Type	purl	License	Description

Dependency graph (top-level refs)

```
root-component
  ->
```

1.3 SAP AI SDK (JavaScript)

Path: `ai-sdk-js-main`
CycloneDX: spec 1.5, serial `urn:uuid:cd9bca19-413b-4675-821e-ce34abfca7eb...`
Generated: 2026-02-28T10:10:34Z
Tool: components

Components

Name	Version	Type	purl	License	Description
json-schema-ref-parser	14.0.1	library	pkg:npm/@apidevtools/json-schema-ref-parser@14.0.1	MIT	
openapi-schemas	2.1.0	library	pkg:npm/@apidevtools/openapi-schemas@2.1.0	MIT	
swagger-methods	3.0.2	library	pkg:npm/@apidevtools/swagger-methods@3.0.2	MIT	
swagger-parser	12.1.0	library	pkg:npm/@apidevtools/swagger-parser@12.1.0	MIT	
code-frame	7.29.0	library	pkg:npm/@babel/code-frame@7.29.0	MIT	
compat-data	7.29.0	library	pkg:npm/@babel/compat-data@7.29.0	MIT	
core	7.29.0	library	pkg:npm/@babel/core@7.29.0	MIT	
generator	7.29.1	library	pkg:npm/@babel/generator@7.29.1	MIT	
helper-compilation-targets	7.28.6	library	pkg:npm/@babel/helper-compilation-targets@7.28.6	MIT	
helper-globals	7.28.0	library	pkg:npm/@babel/helper-globals@7.28.0	MIT	
helper-module-imports	7.28.6	library	pkg:npm/@babel/helper-module-imports@7.28.6	MIT	
helper-module-transforms	7.28.6	library	pkg:npm/@babel/helper-module-transforms@7.28.6	MIT	
helper-plugin-utils	7.28.6	library	pkg:npm/@babel/helper-plugin-utils@7.28.6	MIT	
helper-string-parser	7.27.1	library	pkg:npm/@babel/helper-string-parser@7.27.1	MIT	
helper-validator-identifier	7.28.5	library	pkg:npm/@babel/helper-validator-identifier@7.28.5	MIT	
helper-validator-option	7.27.1	library	pkg:npm/@babel/helper-validator-option@7.27.1	MIT	
helpers	7.28.6	library	pkg:npm/@babel/helpers@7.28.6	MIT	
parser	7.29.0	library	pkg:npm/@babel/parser@7.29.0	MIT	
plugin-syntax-async-generators	7.8.4	library	pkg:npm/@babel/plugin-syntax-async-generators@7.8.4	MIT	
plugin-syntax-bigint	7.8.3	library	pkg:npm/@babel/plugin-syntax-bigint@7.8.3	MIT	
plugin-syntax-class-properties	7.12.13	library	pkg:npm/@babel/plugin-syntax-class-properties@7.12.13	MIT	
plugin-syntax-class-static-block	7.14.5	library	pkg:npm/@babel/plugin-syntax-class-static-block@7.14.5	MIT	
plugin-syntax-import-attributes	7.28.6	library	pkg:npm/@babel/plugin-syntax-import-attributes@7.28.6	MIT	
plugin-syntax-import-meta	7.10.4	library	pkg:npm/@babel/plugin-syntax-import-meta@7.10.4	MIT	
plugin-syntax-json-strings	7.8.3	library	pkg:npm/@babel/plugin-syntax-json-strings@7.8.3	MIT	
plugin-syntax-jsx	7.28.6	library	pkg:npm/@babel/plugin-syntax-jsx@7.28.6	MIT	
plugin-syntax-logical-assignment-operators	7.10.4	library	pkg:npm/@babel/plugin-syntax-logical-assignment-operat	MIT	
plugin-syntax-nullish-coalescing-operator	7.8.3	library	pkg:npm/@babel/plugin-syntax-nullish-coalescing-operat	MIT	
plugin-syntax-numeric-separator	7.10.4	library	pkg:npm/@babel/plugin-syntax-numeric-separator@7.10.4	MIT	
plugin-syntax-object-rest-spread	7.8.3	library	pkg:npm/@babel/plugin-syntax-object-rest-spread@7.8.3	MIT	
plugin-syntax-optional-catch-binding	7.8.3	library	pkg:npm/@babel/plugin-syntax-optional-catch-binding@7.	MIT	
plugin-syntax-optional-chaining	7.8.3	library	pkg:npm/@babel/plugin-syntax-optional-chaining@7.8.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-syntax-private-property-in-object	7.14.5	library	pkg:npm/@babel/plugin-syntax-private-property-in-objec	MIT	
plugin-syntax-top-level-await	7.14.5	library	pkg:npm/@babel/plugin-syntax-top-level-await@7.14.5	MIT	
plugin-syntax-typescript	7.28.6	library	pkg:npm/@babel/plugin-syntax-typescript@7.28.6	MIT	
runtime	7.28.6	library	pkg:npm/@babel/runtime@7.28.6	MIT	
template	7.28.6	library	pkg:npm/@babel/template@7.28.6	MIT	
traverse	7.29.0	library	pkg:npm/@babel/traverse@7.29.0	MIT	
types	7.29.0	library	pkg:npm/@babel/types@7.29.0	MIT	
v8-coverage	0.2.3	library	pkg:npm/@bcoe/v8-coverage@0.2.3	MIT	
asyncapi	1.0.3	library	pkg:npm/@cap-js/asyncapi@1.0.3	LicenseRef-SeeFile	
db-service	2.8.2	library	pkg:npm/@cap-js/db-service@2.8.2	Apache-2.0	
openapi	1.3.1	library	pkg:npm/@cap-js/openapi@1.3.1	Apache-2.0	
sqlite	2.1.3	library	pkg:npm/@cap-js/sqlite@2.1.3	Apache-2.0	
json-schema	4.1.1	library	pkg:npm/@cfworker/json-schema@4.1.1	MIT	
apply-release-plan	7.0.14	library	pkg:npm/@changesets/apply-release-plan@7.0.14	MIT	
assemble-release-plan	6.0.9	library	pkg:npm/@changesets/assemble-release-plan@6.0.9	MIT	
changelog-git	0.2.1	library	pkg:npm/@changesets/changelog-git@0.2.1	MIT	
cli	2.29.8	library	pkg:npm/@changesets/cli@2.29.8	MIT	
config	3.1.2	library	pkg:npm/@changesets/config@3.1.2	MIT	
errors	0.2.0	library	pkg:npm/@changesets/errors@0.2.0	MIT	
get-dependents-graph	2.1.3	library	pkg:npm/@changesets/get-dependents-graph@2.1.3	MIT	
get-release-plan	4.0.14	library	pkg:npm/@changesets/get-release-plan@4.0.14	MIT	
get-version-range-type	0.4.0	library	pkg:npm/@changesets/get-version-range-type@0.4.0	MIT	
git	3.0.4	library	pkg:npm/@changesets/git@3.0.4	MIT	
logger	0.1.1	library	pkg:npm/@changesets/logger@0.1.1	MIT	
parse	0.4.2	library	pkg:npm/@changesets/parse@0.4.2	MIT	
pre	2.0.2	library	pkg:npm/@changesets/pre@2.0.2	MIT	
read	0.6.6	library	pkg:npm/@changesets/read@0.6.6	MIT	
should-skip-package	0.1.2	library	pkg:npm/@changesets/should-skip-package@0.1.2	MIT	
types	4.1.0	library	pkg:npm/@changesets/types@4.1.0	MIT	
types	6.1.0	library	pkg:npm/@changesets/types@6.1.0	MIT	
write	0.4.0	library	pkg:npm/@changesets/write@0.4.0	MIT	
colors	1.6.0	library	pkg:npm/@colors/colors@1.6.0	MIT	
extra-typings	14.0.0	library	pkg:npm/@commander-js/extra-typings@14.0.0	MIT	
source-map-support	0.8.1	library	pkg:npm/@cspotcode/source-map-support@0.8.1	MIT	
diagnostics	2.0.8	library	pkg:npm/@dabh/diagnostics@2.0.8	MIT	
core	1.8.1	library	pkg:npm/@emnapi/core@1.8.1	MIT	
runtime	1.8.1	library	pkg:npm/@emnapi/runtime@1.8.1	MIT	
wasi-threads	1.1.0	library	pkg:npm/@emnapi/wasi-threads@1.1.0	MIT	
jsdoccomment	0.84.0	library	pkg:npm/@es-joy/jsdoccomment@0.84.0	MIT	
resolve.exports	1.2.0	library	pkg:npm/@es-joy/resolve.exports@1.2.0	MIT	
aix-ppc64	0.27.3	library	pkg:npm/@esbuild/aix-ppc64@0.27.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
android-arm64	0.27.3	library	pkg:npm/@esbuild/android-arm64@0.27.3	MIT	
android-arm	0.27.3	library	pkg:npm/@esbuild/android-arm@0.27.3	MIT	
android-x64	0.27.3	library	pkg:npm/@esbuild/android-x64@0.27.3	MIT	
darwin-arm64	0.27.3	library	pkg:npm/@esbuild/darwin-arm64@0.27.3	MIT	
darwin-x64	0.27.3	library	pkg:npm/@esbuild/darwin-x64@0.27.3	MIT	
freebsd-arm64	0.27.3	library	pkg:npm/@esbuild/freebsd-arm64@0.27.3	MIT	
freebsd-x64	0.27.3	library	pkg:npm/@esbuild/freebsd-x64@0.27.3	MIT	
linux-arm64	0.27.3	library	pkg:npm/@esbuild/linux-arm64@0.27.3	MIT	
linux-arm	0.27.3	library	pkg:npm/@esbuild/linux-arm@0.27.3	MIT	
linux-ia32	0.27.3	library	pkg:npm/@esbuild/linux-ia32@0.27.3	MIT	
linux-loong64	0.27.3	library	pkg:npm/@esbuild/linux-loong64@0.27.3	MIT	
linux-mips64el	0.27.3	library	pkg:npm/@esbuild/linux-mips64el@0.27.3	MIT	
linux-ppc64	0.27.3	library	pkg:npm/@esbuild/linux-ppc64@0.27.3	MIT	
linux-riscv64	0.27.3	library	pkg:npm/@esbuild/linux-riscv64@0.27.3	MIT	
linux-s390x	0.27.3	library	pkg:npm/@esbuild/linux-s390x@0.27.3	MIT	
linux-x64	0.27.3	library	pkg:npm/@esbuild/linux-x64@0.27.3	MIT	
netbsd-arm64	0.27.3	library	pkg:npm/@esbuild/netbsd-arm64@0.27.3	MIT	
netbsd-x64	0.27.3	library	pkg:npm/@esbuild/netbsd-x64@0.27.3	MIT	
openbsd-arm64	0.27.3	library	pkg:npm/@esbuild/openbsd-arm64@0.27.3	MIT	
openbsd-x64	0.27.3	library	pkg:npm/@esbuild/openbsd-x64@0.27.3	MIT	
openharmony-arm64	0.27.3	library	pkg:npm/@esbuild/openharmony-arm64@0.27.3	MIT	
sunos-x64	0.27.3	library	pkg:npm/@esbuild/sunos-x64@0.27.3	MIT	
win32-arm64	0.27.3	library	pkg:npm/@esbuild/win32-arm64@0.27.3	MIT	
win32-ia32	0.27.3	library	pkg:npm/@esbuild/win32-ia32@0.27.3	MIT	
win32-x64	0.27.3	library	pkg:npm/@esbuild/win32-x64@0.27.3	MIT	
eslint-utils	4.9.1	library	pkg:npm/@eslint-community/eslint-utils@4.9.1	MIT	
regexpp	4.12.2	library	pkg:npm/@eslint-community/regexpp@4.12.2	MIT	
config-array	0.21.1	library	pkg:npm/@eslint/config-array@0.21.1	Apache-2.0	
config-helpers	0.4.2	library	pkg:npm/@eslint/config-helpers@0.4.2	Apache-2.0	
core	0.17.0	library	pkg:npm/@eslint/core@0.17.0	Apache-2.0	
eslintrc	3.3.3	library	pkg:npm/@eslint/eslintrc@3.3.3	MIT	
js	9.39.2	library	pkg:npm/@eslint/js@9.39.2	MIT	
object-schema	2.1.7	library	pkg:npm/@eslint/object-schema@2.1.7	Apache-2.0	
plugin-kit	0.4.1	library	pkg:npm/@eslint/plugin-kit@0.4.1	Apache-2.0	
schemasafe	1.3.0	library	pkg:npm/@exodus/schemasafe@1.3.0	MIT	
mini-shiki	3.22.0	library	pkg:npm/@gerrit0/mini-shiki@3.22.0	MIT	
node-server	1.19.9	library	pkg:npm/@hono/node-server@1.19.9	MIT	
core	0.19.1	library	pkg:npm/@humanfs/core@0.19.1	Apache-2.0	
node	0.16.7	library	pkg:npm/@humanfs/node@0.16.7	Apache-2.0	
module-importer	1.0.1	library	pkg:npm/@humanwhocodes/module-importer@1.0.1	Apache-2.0	

(continued on next page)

(continued from previous page)

Name	Version	Type	purl	License	Description
retry	0.4.3	library	pkg:npm/@humanwhocodes/retry@0.4.3	Apache-2.0	
external-editor	1.0.3	library	pkg:npm/@inquirer/external-editor@1.0.3	MIT	
cliui	8.0.2	library	pkg:npm/@isaacs/cliui@8.0.2	BlueOak-1.0.0	
load-nyc-config	1.1.0	library	pkg:npm/@istanbuljs/load-nyc-config@1.1.0	ISC	
schema	0.1.3	library	pkg:npm/@istanbuljs/schema@0.1.3	MIT	
console	30.2.0	library	pkg:npm/@jest/console@30.2.0	MIT	
core	30.2.0	library	pkg:npm/@jest/core@30.2.0	MIT	
diff-sequences	30.0.1	library	pkg:npm/@jest/diff-sequences@30.0.1	MIT	
environment	30.2.0	library	pkg:npm/@jest/environment@30.2.0	MIT	
expect-utils	30.2.0	library	pkg:npm/@jest/expect-utils@30.2.0	MIT	
expect	30.2.0	library	pkg:npm/@jest/expect@30.2.0	MIT	
fake-timers	30.2.0	library	pkg:npm/@jest/fake-timers@30.2.0	MIT	
get-type	30.1.0	library	pkg:npm/@jest/get-type@30.1.0	MIT	
globals	30.2.0	library	pkg:npm/@jest/globals@30.2.0	MIT	
pattern	30.0.1	library	pkg:npm/@jest/pattern@30.0.1	MIT	
reporters	30.2.0	library	pkg:npm/@jest/reporters@30.2.0	MIT	
schemas	29.6.3	library	pkg:npm/@jest/schemas@29.6.3	MIT	
schemas	30.0.5	library	pkg:npm/@jest/schemas@30.0.5	MIT	
snapshot-utils	30.2.0	library	pkg:npm/@jest/snapshot-utils@30.2.0	MIT	
source-map	30.0.1	library	pkg:npm/@jest/source-map@30.0.1	MIT	
test-result	30.2.0	library	pkg:npm/@jest/test-result@30.2.0	MIT	
test-sequencer	30.2.0	library	pkg:npm/@jest/test-sequencer@30.2.0	MIT	
transform	30.2.0	library	pkg:npm/@jest/transform@30.2.0	MIT	
types	30.2.0	library	pkg:npm/@jest/types@30.2.0	MIT	
gen-mapping	0.3.13	library	pkg:npm/@jridgewell/gen-mapping@0.3.13	MIT	
remapping	2.3.5	library	pkg:npm/@jridgewell/remapping@2.3.5	MIT	
resolve-uri	3.1.2	library	pkg:npm/@jridgewell/resolve-uri@3.1.2	MIT	
sourcemap-codec	1.5.5	library	pkg:npm/@jridgewell/sourcemap-codec@1.5.5	MIT	
trace-mapping	0.3.31	library	pkg:npm/@jridgewell/trace-mapping@0.3.31	MIT	
trace-mapping	0.3.9	library	pkg:npm/@jridgewell/trace-mapping@0.3.9	MIT	
classic	1.0.20	library	pkg:npm/@langchain/classic@1.0.20	MIT	
core	1.1.28	library	pkg:npm/@langchain/core@1.1.28	MIT	
langgraph-checkpoint	1.0.0	library	pkg:npm/@langchain/langgraph-checkpoint@1.0.0	MIT	
langgraph-sdk	2.0.0	library	pkg:npm/@langchain/langgraph-sdk@2.0.0	MIT	
langgraph	1.1.5	library	pkg:npm/@langchain/langgraph@1.1.5	MIT	
mcp-adapters	1.1.3	library	pkg:npm/@langchain/mcp-adapters@1.1.3	MIT	
openai	1.2.10	library	pkg:npm/@langchain/openai@1.2.10	MIT	
textsplitters	1.0.1	library	pkg:npm/@langchain/textsplitters@1.0.1	MIT	
get-packages	1.1.3	library	pkg:npm/@manypkg/get-packages@1.1.3	MIT	
sdk	1.27.1	library	pkg:npm/@modelcontextprotocol/sdk@1.27.1	MIT	
interceptors	0.41.2	library	pkg:npm/@mswjs/interceptors@0.41.2	MIT	
wasm-runtime	0.2.12	library	pkg:npm/@napi-rs/wasm-runtime@0.2.12	MIT	
fs.scandir	2.1.5	library	pkg:npm/@nodelib/fs.scandir@2.1.5	MIT	
fs.stat	2.0.5	library	pkg:npm/@nodelib/fs.stat@2.0.5	MIT	
fs.walk	1.2.8	library	pkg:npm/@nodelib/fs.walk@1.2.8	MIT	
deferred-promise	2.2.0	library	pkg:npm/@open-draft/deferred-promise@2.2.0	MIT	

(continued on next page)

(continued from previous page)

Name	Version	Type	purl	License	Description
logger	0.3.0	library	pkg:npm/@open-draft/logger@0.3.0	MIT	
until	2.1.0	library	pkg:npm/@open-draft/until@2.1.0	MIT	
angular	8.4.2	library	pkg:npm/@orval/angular@8.4.2	MIT	
axios	8.4.2	library	pkg:npm/@orval/axios@8.4.2	MIT	
core	8.4.2	library	pkg:npm/@orval/core@8.4.2	MIT	
fetch	8.4.2	library	pkg:npm/@orval/fetch@8.4.2	MIT	
hono	8.4.2	library	pkg:npm/@orval/hono@8.4.2	MIT	
mcp	8.4.2	library	pkg:npm/@orval/mcp@8.4.2	MIT	
mock	8.4.2	library	pkg:npm/@orval/mock@8.4.2	MIT	
query	8.4.2	library	pkg:npm/@orval/query@8.4.2	MIT	
solid-start	8.4.2	library	pkg:npm/@orval/solid-start@8.4.2	MIT	
swr	8.4.2	library	pkg:npm/@orval/swr@8.4.2	MIT	
zod	8.4.2	library	pkg:npm/@orval/zod@8.4.2	MIT	TypeScript-first schema decla and validation with s
parseargs	0.11.0	library	pkg:npm/@pkgjs/parseargs@0.11.0	MIT	
core	0.2.9	library	pkg:npm/@pkgr/core@0.2.9	MIT	
scc	1.1.0	library	pkg:npm/@rtsao/scc@1.1.0	MIT	
ai-api	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/ai-api@2.7.1-20260224013627.0	Apache-2.0	
core	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/core@2.7.1-20260224013627.0	Apache-2.0	
document-grounding	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/document-grounding@2.7.1-20260224	Apache-2.0	
foundation-models	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/foundation-models@2.7.1-2026022401	Apache-2.0	
langchain	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/langchain@2.7.1-20260224013627.0	Apache-2.0	
orchestration	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/orchestration@2.7.1-20260224013627	Apache-2.0	
prompt-registry	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/prompt-registry@2.7.1-20260224013	Apache-2.0	
rpt	2.7.1-20260224013627.0	framework	pkg:npm/@sap-ai-sdk/rpt@2.7.1-20260224013627.0	Apache-2.0	
connectivity	4.4.0	framework	pkg:npm/@sap-cloud-sdk/connectivity@4.4.0	Apache-2.0	
eslint-config	4.4.0	framework	pkg:npm/@sap-cloud-sdk/eslint-config@4.4.0	Apache-2.0	
generator-common	4.4.0	framework	pkg:npm/@sap-cloud-sdk/generator-common@4.4.0	Apache-2.0	
http-client	4.4.0	framework	pkg:npm/@sap-cloud-sdk/http-client@4.4.0	Apache-2.0	
openapi-generator	4.4.0	framework	pkg:npm/@sap-cloud-sdk/openapi-generator@4.4.0	Apache-2.0	
openapi	4.4.0	framework	pkg:npm/@sap-cloud-sdk/openapi@4.4.0	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
resilience	4.4.0	framework	pkg:npm/@sap-cloud-sdk/resilience@4.4.0	Apache-2.0	
util	4.4.0	framework	pkg:npm/@sap-cloud-sdk/util@4.4.0	Apache-2.0	
cds-compiler	6.7.3	library	pkg:npm/@sap/cds-compiler@6.7.3	LicenseRef-SeeFile	
cds-dk	9.7.2	library	pkg:npm/@sap/cds-dk@9.7.2	LicenseRef-SeeFile	
cds-fiori	2.2.0	library	pkg:npm/@sap/cds-fiori@2.2.0	LicenseRef-SeeFile	
cds-mtxs	3.7.1	library	pkg:npm/@sap/cds-mtxs@3.7.1	LicenseRef-SeeFile	
cds	9.7.1	library	pkg:npm/@sap/cds@9.7.1	LicenseRef-SeeFile	
hdi-deploy	5.6.1	library	pkg:npm/@sap/hdi-deploy@5.6.1	LicenseRef-SeeFile	
hdi	4.8.0	library	pkg:npm/@sap/hdi@4.8.0	LicenseRef-SeeFile	
xsenv	6.1.0	library	pkg:npm/@sap/xsenv@6.1.0	LicenseRef-SeeFile	
xssec	4.12.2	library	pkg:npm/@sap/xssec@4.12.2	LicenseRef-SAP-DeveloperAgreement	
helpers	0.2.15	library	pkg:npm/@scalar/helpers@0.2.15	MIT	
json-magic	0.11.4	library	pkg:npm/@scalar/json-magic@0.11.4	MIT	
openapi-parser	0.24.13	library	pkg:npm/@scalar/openapi-parser@0.24.13	MIT	
openapi-types	0.5.3	library	pkg:npm/@scalar/openapi-types@0.5.3	MIT	
openapi-upgrader	0.1.8	library	pkg:npm/@scalar/openapi-upgrader@0.1.8	MIT	
readable-stream	0.4.1	library	pkg:npm/@sec-ant/readable-stream@0.4.1	MIT	
engine-oniguruma	3.22.0	library	pkg:npm/@shikijs/engine-oniguruma@3.22.0	MIT	
langs	3.22.0	library	pkg:npm/@shikijs/langs@3.22.0	MIT	
themes	3.22.0	library	pkg:npm/@shikijs/themes@3.22.0	MIT	
types	3.22.0	library	pkg:npm/@shikijs/types@3.22.0	MIT	
vscode-textmate	10.0.2	library	pkg:npm/@shikijs/vscode-textmate@10.0.2	MIT	
typebox	0.27.10	library	pkg:npm/@sinclair/typebox@0.27.10	MIT	
typebox	0.34.48	library	pkg:npm/@sinclair/typebox@0.34.48	MIT	
base62	1.0.0	library	pkg:npm/@sindresorhus/base62@1.0.0	MIT	
merge-streams	4.0.0	library	pkg:npm/@sindresorhus/merge-streams@4.0.0	MIT	
commons	3.0.1	library	pkg:npm/@sinonjs/commons@3.0.1	BSD-3-Clause	
fake-timers	13.0.5	library	pkg:npm/@sinonjs/fake-timers@13.0.5	BSD-3-Clause	
colorspace	1.1.6	library	pkg:npm/@so-ric/colorspace@1.1.6	MIT	
spec	1.1.0	library	pkg:npm/@standard-schema/spec@1.1.0	MIT	
eslint-plugin	3.1.0	library	pkg:npm/@stylistic/eslint-plugin@3.1.0	MIT	
node10	1.0.12	library	pkg:npm/@tsconfig/node10@1.0.12	MIT	
node12	1.0.11	library	pkg:npm/@tsconfig/node12@1.0.11	MIT	
node14	1.0.3	library	pkg:npm/@tsconfig/node14@1.0.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
node16	1.0.4	library	pkg:npm/@tsconfig/node16@1.0.4	MIT	
typescript	5.9.3	library	pkg:npm/@tsd/typescript@5.9.3	Apache-2.0	TypeScript is guage for appli scale Java develop
wasm-util	0.10.1	library	pkg:npm/@tybys/wasm-util@0.10.1	MIT	
async-retry	1.4.9	library	pkg:npm/@types/async-retry@1.4.9	MIT	
babel___core	7.20.5	library	pkg:npm/@types/babel__core@7.20.5	MIT	
babel___generator	7.27.0	library	pkg:npm/@types/babel__generator@7.27.0	MIT	
babel___template	7.4.4	library	pkg:npm/@types/babel__template@7.4.4	MIT	
babel___traverse	7.28.0	library	pkg:npm/@types/babel__traverse@7.28.0	MIT	
body-parser	1.19.6	library	pkg:npm/@types/body-parser@1.19.6	MIT	
connect	3.4.38	library	pkg:npm/@types/connect@3.4.38	MIT	
eslint	7.29.0	library	pkg:npm/@types/eslint@7.29.0	MIT	An AST-based p checker for JavaS
estree	1.0.8	library	pkg:npm/@types/estree@1.0.8	MIT	
express-serve-static-core	5.1.1	library	pkg:npm/@types/express-serve-static-core@5.1.1	MIT	
express	5.0.6	library	pkg:npm/@types/express@5.0.6	MIT	
hast	3.0.4	library	pkg:npm/@types/hast@3.0.4	MIT	
http-errors	2.0.5	library	pkg:npm/@types/http-errors@2.0.5	MIT	
istanbul-lib-coverage	2.0.6	library	pkg:npm/@types/istanbul-lib-coverage@2.0.6	MIT	
istanbul-lib-report	3.0.3	library	pkg:npm/@types/istanbul-lib-report@3.0.3	MIT	
istanbul-reports	3.0.4	library	pkg:npm/@types/istanbul-reports@3.0.4	MIT	
jest	30.0.0	library	pkg:npm/@types/jest@30.0.0	MIT	Delightful Java Testing.
json-schema	7.0.15	library	pkg:npm/@types/json-schema@7.0.15	MIT	
json5	0.0.29	library	pkg:npm/@types/json5@0.0.29	MIT	
jsonwebtoken	9.0.10	library	pkg:npm/@types/jsonwebtoken@9.0.10	MIT	JSON Web Tok plementation (sy ric and asymmet
minimatch	3.0.5	library	pkg:npm/@types/minimatch@3.0.5	MIT	
minimist	1.2.5	library	pkg:npm/@types/minimist@1.2.5	MIT	
mock-fs	4.13.4	library	pkg:npm/@types/mock-fs@4.13.4	MIT	A configurable file system. You for testing.
ms	2.1.0	library	pkg:npm/@types/ms@2.1.0	MIT	
node	12.20.55	library	pkg:npm/@types/node@12.20.55	MIT	
node	22.19.11	library	pkg:npm/@types/node@22.19.11	MIT	
node	25.2.3	library	pkg:npm/@types/node@25.2.3	MIT	
normalize-package-data	2.4.4	library	pkg:npm/@types/normalize-package-data@2.4.4	MIT	
parse-json	4.0.2	library	pkg:npm/@types/parse-json@4.0.2	MIT	
qs	6.14.0	library	pkg:npm/@types/qs@6.14.0	MIT	
range-parser	1.2.7	library	pkg:npm/@types/range-parser@1.2.7	MIT	
retry	0.12.5	library	pkg:npm/@types/retry@0.12.5	MIT	
send	1.2.1	library	pkg:npm/@types/send@1.2.1	MIT	Better streaming file server with and conditional-
serve-static	2.2.0	library	pkg:npm/@types/serve-static@2.2.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
stack-utils	2.0.3	library	pkg:npm/@types/stack-utils@2.0.3	MIT	
triple-beam	1.3.5	library	pkg:npm/@types/triple-beam@1.3.5	MIT	
unist	3.0.3	library	pkg:npm/@types/unist@3.0.3	MIT	
uuid	10.0.0	library	pkg:npm/@types/uuid@10.0.0	MIT	RFC9562 UUIDs
yargs-parser	21.0.3	library	pkg:npm/@types/yargs-parser@21.0.3	MIT	
yargs	17.0.35	library	pkg:npm/@types/yargs@17.0.35	MIT	
eslint-plugin	8.55.0	library	pkg:npm/@typescript-eslint/eslint-plugin@8.55.0	MIT	
parser	8.55.0	library	pkg:npm/@typescript-eslint/parser@8.55.0	MIT	
project-service	8.55.0	library	pkg:npm/@typescript-eslint/project-service@8.55.0	MIT	
scope-manager	8.55.0	library	pkg:npm/@typescript-eslint/scope-manager@8.55.0	MIT	
tsconfig-utils	8.55.0	library	pkg:npm/@typescript-eslint/tsconfig-utils@8.55.0	MIT	
type-utils	8.55.0	library	pkg:npm/@typescript-eslint/type-utils@8.55.0	MIT	
types	8.55.0	library	pkg:npm/@typescript-eslint/types@8.55.0	MIT	
typescript-estree	8.55.0	library	pkg:npm/@typescript-eslint/typescript-estree@8.55.0	MIT	
utils	8.55.0	library	pkg:npm/@typescript-eslint/utils@8.55.0	MIT	
visitor-keys	8.55.0	library	pkg:npm/@typescript-eslint/visitor-keys@8.55.0	MIT	
structured-clone	1.3.0	library	pkg:npm/@ungap/structured-clone@1.3.0	ISC	
resolver-binding-android-arm-eabi	1.11.1	library	pkg:npm/@unrs/resolver-binding-android-arm-eabi@1.11.1	MIT	
resolver-binding-android-arm64	1.11.1	library	pkg:npm/@unrs/resolver-binding-android-arm64@1.11.1	MIT	
resolver-binding-darwin-arm64	1.11.1	library	pkg:npm/@unrs/resolver-binding-darwin-arm64@1.11.1	MIT	
resolver-binding-darwin-x64	1.11.1	library	pkg:npm/@unrs/resolver-binding-darwin-x64@1.11.1	MIT	
resolver-binding-freebsd-x64	1.11.1	library	pkg:npm/@unrs/resolver-binding-freebsd-x64@1.11.1	MIT	
resolver-binding-linux-arm-gnueabihf	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm-gnueabihf@1.1	MIT	
resolver-binding-linux-arm-musleabihf	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm-musleabihf@1.	MIT	
resolver-binding-linux-arm64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm64-gnu@1.11.1	MIT	
resolver-binding-linux-arm64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm64-musl@1.11.1	MIT	
resolver-binding-linux-ppc64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-ppc64-gnu@1.11.1	MIT	
resolver-binding-linux-riscv64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-riscv64-gnu@1.11.	MIT	
resolver-binding-linux-riscv64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-riscv64-musl@1.11	MIT	
resolver-binding-linux-s390x-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-s390x-gnu@1.11.1	MIT	
resolver-binding-linux-x64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-x64-gnu@1.11.1	MIT	
resolver-binding-linux-x64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-x64-musl@1.11.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
resolver-binding-wasm32-wasi	1.11.1	library	pkg:npm/@unrs/resolver-binding-wasm32-wasi@1.11.1	MIT	
resolver-binding-win32-arm64-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-arm64-msvc@1.11.1	MIT	
resolver-binding-win32-ia32-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-ia32-msvc@1.11.1	MIT	
resolver-binding-win32-x64-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-x64-msvc@1.11.1	MIT	
compiler-core	3.5.28	library	pkg:npm/@vue/compiler-core@3.5.28	MIT	
compiler-dom	3.5.28	library	pkg:npm/@vue/compiler-dom@3.5.28	MIT	
compiler-sfc	3.5.28	library	pkg:npm/@vue/compiler-sfc@3.5.28	MIT	
compiler-ssr	3.5.28	library	pkg:npm/@vue/compiler-ssr@3.5.28	MIT	
shared	3.5.28	library	pkg:npm/@vue/shared@3.5.28	MIT	
accepts	2.0.0	library	pkg:npm/accepts@2.0.0	MIT	Higher-level c negotiation
acorn-jsx	5.3.2	library	pkg:npm/acorn-jsx@5.3.2	MIT	
acorn-walk	8.3.4	library	pkg:npm/acorn-walk@8.3.4	MIT	ECMAScript (E AST walker
acorn	8.15.0	library	pkg:npm/acorn@8.15.0	MIT	ECMAScript pa
acorn	8.16.0	library	pkg:npm/acorn@8.16.0	MIT	ECMAScript pa
ajv-draft-04	1.0.0	library	pkg:npm/ajv-draft-04@1.0.0	MIT	
ajv-formats	3.0.1	library	pkg:npm/ajv-formats@3.0.1	MIT	
ajv	6.12.6	library	pkg:npm/ajv@6.12.6	MIT	Another JSON S Validator
ajv	8.18.0	library	pkg:npm/ajv@8.18.0	MIT	Another JSON S Validator
ansi-colors	4.1.3	library	pkg:npm/ansi-colors@4.1.3	MIT	Easily add ANSI to your text an bols in the termi
ansi-escapes	4.3.2	library	pkg:npm/ansi-escapes@4.3.2	MIT	ANSI escape co manipulating th minal
ansi-regex	5.0.1	library	pkg:npm/ansi-regex@5.0.1	MIT	Regular expressi matching ANSI codes
ansi-regex	6.2.2	library	pkg:npm/ansi-regex@6.2.2	MIT	Regular expressi matching ANSI codes
ansi-styles	4.3.0	library	pkg:npm/ansi-styles@4.3.0	MIT	ANSI escape co styling strings terminal
ansi-styles	5.2.0	library	pkg:npm/ansi-styles@5.2.0	MIT	ANSI escape co styling strings terminal
ansi-styles	6.2.3	library	pkg:npm/ansi-styles@6.2.3	MIT	ANSI escape co styling strings terminal

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
anymatch	3.1.3	library	pkg:npm/anymatch@3.1.3	ISC	Matches against config strings, globs, expr
are-docs-informative	0.0.2	library	pkg:npm/are-docs-informative@0.0.2	MIT	Checks whether umentation desc introduces any
arg	4.1.3	library	pkg:npm/arg@4.1.3	MIT	Another simple ment parser
argparse	1.0.10	library	pkg:npm/argparse@1.0.10	MIT	Very powerful guments parser. tive port of arg pyt
argparse	2.0.1	library	pkg:npm/argparse@2.0.1	Python-2.0	CLI arguments Native port of py argparse.
array-buffer-byte-length	1.0.2	library	pkg:npm/array-buffer-byte-length@1.0.2	MIT	Get the byte le an ArrayBuffer, engines without
array-differ	3.0.0	library	pkg:npm/array-differ@3.0.0	MIT	Create an array values that are in the first input
array-includes	3.1.9	library	pkg:npm/array-includes@3.1.9	MIT	An ES7/ spec-compliant ray.prototype.in shim/poly
array-union	2.1.0	library	pkg:npm/array-union@2.1.0	MIT	Create an ar unique values, i from the input
array.prototype.findlastindex	1.2.6	library	pkg:npm/array.prototype.findlastindex@1.2.6	MIT	An ESnext compliant ray.prototype.fin shim/pol
array.prototype.flat	1.3.3	library	pkg:npm/array.prototype.flat@1.3.3	MIT	An ES2019 compliant ray.prototype.fla shim/polyfill/re
array.prototype.flatmap	1.3.3	library	pkg:npm/array.prototype.flatmap@1.3.3	MIT	An ES2019 compliant ray.prototype.fla shim/polyfill/
arraybuffer.prototype.slice	1.0.4	library	pkg:npm/arraybuffer.prototype.slice@1.0.4	MIT	ES spec-co shim for Buffer.prototype
arrify	1.0.1	library	pkg:npm/arrify@1.0.1	MIT	Convert a value array
arrify	2.0.1	library	pkg:npm/arrify@2.0.1	MIT	Convert a value array
asn1	0.2.6	library	pkg:npm/asn1@0.2.6	MIT	Contains parse serializers for (currently BER

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
assert-plus	1.0.0	library	`pkg:npm/assert-plus@1.0.0`	MIT	Extra assertions of node's assert n
async-function	1.0.0	library	`pkg:npm/async-function@1.0.0`	MIT	A function that r the normally ‘AsyncFunction‘
async-retry	1.3.3	library	`pkg:npm/async-retry@1.3.3`	MIT	Retrying made easy and async
async	3.2.6	library	`pkg:npm/async@3.2.6`	MIT	Higher-order fun and common pa for asynchronous
asynckit	0.4.0	library	`pkg:npm/asynckit@0.4.0`	MIT	Minimal async utility library, streams support
available-typed-arrays	1.0.7	library	`pkg:npm/available-typed-arrays@1.0.7`	MIT	Returns an arr Typed Array that are availa the c
axios	1.13.5	library	`pkg:npm/axios@1.13.5`	MIT	Promise based client for the b and node.js
babel-jest	30.2.0	library	`pkg:npm/babel-jest@30.2.0`	MIT	
babel-plugin-istanbul	7.0.1	library	`pkg:npm/babel-plugin-istanbul@7.0.1`	BSD-3-Clause	A babel plugin adds istanbul mentation to ES
babel-plugin-jest-hoist	30.2.0	library	`pkg:npm/babel-plugin-jest-hoist@30.2.0`	MIT	
babel-preset-current-node-syntax	1.2.0	library	`pkg:npm/babel-preset-current-node-syntax@1.2.0`	MIT	
babel-preset-jest	30.2.0	library	`pkg:npm/babel-preset-jest@30.2.0`	MIT	
balanced-match	1.0.2	library	`pkg:npm/balanced-match@1.0.2`	MIT	Match balanced acter pairs, like "}"
balanced-match	4.0.3	library	`pkg:npm/balanced-match@4.0.3`	MIT	Match balanced acter pairs, like "}"
balanced-match	4.0.4	library	`pkg:npm/balanced-match@4.0.4`	MIT	Match balanced acter pairs, like "}"
base64-js	1.5.1	library	`pkg:npm/base64-js@1.5.1`	MIT	Base64 encodi coding in pure J
baseline-browser-mapping	2.9.19	library	`pkg:npm/baseline-browser-mapping@2.9.19`	Apache-2.0	A library for obt browser versions their maximum s
better-path-resolve	1.0.0	library	`pkg:npm/better-path-resolve@1.0.0`	MIT	A better path.re that normalizes on Windows
better-sqlite3	12.6.2	library	`pkg:npm/better-sqlite3@12.6.2`	MIT	The fastest an plest library for S in Node.js.
bindings	1.5.0	library	`pkg:npm/bindings@1.5.0`	MIT	Helper module fo ing your native ule's .node file

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
bl	4.1.0	library	`pkg:npm/bl@4.1.0`	MIT	Buffer List: buffers and acces a standard reada
body-parser	2.2.2	library	`pkg:npm/body-parser@2.2.2`	MIT	Node.js body p middleware
brace-expansion	1.1.12	library	`pkg:npm/brace-expansion@1.1.12`	MIT	Brace expansio known from sh/b
brace-expansion	2.0.2	library	`pkg:npm/brace-expansion@2.0.2`	MIT	Brace expansio known from sh/b
brace-expansion	5.0.2	library	`pkg:npm/brace-expansion@5.0.2`	MIT	Brace expansio known from sh/b
brace-expansion	5.0.3	library	`pkg:npm/brace-expansion@5.0.3`	MIT	Brace expansio known from sh/b
braces	3.0.3	library	`pkg:npm/braces@3.0.3`	MIT	Bash-like brace sion, implement JavaScript. Safe
browserslist	4.28.1	library	`pkg:npm/browserslist@4.28.1`	MIT	Share target br between different end tools, like A
bs-logger	0.2.6	library	`pkg:npm/bs-logger@0.2.6`	MIT	Bare simple log NodeJS
bser	2.1.1	library	`pkg:npm/bser@2.1.1`	Apache-2.0	JavaScript imp tation of the BS nary Serializatio
buffer-equal-constant-time	1.0.1	library	`pkg:npm/buffer-equal-constant-time@1.0.1`	BSD-3-Clause	Constant-time co ison of Buffers
buffer-from	1.1.2	library	`pkg:npm/buffer-from@1.1.2`	MIT	
buffer	5.7.1	library	`pkg:npm/buffer@5.7.1`	MIT	Node.js Buffer A the browser
bytes	3.1.2	library	`pkg:npm/bytes@3.1.2`	MIT	Utility to parse a bytes to bytes an versa
call-bind-apply-helpers	1.0.2	library	`pkg:npm/call-bind-apply-helpers@1.0.2`	MIT	Helper fun around Functio l/apply/bind, fo in 'cal
call-bind	1.0.8	library	`pkg:npm/call-bind@1.0.8`	MIT	Robustly '.call. a function
call-bound	1.0.4	library	`pkg:npm/call-bound@1.0.4`	MIT	Robust call- JavaScript int using 'call-bind'
call-me-maybe	1.0.2	library	`pkg:npm/call-me-maybe@1.0.2`	MIT	Let your JS AP either give you back or receive a
callsite	1.0.0	library	`pkg:npm/callsite@1.0.0`	NOASSERTION	Access to v8's Ca
callsites	3.1.0	library	`pkg:npm/callsites@3.1.0`	MIT	Get callsites fro V8 stack trace A
camelcase-keys	6.2.2	library	`pkg:npm/camelcase-keys@6.2.2`	MIT	Convert object k camel case

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
camelcase	5.3.1	library	`pkg:npm/camelcase@5.3.1`	MIT	Convert a dot/underscore/ separated strin camelCase
camelcase	6.3.0	library	`pkg:npm/camelcase@6.3.0`	MIT	Convert a dot/underscore/ separated strin camelCase
caniuse-lite	1.0.30001769	library	`pkg:npm/caniuse-lite@1.0.30001769`	CC-BY-4.0	A smaller versi caniuse-db, with the essentials!
chalk	4.1.2	library	`pkg:npm/chalk@4.1.2`	MIT	Terminal string done right
chalk	5.6.2	library	`pkg:npm/chalk@5.6.2`	MIT	Terminal string done right
char-regex	1.0.2	library	`pkg:npm/char-regex@1.0.2`	MIT	A regex to mat full character, co ing weird charac
chardet	2.1.1	library	`pkg:npm/chardet@2.1.1`	MIT	Character encod tector
chokidar	5.0.0	library	`pkg:npm/chokidar@5.0.0`	MIT	Minimal and e cross-platform watching library
chownr	1.1.4	library	`pkg:npm/chownr@1.1.4`	ISC	like ‘chown -R‘
ci-info	3.9.0	library	`pkg:npm/ci-info@3.9.0`	MIT	Get details abo current Continu tegration enviro
ci-info	4.4.0	library	`pkg:npm/ci-info@4.4.0`	MIT	Get details abo current Continu tegration enviro
cjs-module-lexer	2.2.0	library	`pkg:npm/cjs-module-lexer@2.2.0`	MIT	Lexes Com modules, ret their named e metadata
cliui	7.0.4	library	`pkg:npm/cliui@7.0.4`	ISC	easily create plex multi-c command-line- interfaces
cliui	8.0.1	library	`pkg:npm/cliui@8.0.1`	ISC	easily create plex multi-c command-line- interfaces
clone	2.1.2	library	`pkg:npm/clone@2.1.2`	MIT	deep cloning of c and arrays
co	4.6.0	library	`pkg:npm/co@4.6.0`	MIT	generator asyn trol flow goodne
collect-v8-coverage	1.0.3	library	`pkg:npm/collect-v8-coverage@1.0.3`	MIT	
color-convert	2.0.1	library	`pkg:npm/color-convert@2.0.1`	MIT	Plain color conv functions
color-convert	3.1.3	library	`pkg:npm/color-convert@3.1.3`	MIT	Plain color conv functions

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
color-name	1.1.4	library	pkg:npm/color-name@1.1.4	MIT	A list of color and its values
color-name	2.1.0	library	pkg:npm/color-name@2.1.0	MIT	A list of color and its values
color-string	2.1.4	library	pkg:npm/color-string@2.1.4	MIT	Parser and ger for CSS color str
color	5.0.3	library	pkg:npm/color@5.0.3	MIT	Color conversio manipulation CSS string suppo
combined-stream	1.0.8	library	pkg:npm/combined-stream@1.0.8	MIT	A stream that multiple other s one after anothe
commander	14.0.3	library	pkg:npm/commander@14.0.3	MIT	the complete so for node.js com line programs
comment-parser	1.4.5	library	pkg:npm/comment-parser@1.4.5	MIT	Generic JSD comment parser
compare-versions	6.1.1	library	pkg:npm/compare-versions@6.1.1	MIT	Compare semve sion strings to greater, equal or
concat-map	0.0.1	library	pkg:npm/concat-map@0.0.1	MIT	concatenative dashery
console-table-printer	2.15.0	library	pkg:npm/console-table-printer@2.15.0	MIT	Printing pretty on console log
content-disposition	1.0.1	library	pkg:npm/content-disposition@1.0.1	MIT	Create and Content-Disposit header
content-type	1.0.5	library	pkg:npm/content-type@1.0.5	MIT	Create and HTTP Content header
convert-source-map	2.0.0	library	pkg:npm/convert-source-map@2.0.0	MIT	Converts a sourc from/to differen mats and allows
cookie-signature	1.2.2	library	pkg:npm/cookie-signature@1.2.2	MIT	Sign and unsign ies
cookie	0.7.2	library	pkg:npm/cookie@0.7.2	MIT	HTTP server parsing and se tion
core-util-is	1.0.2	library	pkg:npm/core-util-is@1.0.2	MIT	The ‘util.is*‘ fun introduced in v0.12.
cors	2.8.6	library	pkg:npm/cors@2.8.6	MIT	Node.js CORS m ware
cosmiconfig	7.1.0	library	pkg:npm/cosmiconfig@7.1.0	MIT	Find and load uration from a age.json proper file
create-require	1.1.1	library	pkg:npm/create-require@1.1.1	MIT	Polyfill for N module.createRe (<= v12.2.0)

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
cross-spawn	7.0.6	library	pkg:npm/cross-spawn@7.0.6	MIT	Cross pl child_process#s and child_process#s
data-view-buffer	1.0.2	library	pkg:npm/data-view-buffer@1.0.2	MIT	Get the Array out of a DataVi bustly.
data-view-byte-length	1.0.2	library	pkg:npm/data-view-byte-length@1.0.2	MIT	Get the byteI out of a DataVi bustly.
data-view-byte-offset	1.0.1	library	pkg:npm/data-view-byte-offset@1.0.1	MIT	Get the byteOffs of a DataView bustly.
debug	3.2.7	library	pkg:npm/debug@3.2.7	MIT	small debugging
debug	4.4.3	library	pkg:npm/debug@4.4.3	MIT	Lightweight deb utility for Node. the browser
decamelize-keys	1.1.1	library	pkg:npm/decamelize-keys@1.1.1	MIT	Convert object from camelCase ercase with a c sep
decamelize	1.2.0	library	pkg:npm/decamelize@1.2.0	MIT	Convert a can string into a cased one with tom se
decompress-response	6.0.0	library	pkg:npm/decompress-response@6.0.0	MIT	Decompress a response if neede
dedent	1.7.1	library	pkg:npm/dedent@1.7.1	MIT	A string tag that indentation from line strings.
deep-extend	0.6.0	library	pkg:npm/deep-extend@0.6.0	MIT	Recursive obje tending
deep-is	0.1.4	library	pkg:npm/deep-is@0.1.4	MIT	node's sert.deepEqual gorithm excep NaN being equal
deepmerge	4.3.1	library	pkg:npm/deepmerge@4.3.1	MIT	A library for (recursive) merg Javascript object
define-data-property	1.1.4	library	pkg:npm/define-data-property@1.1.4	MIT	Define a data pr on an object. W back to assignme
define-properties	1.2.1	library	pkg:npm/define-properties@1.2.1	MIT	Define multiple enumerable pro at once. Uses 'O
delayed-stream	1.0.0	library	pkg:npm/delayed-stream@1.0.0	MIT	Buffers events f stream until yo ready to handle
depcheck	1.4.7	library	pkg:npm/depcheck@1.4.7	MIT	Check dependen your node modu
depd	2.0.0	library	pkg:npm/depd@2.0.0	MIT	Deprecate all things

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
deps-regex	0.2.0	library	pkg:npm/deps-regex@0.2.0	MIT	Regular expressi matching javascr quire/import sta
detect-file	1.0.0	library	pkg:npm/detect-file@1.0.0	MIT	Detects if a f ists and returns solved filepath.
detect-indent	6.1.0	library	pkg:npm/detect-indent@6.1.0	MIT	Detect the inden of code
detect-libc	2.1.2	library	pkg:npm/detect-libc@2.1.2	Apache-2.0	Node.js modul detect the C dard library implementa
detect-newline	3.1.0	library	pkg:npm/detect-newline@3.1.0	MIT	Detect the dor newline characte string
diff-sequences	29.6.3	library	pkg:npm/diff-sequences@29.6.3	MIT	Compare items sequences to f longest common quen
diff	4.0.4	library	pkg:npm/diff@4.0.4	BSD-3-Clause	A javascript te implementation.
dir-glob	3.0.1	library	pkg:npm/dir-glob@3.0.1	MIT	Convert directo glob compatible
doctrine	2.1.0	library	pkg:npm/doctrine@2.1.0	Apache-2.0	JSDoc parser
dotenv-cli	11.0.0	library	pkg:npm/dotenv-cli@11.0.0	MIT	A global executa run applications the ENV variabl
dotenv-expand	12.0.3	library	pkg:npm/dotenv-expand@12.0.3	BSD-2-Clause	Expand enviro variables using c
dotenv	16.6.1	library	pkg:npm/dotenv@16.6.1	BSD-2-Clause	Loads enviro variables from .e
dotenv	17.3.1	library	pkg:npm/dotenv@17.3.1	BSD-2-Clause	Loads enviro variables from .e
dunder-proto	1.0.1	library	pkg:npm/dunder-proto@1.0.1	MIT	If available, th ject.prototype.__ accessor and mu
eastasianwidth	0.2.0	library	pkg:npm/eastasianwidth@0.2.0	MIT	Get East Asian from a character
ecdsa-sig-formatter	1.0.11	library	pkg:npm/ecdsa-sig-formatter@1.0.11	Apache-2.0	Translate E signatures be ASN.1/DER JOSE-style conc
ee-first	1.1.1	library	pkg:npm/ee-first@1.1.1	MIT	return the first e a set of ee/event
electron-to-chromium	1.5.286	library	pkg:npm/electron-to-chromium@1.5.286	ISC	Provides a li electron-to-chron version mapping
emittery	0.13.1	library	pkg:npm/emittery@0.13.1	MIT	Simple and n async event emit

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
emoji-regex	8.0.0	library	pkg:npm/emoji-regex@8.0.0	MIT	A regular expres match all Emo symbols as per t
emoji-regex	9.2.2	library	pkg:npm/emoji-regex@9.2.2	MIT	A regular expres match all Emo symbols as per t
enabled	2.0.0	library	pkg:npm/enabled@2.0.0	MIT	Check if a certa bug flag is enabl
encodeurl	2.0.0	library	pkg:npm/encodeurl@2.0.0	MIT	Encode a UR a percent-en form, exc already-encoded
end-of-stream	1.4.5	library	pkg:npm/end-of-stream@1.4.5	MIT	Call a callback w readable/writabl plex stream comple
enquirer	2.4.1	library	pkg:npm/enquirer@2.4.1	MIT	Stylish, intuitiv user-friendly p system. Fast and
entities	4.5.0	library	pkg:npm/entities@4.5.0	BSD-2-Clause	Encode & XML and entities with e speed
entities	7.0.1	library	pkg:npm/entities@7.0.1	BSD-2-Clause	Encode & XML and entities with e speed
error-ex	1.3.4	library	pkg:npm/error-ex@1.3.4	MIT	Easy error subcl and stack cust tion
es-abstract	1.24.1	library	pkg:npm/es-abstract@1.24.1	MIT	ECMAScript sp stract operations
es-define-property	1.0.1	library	pkg:npm/es-define-property@1.0.1	MIT	'Object.definePr but not IE 8's one.
es-errors	1.3.0	library	pkg:npm/es-errors@1.3.0	MIT	A simple cache few of the JS Err structors.
es-object-atoms	1.1.1	library	pkg:npm/es-object-atoms@1.1.1	MIT	ES Object- atoms: ToObject, Requ jectCoercible
es-set-tostringtag	2.1.0	library	pkg:npm/es-set-tostringtag@2.1.0	MIT	A helper to mistically set bol.toStringTag, possible.
es-shim-unscopables	1.1.0	library	pkg:npm/es-shim-unscopables@1.1.0	MIT	Helper package t a method into ray.prototype[Sy

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
es-to-primitive	1.3.0	library	pkg:npm/es-to-primitive@1.3.0	MIT	ECMAScript To tive algorithm. vides ES5 and E versi
es6-promise	3.3.1	library	pkg:npm/es6-promise@3.3.1	MIT	A lightweight that provides to organizing async
esbuild	0.27.3	library	pkg:npm/esbuild@0.27.3	MIT	An extremely JavaScript and bundler and min
escalade	3.2.0	library	pkg:npm/escalade@3.2.0	MIT	A tiny (183B to and fast utility cend parent dire
escape-html	1.0.3	library	pkg:npm/escape-html@1.0.3	MIT	Escape string for HTML
escape-string-regexp	2.0.0	library	pkg:npm/escape-string-regexp@2.0.0	MIT	Escape RegExp s characters
escape-string-regexp	4.0.0	library	pkg:npm/escape-string-regexp@4.0.0	MIT	Escape RegExp s characters
eslint-config-prettier	10.1.8	library	pkg:npm/eslint-config-prettier@10.1.8	MIT	
eslint-formatter-pretty	4.1.0	library	pkg:npm/eslint-formatter-pretty@4.1.0	MIT	Pretty ESLint f ter
eslint-import-context	0.1.9	library	pkg:npm/eslint-import-context@0.1.9	MIT	
eslint-import-resolver-node	0.3.9	library	pkg:npm/eslint-import-resolver-node@0.3.9	MIT	Node default be import resolutio gin for eslint-plu
eslint-import-resolver-typescript	4.4.4	library	pkg:npm/eslint-import-resolver-typescript@4.4.4	ISC	
eslint-module-utils	2.12.1	library	pkg:npm/eslint-module-utils@2.12.1	MIT	
eslint-plugin-import	2.32.0	library	pkg:npm/eslint-plugin-import@2.32.0	MIT	
eslint-plugin-jsdoc	62.5.4	library	pkg:npm/eslint-plugin-jsdoc@62.5.4	BSD-3-Clause	
eslint-plugin-prettier	5.5.5	library	pkg:npm/eslint-plugin-prettier@5.5.5	MIT	
eslint-plugin-regex	1.10.0	library	pkg:npm/eslint-plugin-regex@1.10.0	MIT	
eslint-plugin-unused-imports	4.4.1	library	pkg:npm/eslint-plugin-unused-imports@4.4.1	MIT	
eslint-rule-docs	1.1.235	library	pkg:npm/eslint-rule-docs@1.1.235	MIT	Find documen url for a given rule
eslint-scope	8.4.0	library	pkg:npm/eslint-scope@8.4.0	BSD-2-Clause	ECMAScript sco alyzer for ESLint
eslint-visitor-keys	3.4.3	library	pkg:npm/eslint-visitor-keys@3.4.3	Apache-2.0	Constants and u about visitor k traverse AST.
eslint-visitor-keys	4.2.1	library	pkg:npm/eslint-visitor-keys@4.2.1	Apache-2.0	Constants and u about visitor k traverse AST.
eslint-visitor-keys	5.0.0	library	pkg:npm/eslint-visitor-keys@5.0.0	Apache-2.0	Constants and u about visitor k traverse AST.

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
eslint	9.39.2	library	pkg:npm/eslint@9.39.2	MIT	An AST-based p checker for JavaS
espree	10.4.0	library	pkg:npm/espree@10.4.0	BSD-2-Clause	An Es compatible Java parser built on A
espree	11.1.0	library	pkg:npm/espree@11.1.0	BSD-2-Clause	An Es compatible Java parser built on A
esprima	4.0.1	library	pkg:npm/esprima@4.0.1	BSD-2-Clause	ECMAScript p infrastructure multipurpose an
esquery	1.7.0	library	pkg:npm/esquery@1.7.0	BSD-3-Clause	A query library f MAScript AST u CSS selector like
esrecurse	4.3.0	library	pkg:npm/esrecurse@4.3.0	BSD-2-Clause	ECMAScript A cursive visitor
estraverse	5.3.0	library	pkg:npm/estraverse@5.3.0	BSD-2-Clause	ECMAScript JS traversal functio
estree-walker	2.0.2	library	pkg:npm/estree-walker@2.0.2	MIT	Traverse an E compliant AST
esutils	2.0.3	library	pkg:npm/esutils@2.0.3	BSD-2-Clause	utility box fo MAScript lan tools
etag	1.8.1	library	pkg:npm/etag@1.8.1	MIT	Create simple ETags
eventemitter3	4.0.7	library	pkg:npm/eventemitter3@4.0.7	MIT	EventEmitter3 f on performance maintaining a N
eventemitter3	5.0.4	library	pkg:npm/eventemitter3@5.0.4	MIT	EventEmitter3 f on performance maintaining a N
eventsource-parser	3.0.6	library	pkg:npm/eventsource-parser@3.0.6	MIT	Streaming, source-agnostic EventSource/Ser Sent Events pars
eventsource	3.0.7	library	pkg:npm/eventsource@3.0.7	MIT	WhatWG/W3C pliant Event client for Node. browsers
execa	5.1.1	library	pkg:npm/execa@5.1.1	MIT	Process executi humans
execa	9.6.1	library	pkg:npm/execa@9.6.1	MIT	Process executi humans
exit-x	0.2.2	library	pkg:npm/exit-x@0.2.2	MIT	A replacement f cess.exit that e stdio are fully dr
expand-template	2.0.3	library	pkg:npm/expand-template@2.0.3		Expand placeh in a template str
expand-tilde	2.0.2	library	pkg:npm/expand-tilde@2.0.2	MIT	Bash-like tilde sion for node.js pands a leading t

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
expect	30.2.0	library	pkg:npm/expect@30.2.0	MIT	
express-rate-limit	8.2.1	framework	pkg:npm/express-rate-limit@8.2.1	MIT	
express	5.2.1	framework	pkg:npm/express@5.2.1	MIT	Fast, unopinio minimalist web work
extendable-error	0.1.7	library	pkg:npm/extendable-error@0.1.7	MIT	A simple extenda ror class that e Error.
extended-eventsource	1.7.0	library	pkg:npm/extended-eventsource@1.7.0	MIT	Spec con EventSource mentation for br and Node.J
extsprintf	1.4.1	library	pkg:npm/extsprintf@1.4.1	MIT	extended POSI sprintf
fast-deep-equal	3.1.3	library	pkg:npm/fast-deep-equal@3.1.3	MIT	Fast deep equal
fast-diff	1.3.0	library	pkg:npm/fast-diff@1.3.0	Apache-2.0	Fast Javascript diff
fast-glob	3.3.3	library	pkg:npm/fast-glob@3.3.3	MIT	It's a very fast ficient glob libra Node.js
fast-json-stable-stringify	2.1.0	library	pkg:npm/fast-json-stable-stringify@2.1.0	MIT	deterministic 'JSON.stringify(a faster versi substack's
fast-levenshtein	2.0.6	library	pkg:npm/fast-levenshtein@2.0.6	MIT	Efficient imple tion of Lever algorithm with sp
fast-levenshtein	3.0.0	library	pkg:npm/fast-levenshtein@3.0.0	MIT	Efficient imple tion of Lever algorithm with sp
fast-safe-stringify	2.1.1	library	pkg:npm/fast-safe-stringify@2.1.1	MIT	Safely and quick alize JavaScript
fast-uri	3.1.0	library	pkg:npm/fast-uri@3.1.0	BSD-3-Clause	Dependency-free 3986 URI toolbo
fastest-levenshtein	1.0.16	library	pkg:npm/fastest-levenshtein@1.0.16	MIT	Fastest Lever distance imple tion in JS.
fastq	1.20.1	library	pkg:npm/fastq@1.20.1	ISC	Fast, in memory queue
fb-watchman	2.0.2	library	pkg:npm/fb-watchman@2.0.2	Apache-2.0	Bindings for Watchman file ing service
fdir	6.5.0	library	pkg:npm/fdir@6.5.0	MIT	
fecha	4.2.3	library	pkg:npm/fecha@4.2.3	MIT	Date formattin parsing
figures	6.1.0	library	pkg:npm/figures@6.1.0	MIT	Unicode symbol fallbacks for old minals

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
file-entry-cache	8.0.0	library	pkg:npm/file-entry-cache@8.0.0	MIT	Super simple cac file metadata, for process that
file-uri-to-path	1.0.0	library	pkg:npm/file-uri-to-path@1.0.0	MIT	Convert a file: U a file path
fill-range	7.1.1	library	pkg:npm/fill-range@7.1.1	MIT	Fill in a range o bers or letters, ally passing an i
finalhandler	2.1.1	library	pkg:npm/finalhandler@2.1.1	MIT	Node.js final ht sponder
find-up	4.1.0	library	pkg:npm/find-up@4.1.0	MIT	Find a file or dir by walking up directories
find-up	5.0.0	library	pkg:npm/find-up@5.0.0	MIT	Find a file or dir by walking up directories
find-up	8.0.0	library	pkg:npm/find-up@8.0.0	MIT	Find a file or dir by walking up directories
findup-sync	5.0.0	library	pkg:npm/findup-sync@5.0.0	MIT	Find the firs matching a pattern in the c direc
flat-cache	4.0.1	library	pkg:npm/flat-cache@4.0.1	MIT	A stupidly key/value s using files to some d
flatted	3.3.3	library	pkg:npm/flatted@3.3.3	ISC	A super light an circular JSON pa
fn.name	1.1.0	library	pkg:npm/fn.name@1.1.0	MIT	Extract names functions
follow-redirects	1.15.11	library	pkg:npm/follow-redirects@1.15.11	MIT	HTTP and H modules that redirects.
for-each	0.3.5	library	pkg:npm/for-each@0.3.5	MIT	A better forEach
foreground-child	3.3.1	library	pkg:npm/foreground-child@3.3.1	ISC	Run a child as the foreground p Give it stdio. Ex
form-data	4.0.5	library	pkg:npm/form-data@4.0.5	MIT	A library create re "multipart/form- streams. Can b
forwarded	0.2.0	library	pkg:npm/forwarded@0.2.0	MIT	Parse HTTP Forwarded-For h
fresh	2.0.0	library	pkg:npm/fresh@2.0.0	MIT	HTTP response ness testing
fs-constants	1.0.0	library	pkg:npm/fs-constants@1.0.0	MIT	Require con across node an browser

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
fs-extra	11.3.3	library	`pkg:npm/fs-extra@11.3.3`	MIT	fs-extra contains ods that aren cluded in the Nod
fs-extra	7.0.1	library	`pkg:npm/fs-extra@7.0.1`	MIT	fs-extra contains ods that aren cluded in the Nod
fs-extra	8.1.0	library	`pkg:npm/fs-extra@8.1.0`	MIT	fs-extra contains ods that aren cluded in the Nod
fs.realpath	1.0.0	library	`pkg:npm/fs.realpath@1.0.0`	ISC	Use node's fs.rea but fall back to implementation
fsevents	2.3.3	library	`pkg:npm/fsevents@2.3.3`	MIT	Native Access t cOS FSEvents
function-bind	1.1.2	library	`pkg:npm/function-bind@1.1.2`	MIT	Implementation of tion.prototype.bi
function.prototype.name	1.1.8	library	`pkg:npm/function.prototype.name@1.1.8`	MIT	An ES2015 compliant tion.prototype.na shim
functions-have-names	1.2.3	library	`pkg:npm/functions-have-names@1.2.3`	MIT	Does this JS ronment suppor 'name' propert functions
generator-function	2.0.1	library	`pkg:npm/generator-function@2.0.1`	MIT	A function that r the normally 'GeneratorFunct
generic-pool	3.9.0	library	`pkg:npm/generic-pool@3.9.0`	MIT	Generic resource ing for Node.JS
gensync	1.0.0-beta.2	library	`pkg:npm/gensync@1.0.0-beta.2`	MIT	Allows users t generators in or write common tions
get-caller-file	2.0.5	library	`pkg:npm/get-caller-file@2.0.5`	ISC	
get-intrinsic	1.3.0	library	`pkg:npm/get-intrinsic@1.3.0`	MIT	Get and robustly all JS language-l trinsics at first
get-package-type	0.1.0	library	`pkg:npm/get-package-type@0.1.0`	MIT	Determine the age.json#type' applies to a loca
get-proto	1.0.1	library	`pkg:npm/get-proto@1.0.1`	MIT	Robustly get the totype]] of an ob
get-stream	6.0.1	library	`pkg:npm/get-stream@6.0.1`	MIT	Get a stream string, buffer, or
get-stream	9.0.1	library	`pkg:npm/get-stream@9.0.1`	MIT	Get a stream string, Buffer, Buffer or array

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
get-symbol-description	1.1.0	library	pkg:npm/get-symbol-description@1.1.0	MIT	Gets the desc of a Symbol. dles 'Symbol('Symbol('
get-tsconfig	4.13.6	library	pkg:npm/get-tsconfig@4.13.6	MIT	Find and pars tsconfig.json file directory path
github-from-package	0.0.0	library	pkg:npm/github-from-package@0.0.0	MIT	return the gith from a package.j
glob-parent	5.1.2	library	pkg:npm/glob-parent@5.1.2	ISC	Extract the non- parent path fr glob string.
glob-parent	6.0.2	library	pkg:npm/glob-parent@6.0.2	ISC	Extract the non- parent path fr glob string.
glob	10.5.0	library	pkg:npm/glob@10.5.0	BlueOak-1.0.0	the most correc second fastest gl plementation in
glob	13.0.6	library	pkg:npm/glob@13.0.6	BlueOak-1.0.0	the most correc second fastest gl plementation in
glob	7.2.3	library	pkg:npm/glob@7.2.3	BlueOak-1.0.0	the most correc second fastest gl plementation in
global-modules	1.0.0	library	pkg:npm/global-modules@1.0.0	MIT	The directory u npm for global stalled npm mod
global-prefix	1.0.2	library	pkg:npm/global-prefix@1.0.2	MIT	Get the npm path prefix.
globals	14.0.0	library	pkg:npm/globals@14.0.0	MIT	Global identifier different JavaScr vironments
globalthis	1.0.4	library	pkg:npm/globalthis@1.0.4	MIT	ECMAScript compliant l/shim for 'globa
globby	11.1.0	library	pkg:npm/globby@11.1.0	MIT	User-friendly matching
globby	16.1.0	library	pkg:npm/globby@16.1.0	MIT	User-friendly matching
gopd	1.2.0	library	pkg:npm/gopd@1.2.0	MIT	'Object.getOwnI but accounts fo broken i
graceful-fs	4.2.11	library	pkg:npm/graceful-fs@4.2.11	ISC	A drop-in replac for fs, making v improvements.
handlebars	4.7.8	library	pkg:npm/handlebars@4.7.8	MIT	Handlebars pr the power necess let you build sen
hard-rejection	2.1.0	library	pkg:npm/hard-rejection@2.1.0	MIT	Make unh promise rej fail hard right instead of

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
has-bigints	1.1.0	library	pkg:npm/has-bigints@1.1.0	MIT	Determine if the vironment has support.
has-flag	4.0.0	library	pkg:npm/has-flag@4.0.0	MIT	Check if argv has cific flag
has-property-descriptors	1.0.2	library	pkg:npm/has-property-descriptors@1.0.2	MIT	Does the enviro have full pr descriptor su Handl
has-proto	1.2.0	library	pkg:npm/has-proto@1.2.0	MIT	Does this enviro have the ability the [[Prototype]]
has-symbols	1.1.0	library	pkg:npm/has-symbols@1.1.0	MIT	Determine if t environment has bol support. Su spec
has-tostringtag	1.0.2	library	pkg:npm/has-tostringtag@1.0.2	MIT	Determine if JS environmen 'Symbol.toString support.
hasown	2.0.2	library	pkg:npm/hasown@2.0.2	MIT	A robust, ES3 co ble, "has own pro predicate.
hdb	2.27.1	library	pkg:npm/hdb@2.27.1	Apache-2.0	SAP HANA Da Client for Node
homedir-polyfill	1.0.3	library	pkg:npm/homedir-polyfill@1.0.3	MIT	Node.js os.ho polyfill for versions of node.
hono	4.12.2	framework	pkg:npm/hono@4.12.2	MIT	Web framework on Web Standar
hosted-git-info	2.8.9	library	pkg:npm/hosted-git-info@2.8.9	ISC	Provides metada conversions from itory urls for Git
hosted-git-info	4.1.0	library	pkg:npm/hosted-git-info@4.1.0	ISC	Provides metada conversions from itory urls for Git
html-entities	2.6.0	library	pkg:npm/html-entities@2.6.0	MIT	Fastest HTML e encode/decode li
html-escaper	2.0.2	library	pkg:npm/html-escaper@2.0.2	MIT	fast and safe v escape and un &<>'" chars
http-errors	2.0.1	library	pkg:npm/http-errors@2.0.1	MIT	Create HTTP er jects
http2-client	1.3.5	library	pkg:npm/http2-client@1.3.5	MIT	Drop-in replac for Nodes http https that tra ently m
human-id	4.1.3	library	pkg:npm/human-id@4.1.3	MIT	Returns from a p 15m human-re IDs
human-signals	2.1.0	library	pkg:npm/human-signals@2.1.0	Apache-2.0	Human-friendly cess signals

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
human-signals	8.0.1	library	pkg:npm/human-signals@8.0.1	Apache-2.0	Human-friendly cess signals
iconv-lite	0.7.0	library	pkg:npm/iconv-lite@0.7.0	MIT	Convert cha encodings in javascript.
iconv-lite	0.7.2	library	pkg:npm/iconv-lite@0.7.2	MIT	Convert cha encodings in javascript.
ieee754	1.2.1	library	pkg:npm/ieee754@1.2.1	BSD-3-Clause	Read/write IE floating point nu from/to a Buffer
ignore	5.3.2	library	pkg:npm/ignore@5.3.2	MIT	Ignore is a m and filter for .git rules, the one us
ignore	7.0.5	library	pkg:npm/ignore@7.0.5	MIT	Ignore is a m and filter for .git rules, the one us
import-fresh	3.3.1	library	pkg:npm/import-fresh@3.3.1	MIT	Import a module bypassing the ca
import-local	3.2.0	library	pkg:npm/import-local@3.2.0	MIT	Let a globally in package use a installed version
imurmurhash	0.1.4	library	pkg:npm/imurmurhash@0.1.4	MIT	An incre implementation MurmurHash3
indent-string	4.0.0	library	pkg:npm/indent-string@4.0.0	MIT	Indent each lin string
inflight	1.0.6	library	pkg:npm/inflight@1.0.6	ISC	Add callbacks quests in flight to async duplicatio
inherits	2.0.4	library	pkg:npm/inherits@2.0.4	ISC	Browser-friendly itance fully comp with standard n
ini	1.3.8	library	pkg:npm/ini@1.3.8	ISC	An ini enco coder for node
internal-slot	1.1.0	library	pkg:npm/internal-slot@1.1.0	MIT	ES spec-like in slots
ip-address	10.0.1	library	pkg:npm/ip-address@10.0.1	MIT	A library for p IPv4 and IPv6 dresses in node a
ipaddr.js	1.9.1	library	pkg:npm/ipaddr.js@1.9.1	MIT	A library for nipulating IPv4 IPv6 addresse JavaScript.
irregular-plurals	3.5.0	library	pkg:npm/irregular-plurals@3.5.0	MIT	Map of nouns t irregular plural f
is-array-buffer	3.0.5	library	pkg:npm/is-array-buffer@3.0.5	MIT	Is this value a rayBuffer?
is-arrayish	0.2.1	library	pkg:npm/is-arrayish@0.2.1	MIT	Determines if an can be used as a

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
is-async-function	2.1.1	library	pkg:npm/is-async-function@2.1.1	MIT	Determine if a fu is a native asyn tion.
is-bigint	1.1.0	library	pkg:npm/is-bigint@1.1.0	MIT	Is this value an I Int?
is-boolean-object	1.2.2	library	pkg:npm/is-boolean-object@1.2.2	MIT	Is this value Boolean? module works realm/iframe,
is-bun-module	2.0.0	library	pkg:npm/is-bun-module@2.0.0	MIT	Is this specifier core module o ported Node one
is-callable	1.2.7	library	pkg:npm/is-callable@1.2.7	MIT	Is this JS callable? with Functions GeneratorFunc
is-core-module	2.16.1	library	pkg:npm/is-core-module@2.16.1	MIT	Is this specif node.js core moc
is-data-view	1.0.2	library	pkg:npm/is-data-view@1.0.2	MIT	Is this value DataView? module works realm/iframe
is-date-object	1.1.0	library	pkg:npm/is-date-object@1.1.0	MIT	Is this value a JS object? This r works cross-realr
is-extglob	2.1.1	library	pkg:npm/is-extglob@2.1.1	MIT	Returns true if a has an extglob.
is-finalizationregistry	1.1.1	library	pkg:npm/is-finalizationregistry@1.1.1	MIT	Is this value a JS izationRegistry? module works cr
is-fullwidth-code-point	3.0.0	library	pkg:npm/is-fullwidth-code-point@3.0.0	MIT	Check if the cha represented by a Unicode code po
is-generator-fn	2.1.0	library	pkg:npm/is-generator-fn@2.1.0	MIT	Check if somethi generator functio
is-generator-function	1.1.2	library	pkg:npm/is-generator-function@1.1.2	MIT	Determine if a fu is a native ger function.
is-glob	4.0.3	library	pkg:npm/is-glob@4.0.3	MIT	Returns 'true' given string looks glob pattern or a
is-map	2.0.3	library	pkg:npm/is-map@2.0.3	MIT	Is this value a JS This module cross-realm/ifran and
is-negative-zero	2.0.3	library	pkg:npm/is-negative-zero@2.0.3	MIT	Is this value ne zero? === will you
is-network-error	1.3.0	library	pkg:npm/is-network-error@1.3.0	MIT	Check if a valu Fetch network er

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
is-node-process	1.2.0	library	pkg:npm/is-node-process@1.2.0	MIT	Reliably determ the code is runn Node.js
is-number-object	1.1.1	library	pkg:npm/is-number-object@1.1.1	MIT	Is this value a JS ber object? Thi ule works cross-r
is-number	7.0.0	library	pkg:npm/is-number@7.0.0	MIT	Returns true if a ber or string val finite number. U
is-path-inside	4.0.0	library	pkg:npm/is-path-inside@4.0.0	MIT	Check if a path side another pat
is-plain-obj	1.1.0	library	pkg:npm/is-plain-obj@1.1.0	MIT	Check if a valu plain object
is-plain-obj	4.1.0	library	pkg:npm/is-plain-obj@4.1.0	MIT	Check if a valu plain object
is-promise	4.0.0	library	pkg:npm/is-promise@4.0.0	MIT	Test whether an looks like a pro a+ promise
is-regex	1.2.1	library	pkg:npm/is-regex@1.2.1	MIT	Is this value regex? Works realm/iframe, a spite E
is-set	2.0.3	library	pkg:npm/is-set@2.0.3	MIT	Is this value a J This module cross-realm/ifran and
is-shared-array-buffer	1.0.4	library	pkg:npm/is-shared-array-buffer@1.0.4	MIT	Is this value SharedArrayBuf
is-stream	2.0.1	library	pkg:npm/is-stream@2.0.1	MIT	Check if somethi Node.js stream
is-stream	4.0.1	library	pkg:npm/is-stream@4.0.1	MIT	Check if somethi Node.js stream
is-string	1.1.1	library	pkg:npm/is-string@1.1.1	MIT	Is this value String object or itive? This r works
is-subdir	1.2.0	library	pkg:npm/is-subdir@1.2.0	MIT	Return whether rectory is a su tory of another tory
is-symbol	1.1.1	library	pkg:npm/is-symbol@1.1.1	MIT	Determine if a v an ES6 Symbol
is-typed-array	1.1.15	library	pkg:npm/is-typed-array@1.1.15	MIT	Is this value Typed Array? module works realm/ifr
is-unicode-supported	0.1.0	library	pkg:npm/is-unicode-supported@0.1.0	MIT	Detect whether t minal supports code
is-unicode-supported	2.1.0	library	pkg:npm/is-unicode-supported@2.1.0	MIT	Detect whether t minal supports code

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
is-weakmap	2.0.2	library	pkg:npm/is-weakmap@2.0.2	MIT	Is this value WeakMap? module works realm/iframe,
is-weakref	1.1.1	library	pkg:npm/is-weakref@1.1.1	MIT	Is this value WeakRef? module works realm/iframe,
is-weakset	2.0.4	library	pkg:npm/is-weakset@2.0.4	MIT	Is this value WeakSet? module works realm/iframe,
is-windows	1.0.2	library	pkg:npm/is-windows@1.0.2	MIT	Returns true platform is wi UMD module, with n
isarray	2.0.5	library	pkg:npm/isarray@2.0.5	MIT	Array#isArray older browsers
isexe	2.0.0	library	pkg:npm/isexe@2.0.0	ISC	Minimal to check if a executable.
istanbul-lib-coverage	3.2.2	library	pkg:npm/istanbul-lib-coverage@3.2.2	BSD-3-Clause	Data library for bul coverage obj
istanbul-lib-instrument	6.0.3	library	pkg:npm/istanbul-lib-instrument@6.0.3	BSD-3-Clause	Core istanbul A JS code coverage
istanbul-lib-report	3.0.1	library	pkg:npm/istanbul-lib-report@3.0.1	BSD-3-Clause	Base reporting for istanbul
istanbul-lib-source-maps	5.0.6	library	pkg:npm/istanbul-lib-source-maps@5.0.6	BSD-3-Clause	Source maps s for istanbul
istanbul-reports	3.2.0	library	pkg:npm/istanbul-reports@3.2.0	BSD-3-Clause	istanbul reports
jackspeak	3.4.3	library	pkg:npm/jackspeak@3.4.3	BlueOak-1.0.0	A very strict proper arg parser.
jest-changed-files	30.2.0	library	pkg:npm/jest-changed-files@30.2.0	MIT	
jest-circus	30.2.0	library	pkg:npm/jest-circus@30.2.0	MIT	
jest-cli	30.2.0	library	pkg:npm/jest-cli@30.2.0	MIT	
jest-config	30.2.0	library	pkg:npm/jest-config@30.2.0	MIT	
jest-diff	29.7.0	library	pkg:npm/jest-diff@29.7.0	MIT	
jest-diff	30.2.0	library	pkg:npm/jest-diff@30.2.0	MIT	
jest-docblock	30.2.0	library	pkg:npm/jest-docblock@30.2.0	MIT	
jest-each	30.2.0	library	pkg:npm/jest-each@30.2.0	MIT	Parameterised te Jest
jest-environment-node	30.2.0	library	pkg:npm/jest-environment-node@30.2.0	MIT	
jest-get-type	29.6.3	library	pkg:npm/jest-get-type@29.6.3	MIT	A utility funct get the type of a
jest-haste-map	30.2.0	library	pkg:npm/jest-haste-map@30.2.0	MIT	
jest-leak-detector	30.2.0	library	pkg:npm/jest-leak-detector@30.2.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
jest-matcher-utils	30.2.0	library	pkg:npm/jest-matcher-utils@30.2.0	MIT	A set of utility tions for expect lated packages
jest-message-util	30.2.0	library	pkg:npm/jest-message-util@30.2.0	MIT	
jest-mock	30.2.0	library	pkg:npm/jest-mock@30.2.0	MIT	
jest-pnp-resolver	1.2.3	library	pkg:npm/jest-pnp-resolver@1.2.3	MIT	
jest-regex-util	30.0.1	library	pkg:npm/jest-regex-util@30.0.1	MIT	
jest-resolve-dependencies	30.2.0	library	pkg:npm/jest-resolve-dependencies@30.2.0	MIT	
jest-resolve	30.2.0	library	pkg:npm/jest-resolve@30.2.0	MIT	
jest-runner	30.2.0	library	pkg:npm/jest-runner@30.2.0	MIT	
jest-runtime	30.2.0	library	pkg:npm/jest-runtime@30.2.0	MIT	
jest-snapshot	30.2.0	library	pkg:npm/jest-snapshot@30.2.0	MIT	
jest-util	30.2.0	library	pkg:npm/jest-util@30.2.0	MIT	
jest-validate	30.2.0	library	pkg:npm/jest-validate@30.2.0	MIT	
jest-watcher	30.2.0	library	pkg:npm/jest-watcher@30.2.0	MIT	Delightful Java Testing.
jest-worker	30.2.0	library	pkg:npm/jest-worker@30.2.0	MIT	
jest	30.2.0	library	pkg:npm/jest@30.2.0	MIT	Delightful Java Testing.
jiti	2.6.1	library	pkg:npm/jiti@2.6.1	MIT	Runtime typ and ESM suppo Node.js
jks-js	1.1.5	library	pkg:npm/jks-js@1.1.5	MIT	jks-js is a conve Java Key Store to PEM certifica
jose	6.1.3	library	pkg:npm/jose@6.1.3	MIT	JWA, JWS, JWT, JWK, for Node.js, B Cloudflare Wo
js-tiktoken	1.0.21	library	pkg:npm/js-tiktoken@1.0.21	MIT	JavaScript port token
js-tokens	4.0.0	library	pkg:npm/js-tokens@4.0.0	MIT	A regex that tok JavaScript.
js-yaml	3.14.2	library	pkg:npm/js-yaml@3.14.2	MIT	YAML 1.2 parse serializer
js-yaml	4.1.1	library	pkg:npm/js-yaml@4.1.1	MIT	YAML 1.2 parse serializer
jsdoc-type-pratt-parser	7.1.1	library	pkg:npm/jsdoc-type-pratt-parser@7.1.1	MIT	
jsesc	3.1.0	library	pkg:npm/jsesc@3.1.0	MIT	Given some da esc returns the sh possible stringifi
json-buffer	3.0.1	library	pkg:npm/json-buffer@3.0.1	MIT	JSON parse & st that supports via bops & base
json-parse-even-better-errors	2.3.1	library	pkg:npm/json-parse-even-better-errors@2.3.1	MIT	JSON.parse wit text information ror

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
json-schema-traverse	0.4.1	library	pkg:npm/json-schema-traverse@0.4.1	MIT	Traverse Schema passing schema objec callback
json-schema-traverse	1.0.0	library	pkg:npm/json-schema-traverse@1.0.0	MIT	Traverse Schema passing schema objec callback
json-schema-typed	8.0.2	library	pkg:npm/json-schema-typed@8.0.2	BSD-2-Clause	JSON Schema Script definition complete inline menta
json-stable-stringify-without-jsonify	1.0.1	library	pkg:npm/json-stable-stringify-without-jsonify@1.0.1	MIT	deterministic JSON.stringify() with custom sort get determi
json-stringify-safe	5.0.1	library	pkg:npm/json-stringify-safe@5.0.1	ISC	Like JSON.st but doesn't blow circular refs.
json5	1.0.2	library	pkg:npm/json5@1.0.2	MIT	JSON for human
json5	2.2.3	library	pkg:npm/json5@2.2.3	MIT	JSON for Huma
jsonfile	4.0.0	library	pkg:npm/jsonfile@4.0.0	MIT	Easily read JSON files.
jsonfile	6.2.0	library	pkg:npm/jsonfile@6.2.0	MIT	Easily read JSON files.
jsonpointer	5.0.1	library	pkg:npm/jsonpointer@5.0.1	MIT	Simple JSON A ing.
jsonwebtoken	9.0.3	library	pkg:npm/jsonwebtoken@9.0.3	MIT	JSON Web Tok plementation (sy ric and asymmet
jwa	2.0.1	library	pkg:npm/jwa@2.0.1	MIT	JWA implemen (supports all JW rithms)
jws	4.0.1	library	pkg:npm/jws@4.0.1	MIT	Implementation JSON Web Sign
jwt-decode	4.0.0	library	pkg:npm/jwt-decode@4.0.0	MIT	Decode JWT mostly useful browser applicat
keyv	4.5.4	library	pkg:npm/keyv@4.5.4	MIT	Simple key-valu age with suppo multiple backend
kind-of	6.0.3	library	pkg:npm/kind-of@6.0.3	MIT	Get the native t a value.
kuler	2.0.0	library	pkg:npm/kuler@2.0.0	MIT	Color your te using CSS/hex codes
langchain	1.2.27	library	pkg:npm/langchain@1.2.27	MIT	
langsmith	0.5.6	library	pkg:npm/langsmith@0.5.6	MIT	
leven	3.1.0	library	pkg:npm/leven@3.1.0	MIT	Measure the diff between two stri ing the fastest J

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
leven	4.1.0	library	pkg:npm/leven@4.1.0	MIT	Measure the diff between two stri ing the Levensht
levn	0.4.1	library	pkg:npm/levn@0.4.1	MIT	Light ECMA (JavaScript) Notation - written, con
lines-and-columns	1.2.4	library	pkg:npm/lines-and-columns@1.2.4	MIT	Maps lines columns to cha offsets and back.
linkify-it	5.0.0	library	pkg:npm/linkify-it@5.0.0	MIT	Links recogniti brary with FUL code support
livereload-js	4.0.2	library	pkg:npm/livereload-js@4.0.2	MIT	LiveReload JS auto reload brow changes
locate-path	5.0.0	library	pkg:npm/locate-path@5.0.0	MIT	Get the first pat exists on disk of ple paths
locate-path	6.0.0	library	pkg:npm/locate-path@6.0.0	MIT	Get the first pat exists on disk of ple paths
locate-path	8.0.0	library	pkg:npm/locate-path@8.0.0	MIT	Get the first pat exists on disk of ple paths
lodash.includes	4.3.0	library	pkg:npm/lodash.includes@4.3.0	MIT	The lodash m '_.includes' ex as a module.
lodash.isboolean	3.0.3	library	pkg:npm/lodash.isboolean@3.0.3	MIT	The lodash m '_.isBoolean' ex as a module.
lodash.isinteger	4.0.4	library	pkg:npm/lodash.isinteger@4.0.4	MIT	The lodash m '_.isInteger' ex as a module.
lodash.isnumber	3.0.3	library	pkg:npm/lodash.isnumber@3.0.3	MIT	The lodash m '_.isNumber' ex as a module.
lodash.isplainobject	4.0.6	library	pkg:npm/lodash.isplainobject@4.0.6	MIT	The lodash m '_.isPlainObject exported as a m
lodash.isstring	4.0.1	library	pkg:npm/lodash.isstring@4.0.1	MIT	The lodash m '_.isString' ex as a module.
lodash.memoize	4.1.2	library	pkg:npm/lodash.memoize@4.1.2	MIT	The lodash m '_.memoize' ex as a module.
lodash.merge	4.6.2	library	pkg:npm/lodash.merge@4.6.2	MIT	The Lodash m '_.merge' expor a module.
lodash.once	4.1.1	library	pkg:npm/lodash.once@4.1.1	MIT	The lodash m '_.once' exporte module.

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
lodash.startcase	4.4.0	library	pkg:npm/lodash.startcase@4.4.0	MIT	The lodash m ‘_.startCase‘ ex as a module.
lodash	4.17.23	library	pkg:npm/lodash@4.17.23	MIT	Lodash modula ties.
log-symbols	4.1.0	library	pkg:npm/log-symbols@4.1.0	MIT	Colored symbo various log level ample: ‘ Success
logform	2.7.0	library	pkg:npm/logform@2.7.0	MIT	An mutable based log designed for ch & object
lru-cache	10.4.3	library	pkg:npm/lru-cache@10.4.3	ISC	A cache object deletes the recently-used ite
lru-cache	11.2.6	library	pkg:npm/lru-cache@11.2.6	BlueOak-1.0.0	A cache object deletes the recently-used ite
lru-cache	5.1.1	library	pkg:npm/lru-cache@5.1.1	ISC	A cache object deletes the recently-used ite
lru-cache	6.0.0	library	pkg:npm/lru-cache@6.0.0	ISC	A cache object deletes the recently-used ite
lunr	2.3.9	library	pkg:npm/lunr@2.3.9	MIT	Simple full-text in your browser.
lz4-wasm-nodejs	0.9.2	library	pkg:npm/lz4-wasm-nodejs@0.9.2	MIT	High Performan wasm implement
magic-string	0.30.21	library	pkg:npm/magic-string@0.30.21	MIT	Modify strings, ate sourcemaps
make-dir	4.0.0	library	pkg:npm/make-dir@4.0.0	MIT	Make a director its parents if ne Think ‘mkdir -p’
make-error	1.3.6	library	pkg:npm/make-error@1.3.6	ISC	Make your own types!
makeerror	1.0.12	library	pkg:npm/makeerror@1.0.12	BSD-3-Clause	A library to ma rors.
map-obj	1.0.1	library	pkg:npm/map-obj@1.0.1	MIT	Map object key values into a ne ject
map-obj	4.3.0	library	pkg:npm/map-obj@4.3.0	MIT	Map object key values into a ne ject
markdown-it	14.1.1	library	pkg:npm/markdown-it@14.1.1	MIT	Markdown-it - ern pluggable down parser.
math-intrinsics	1.1.0	library	pkg:npm/math-intrinsics@1.1.0	MIT	ES Math-relate trinsics and help bustly cached.
mdurl	2.0.0	library	pkg:npm/mdurl@2.0.0	MIT	URL utilities markdown-it

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
media-typer	1.1.0	library	pkg:npm/media-typer@1.1.0	MIT	Simple RFC 68 dia type parser a matter
meow	9.0.0	library	pkg:npm/meow@9.0.0	MIT	CLI app helper
merge-descriptors	2.0.0	library	pkg:npm/merge-descriptors@2.0.0	MIT	Merge objects their property d tors
merge-stream	2.0.0	library	pkg:npm/merge-stream@2.0.0	MIT	Create a strean emits events fro tiple other strea
merge2	1.4.1	library	pkg:npm/merge2@1.4.1	MIT	Merge m streams into stream in seque parallel.
micromatch	4.0.8	library	pkg:npm/micromatch@4.0.8	MIT	Glob matching javascript/node. replacement and al
mime-db	1.52.0	library	pkg:npm/mime-db@1.52.0	MIT	Media Type Dat
mime-db	1.54.0	library	pkg:npm/mime-db@1.54.0	MIT	Media Type Dat
mime-types	2.1.35	library	pkg:npm/mime-types@2.1.35	MIT	The ul javascript c type utility.
mime-types	3.0.2	library	pkg:npm/mime-types@3.0.2	MIT	The ul javascript c type utility.
mimic-fn	2.1.0	library	pkg:npm/mimic-fn@2.1.0	MIT	Make a function another one
mimic-response	3.1.0	library	pkg:npm/mimic-response@3.1.0	MIT	Mimic a N HTTP re stream
min-indent	1.0.1	library	pkg:npm/min-indent@1.0.1	MIT	Get the shortes ing whitespace lines in a string
minimatch	10.2.2	library	pkg:npm/minimatch@10.2.2	BlueOak-1.0.0	a glob match javascript
minimatch	3.1.2	library	pkg:npm/minimatch@3.1.2	ISC	a glob match javascript
minimatch	3.1.3	library	pkg:npm/minimatch@3.1.3	ISC	a glob match javascript
minimatch	7.4.6	library	pkg:npm/minimatch@7.4.6	ISC	a glob match javascript
minimatch	9.0.6	library	pkg:npm/minimatch@9.0.6	ISC	a glob match javascript
minimist-options	4.1.0	library	pkg:npm/minimist-options@4.1.0	MIT	Pretty options fo imist
minimist	1.2.8	library	pkg:npm/minimist@1.2.8	MIT	parse argumen tions
minipass	7.1.3	library	pkg:npm/minipass@7.1.3	BlueOak-1.0.0	minimal imple tion of a PassTh stream

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
mkdirp-classic	0.5.3	library	pkg:npm/mkdirp-classic@0.5.3	MIT	Mirror of mkdirp
mock-fs	5.5.0	library	pkg:npm/mock-fs@5.5.0	MIT	A configurable file system. You for testing.
mri	1.2.0	library	pkg:npm/mri@1.2.0	MIT	Quickly scan fo flags and argume
ms	2.1.3	library	pkg:npm/ms@2.1.3	MIT	Tiny millisecon version utility
multimatch	5.0.0	library	pkg:npm/multimatch@5.0.0	MIT	Extends match.match()‘ support for m patterns
mustache	4.2.0	library	pkg:npm/mustache@4.2.0	MIT	Logic-less tache}} template JavaScript
nanoid	3.3.11	library	pkg:npm/nanoid@3.3.11	MIT	A tiny (116 secure URL-f unique string generato
napi-build-utils	2.0.0	library	pkg:npm/napi-build-utils@2.0.0	MIT	A set of utilities sist developers o that build N-AP
napi-postinstall	0.3.4	library	pkg:npm/napi-postinstall@0.3.4	MIT	The ‘postinstall‘ helper for handl tive bindings in
natural-compare	1.4.0	library	pkg:npm/natural-compare@1.4.0	MIT	Compare string taining a mix of and numbers in
negotiator	1.0.0	library	pkg:npm/negotiator@1.0.0	MIT	HTTP content n tion
neo-async	2.6.2	library	pkg:npm/neo-async@2.6.2	MIT	Neo-Async is a d replacement for it almost fully co
nock	14.0.11	library	pkg:npm/nock@14.0.11	MIT	HTTP server ing and expectat brary for Node.js
node-abi	3.87.0	library	pkg:npm/node-abi@3.87.0	MIT	Get the Node A a given target ar time, and vice ve
node-cache	5.1.2	library	pkg:npm/node-cache@5.1.2	MIT	Simple and NodeJS in caching. Node in in memory
node-fetch-h2	2.3.0	library	pkg:npm/node-fetch-h2@2.3.0	MIT	Implementation dow.fetch which use http2 seamle
node-fetch	2.7.0	library	pkg:npm/node-fetch@2.7.0	MIT	A light-weight ule that brings dow.fetch to nod

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
node-forge	1.3.3	library	pkg:npm/node-forge@1.3.3		JavaScript imp tations of n transports, cryp phy, c
node-int64	0.4.0	library	pkg:npm/node-int64@0.4.0	MIT	Support for rep ing 64-bit integ JavaScript
node-readfiles	0.2.0	library	pkg:npm/node-readfiles@0.2.0	MIT	A lightweight N module to recu read files in a di
node-releases	2.0.27	library	pkg:npm/node-releases@2.0.27	MIT	Node.js releases
node-rsa	1.1.1	library	pkg:npm/node-rsa@1.1.1	MIT	Node.js RSA lib
normalize-package-data	2.5.0	library	pkg:npm/normalize-package-data@2.5.0	BSD-2-Clause	Normalizes data can be found in age.json files.
normalize-package-data	3.0.3	library	pkg:npm/normalize-package-data@3.0.3	BSD-2-Clause	Normalizes data can be found in age.json files.
normalize-path	3.0.0	library	pkg:npm/normalize-path@3.0.0	MIT	Normalize s in a file pat be posix/un forward sl
npm-run-path	4.0.1	library	pkg:npm/npm-run-path@4.0.1	MIT	Get your prepended with installed binaries
npm-run-path	6.0.0	library	pkg:npm/npm-run-path@6.0.0	MIT	Get your prepended with installed binaries
oas-kit-common	1.0.8	library	pkg:npm/oas-kit-common@1.0.8	BSD-3-Clause	Common utility tions for oas-kit
oas-linter	3.2.2	library	pkg:npm/oas-linter@3.2.2	BSD-3-Clause	Default linter for oas-validator
oas-resolver	2.5.6	library	pkg:npm/oas-resolver@2.5.6	BSD-3-Clause	Resolve externa in OpenAPI (sw 2.0 / 3.x definiti
oas-schema-walker	1.1.5	library	pkg:npm/oas-schema-walker@1.1.5	BSD-3-Clause	Library to walk schema objects a a callback
oas-validator	5.0.8	library	pkg:npm/oas-validator@5.0.8	BSD-3-Clause	Parser/validator for OpenAPI definitions
object-assign	4.1.1	library	pkg:npm/object-assign@4.1.1	MIT	ES2015 ject.assign()‘ por
object-deep-merge	2.0.0	library	pkg:npm/object-deep-merge@2.0.0	MIT	Strongly-typed and recursive merging. Consid n
object-inspect	1.13.4	library	pkg:npm/object-inspect@1.13.4	MIT	string represent of objects in noc the browser

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
object-keys	1.1.1	library	pkg:npm/object-keys@1.1.1	MIT	An Object.key placement, in Object.keys is available.
object.assign	4.1.7	library	pkg:npm/object.assign@4.1.7	MIT	ES6 spec-con Object.assign shim. https://github.c
object.fromentries	2.0.8	library	pkg:npm/object.fromentries@2.0.8	MIT	ES proposa compliant ject.fromEntries shim.
object.groupby	1.0.3	library	pkg:npm/object.groupby@1.0.3	MIT	An ESnext compliant ject.groupBy‘ shim/polyfill/re- placeme
object.values	1.2.1	library	pkg:npm/object.values@1.2.1	MIT	ES2017 spec-con Object.values sh
on-finished	2.4.1	library	pkg:npm/on-finished@2.4.1	MIT	Execute a ca when a request finishes, or error
once	1.4.0	library	pkg:npm/once@1.4.0	ISC	Run a function e one time
one-time	1.0.0	library	pkg:npm/one-time@1.0.0	MIT	Run the supplie tion exactly one (once)
onetime	5.1.2	library	pkg:npm/onetime@5.1.2	MIT	Ensure a funct only called once
openai	6.25.0	library	pkg:npm/openai@6.25.0	Apache-2.0	
openapi-types	12.1.3	library	pkg:npm/openapi-types@12.1.3	MIT	Types for Op documents.
opossum	9.0.0	library	pkg:npm/opossum@9.0.0	Apache-2.0	A fail-fast breaker for pr and callbacks
optionator	0.9.4	library	pkg:npm/optionator@0.9.4	MIT	option parsing help generation
orval	8.4.2	library	pkg:npm/orval@8.4.2	MIT	A swagger client ator for typescri
outdent	0.5.0	library	pkg:npm/outdent@0.5.0	MIT	Remove leading tation from ES plate literals.
outvariant	1.4.3	library	pkg:npm/outvariant@1.4.3	MIT	Type-safe imple tion of invarian positionals.
own-keys	1.0.1	library	pkg:npm/own-keys@1.0.1	MIT	Robustly get a ject's own pr keys (strings symbols),
p-filter	2.1.0	library	pkg:npm/p-filter@2.1.0	MIT	Filter promises c rently

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
p-finally	1.0.0	library	`pkg:npm/p-finally@1.0.0`	MIT	'Promise#finally ponyfill - In when the prom settle
p-limit	2.3.0	library	`pkg:npm/p-limit@2.3.0`	MIT	Run multiple pr returning & asyn tions with limite
p-limit	3.1.0	library	`pkg:npm/p-limit@3.1.0`	MIT	Run multiple pr returning & asyn tions with limite
p-limit	4.0.0	library	`pkg:npm/p-limit@4.0.0`	MIT	Run multiple pr returning & asyn tions with limite
p-locate	4.1.0	library	`pkg:npm/p-locate@4.1.0`	MIT	Get the first fu promise that sa the provided test
p-locate	5.0.0	library	`pkg:npm/p-locate@5.0.0`	MIT	Get the first fu promise that sa the provided test
p-locate	6.0.0	library	`pkg:npm/p-locate@6.0.0`	MIT	Get the first fu promise that sa the provided test
p-map	2.1.0	library	`pkg:npm/p-map@2.1.0`	MIT	Map over promis currently
p-queue	6.6.2	library	`pkg:npm/p-queue@6.6.2`	MIT	Promise queue concurrency cont
p-queue	9.1.0	library	`pkg:npm/p-queue@9.1.0`	MIT	Promise queue concurrency cont
p-retry	7.1.1	library	`pkg:npm/p-retry@7.1.1`	MIT	Retry a pr returning or function
p-timeout	3.2.0	library	`pkg:npm/p-timeout@3.2.0`	MIT	Timeout a prom ter a specified a of time
p-timeout	7.0.1	library	`pkg:npm/p-timeout@7.0.1`	MIT	Timeout a prom ter a specified a of time
p-try	2.2.0	library	`pkg:npm/p-try@2.2.0`	MIT	'Start a promise
package-json-from-dist	1.0.1	library	`pkg:npm/package-json-from-dist@1.0.1`	BlueOak-1.0.0	Load the local age.json from eit or dist folder
package-manager-detector	0.2.11	library	`pkg:npm/package-manager-detector@0.2.11`	MIT	Package manag tector
parent-module	1.0.1	library	`pkg:npm/parent-module@1.0.1`	MIT	Get the path of t ent module
parse-imports-exports	0.2.4	library	`pkg:npm/parse-imports-exports@0.2.4`	MIT	Fast and easy for declarations port and expo ECM
parse-json	5.2.0	library	`pkg:npm/parse-json@5.2.0`	MIT	Parse JSON with helpful errors

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
parse-ms	4.0.0	library	pkg:npm/parse-ms@4.0.0	MIT	Parse millisecon an object
parse-passwd	1.0.0	library	pkg:npm/parse-passwd@1.0.0	MIT	Parse a passwd f a list of users.
parse-statements	1.0.11	library	pkg:npm/parse-statements@1.0.11	MIT	Fast and easy of statements in code in any lang
parseurl	1.3.3	library	pkg:npm/parseurl@1.3.3	MIT	parse a url with ization
path-exists	4.0.0	library	pkg:npm/path-exists@4.0.0	MIT	Check if a path
path-is-absolute	1.0.1	library	pkg:npm/path-is-absolute@1.0.1	MIT	Node.js path.isAbsolute(ponyfill
path-key	3.1.1	library	pkg:npm/path-key@3.1.1	MIT	Get the PATH ronment variab cross-platform
path-key	4.0.0	library	pkg:npm/path-key@4.0.0	MIT	Get the PATH ronment variab cross-platform
path-parse	1.0.7	library	pkg:npm/path-parse@1.0.7	MIT	Node.js path. ponyfill
path-scurry	1.11.1	library	pkg:npm/path-scurry@1.11.1	BlueOak-1.0.0	walk paths fast ficiently
path-scurry	2.0.2	library	pkg:npm/path-scurry@2.0.2	BlueOak-1.0.0	walk paths fast ficiently
path-to-regexp	8.3.0	library	pkg:npm/path-to-regexp@8.3.0	MIT	Express style p RegExp utility
path-type	4.0.0	library	pkg:npm/path-type@4.0.0	MIT	Check if a path i directory, or sym
pathe	2.0.3	library	pkg:npm/pathe@2.0.3	MIT	Universal files path utils
picocolors	1.1.1	library	pkg:npm/picocolors@1.1.1	ISC	The tiniest an fastest library f minal output for
picomatch	2.3.1	library	pkg:npm/picomatch@2.3.1	MIT	Blazing fast and rate glob matche ten in JavaScript
picomatch	4.0.3	library	pkg:npm/picomatch@4.0.3	MIT	Blazing fast and rate glob matche ten in JavaScript
pify	4.0.1	library	pkg:npm/pify@4.0.1	MIT	Promisify a ca style function
pirates	4.0.7	library	pkg:npm/pirates@4.0.7	MIT	Properly hijac quire, i.e., pr define require and
pkce-challenge	5.0.1	library	pkg:npm/pkce-challenge@5.0.1	MIT	Generate or ve Proof Key for Co change (PKCE) lenge

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
pkg-dir	4.2.0	library	pkg:npm/pkg-dir@4.2.0	MIT	Find the root dir of a Node.js proj npm package
please-upgrade-node	3.2.0	library	pkg:npm/please-upgrade-node@3.2.0	MIT	Displays a be friendly m telling your us upgrade
plur	4.0.0	library	pkg:npm/plur@4.0.0	MIT	Pluralize a word
pluralize	8.0.0	library	pkg:npm/pluralize@8.0.0	MIT	Pluralize and si ize any word
possible-typed-array-names	1.1.0	library	pkg:npm/possible-typed-array-names@1.1.0	MIT	A simple list o sible Typed names.
postcss	8.5.6	library	pkg:npm/postcss@8.5.6	MIT	Tool for transfo styles with JS pl
prebuild-install	7.1.3	library	pkg:npm/prebuild-install@7.1.3	MIT	A command lin to easily instal built binaries for
prelude-ls	1.2.1	library	pkg:npm/prelude-ls@1.2.1	MIT	prelude.ls is a fu ally oriented uti brary. It is powe
prettier-linter-helpers	1.0.1	library	pkg:npm/prettier-linter-helpers@1.0.1	MIT	Utilities to help prettier output ing tools
prettier	2.8.8	library	pkg:npm/prettier@2.8.8	MIT	Prettier is an o ated code format
prettier	3.8.1	library	pkg:npm/prettier@3.8.1	MIT	Prettier is an o ated code format
pretty-format	29.7.0	library	pkg:npm/pretty-format@29.7.0	MIT	Stringify JavaScript value
pretty-format	30.2.0	library	pkg:npm/pretty-format@30.2.0	MIT	Stringify JavaScript value
pretty-ms	9.3.0	library	pkg:npm/pretty-ms@9.3.0	MIT	Convert millis to a human re string: '1337000
propagate	2.0.1	library	pkg:npm/propagate@2.0.1	MIT	Propagate event one event emitte another
proxy-addr	2.0.7	library	pkg:npm/proxy-addr@2.0.7	MIT	Determine addr proxied request
proxy-from-env	1.1.0	library	pkg:npm/proxy-from-env@1.1.0	MIT	Offers getProxy to get the proxy for a URL, respe
pump	3.0.3	library	pkg:npm/pump@3.0.3	MIT	pipe streams to and close all of t one of them clos
punycode.js	2.3.1	library	pkg:npm/punycode.js@2.3.1	MIT	A robust Pun converter that complies to RFC and R

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
punycode	2.3.1	library	pkg:npm/punycode@2.3.1	MIT	A robust Pun converter that complies to RFC and R
pure-rand	7.0.1	library	pkg:npm/pure-rand@7.0.1	MIT	Pure random n generator writt TypeScript
qs	6.14.2	library	pkg:npm/qs@6.14.2	BSD-3-Clause	A querystring that supports n and arrays, with
quansync	0.2.11	library	pkg:npm/quansync@0.2.11	MIT	Create sync APIs with usabl
queue-microtask	1.2.3	library	pkg:npm/queue-microtask@1.2.3	MIT	fast, tiny 'queue task' shim for n engines
quick-lru	4.0.1	library	pkg:npm/quick-lru@4.0.1	MIT	Simple "Least Re Used" (LRU) cac
range-parser	1.2.1	library	pkg:npm/range-parser@1.2.1	MIT	Range header string parser
raw-body	3.0.2	library	pkg:npm/raw-body@3.0.2	MIT	Get and valida raw body of a re stream.
rc	1.2.8	library	pkg:npm/rc@1.2.8		hardwired con tion loader
react-is	18.3.1	framework	pkg:npm/react-is@18.3.1	MIT	Brand checking act Elements.
read-pkg-up	7.0.1	library	pkg:npm/read-pkg-up@7.0.1	MIT	Read the closest age.json file
read-pkg	5.2.0	library	pkg:npm/read-pkg@5.2.0	MIT	Read a packag file
read-yaml-file	1.1.0	library	pkg:npm/read-yaml-file@1.1.0	MIT	Read and pa YAML file
readable-stream	3.6.2	library	pkg:npm/readable-stream@3.6.2	MIT	Streams3, a use copy of the stre brary from Node
readdirp	3.6.0	library	pkg:npm/readdirp@3.6.0	MIT	Recursive versi fs.readdir with s ing API.
readdirp	5.0.0	library	pkg:npm/readdirp@5.0.0	MIT	Recursive versi fs.readdir with RAM & CPU foc
redent	3.0.0	library	pkg:npm/redent@3.0.0	MIT	Strip redundant tation and inde string
reflect.getprototypeof	1.0.10	library	pkg:npm/reflect.getprototypeof@1.0.10	MIT	An ES2015 n spec-compliant flect.getPrototyp sham/pol
reftools	1.1.9	library	pkg:npm/reftools@1.1.9	BSD-3-Clause	Utility functio deal with referen objects

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
regexp.prototype.flags	1.5.4	library	pkg:npm/regexp.prototype.flags@1.5.4	MIT	ES6 compliant Exp.prototype.fl shim.
remeda	2.33.6	library	pkg:npm/remeda@2.33.6	MIT	A utility libra JavaScript and script.
require-directory	2.1.1	library	pkg:npm/require-directory@2.1.1	MIT	Recursively i over specified dir require()'ing eac
require-from-string	2.0.2	library	pkg:npm/require-from-string@2.0.2	MIT	Require module string
require-package-name	2.0.1	library	pkg:npm/require-package-name@2.0.1	MIT	gets the package for a require stat
reserved-identifiers	1.2.0	library	pkg:npm/reserved-identifiers@1.2.0	MIT	Provides a list served identifie JavaScript
resolve-cwd	3.0.0	library	pkg:npm/resolve-cwd@3.0.0	MIT	Resolve the pa a module lik quire.resolve()' from th
resolve-dir	1.0.1	library	pkg:npm/resolve-dir@1.0.1	MIT	Resolve a dir that is either global or in the
resolve-from	4.0.0	library	pkg:npm/resolve-from@4.0.0	MIT	Resolve the pa a module lik quire.resolve()' from a
resolve-from	5.0.0	library	pkg:npm/resolve-from@5.0.0	MIT	Resolve the pa a module lik quire.resolve()' from a
resolve-pkg-maps	1.0.0	library	pkg:npm/resolve-pkg-maps@1.0.0	MIT	Resolve packag exports & i maps
resolve	1.22.11	library	pkg:npm/resolve@1.22.11	MIT	resolve like quire.resolve() behalf of files chronously
retry	0.13.1	library	pkg:npm/retry@0.13.1	MIT	Abstraction for nential and retry strategie faile
reusify	1.1.0	library	pkg:npm/reusify@1.1.0	MIT	Reuse objects an tions with style
router	2.2.0	library	pkg:npm/router@2.2.0	MIT	Simple middl style router
run-parallel	1.2.0	library	pkg:npm/run-parallel@1.2.0	MIT	Run an array o tions in parallel
safe-array-concat	1.1.3	library	pkg:npm/safe-array-concat@1.1.3	MIT	'Array.prototype but made safe noring Symbol.is

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
safe-buffer	5.2.1	library	pkg:npm/safe-buffer@5.2.1	MIT	Safer Node.js API
safe-push-apply	1.0.0	library	pkg:npm/safe-push-apply@1.0.0	MIT	Push an array o into an array, wh ing robust again
safe-regex-test	1.1.0	library	pkg:npm/safe-regex-test@1.1.0	MIT	Give a regex, ge bust predicate fu that tests it agai
safe-stable-stringify	2.5.0	library	pkg:npm/safe-stable-stringify@2.5.0	MIT	Deterministic safely JSON.st to quickly se Java
safer-buffer	2.1.2	library	pkg:npm/safer-buffer@2.1.2	MIT	Modern Buffer polyfill without guns
sax	1.4.4	framework	pkg:npm/sax@1.4.4	BlueOak-1.0.0	An evented s ing XML pars JavaScript
semver-compare	1.0.0	library	pkg:npm/semver-compare@1.0.0	MIT	compare two s version strings, ing -1, 0, or 1
semver	5.7.2	library	pkg:npm/semver@5.7.2	ISC	The semantic v parser used by n
semver	6.3.1	library	pkg:npm/semver@6.3.1	ISC	The semantic v parser used by n
semver	7.7.4	library	pkg:npm/semver@7.7.4	ISC	The semantic v parser used by n
send	1.2.1	library	pkg:npm/send@1.2.1	MIT	Better streaming file server with and conditional-
serve-static	2.2.1	library	pkg:npm/serve-static@2.2.1	MIT	Serve static files
set-function-length	1.2.2	library	pkg:npm/set-function-length@1.2.2	MIT	Set a function's property
set-function-name	2.0.2	library	pkg:npm/set-function-name@2.0.2	MIT	Set a function's property
set-proto	1.0.0	library	pkg:npm/set-proto@1.0.0	MIT	Robustly set the totype]] of an ob
setprototypeof	1.2.0	library	pkg:npm/setprototypeof@1.2.0	ISC	A small polyfill f ject.setprototype
shebang-command	2.0.0	library	pkg:npm/shebang-command@2.0.0	MIT	Get the comman a shebang
shebang-regex	3.0.0	library	pkg:npm/shebang-regex@3.0.0	MIT	Regular expressi matching a sh line
should-equal	2.0.0	library	pkg:npm/should-equal@2.0.0	MIT	Deep compariso instances for sho
should-format	3.0.3	library	pkg:npm/should-format@3.0.3	MIT	Formatting of o for should.js
should-type-adaptors	1.1.0	library	pkg:npm/should-type-adaptors@1.1.0	MIT	Small utility fun to use the same t ing etc code on o

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
should-type	1.4.0	library	pkg:npm/should-type@1.4.0	MIT	Simple module instance type. bit more advance
should-util	1.0.1	library	pkg:npm/should-util@1.0.1	MIT	Utility functions
should	13.2.3	framework	pkg:npm/should@13.2.3	MIT	test framework tic BDD-style tions
side-channel-list	1.0.0	library	pkg:npm/side-channel-list@1.0.0	MIT	Store inform about any JS va a side channel, u l
side-channel-map	1.0.1	library	pkg:npm/side-channel-map@1.0.1	MIT	Store inform about any JS va a side channel, u M
side-channel-weakmap	1.0.2	library	pkg:npm/side-channel-weakmap@1.0.2	MIT	Store inform about any JS va a side channel. Weak
side-channel	1.1.0	library	pkg:npm/side-channel@1.1.0	MIT	Store inform about any JS va a side channel. Weak
signal-exit	3.0.7	library	pkg:npm/signal-exit@3.0.7	ISC	when you want an event no matt a process exits.
signal-exit	4.1.0	library	pkg:npm/signal-exit@4.1.0	ISC	when you want an event no matt a process exits.
simple-concat	1.0.1	library	pkg:npm/simple-concat@1.0.1	MIT	Super-minimalis sion of 'concat-s Less than 15 line
simple-get	4.0.1	library	pkg:npm/simple-get@4.0.1	MIT	Simplest way to http get re Supports H redirects
simple-wcswidth	1.1.2	library	pkg:npm/simple-wcswidth@1.1.2	MIT	Simplified implementation wcswidth() writ Markus K
slash	3.0.0	library	pkg:npm/slash@3.0.0	MIT	Convert Wi backslash path slash paths
slash	5.1.0	library	pkg:npm/slash@5.1.0	MIT	Convert Wi backslash path slash paths
source-map-js	1.2.1	library	pkg:npm/source-map-js@1.2.1	BSD-3-Clause	Generates and sumes source ma
source-map-support	0.5.13	library	pkg:npm/source-map-support@0.5.13	MIT	Fixes stack trac files with source
source-map	0.6.1	library	pkg:npm/source-map@0.6.1	BSD-3-Clause	Generates and sumes source ma

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
spawndamnit	3.0.1	library	pkg:npm/spawndamnit@3.0.1		Take care of 'spawn()'
spdx-correct	3.2.0	library	pkg:npm/spdx-correct@3.2.0	Apache-2.0	correct invalid expressions
spdx-exceptions	2.5.0	library	pkg:npm/spdx-exceptions@2.5.0	CC-BY-3.0	list of SPDX sta license exception
spdx-expression-parse	3.0.1	library	pkg:npm/spdx-expression-parse@3.0.1	MIT	parse SPDX lice pressions
spdx-expression-parse	4.0.0	library	pkg:npm/spdx-expression-parse@4.0.0	MIT	parse SPDX lice pressions
spdx-license-ids	3.0.22	library	pkg:npm/spdx-license-ids@3.0.22	CC0-1.0	A list of SPDX identifiers
sprintf-js	1.0.3	library	pkg:npm/sprintf-js@1.0.3	BSD-3-Clause	JavaScript sprin plementation
stable-hash-x	0.2.0	library	pkg:npm/stable-hash-x@0.2.0	MIT	Stable JS value
stack-trace	0.0.10	library	pkg:npm/stack-trace@0.0.10	MIT	Get v8 stack tra an array of CallS jects.
stack-utils	2.0.6	library	pkg:npm/stack-utils@2.0.6	MIT	Captures and stack traces
statuses	2.0.2	library	pkg:npm/statuses@2.0.2	MIT	HTTP status ut
stop-iteration-iterator	1.1.0	library	pkg:npm/stop-iteration-iterator@1.1.0	MIT	Firefox 17-26 ite throw a StopIte object to indicat
strict-event-emitter	0.5.1	library	pkg:npm/strict-event-emitter@0.5.1	MIT	Type-safe imple tion of EventE for browser Node.js
string-argv	0.3.2	library	pkg:npm/string-argv@0.3.2	MIT	string-argv par string into an ment array to proce
string-length	4.0.2	library	pkg:npm/string-length@4.0.2	MIT	Get the real len a string - by co counting astral s
string-width	4.2.3	library	pkg:npm/string-width@4.2.3	MIT	Get the visual wi a string - the num columns required
string-width	5.1.2	library	pkg:npm/string-width@5.1.2	MIT	Get the visual wi a string - the num columns required
string.prototype.trim	1.2.10	library	pkg:npm/string.prototype.trim@1.2.10	MIT	ES5 compliant shim String.prototype
string.prototype.trimend	1.0.9	library	pkg:npm/string.prototype.trimend@1.0.9	MIT	ES2019 spec-com String.prototype shim.
string.prototype.trimstart	1.0.8	library	pkg:npm/string.prototype.trimstart@1.0.8	MIT	ES2019 spec-com String.prototype shim.

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
string_decoder	1.3.0	library	pkg:npm/string_decoder@1.3.0	MIT	The string_d module from core
strip-ansi	6.0.1	library	pkg:npm/strip-ansi@6.0.1	MIT	Strip ANSI codes from a stri
strip-ansi	7.1.2	library	pkg:npm/strip-ansi@7.1.2	MIT	Strip ANSI codes from a stri
strip-bom	3.0.0	library	pkg:npm/strip-bom@3.0.0	MIT	Strip UTF-8 by der mark (BOM a string
strip-bom	4.0.0	library	pkg:npm/strip-bom@4.0.0	MIT	Strip UTF-8 by der mark (BOM a string
strip-final-newline	2.0.0	library	pkg:npm/strip-final-newline@2.0.0	MIT	Strip the final line character f string/buffer
strip-final-newline	4.0.0	library	pkg:npm/strip-final-newline@4.0.0	MIT	Strip the final n character from a or Uint8Array
strip-indent	3.0.0	library	pkg:npm/strip-indent@3.0.0	MIT	Strip leading pace from each a string
strip-json-comments	2.0.1	library	pkg:npm/strip-json-comments@2.0.1	MIT	Strip comments JSON. Lets yo comments in JSON file
strip-json-comments	3.1.1	library	pkg:npm/strip-json-comments@3.1.1	MIT	Strip comments JSON. Lets yo comments in JSON file
supports-color	7.2.0	library	pkg:npm/supports-color@7.2.0	MIT	Detect whether minal supports c
supports-color	8.1.1	library	pkg:npm/supports-color@8.1.1	MIT	Detect whether minal supports c
supports-hyperlinks	2.3.0	library	pkg:npm/supports-hyperlinks@2.3.0	MIT	Detect if your te emulator suppor perlinks
supports-preserve-symlinks-flag	1.0.0	library	pkg:npm/supports-preserve-symlinks-flag@1.0.0	MIT	Determine if th rent node versio ports the '–prese
swagger2openapi	7.0.8	library	pkg:npm/swagger2openapi@7.0.8	BSD-3-Clause	Convert Swagg definitions to Op 3.0 and validate
synckit	0.11.12	library	pkg:npm/synckit@0.11.12	MIT	Perform work synchro in Node.js 'worker_threads
tar-fs	2.1.4	library	pkg:npm/tar-fs@2.1.4	MIT	filesystem bindi tar-stream
tar-stream	2.2.0	library	pkg:npm/tar-stream@2.2.0	MIT	tar-stream is a s ing tar parser an erator and nothi

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
term-size	2.2.1	library	pkg:npm/term-size@2.2.1	MIT	Reliably get th minal window (columns & rows
test-exclude	6.0.0	library	pkg:npm/test-exclude@6.0.0	ISC	test for inclusion clusion of paths globs
text-hex	1.0.0	library	pkg:npm/text-hex@1.0.0	MIT	Generate a hex from the given t
tinyglobby	0.2.15	library	pkg:npm/tinyglobby@0.2.15	MIT	A fast and mini ternative to glob fast-glob
tmpl	1.0.5	library	pkg:npm/tmpl@1.0.5	BSD-3-Clause	JavaScript micr plates.
to-regex-range	5.0.1	library	pkg:npm/to-regex-range@5.0.1	MIT	Pass two numbe a regex-comp source string matchi
to-valid-identifier	1.0.0	library	pkg:npm/to-valid-identifier@1.0.0	MIT	Convert a strin valid JavaScript fier
toidentifier	1.0.1	library	pkg:npm/toidentifier@1.0.1	MIT	Convert a stri words to a Java identifier
tr46	0.0.3	library	pkg:npm/tr46@0.0.3	MIT	An implementat the Unicode TR4
trim-newlines	3.0.1	library	pkg:npm/trim-newlines@3.0.1	MIT	Trim newlines fr start and/or en string
triple-beam	1.4.1	library	pkg:npm/triple-beam@1.4.1	MIT	Definitions of for logging purp shareable Symbo
ts-api-utils	2.4.0	library	pkg:npm/ts-api-utils@2.4.0	MIT	
ts-jest	29.4.6	library	pkg:npm/ts-jest@29.4.6	MIT	A Jest trans with source ma port that lets y Jest
ts-node	10.9.2	library	pkg:npm/ts-node@10.9.2	MIT	TypeScript exe environment REPL for with sourc
tsconfck	3.1.6	library	pkg:npm/tsconfck@3.1.6	MIT	
tsconfig-paths	3.15.0	library	pkg:npm/tsconfig-paths@3.15.0	MIT	Load node m according to t paths, in run-ti via
tsd	0.33.0	library	pkg:npm/tsd@0.33.0	MIT	Check TypeScrip definitions
tslib	2.8.1	library	pkg:npm/tslib@2.8.1	0BSD	
tsx	4.21.0	library	pkg:npm/tsx@4.21.0	MIT	TypeScript E (tsx): Node.j hanced with esb run Ty

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
tunnel-agent	0.6.0	library	pkg:npm/tunnel-agent@0.6.0	Apache-2.0	HTTP proxy tun agent. Formerl of mikeal/reques
type-check	0.4.0	library	pkg:npm/type-check@0.4.0	MIT	type-check allow to check the ty JavaScript value
type-detect	4.0.8	library	pkg:npm/type-detect@4.0.8	MIT	Improved typeof tion for node.js a browser.
type-fest	0.18.1	library	pkg:npm/type-fest@0.18.1		A collection of tial TypeScript t
type-fest	0.21.3	library	pkg:npm/type-fest@0.21.3		A collection of tial TypeScript t
type-fest	0.6.0	library	pkg:npm/type-fest@0.6.0		A collection of tial TypeScript t
type-fest	0.8.1	library	pkg:npm/type-fest@0.8.1		A collection of tial TypeScript t
type-fest	4.41.0	library	pkg:npm/type-fest@4.41.0		A collection of tial TypeScript t
type-is	2.0.1	library	pkg:npm/type-is@2.0.1	MIT	Infer the conten of a request.
typed-array-buffer	1.0.3	library	pkg:npm/typed-array-buffer@1.0.3	MIT	Get the Array out of a Typed robustly.
typed-array-byte-length	1.0.3	library	pkg:npm/typed-array-byte-length@1.0.3	MIT	Robustly get th length of a Typ ray
typed-array-byte-offset	1.0.4	library	pkg:npm/typed-array-byte-offset@1.0.4	MIT	Robustly get th offset of a Typed
typed-array-length	1.0.7	library	pkg:npm/typed-array-length@1.0.7	MIT	Robustly get length of a Array
typedoc-plugin-coverage	4.0.2	library	pkg:npm/typedoc-plugin-coverage@4.0.2	MIT	
typedoc-plugin-markdown	4.10.0	library	pkg:npm/typedoc-plugin-markdown@4.10.0	MIT	
typedoc	0.28.17	library	pkg:npm/typedoc@0.28.17	Apache-2.0	
typescript-eslint	8.55.0	library	pkg:npm/typescript-eslint@8.55.0	MIT	
typescript	5.9.3	library	pkg:npm/typescript@5.9.3	Apache-2.0	TypeScript is guage for appli scale Java develop
uc.micro	2.1.0	library	pkg:npm/uc.micro@2.1.0	MIT	Micro subset c code data file markdown-it pro
uglify-js	3.19.3	library	pkg:npm/uglify-js@3.19.3	BSD-2-Clause	JavaScript mangler/compre and beautifier to
unbox-primitive	1.1.0	library	pkg:npm/unbox-primitive@1.1.0	MIT	Unbox a boxe primitive value.

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
undici-types	6.21.0	library	`pkg:npm/undici-types@6.21.0`	MIT	A stand-alone package for Und
undici-types	7.16.0	library	`pkg:npm/undici-types@7.16.0`	MIT	A stand-alone package for Und
unicorn-magic	0.3.0	library	`pkg:npm/unicorn-magic@0.3.0`	MIT	Some useful util often need
unicorn-magic	0.4.0	library	`pkg:npm/unicorn-magic@0.4.0`	MIT	Some useful util often need
universalify	0.1.2	library	`pkg:npm/universalify@0.1.2`	MIT	Make a callbac promise-based tion support promises
universalify	2.0.1	library	`pkg:npm/universalify@2.0.1`	MIT	Make a callbac promise-based tion support promises
unpipe	1.0.0	library	`pkg:npm/unpipe@1.0.0`	MIT	Unpipe a strean all destinations
unrs-resolver	1.11.1	library	`pkg:npm/unrs-resolver@1.11.1`	MIT	UnRS Resolver API with PNP s
update-browserslist-db	1.2.3	library	`pkg:npm/update-browserslist-db@1.2.3`	MIT	
uri-js	4.4.1	library	`pkg:npm/uri-js@4.4.1`	BSD-2-Clause	An RFC 398 compliant, s extendable UI parsing/val
util-deprecate	1.0.2	library	`pkg:npm/util-deprecate@1.0.2`	MIT	The N 'util.deprecate()' function with b support
uuid	10.0.0	library	`pkg:npm/uuid@10.0.0`	MIT	RFC9562 UUIDs
uuid	13.0.0	library	`pkg:npm/uuid@13.0.0`	MIT	RFC9562 UUIDs
v8-compile-cache-lib	3.0.1	library	`pkg:npm/v8-compile-cache-lib@3.0.1`	MIT	Require hook automatic V8 c cache persistence
v8-to-istanbul	9.3.0	library	`pkg:npm/v8-to-istanbul@9.3.0`	ISC	convert from v erage format to bul's format
validate-npm-package-license	3.0.4	library	`pkg:npm/validate-npm-package-license@3.0.4`	Apache-2.0	Give me a strin I'll tell you if it's npm package li
vary	1.1.2	library	`pkg:npm/vary@1.1.2`	MIT	Manipulate the Vary header
verror	1.10.1	library	`pkg:npm/verror@1.10.1`	MIT	richer JavaScri rors
voca	1.4.1	library	`pkg:npm/voca@1.4.1`	MIT	The ul JavaScript library
walker	1.0.8	library	`pkg:npm/walker@1.0.8`	Apache-2.0	A simple directo walker.

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
webidl-conversions	3.0.1	library	pkg:npm/webidl-conversions@3.0.1	BSD-2-Clause	Implements the bIDL algorithm converting to an JavaS
whatwg-url	5.0.0	library	pkg:npm/whatwg-url@5.0.0	MIT	An implementat the WHATWG Standard's URI and parsin
which-boxed-primitive	1.1.1	library	pkg:npm/which-boxed-primitive@1.1.1	MIT	Which kind of JS primitive is t
which-builtin-type	1.2.1	library	pkg:npm/which-builtin-type@1.2.1	MIT	What is the ty this builtin JS va
which-collection	1.0.2	library	pkg:npm/which-collection@1.0.2	MIT	Which kind o lection (Map, WeakMap, We is this Jav
which-typed-array	1.1.20	library	pkg:npm/which-typed-array@1.1.20	MIT	Which kind Typed Array this JavaScript Works cross-r
which	1.3.1	library	pkg:npm/which@1.3.1	ISC	Like which(1) command. Fir first instance executa
which	2.0.2	library	pkg:npm/which@2.0.2	ISC	Like which(1) command. Fir first instance executa
winston-transport	4.9.0	library	pkg:npm/winston-transport@4.9.0	MIT	Base stream imp tations for wins and up.
winston	3.19.0	library	pkg:npm/winston@3.19.0	MIT	A logger for just everything.
word-wrap	1.2.5	library	pkg:npm/word-wrap@1.2.5	MIT	Wrap words to a fied length.
wordwrap	1.0.0	library	pkg:npm/wordwrap@1.0.0	MIT	Wrap those Show them at columns to star stop.
wrap-ansi	7.0.0	library	pkg:npm/wrap-ansi@7.0.0	MIT	Wordwrap a with ANSI codes
wrap-ansi	8.1.0	library	pkg:npm/wrap-ansi@8.1.0	MIT	Wordwrap a with ANSI codes
wrappy	1.0.2	library	pkg:npm/wrappy@1.0.2	ISC	Callback wrappi ity
write-file-atomic	5.0.1	library	pkg:npm/write-file-atomic@5.0.1	ISC	Write files in an fashion w/config ownership

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
ws	8.19.0	library	pkg:npm/ws@8.19.0	MIT	Simple to use, ing fast and thor tested websocket
xml-js	1.6.11	library	pkg:npm/xml-js@1.6.11	MIT	A convertor tween XML tex Javascript obj JSON text.
y18n	5.0.8	library	pkg:npm/y18n@5.0.8	ISC	the bare-bones nationalization used by yargs
yallist	3.1.1	library	pkg:npm/yallist@3.1.1	ISC	Yet Another List
yallist	4.0.0	library	pkg:npm/yallist@4.0.0	ISC	Yet Another List
yaml	1.10.2	library	pkg:npm/yaml@1.10.2	ISC	JavaScript parse stringifier for YA
yaml	2.8.2	library	pkg:npm/yaml@2.8.2	ISC	JavaScript parse stringifier for YA
yargs-parser	20.2.9	library	pkg:npm/yargs-parser@20.2.9	ISC	the mighty parser used by y
yargs-parser	21.1.1	library	pkg:npm/yargs-parser@21.1.1	ISC	the mighty parser used by y
yargs	16.2.0	library	pkg:npm/yargs@16.2.0	MIT	yargs the m pirate-themed, sor to optimist.
yargs	17.7.2	library	pkg:npm/yargs@17.7.2	MIT	yargs the m pirate-themed, sor to optimist.
yn	3.1.1	library	pkg:npm/yn@3.1.1	MIT	Parse yes/no li ues
yocto-queue	0.1.0	library	pkg:npm/yocto-queue@0.1.0	MIT	Tiny queue data ture
yocto-queue	1.2.2	library	pkg:npm/yocto-queue@1.2.2	MIT	Tiny queue data ture
yoctocolors	2.1.2	library	pkg:npm/yoctocolors@2.1.2	MIT	The smallest fastest comma coloring packag the int
zod-to-json-schema	3.25.1	library	pkg:npm/zod-to-json-schema@3.25.1	ISC	
zod	4.3.6	library	pkg:npm/zod@4.3.6	MIT	TypeScript-first schema decla and validation with s
hana-client	2.27.23	library	pkg:npm/@sap/hana-client@2.27.23		
debug	3.1.0	library	pkg:npm/debug@3.1.0	MIT	
ms	2.0.0	library	pkg:npm/ms@2.0.0	MIT	
client-s3	3.997.0	framework	pkg:npm/@aws-sdk/client-s3@3.997.0	Apache-2.0	
sha1-browser	5.2.0	library	pkg:npm/@aws-crypto/sha1-browser@5.2.0	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
supports-web-crypto	5.2.0	library	pkg:npm/@aws-crypto/supports-web-crypto@5.2.0	Apache-2.0	
util	5.2.0	library	pkg:npm/@aws-crypto/util@5.2.0	Apache-2.0	
types	3.973.2	framework	pkg:npm/@aws-sdk/types@3.973.2	Apache-2.0	
types	4.13.0	library	pkg:npm/@smithy/types@4.13.0	Apache-2.0	
util-utf8	2.3.0	library	pkg:npm/@smithy/util-utf8@2.3.0	Apache-2.0	
util-buffer-from	2.2.0	library	pkg:npm/@smithy/util-buffer-from@2.2.0	Apache-2.0	
is-array-buffer	2.2.0	library	pkg:npm/@smithy/is-array-buffer@2.2.0	Apache-2.0	
util-locate-window	3.965.4	framework	pkg:npm/@aws-sdk/util-locate-window@3.965.4	Apache-2.0	
sha256-browser	5.2.0	library	pkg:npm/@aws-crypto/sha256-browser@5.2.0	Apache-2.0	
sha256-js	5.2.0	library	pkg:npm/@aws-crypto/sha256-js@5.2.0	Apache-2.0	
core	3.973.13	framework	pkg:npm/@aws-sdk/core@3.973.13	Apache-2.0	
xml-builder	3.972.6	framework	pkg:npm/@aws-sdk/xml-builder@3.972.6	Apache-2.0	
fast-xml-parser	5.3.6	library	pkg:npm/fast-xml-parser@5.3.6	MIT	
strnum	2.1.2	library	pkg:npm/strnum@2.1.2	MIT	
core	3.23.6	library	pkg:npm/@smithy/core@3.23.6	Apache-2.0	
middleware-serde	4.2.11	library	pkg:npm/@smithy/middleware-serde@4.2.11	Apache-2.0	
protocol-http	5.3.10	library	pkg:npm/@smithy/protocol-http@5.3.10	Apache-2.0	
util-base64	4.3.1	library	pkg:npm/@smithy/util-base64@4.3.1	Apache-2.0	
util-buffer-from	4.2.1	library	pkg:npm/@smithy/util-buffer-from@4.2.1	Apache-2.0	
is-array-buffer	4.2.1	library	pkg:npm/@smithy/is-array-buffer@4.2.1	Apache-2.0	
util-utf8	4.2.1	library	pkg:npm/@smithy/util-utf8@4.2.1	Apache-2.0	
util-body-length-browser	4.2.1	library	pkg:npm/@smithy/util-body-length-browser@4.2.1	Apache-2.0	
util-middleware	4.2.10	library	pkg:npm/@smithy/util-middleware@4.2.10	Apache-2.0	
util-stream	4.5.15	library	pkg:npm/@smithy/util-stream@4.5.15	Apache-2.0	
fetch-http-handler	5.3.11	library	pkg:npm/@smithy/fetch-http-handler@5.3.11	Apache-2.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
querystring-builder	4.2.10	library	pkg:npm/@smithy/querystring-builder@4.2.10	Apache-2.0	
util-uri-escape	4.2.1	library	pkg:npm/@smithy/util-uri-escape@4.2.1	Apache-2.0	
node-http-handler	4.4.12	library	pkg:npm/@smithy/node-http-handler@4.4.12	Apache-2.0	
abort-controller	4.2.10	library	pkg:npm/@smithy/abort-controller@4.2.10	Apache-2.0	
util-hex-encoding	4.2.1	library	pkg:npm/@smithy/util-hex-encoding@4.2.1	Apache-2.0	
uuid	1.1.1	library	pkg:npm/@smithy/uuid@1.1.1	Apache-2.0	
node-config-provider	4.3.10	library	pkg:npm/@smithy/node-config-provider@4.3.10	Apache-2.0	
property-provider	4.2.10	library	pkg:npm/@smithy/property-provider@4.2.10	Apache-2.0	
shared-ini-file-loader	4.4.5	library	pkg:npm/@smithy/shared-ini-file-loader@4.4.5	Apache-2.0	
signature-v4	5.3.10	library	pkg:npm/@smithy/signature-v4@5.3.10	Apache-2.0	
smithy-client	4.12.0	library	pkg:npm/@smithy/smithy-client@4.12.0	Apache-2.0	
middleware-endpoint	4.4.20	library	pkg:npm/@smithy/middleware-endpoint@4.4.20	Apache-2.0	
url-parser	4.2.10	library	pkg:npm/@smithy/url-parser@4.2.10	Apache-2.0	
querystring-parser	4.2.10	library	pkg:npm/@smithy/querystring-parser@4.2.10	Apache-2.0	
middleware-stack	4.2.10	library	pkg:npm/@smithy/middleware-stack@4.2.10	Apache-2.0	
credential-provider-node	3.972.12	framework	pkg:npm/@aws-sdk/credential-provider-node@3.972.12	Apache-2.0	
credential-provider-env	3.972.11	framework	pkg:npm/@aws-sdk/credential-provider-env@3.972.11	Apache-2.0	
credential-provider-http	3.972.13	framework	pkg:npm/@aws-sdk/credential-provider-http@3.972.13	Apache-2.0	
credential-provider-ini	3.972.11	framework	pkg:npm/@aws-sdk/credential-provider-ini@3.972.11	Apache-2.0	
credential-provider-login	3.972.11	framework	pkg:npm/@aws-sdk/credential-provider-login@3.972.11	Apache-2.0	
nested-clients	3.996.1	framework	pkg:npm/@aws-sdk/nested-clients@3.996.1	Apache-2.0	
middleware-host-header	3.972.4	framework	pkg:npm/@aws-sdk/middleware-host-header@3.972.4	Apache-2.0	
middleware-logger	3.972.4	framework	pkg:npm/@aws-sdk/middleware-logger@3.972.4	Apache-2.0	
middleware-recursion-detection	3.972.4	framework	pkg:npm/@aws-sdk/middleware-recursion-detection@3.972.	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
lambda-invoke-store	0.2.3	library	pkg:npm/@aws/lambda-invoke-store@0.2.3	Apache-2.0	
middleware-user-agent	3.972.13	framework	pkg:npm/@aws-sdk/middleware-user-agent@3.972.13	Apache-2.0	
util-endpoints	3.996.1	framework	pkg:npm/@aws-sdk/util-endpoints@3.996.1	Apache-2.0	
util-endpoints	3.3.1	library	pkg:npm/@smithy/util-endpoints@3.3.1	Apache-2.0	
region-config-resolver	3.972.4	framework	pkg:npm/@aws-sdk/region-config-resolver@3.972.4	Apache-2.0	
config-resolver	4.4.9	library	pkg:npm/@smithy/config-resolver@4.4.9	Apache-2.0	
util-config-provider	4.2.1	library	pkg:npm/@smithy/util-config-provider@4.2.1	Apache-2.0	
util-user-agent-browser	3.972.4	framework	pkg:npm/@aws-sdk/util-user-agent-browser@3.972.4	Apache-2.0	
bowser	2.14.1	library	pkg:npm/bowser@2.14.1	MIT	
util-user-agent-node	3.972.12	framework	pkg:npm/@aws-sdk/util-user-agent-node@3.972.12	Apache-2.0	
hash-node	4.2.10	library	pkg:npm/@smithy/hash-node@4.2.10	Apache-2.0	
invalid-dependency	4.2.10	library	pkg:npm/@smithy/invalid-dependency@4.2.10	Apache-2.0	
middleware-content-length	4.2.10	library	pkg:npm/@smithy/middleware-content-length@4.2.10	Apache-2.0	
middleware-retry	4.4.37	library	pkg:npm/@smithy/middleware-retry@4.4.37	Apache-2.0	
service-error-classification	4.2.10	library	pkg:npm/@smithy/service-error-classification@4.2.10	Apache-2.0	
util-retry	4.2.10	library	pkg:npm/@smithy/util-retry@4.2.10	Apache-2.0	
util-body-length-node	4.2.2	library	pkg:npm/@smithy/util-body-length-node@4.2.2	Apache-2.0	
util-defaults-mode-browser	4.3.36	library	pkg:npm/@smithy/util-defaults-mode-browser@4.3.36	Apache-2.0	
util-defaults-mode-node	4.2.39	library	pkg:npm/@smithy/util-defaults-mode-node@4.2.39	Apache-2.0	
credential-provider-imds	4.2.10	library	pkg:npm/@smithy/credential-provider-imds@4.2.10	Apache-2.0	
credential-provider-process	3.972.11	framework	pkg:npm/@aws-sdk/credential-provider-process@3.972.11	Apache-2.0	
credential-provider-sso	3.972.11	framework	pkg:npm/@aws-sdk/credential-provider-sso@3.972.11	Apache-2.0	
token-providers	3.997.0	framework	pkg:npm/@aws-sdk/token-providers@3.997.0	Apache-2.0	
credential-provider-web-identity	3.972.11	framework	pkg:npm/@aws-sdk/credential-provider-web-identity@3.97	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
middleware-bucket-endpoint	3.972.4	framework	pkg:npm/@aws-sdk/middleware-bucket-endpoint@3.972.4	Apache-2.0	
util-arn-parser	3.972.2	framework	pkg:npm/@aws-sdk/util-arn-parser@3.972.2	Apache-2.0	
middleware-expect-continue	3.972.4	framework	pkg:npm/@aws-sdk/middleware-expect-continue@3.972.4	Apache-2.0	
middleware-flexible-checksums	3.972.11	framework	pkg:npm/@aws-sdk/middleware-flexible-checksums@3.972.1	Apache-2.0	
crc32	5.2.0	library	pkg:npm/@aws-crypto/crc32@5.2.0	Apache-2.0	
crc32c	5.2.0	library	pkg:npm/@aws-crypto/crc32c@5.2.0	Apache-2.0	
crc64-nvme	3.972.1	framework	pkg:npm/@aws-sdk/crc64-nvme@3.972.1	Apache-2.0	
middleware-location-constraint	3.972.4	framework	pkg:npm/@aws-sdk/middleware-location-constraint@3.972.	Apache-2.0	
middleware-sdk-s3	3.972.13	framework	pkg:npm/@aws-sdk/middleware-sdk-s3@3.972.13	Apache-2.0	
middleware-ssec	3.972.4	framework	pkg:npm/@aws-sdk/middleware-ssec@3.972.4	Apache-2.0	
signature-v4-multi-region	3.996.1	framework	pkg:npm/@aws-sdk/signature-v4-multi-region@3.996.1	Apache-2.0	
eventstream-serde-browser	4.2.10	library	pkg:npm/@smithy/eventstream-serde-browser@4.2.10	Apache-2.0	
eventstream-serde-universal	4.2.10	library	pkg:npm/@smithy/eventstream-serde-universal@4.2.10	Apache-2.0	
eventstream-codec	4.2.10	library	pkg:npm/@smithy/eventstream-codec@4.2.10	Apache-2.0	
eventstream-serde-config-resolver	4.3.10	library	pkg:npm/@smithy/eventstream-serde-config-resolver@4.3.	Apache-2.0	
eventstream-serde-node	4.2.10	library	pkg:npm/@smithy/eventstream-serde-node@4.2.10	Apache-2.0	
hash-blob-browser	4.2.11	library	pkg:npm/@smithy/hash-blob-browser@4.2.11	Apache-2.0	
chunked-blob-reader	5.2.1	library	pkg:npm/@smithy/chunked-blob-reader@5.2.1	Apache-2.0	
chunked-blob-reader-native	4.2.2	library	pkg:npm/@smithy/chunked-blob-reader-native@4.2.2	Apache-2.0	
hash-stream-node	4.2.10	library	pkg:npm/@smithy/hash-stream-node@4.2.10	Apache-2.0	
md5-js	4.2.10	library	pkg:npm/@smithy/md5-js@4.2.10	Apache-2.0	
util-waiter	4.2.10	library	pkg:npm/@smithy/util-waiter@4.2.10	Apache-2.0	
express	4.22.1	framework	pkg:npm/express@4.22.1	MIT	
accepts	1.3.8	library	pkg:npm/accepts@1.3.8	MIT	
negotiator	0.6.3	library	pkg:npm/negotiator@0.6.3	MIT	
array-flatten	1.1.1	library	pkg:npm/array-flatten@1.1.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
body-parser	1.20.4	library	pkg:npm/body-parser@1.20.4	MIT	
debug	2.6.9	library	pkg:npm/debug@2.6.9	MIT	
destroy	1.2.0	library	pkg:npm/destroy@1.2.0	MIT	
iconv-lite	0.4.24	library	pkg:npm/iconv-lite@0.4.24	MIT	
raw-body	2.5.3	library	pkg:npm/raw-body@2.5.3	MIT	
type-is	1.6.18	library	pkg:npm/type-is@1.6.18	MIT	
media-typer	0.3.0	library	pkg:npm/media-typer@0.3.0	MIT	
content-disposition	0.5.4	library	pkg:npm/content-disposition@0.5.4	MIT	
cookie-signature	1.0.7	library	pkg:npm/cookie-signature@1.0.7	MIT	
finalhandler	1.3.2	library	pkg:npm/finalhandler@1.3.2	MIT	
fresh	0.5.2	library	pkg:npm/fresh@0.5.2	MIT	
merge-descriptors	1.0.3	library	pkg:npm/merge-descriptors@1.0.3	MIT	
methods	1.1.2	library	pkg:npm/methods@1.1.2	MIT	
path-to-regexp	0.1.12	library	pkg:npm/path-to-regexp@0.1.12	MIT	
send	0.19.2	library	pkg:npm/send@0.19.2	MIT	
mime	1.6.0	library	pkg:npm/mime@1.6.0	MIT	
serve-static	1.16.3	library	pkg:npm/serve-static@1.16.3	MIT	
utils-merge	1.0.1	library	pkg:npm/utils-merge@1.0.1	MIT	
uuid	9.0.1	library	pkg:npm/uuid@9.0.1	MIT	
express	4.17.25	library	pkg:npm/@types/express@4.17.25	MIT	
node	20.19.33	library	pkg:npm/@types/node@20.19.33	MIT	
express-serve-static-core	4.19.8	library	pkg:npm/@types/express-serve-static-core@4.19.8	MIT	
serve-static	1.15.10	library	pkg:npm/@types/serve-static@1.15.10	MIT	
send	0.17.6	library	pkg:npm/@types/send@0.17.6	MIT	
mime	1.3.5	library	pkg:npm/@types/mime@1.3.5	MIT	
cors	2.8.19	library	pkg:npm/@types/cors@2.8.19	MIT	
uuid	9.0.8	library	pkg:npm/@types/uuid@9.0.8	MIT	
acorn-walk	8.3.5	library	pkg:npm/acorn-walk@8.3.5	MIT	
ws	8.18.1	library	pkg:npm/@types/ws@8.18.1	MIT	

Dependency graph (top-level refs)

```
pkg:npm/@sap-ai-sdk/ai-api@2.7.0
  -> pkg:npm/@sap-ai-sdk/core@2.7.0, pkg:npm/@sap-cloud-sdk/connectivity@4.4.0,
  pkg:npm/@sap-cloud-sdk/util@4.4.0
pkg:npm/@sap-ai-sdk/core@2.7.0
  -> pkg:npm/@sap-cloud-sdk/connectivity@4.4.0,
  pkg:npm/@sap-cloud-sdk/http-client@4.4.0, pkg:npm/@sap-cloud-sdk/openapi@4.4.0,
  pkg:npm/@sap-cloud-sdk/util@4.4.0
pkg:npm/@sap-ai-sdk/document-grounding@2.7.0
  -> pkg:npm/@sap-ai-sdk/core@2.7.0
pkg:npm/@sap-ai-sdk/foundation-models@2.7.0
  -> pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/core@2.7.0,
  pkg:npm/@sap-cloud-sdk/connectivity@4.4.0, pkg:npm/@sap-cloud-sdk/http-client@4.4.0,
  pkg:npm/@sap-cloud-sdk/util@4.4.0
pkg:npm/@sap-ai-sdk/langchain@2.7.0
  -> pkg:npm/@langchain/core@1.1.28, pkg:npm/@langchain/langgraph@1.1.5,
  pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/core@2.7.0,
  pkg:npm/@sap-ai-sdk/foundation-models@2.7.0...
```

```
pkg:npm/@sap-ai-sdk/orchestration@2.7.0
  -> pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/core@2.7.0,
  pkg:npm/@sap-ai-sdk/prompt-registry@2.7.0, pkg:npm/@sap-cloud-sdk/connectivity@4.4.0,
  pkg:npm/@sap-cloud-sdk/http-client@4.4.0...
pkg:npm/@sap-ai-sdk/prompt-registry@2.7.0
  -> pkg:npm/@sap-ai-sdk/core@2.7.0, pkg:npm/zod@4.3.6
pkg:npm/@sap-ai-sdk/rpt@2.7.0
  -> pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/core@2.7.0,
  pkg:npm/@sap-cloud-sdk/connectivity@4.4.0, pkg:npm/@sap-cloud-sdk/util@4.4.0
pkg:npm/@sap-ai-sdk/sample-cap@2.7.0
  -> pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/foundation-models@2.7.0,
  pkg:npm/@sap-ai-sdk/orchestration@2.7.0, pkg:npm/@sap/cds-dk@9.7.2,
  pkg:npm/@sap/cds@9.7.1...
pkg:npm/@sap-ai-sdk/sample-code@2.7.0
  -> pkg:npm/@langchain/classic@1.0.20, pkg:npm/@langchain/core@1.1.28,
  pkg:npm/@langchain/langgraph@1.1.5, pkg:npm/@langchain/mcp-adapters@1.1.3,
  pkg:npm/@langchain/textsplitters@1.0.1...
pkg:npm/@sap-ai-sdk/e2e-tests@2.7.0
  -> pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/foundation-models@2.7.0,
  pkg:npm/@sap-ai-sdk/orchestration@2.7.0, pkg:npm/@sap-ai-sdk/sample-code@2.7.0,
  pkg:npm/@sap-cloud-sdk/util@4.4.0...
pkg:npm/@sap-ai-sdk/smoke-tests@2.7.0
  -> pkg:npm/@langchain/classic@1.0.20, pkg:npm/@langchain/core@1.1.28,
  pkg:npm/@langchain/langgraph@1.1.5, pkg:npm/@langchain/mcp-adapters@1.1.3,
  pkg:npm/@langchain/textsplitters@1.0.1...
pkg:npm/@sap-ai-sdk/type-tests@2.7.0
  -> pkg:npm/@sap-ai-sdk/core@2.7.0, pkg:npm/@sap-ai-sdk/foundation-models@2.7.0,
  pkg:npm/@sap-ai-sdk/orchestration@2.7.0, pkg:npm/@sap-ai-sdk/rpt@2.7.0,
  pkg:npm/@sap-cloud-sdk/connectivity@4.4.0...
pkg:npm/sap-ai-sdk@2.7.0
  -> pkg:npm/@sap-ai-sdk/ai-api@2.7.0, pkg:npm/@sap-ai-sdk/core@2.7.0,
  pkg:npm/@sap-ai-sdk/document-grounding@2.7.0, pkg:npm/@sap-ai-sdk/e2e-tests@2.7.0,
  pkg:npm/@sap-ai-sdk/foundation-models@2.7.0...
pkg:npm/@apidevtools/json-schema-ref-parser@14.0.1
  -> pkg:npm/@types/json-schema@7.0.15, pkg:npm/js-yaml@4.1.1
pkg:npm/@apidevtools/openapi-schemas@2.1.0
  ->
pkg:npm/@apidevtools/swagger-methods@3.0.2
  ->
pkg:npm/@apidevtools/swagger-parser@12.1.0
  -> pkg:npm/@apidevtools/json-schema-ref-parser@14.0.1,
  pkg:npm/@apidevtools/openapi-schemas@2.1.0,
  pkg:npm/@apidevtools/swagger-methods@3.0.2, pkg:npm/ajv-draft-04@1.0.0,
  pkg:npm/ajv@8.18.0...
pkg:npm/@babel/code-frame@7.29.0
  -> pkg:npm/@babel/helper-validator-identifier@7.28.5, pkg:npm/js-tokens@4.0.0,
  pkg:npm/picocolors@1.1.1
pkg:npm/@babel/compat-data@7.29.0
  ->
pkg:npm/@babel/core@7.29.0
  -> pkg:npm/@babel/code-frame@7.29.0, pkg:npm/@babel/generator@7.29.1,
  pkg:npm/@babel/helper-compilation-targets@7.28.6,
  pkg:npm/@babel/helper-module-transforms@7.28.6, pkg:npm/@babel/helpers@7.28.6...
pkg:npm/@babel/generator@7.29.1
  -> pkg:npm/@babel/parser@7.29.0, pkg:npm/@babel/types@7.29.0,
  pkg:npm/@jridgewell/gen-mapping@0.3.13, pkg:npm/@jridgewell/trace-mapping@0.3.31,
  pkg:npm/jsesc@3.1.0
pkg:npm/@babel/helper-compilation-targets@7.28.6
```

```
  -> pkg:npm/@babel/compat-data@7.29.0, pkg:npm/@babel/helper-validator-option@7.27.1,
  pkg:npm/browserslist@4.28.1, pkg:npm/lru-cache@5.1.1, pkg:npm/semver@6.3.1
pkg:npm/@babel/helper-globals@7.28.0
  ->
pkg:npm/@babel/helper-module-imports@7.28.6
  -> pkg:npm/@babel/traverse@7.29.0, pkg:npm/@babel/types@7.29.0
pkg:npm/@babel/helper-module-transforms@7.28.6
  -> pkg:npm/@babel/core@7.29.0, pkg:npm/@babel/helper-module-imports@7.28.6,
  pkg:npm/@babel/helper-validator-identifier@7.28.5, pkg:npm/@babel/traverse@7.29.0
pkg:npm/@babel/helper-plugin-utils@7.28.6
  ->
pkg:npm/@babel/helper-string-parser@7.27.1
  ->
pkg:npm/@babel/helper-validator-identifier@7.28.5
  ->
pkg:npm/@babel/helper-validator-option@7.27.1
  ->
```

1.4 CAP LLM Plugin

Path: `cap-llm-plugin-main`
CycloneDX: spec 1.5, serial `urn:uuid:1b56b847-380a-403a-9fa6-25eaa5c59c18...`
Generated: 2026-02-28T10:13:25Z
Tool: components

Components

Name	Version	Type	purl	License	Description
orchestration	2.7.0	framework	pkg:npm/@sap-ai-sdk/orchestration@2.7.0	Apache-2.0	
ai-api	2.7.0	framework	pkg:npm/@sap-ai-sdk/ai-api@2.7.0	Apache-2.0	
core	2.7.0	framework	pkg:npm/@sap-ai-sdk/core@2.7.0	Apache-2.0	
connectivity	4.4.0	framework	pkg:npm/@sap-cloud-sdk/connectivity@4.4.0	Apache-2.0	
resilience	4.4.0	framework	pkg:npm/@sap-cloud-sdk/resilience@4.4.0	Apache-2.0	
util	4.4.0	framework	pkg:npm/@sap-cloud-sdk/util@4.4.0	Apache-2.0	
axios	1.13.5	library	pkg:npm/axios@1.13.5	MIT	
follow-redirects	1.15.11	library	pkg:npm/follow-redirects@1.15.11	MIT	
form-data	4.0.5	library	pkg:npm/form-data@4.0.5	MIT	
asynckit	0.4.0	library	pkg:npm/asynckit@0.4.0	MIT	
combined-stream	1.0.8	library	pkg:npm/combined-stream@1.0.8	MIT	
delayed-stream	1.0.0	library	pkg:npm/delayed-stream@1.0.0	MIT	
es-set-tostringtag	2.1.0	library	pkg:npm/es-set-tostringtag@2.1.0	MIT	
es-errors	1.3.0	library	pkg:npm/es-errors@1.3.0	MIT	
get-intrinsic	1.3.0	library	pkg:npm/get-intrinsic@1.3.0	MIT	
call-bind-apply-helpers	1.0.2	library	pkg:npm/call-bind-apply-helpers@1.0.2	MIT	
function-bind	1.1.2	library	pkg:npm/function-bind@1.1.2	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
es-define-property	1.0.1	library	pkg:npm/es-define-property@1.0.1	MIT	
es-object-atoms	1.1.1	library	pkg:npm/es-object-atoms@1.1.1	MIT	
get-proto	1.0.1	library	pkg:npm/get-proto@1.0.1	MIT	
dunder-proto	1.0.1	library	pkg:npm/dunder-proto@1.0.1	MIT	
gopd	1.2.0	library	pkg:npm/gopd@1.2.0	MIT	
has-symbols	1.1.0	library	pkg:npm/has-symbols@1.1.0	MIT	
hasown	2.0.2	library	pkg:npm/hasown@2.0.2	MIT	
math-intrinsics	1.1.0	library	pkg:npm/math-intrinsics@1.1.0	MIT	
has-tostringtag	1.0.2	library	pkg:npm/has-tostringtag@1.0.2	MIT	
mime-types	2.1.35	library	pkg:npm/mime-types@2.1.35	MIT	
mime-db	1.52.0	library	pkg:npm/mime-db@1.52.0	MIT	
proxy-from-env	1.1.0	library	pkg:npm/proxy-from-env@1.1.0	MIT	
chalk	4.1.2	library	pkg:npm/chalk@4.1.2	MIT	
ansi-styles	4.3.0	library	pkg:npm/ansi-styles@4.3.0	MIT	
color-convert	2.0.1	library	pkg:npm/color-convert@2.0.1	MIT	
color-name	1.1.4	library	pkg:npm/color-name@1.1.4	MIT	
supports-color	7.2.0	library	pkg:npm/supports-color@7.2.0	MIT	
has-flag	4.0.0	library	pkg:npm/has-flag@4.0.0	MIT	
logform	2.7.0	library	pkg:npm/logform@2.7.0	MIT	
colors	1.6.0	library	pkg:npm/@colors/colors@1.6.0	MIT	
triple-beam	1.3.5	library	pkg:npm/@types/triple-beam@1.3.5	MIT	
fecha	4.2.3	library	pkg:npm/fecha@4.2.3	MIT	
ms	2.1.3	library	pkg:npm/ms@2.1.3	MIT	
safe-stable-stringify	2.5.0	library	pkg:npm/safe-stable-stringify@2.5.0	MIT	
triple-beam	1.4.1	library	pkg:npm/triple-beam@1.4.1	MIT	
voca	1.4.1	library	pkg:npm/voca@1.4.1	MIT	
winston	3.19.0	library	pkg:npm/winston@3.19.0	MIT	
diagnostics	2.0.8	library	pkg:npm/@dabh/diagnostics@2.0.8	MIT	
colorspace	1.1.6	library	pkg:npm/@so-ric/colorspace@1.1.6	MIT	
color	5.0.3	library	pkg:npm/color@5.0.3	MIT	
color-convert	3.1.3	library	pkg:npm/color-convert@3.1.3	MIT	
color-name	2.1.0	library	pkg:npm/color-name@2.1.0	MIT	
color-string	2.1.4	library	pkg:npm/color-string@2.1.4	MIT	
text-hex	1.0.0	library	pkg:npm/text-hex@1.0.0	MIT	
enabled	2.0.0	library	pkg:npm/enabled@2.0.0	MIT	
kuler	2.0.0	library	pkg:npm/kuler@2.0.0	MIT	
async	3.2.6	library	pkg:npm/async@3.2.6	MIT	
is-stream	2.0.1	library	pkg:npm/is-stream@2.0.1	MIT	
one-time	1.0.0	library	pkg:npm/one-time@1.0.0	MIT	
fn.name	1.1.0	library	pkg:npm/fn.name@1.1.0	MIT	
readable-stream	3.6.2	library	pkg:npm/readable-stream@3.6.2	MIT	
inherits	2.0.4	library	pkg:npm/inherits@2.0.4	ISC	
string_decoder	1.3.0	library	pkg:npm/string_decoder@1.3.0	MIT	
safe-buffer	5.2.1	library	pkg:npm/safe-buffer@5.2.1	MIT	
util-deprecate	1.0.2	library	pkg:npm/util-deprecate@1.0.2	MIT	
stack-trace	0.0.10	library	pkg:npm/stack-trace@0.0.10	MIT	
winston-transport	4.9.0	library	pkg:npm/winston-transport@4.9.0	MIT	
async-retry	1.3.3	library	pkg:npm/async-retry@1.3.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
retry	0.13.1	library	pkg:npm/retry@0.13.1	MIT	
opossum	9.0.0	library	pkg:npm/opossum@9.0.0	Apache-2.0	
xsenv	6.1.0	library	pkg:npm/@sap/xsenv@6.1.0		
debug	4.4.3	library	pkg:npm/debug@4.4.3	MIT	
node-cache	5.1.2	library	pkg:npm/node-cache@5.1.2	MIT	
clone	2.1.2	library	pkg:npm/clone@2.1.2	MIT	
verror	1.10.1	library	pkg:npm/verror@1.10.1	MIT	
assert-plus	1.0.0	library	pkg:npm/assert-plus@1.0.0	MIT	
core-util-is	1.0.2	library	pkg:npm/core-util-is@1.0.2	MIT	
extsprintf	1.4.1	library	pkg:npm/extsprintf@1.4.1	MIT	
xssec	4.12.2	library	pkg:npm/@sap/xssec@4.12.2		
jwt-decode	4.0.0	library	pkg:npm/jwt-decode@4.0.0	MIT	
jks-js	1.1.5	library	pkg:npm/jks-js@1.1.5	MIT	
node-forge	1.3.3	library	pkg:npm/node-forge@1.3.3		
node-int64	0.4.0	library	pkg:npm/node-int64@0.4.0	MIT	
node-rsa	1.1.1	library	pkg:npm/node-rsa@1.1.1	MIT	
asn1	0.2.6	library	pkg:npm/asn1@0.2.6	MIT	
safer-buffer	2.1.2	library	pkg:npm/safer-buffer@2.1.2	MIT	
jsonwebtoken	9.0.3	library	pkg:npm/jsonwebtoken@9.0.3	MIT	
jws	4.0.1	library	pkg:npm/jws@4.0.1	MIT	
jwa	2.0.1	library	pkg:npm/jwa@2.0.1	MIT	
buffer-equal-constant-time	1.0.1	library	pkg:npm/buffer-equal-constant-time@1.0.1	BSD-3-Clause	
ecdsa-sig-formatter	1.0.11	library	pkg:npm/ecdsa-sig-formatter@1.0.11	Apache-2.0	
lodash.includes	4.3.0	library	pkg:npm/lodash.includes@4.3.0	MIT	
lodash.isboolean	3.0.3	library	pkg:npm/lodash.isboolean@3.0.3	MIT	
lodash.isinteger	4.0.4	library	pkg:npm/lodash.isinteger@4.0.4	MIT	
lodash.isnumber	3.0.3	library	pkg:npm/lodash.isnumber@3.0.3	MIT	
lodash.isplainobject	4.0.6	library	pkg:npm/lodash.isplainobject@4.0.6	MIT	
lodash.isstring	4.0.1	library	pkg:npm/lodash.isstring@4.0.1	MIT	
lodash.once	4.1.1	library	pkg:npm/lodash.once@4.1.1	MIT	
semver	7.7.4	library	pkg:npm/semver@7.7.4	ISC	
http-client	4.4.0	framework	pkg:npm/@sap-cloud-sdk/http-client@4.4.0	Apache-2.0	
openapi	4.4.0	framework	pkg:npm/@sap-cloud-sdk/openapi@4.4.0	Apache-2.0	
prompt-registry	2.7.0	framework	pkg:npm/@sap-ai-sdk/prompt-registry@2.7.0	Apache-2.0	
zod	4.3.6	library	pkg:npm/zod@4.3.6	MIT	
yaml	2.8.2	library	pkg:npm/yaml@2.8.2	ISC	
cds	9.7.1	library	pkg:npm/@sap/cds@9.7.1		
js	9.39.3	library	pkg:npm/@eslint/js@9.39.3	MIT	
cds-compiler	6.7.3	library	pkg:npm/@sap/cds-compiler@6.7.3		
cds-fiori	2.2.0	library	pkg:npm/@sap/cds-fiori@2.2.0		
express	5.2.1	framework	pkg:npm/express@5.2.1	MIT	
accepts	2.0.0	library	pkg:npm/accepts@2.0.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
mime-types	3.0.2	library	pkg:npm/mime-types@3.0.2	MIT	
mime-db	1.54.0	library	pkg:npm/mime-db@1.54.0	MIT	
negotiator	1.0.0	library	pkg:npm/negotiator@1.0.0	MIT	
body-parser	2.2.2	library	pkg:npm/body-parser@2.2.2	MIT	
bytes	3.1.2	library	pkg:npm/bytes@3.1.2	MIT	
content-type	1.0.5	library	pkg:npm/content-type@1.0.5	MIT	
http-errors	2.0.1	library	pkg:npm/http-errors@2.0.1	MIT	
depd	2.0.0	library	pkg:npm/depd@2.0.0	MIT	
setprototypeof	1.2.0	library	pkg:npm/setprototypeof@1.2.0	ISC	
statuses	2.0.2	library	pkg:npm/statuses@2.0.2	MIT	
toidentifier	1.0.1	library	pkg:npm/toidentifier@1.0.1	MIT	
iconv-lite	0.7.2	library	pkg:npm/iconv-lite@0.7.2	MIT	
on-finished	2.4.1	library	pkg:npm/on-finished@2.4.1	MIT	
ee-first	1.1.1	library	pkg:npm/ee-first@1.1.1	MIT	
qs	6.15.0	library	pkg:npm/qs@6.15.0	BSD-3-Clause	
side-channel	1.1.0	library	pkg:npm/side-channel@1.1.0	MIT	
object-inspect	1.13.4	library	pkg:npm/object-inspect@1.13.4	MIT	
side-channel-list	1.0.0	library	pkg:npm/side-channel-list@1.0.0	MIT	
side-channel-map	1.0.1	library	pkg:npm/side-channel-map@1.0.1	MIT	
call-bound	1.0.4	library	pkg:npm/call-bound@1.0.4	MIT	
side-channel-weakmap	1.0.2	library	pkg:npm/side-channel-weakmap@1.0.2	MIT	
raw-body	3.0.2	library	pkg:npm/raw-body@3.0.2	MIT	
unpipe	1.0.0	library	pkg:npm/unpipe@1.0.0	MIT	
type-is	2.0.1	library	pkg:npm/type-is@2.0.1	MIT	
media-typer	1.1.0	library	pkg:npm/media-typer@1.1.0	MIT	
content-disposition	1.0.1	library	pkg:npm/content-disposition@1.0.1	MIT	
cookie	0.7.2	library	pkg:npm/cookie@0.7.2	MIT	
cookie-signature	1.2.2	library	pkg:npm/cookie-signature@1.2.2	MIT	
encodeurl	2.0.0	library	pkg:npm/encodeurl@2.0.0	MIT	
escape-html	1.0.3	library	pkg:npm/escape-html@1.0.3	MIT	
etag	1.8.1	library	pkg:npm/etag@1.8.1	MIT	
finalhandler	2.1.1	library	pkg:npm/finalhandler@2.1.1	MIT	
parseurl	1.3.3	library	pkg:npm/parseurl@1.3.3	MIT	
fresh	2.0.0	library	pkg:npm/fresh@2.0.0	MIT	
merge-descriptors	2.0.0	library	pkg:npm/merge-descriptors@2.0.0	MIT	
once	1.4.0	library	pkg:npm/once@1.4.0	ISC	
wrappy	1.0.2	library	pkg:npm/wrappy@1.0.2	ISC	
proxy-addr	2.0.7	library	pkg:npm/proxy-addr@2.0.7	MIT	
forwarded	0.2.0	library	pkg:npm/forwarded@0.2.0	MIT	
ipaddr.js	1.9.1	library	pkg:npm/ipaddr.js@1.9.1	MIT	
range-parser	1.2.1	library	pkg:npm/range-parser@1.2.1	MIT	
router	2.2.0	library	pkg:npm/router@2.2.0	MIT	
is-promise	4.0.0	library	pkg:npm/is-promise@4.0.0	MIT	
path-to-regexp	8.3.0	library	pkg:npm/path-to-regexp@8.3.0	MIT	
send	1.2.1	library	pkg:npm/send@1.2.1	MIT	
serve-static	2.2.1	library	pkg:npm/serve-static@2.2.1	MIT	
vary	1.1.2	library	pkg:npm/vary@1.1.2	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
js-yaml	4.1.1	library	pkg:npm/js-yaml@4.1.1	MIT	
argparse	2.0.1	library	pkg:npm/argparse@2.0.1	Python-2.0	
cds-hana	2.1.0	library	pkg:npm/@sap/cds-hana@2.1.0		
hdb	2.27.1	library	pkg:npm/hdb@2.27.1	Apache-2.0	
iconv-lite	0.7.0	library	pkg:npm/iconv-lite@0.7.0	MIT	
lz4-wasm-nodejs	0.9.2	library	pkg:npm/lz4-wasm-nodejs@0.9.2	MIT	
plugin-transform-dynamic-import	7.27.1	library	pkg:npm/@babel/plugin-transform-dynamic-import@7.27.1	MIT	
core	7.29.0	library	pkg:npm/@babel/core@7.29.0	MIT	
code-frame	7.29.0	library	pkg:npm/@babel/code-frame@7.29.0	MIT	
helper-validator-identifier	7.28.5	library	pkg:npm/@babel/helper-validator-identifier@7.28.5	MIT	
js-tokens	4.0.0	library	pkg:npm/js-tokens@4.0.0	MIT	
picocolors	1.1.1	library	pkg:npm/picocolors@1.1.1	ISC	
generator	7.29.1	library	pkg:npm/@babel/generator@7.29.1	MIT	
parser	7.29.0	library	pkg:npm/@babel/parser@7.29.0	MIT	
types	7.29.0	library	pkg:npm/@babel/types@7.29.0	MIT	
helper-string-parser	7.27.1	library	pkg:npm/@babel/helper-string-parser@7.27.1	MIT	
gen-mapping	0.3.13	library	pkg:npm/@jridgewell/gen-mapping@0.3.13	MIT	
sourcemap-codec	1.5.5	library	pkg:npm/@jridgewell/sourcemap-codec@1.5.5	MIT	
trace-mapping	0.3.31	library	pkg:npm/@jridgewell/trace-mapping@0.3.31	MIT	
resolve-uri	3.1.2	library	pkg:npm/@jridgewell/resolve-uri@3.1.2	MIT	
jsesc	3.1.0	library	pkg:npm/jsesc@3.1.0	MIT	
helper-compilation-targets	7.28.6	library	pkg:npm/@babel/helper-compilation-targets@7.28.6	MIT	
compat-data	7.29.0	library	pkg:npm/@babel/compat-data@7.29.0	MIT	
helper-validator-option	7.27.1	library	pkg:npm/@babel/helper-validator-option@7.27.1	MIT	
browserslist	4.28.1	library	pkg:npm/browserslist@4.28.1	MIT	
baseline-browser-mapping	2.10.0	library	pkg:npm/baseline-browser-mapping@2.10.0	Apache-2.0	
caniuse-lite	1.0.30001774	library	pkg:npm/caniuse-lite@1.0.30001774	CC-BY-4.0	
electron-to-chromium	1.5.302	library	pkg:npm/electron-to-chromium@1.5.302	ISC	
node-releases	2.0.27	library	pkg:npm/node-releases@2.0.27	MIT	
update-browserslist-db	1.2.3	library	pkg:npm/update-browserslist-db@1.2.3	MIT	
escalade	3.2.0	library	pkg:npm/escalade@3.2.0	MIT	
lru-cache	5.1.1	library	pkg:npm/lru-cache@5.1.1	ISC	
yallist	3.1.1	library	pkg:npm/yallist@3.1.1	ISC	
semver	6.3.1	library	pkg:npm/semver@6.3.1	ISC	
helper-module-transforms	7.28.6	library	pkg:npm/@babel/helper-module-transforms@7.28.6	MIT	
helper-module-imports	7.28.6	library	pkg:npm/@babel/helper-module-imports@7.28.6	MIT	
traverse	7.29.0	library	pkg:npm/@babel/traverse@7.29.0	MIT	
helper-globals	7.28.0	library	pkg:npm/@babel/helper-globals@7.28.0	MIT	
template	7.28.6	library	pkg:npm/@babel/template@7.28.6	MIT	
helpers	7.28.6	library	pkg:npm/@babel/helpers@7.28.6	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
remapping	2.3.5	library	pkg:npm/@jridgewell/remapping@2.3.5	MIT	
convert-source-map	2.0.0	library	pkg:npm/convert-source-map@2.0.0	MIT	
gensync	1.0.0-beta.2	library	pkg:npm/gensync@1.0.0-beta.2	MIT	
json5	2.2.3	library	pkg:npm/json5@2.2.3	MIT	
helper-plugin-utils	7.28.6	library	pkg:npm/@babel/helper-plugin-utils@7.28.6	MIT	
plugin-transform-modules-commonjs	7.28.6	library	pkg:npm/@babel/plugin-transform-modules-commonjs@7.28.	MIT	
api	1.9.0	library	pkg:npm/@opentelemetry/api@1.9.0	Apache-2.0	
node	25.3.0	library	pkg:npm/@types/node@25.3.0	MIT	
undici-types	7.18.2	library	pkg:npm/undici-types@7.18.2	MIT	
eslint	9.39.3	library	pkg:npm/eslint@9.39.3	MIT	
eslint-utils	4.9.1	library	pkg:npm/@eslint-community/eslint-utils@4.9.1	MIT	
eslint-visitor-keys	3.4.3	library	pkg:npm/eslint-visitor-keys@3.4.3	Apache-2.0	
regexpp	4.12.2	library	pkg:npm/@eslint-community/regexpp@4.12.2	MIT	
config-array	0.21.1	library	pkg:npm/@eslint/config-array@0.21.1	Apache-2.0	
object-schema	2.1.7	library	pkg:npm/@eslint/object-schema@2.1.7	Apache-2.0	
minimatch	3.1.4	library	pkg:npm/minimatch@3.1.4	ISC	
brace-expansion	1.1.12	library	pkg:npm/brace-expansion@1.1.12	MIT	
balanced-match	1.0.2	library	pkg:npm/balanced-match@1.0.2	MIT	
concat-map	0.0.1	library	pkg:npm/concat-map@0.0.1	MIT	
config-helpers	0.4.2	library	pkg:npm/@eslint/config-helpers@0.4.2	Apache-2.0	
core	0.17.0	library	pkg:npm/@eslint/core@0.17.0	Apache-2.0	
json-schema	7.0.15	library	pkg:npm/@types/json-schema@7.0.15	MIT	
eslintrc	3.3.4	library	pkg:npm/@eslint/eslintrc@3.3.4	MIT	
ajv	6.14.0	library	pkg:npm/ajv@6.14.0	MIT	
fast-deep-equal	3.1.3	library	pkg:npm/fast-deep-equal@3.1.3	MIT	
fast-json-stable-stringify	2.1.0	library	pkg:npm/fast-json-stable-stringify@2.1.0	MIT	
json-schema-traverse	0.4.1	library	pkg:npm/json-schema-traverse@0.4.1	MIT	
uri-js	4.4.1	library	pkg:npm/uri-js@4.4.1	BSD-2-Clause	
punycode	2.3.1	library	pkg:npm/punycode@2.3.1	MIT	
espree	10.4.0	library	pkg:npm/espree@10.4.0	BSD-2-Clause	
acorn	8.16.0	library	pkg:npm/acorn@8.16.0	MIT	
acorn-jsx	5.3.2	library	pkg:npm/acorn-jsx@5.3.2	MIT	
eslint-visitor-keys	4.2.1	library	pkg:npm/eslint-visitor-keys@4.2.1	Apache-2.0	
globals	14.0.0	library	pkg:npm/globals@14.0.0	MIT	
ignore	5.3.2	library	pkg:npm/ignore@5.3.2	MIT	
import-fresh	3.3.1	library	pkg:npm/import-fresh@3.3.1	MIT	
parent-module	1.0.1	library	pkg:npm/parent-module@1.0.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
callsites	3.1.0	library	pkg:npm/callsites@3.1.0	MIT	
resolve-from	4.0.0	library	pkg:npm/resolve-from@4.0.0	MIT	
strip-json-comments	3.1.1	library	pkg:npm/strip-json-comments@3.1.1	MIT	
plugin-kit	0.4.1	library	pkg:npm/@eslint/plugin-kit@0.4.1	Apache-2.0	
levn	0.4.1	library	pkg:npm/levn@0.4.1	MIT	
prelude-ls	1.2.1	library	pkg:npm/prelude-ls@1.2.1	MIT	
type-check	0.4.0	library	pkg:npm/type-check@0.4.0	MIT	
node	0.16.7	library	pkg:npm/@humanfs/node@0.16.7	Apache-2.0	
core	0.19.1	library	pkg:npm/@humanfs/core@0.19.1	Apache-2.0	
retry	0.4.3	library	pkg:npm/@humanwhocodes/retry@0.4.3	Apache-2.0	
module-importer	1.0.1	library	pkg:npm/@humanwhocodes/module-importer@1.0.1	Apache-2.0	
estree	1.0.8	library	pkg:npm/@types/estree@1.0.8	MIT	
cross-spawn	7.0.6	library	pkg:npm/cross-spawn@7.0.6	MIT	
path-key	3.1.1	library	pkg:npm/path-key@3.1.1	MIT	
shebang-command	2.0.0	library	pkg:npm/shebang-command@2.0.0	MIT	
shebang-regex	3.0.0	library	pkg:npm/shebang-regex@3.0.0	MIT	
which	2.0.2	library	pkg:npm/which@2.0.2	ISC	
isexe	2.0.0	library	pkg:npm/isexe@2.0.0	ISC	
escape-string-regexp	4.0.0	library	pkg:npm/escape-string-regexp@4.0.0	MIT	
eslint-scope	8.4.0	library	pkg:npm/eslint-scope@8.4.0	BSD-2-Clause	
esrecurse	4.3.0	library	pkg:npm/esrecurse@4.3.0	BSD-2-Clause	
estraverse	5.3.0	library	pkg:npm/estraverse@5.3.0	BSD-2-Clause	
esquery	1.7.0	library	pkg:npm/esquery@1.7.0	BSD-3-Clause	
esutils	2.0.3	library	pkg:npm/esutils@2.0.3	BSD-2-Clause	
file-entry-cache	8.0.0	library	pkg:npm/file-entry-cache@8.0.0	MIT	
flat-cache	4.0.1	library	pkg:npm/flat-cache@4.0.1	MIT	
flatted	3.3.3	library	pkg:npm/flatted@3.3.3	ISC	
keyv	4.5.4	library	pkg:npm/keyv@4.5.4	MIT	
json-buffer	3.0.1	library	pkg:npm/json-buffer@3.0.1	MIT	
find-up	5.0.0	library	pkg:npm/find-up@5.0.0	MIT	
locate-path	6.0.0	library	pkg:npm/locate-path@6.0.0	MIT	
p-locate	5.0.0	library	pkg:npm/p-locate@5.0.0	MIT	
p-limit	3.1.0	library	pkg:npm/p-limit@3.1.0	MIT	
yocto-queue	0.1.0	library	pkg:npm/yocto-queue@0.1.0	MIT	
path-exists	4.0.0	library	pkg:npm/path-exists@4.0.0	MIT	
glob-parent	6.0.2	library	pkg:npm/glob-parent@6.0.2	ISC	
is-glob	4.0.3	library	pkg:npm/is-glob@4.0.3	MIT	
is-extglob	2.1.1	library	pkg:npm/is-extglob@2.1.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
imurmurhash	0.1.4	library	pkg:npm/imurmurhash@0.1.4	MIT	
json-stable-stringify-without-jsonify	1.0.1	library	pkg:npm/json-stable-stringify-without-jsonify@1.0.1	MIT	
lodash.merge	4.6.2	library	pkg:npm/lodash.merge@4.6.2	MIT	
natural-compare	1.4.0	library	pkg:npm/natural-compare@1.4.0	MIT	
optionator	0.9.4	library	pkg:npm/optionator@0.9.4	MIT	
deep-is	0.1.4	library	pkg:npm/deep-is@0.1.4	MIT	
fast-levenshtein	2.0.6	library	pkg:npm/fast-levenshtein@2.0.6	MIT	
word-wrap	1.2.5	library	pkg:npm/word-wrap@1.2.5	MIT	
eslint-config-prettier	10.1.8	library	pkg:npm/eslint-config-prettier@10.1.8	MIT	
jest	30.2.0	library	pkg:npm/jest@30.2.0	MIT	
core	30.2.0	library	pkg:npm/@jest/core@30.2.0	MIT	
console	30.2.0	library	pkg:npm/@jest/console@30.2.0	MIT	
types	30.2.0	library	pkg:npm/@jest/types@30.2.0	MIT	
pattern	30.0.1	library	pkg:npm/@jest/pattern@30.0.1	MIT	
jest-regex-util	30.0.1	library	pkg:npm/jest-regex-util@30.0.1	MIT	
schemas	30.0.5	library	pkg:npm/@jest/schemas@30.0.5	MIT	
typebox	0.34.48	library	pkg:npm/@sinclair/typebox@0.34.48	MIT	
istanbul-lib-coverage	2.0.6	library	pkg:npm/@types/istanbul-lib-coverage@2.0.6	MIT	
istanbul-reports	3.0.4	library	pkg:npm/@types/istanbul-reports@3.0.4	MIT	
istanbul-lib-report	3.0.3	library	pkg:npm/@types/istanbul-lib-report@3.0.3	MIT	
yargs	17.0.35	library	pkg:npm/@types/yargs@17.0.35	MIT	
yargs-parser	21.0.3	library	pkg:npm/@types/yargs-parser@21.0.3	MIT	
jest-message-util	30.2.0	library	pkg:npm/jest-message-util@30.2.0	MIT	
stack-utils	2.0.3	library	pkg:npm/@types/stack-utils@2.0.3	MIT	
graceful-fs	4.2.11	library	pkg:npm/graceful-fs@4.2.11	ISC	
micromatch	4.0.8	library	pkg:npm/micromatch@4.0.8	MIT	
braces	3.0.3	library	pkg:npm/braces@3.0.3	MIT	
fill-range	7.1.1	library	pkg:npm/fill-range@7.1.1	MIT	
to-regex-range	5.0.1	library	pkg:npm/to-regex-range@5.0.1	MIT	
is-number	7.0.0	library	pkg:npm/is-number@7.0.0	MIT	
picomatch	2.3.1	library	pkg:npm/picomatch@2.3.1	MIT	
pretty-format	30.2.0	library	pkg:npm/pretty-format@30.2.0	MIT	
ansi-styles	5.2.0	library	pkg:npm/ansi-styles@5.2.0	MIT	
react-is	18.3.1	framework	pkg:npm/react-is@18.3.1	MIT	
slash	3.0.0	library	pkg:npm/slash@3.0.0	MIT	
stack-utils	2.0.6	library	pkg:npm/stack-utils@2.0.6	MIT	
escape-string-regexp	2.0.0	library	pkg:npm/escape-string-regexp@2.0.0	MIT	
jest-util	30.2.0	library	pkg:npm/jest-util@30.2.0	MIT	
ci-info	4.4.0	library	pkg:npm/ci-info@4.4.0	MIT	
picomatch	4.0.3	library	pkg:npm/picomatch@4.0.3	MIT	
reporters	30.2.0	library	pkg:npm/@jest/reporters@30.2.0	MIT	
v8-coverage	0.2.3	library	pkg:npm/@bcoe/v8-coverage@0.2.3	MIT	
test-result	30.2.0	library	pkg:npm/@jest/test-result@30.2.0	MIT	
collect-v8-coverage	1.0.3	library	pkg:npm/collect-v8-coverage@1.0.3	MIT	
transform	30.2.0	library	pkg:npm/@jest/transform@30.2.0	MIT	
babel-plugin-istanbul	7.0.1	library	pkg:npm/babel-plugin-istanbul@7.0.1	BSD-3-Clause	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
load-nyc-config	1.1.0	library	pkg:npm/@istanbuljs/load-nyc-config@1.1.0	ISC	
camelcase	5.3.1	library	pkg:npm/camelcase@5.3.1	MIT	
find-up	4.1.0	library	pkg:npm/find-up@4.1.0	MIT	
locate-path	5.0.0	library	pkg:npm/locate-path@5.0.0	MIT	
p-locate	4.1.0	library	pkg:npm/p-locate@4.1.0	MIT	
p-limit	2.3.0	library	pkg:npm/p-limit@2.3.0	MIT	
p-try	2.2.0	library	pkg:npm/p-try@2.2.0	MIT	
get-package-type	0.1.0	library	pkg:npm/get-package-type@0.1.0	MIT	
js-yaml	3.14.2	library	pkg:npm/js-yaml@3.14.2	MIT	
argparse	1.0.10	library	pkg:npm/argparse@1.0.10	MIT	
sprintf-js	1.0.3	library	pkg:npm/sprintf-js@1.0.3	BSD-3-Clause	
esprima	4.0.1	library	pkg:npm/esprima@4.0.1	BSD-2-Clause	
resolve-from	5.0.0	library	pkg:npm/resolve-from@5.0.0	MIT	
schema	0.1.3	library	pkg:npm/@istanbuljs/schema@0.1.3	MIT	
istanbul-lib-instrument	6.0.3	library	pkg:npm/istanbul-lib-instrument@6.0.3	BSD-3-Clause	
istanbul-lib-coverage	3.2.2	library	pkg:npm/istanbul-lib-coverage@3.2.2	BSD-3-Clause	
test-exclude	6.0.0	library	pkg:npm/test-exclude@6.0.0	ISC	
glob	7.2.3	library	pkg:npm/glob@7.2.3	ISC	
fs.realpath	1.0.0	library	pkg:npm/fs.realpath@1.0.0	ISC	
inflight	1.0.6	library	pkg:npm/inflight@1.0.6	ISC	
path-is-absolute	1.0.1	library	pkg:npm/path-is-absolute@1.0.1	MIT	
jest-haste-map	30.2.0	library	pkg:npm/jest-haste-map@30.2.0	MIT	
anymatch	3.1.3	library	pkg:npm/anymatch@3.1.3	ISC	
normalize-path	3.0.0	library	pkg:npm/normalize-path@3.0.0	MIT	
fb-watchman	2.0.2	library	pkg:npm/fb-watchman@2.0.2	Apache-2.0	
bser	2.1.1	library	pkg:npm/bser@2.1.1	Apache-2.0	
jest-worker	30.2.0	library	pkg:npm/jest-worker@30.2.0	MIT	
structured-clone	1.3.0	library	pkg:npm/@ungap/structured-clone@1.3.0	ISC	
merge-stream	2.0.0	library	pkg:npm/merge-stream@2.0.0	MIT	
supports-color	8.1.1	library	pkg:npm/supports-color@8.1.1	MIT	
walker	1.0.8	library	pkg:npm/walker@1.0.8	Apache-2.0	
makeerror	1.0.12	library	pkg:npm/makeerror@1.0.12	BSD-3-Clause	
tmpl	1.0.5	library	pkg:npm/tmpl@1.0.5	BSD-3-Clause	
fsevents	2.3.3	library	pkg:npm/fsevents@2.3.3	MIT	
pirates	4.0.7	library	pkg:npm/pirates@4.0.7	MIT	
write-file-atomic	5.0.1	library	pkg:npm/write-file-atomic@5.0.1	ISC	
signal-exit	4.1.0	library	pkg:npm/signal-exit@4.1.0	ISC	
exit-x	0.2.2	library	pkg:npm/exit-x@0.2.2	MIT	
glob	10.5.0	library	pkg:npm/glob@10.5.0	ISC	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
foreground-child	3.3.1	library	pkg:npm/foreground-child@3.3.1	ISC	
jackspeak	3.4.3	library	pkg:npm/jackspeak@3.4.3	BlueOak-1.0.0	
cliui	8.0.2	library	pkg:npm/@isaacs/cliui@8.0.2	ISC	
string-width	5.1.2	library	pkg:npm/string-width@5.1.2	MIT	
eastasianwidth	0.2.0	library	pkg:npm/eastasianwidth@0.2.0	MIT	
emoji-regex	9.2.2	library	pkg:npm/emoji-regex@9.2.2	MIT	
strip-ansi	7.1.2	library	pkg:npm/strip-ansi@7.1.2	MIT	
ansi-regex	6.2.2	library	pkg:npm/ansi-regex@6.2.2	MIT	
string-width	4.2.3	library	pkg:npm/string-width@4.2.3	MIT	
emoji-regex	8.0.0	library	pkg:npm/emoji-regex@8.0.0	MIT	
is-fullwidth-code-point	3.0.0	library	pkg:npm/is-fullwidth-code-point@3.0.0	MIT	
strip-ansi	6.0.1	library	pkg:npm/strip-ansi@6.0.1	MIT	
ansi-regex	5.0.1	library	pkg:npm/ansi-regex@5.0.1	MIT	
wrap-ansi	8.1.0	library	pkg:npm/wrap-ansi@8.1.0	MIT	
ansi-styles	6.2.3	library	pkg:npm/ansi-styles@6.2.3	MIT	
wrap-ansi	7.0.0	library	pkg:npm/wrap-ansi@7.0.0	MIT	
parseargs	0.11.0	library	pkg:npm/@pkgjs/parseargs@0.11.0	MIT	
minimatch	9.0.7	library	pkg:npm/minimatch@9.0.7	ISC	
brace-expansion	5.0.3	library	pkg:npm/brace-expansion@5.0.3	MIT	
balanced-match	4.0.4	library	pkg:npm/balanced-match@4.0.4	MIT	
minipass	7.1.3	library	pkg:npm/minipass@7.1.3	BlueOak-1.0.0	
package-json-from-dist	1.0.1	library	pkg:npm/package-json-from-dist@1.0.1	BlueOak-1.0.0	
path-scurry	1.11.1	library	pkg:npm/path-scurry@1.11.1	BlueOak-1.0.0	
lru-cache	10.4.3	library	pkg:npm/lru-cache@10.4.3	ISC	
istanbul-lib-report	3.0.1	library	pkg:npm/istanbul-lib-report@3.0.1	BSD-3-Clause	
make-dir	4.0.0	library	pkg:npm/make-dir@4.0.0	MIT	
istanbul-lib-source-maps	5.0.6	library	pkg:npm/istanbul-lib-source-maps@5.0.6	BSD-3-Clause	
istanbul-reports	3.2.0	library	pkg:npm/istanbul-reports@3.2.0	BSD-3-Clause	
html-escaper	2.0.2	library	pkg:npm/html-escaper@2.0.2	MIT	
string-length	4.0.2	library	pkg:npm/string-length@4.0.2	MIT	
char-regex	1.0.2	library	pkg:npm/char-regex@1.0.2	MIT	
v8-to-istanbul	9.3.0	library	pkg:npm/v8-to-istanbul@9.3.0	ISC	
ansi-escapes	4.3.2	library	pkg:npm/ansi-escapes@4.3.2	MIT	
type-fest	0.21.3	library	pkg:npm/type-fest@0.21.3		
jest-changed-files	30.2.0	library	pkg:npm/jest-changed-files@30.2.0	MIT	
execa	5.1.1	library	pkg:npm/execa@5.1.1	MIT	
get-stream	6.0.1	library	pkg:npm/get-stream@6.0.1	MIT	
human-signals	2.1.0	library	pkg:npm/human-signals@2.1.0	Apache-2.0	
npm-run-path	4.0.1	library	pkg:npm/npm-run-path@4.0.1	MIT	
onetime	5.1.2	library	pkg:npm/onetime@5.1.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
mimic-fn	2.1.0	library	pkg:npm/mimic-fn@2.1.0	MIT	
signal-exit	3.0.7	library	pkg:npm/signal-exit@3.0.7	ISC	
strip-final-newline	2.0.0	library	pkg:npm/strip-final-newline@2.0.0	MIT	
jest-config	30.2.0	library	pkg:npm/jest-config@30.2.0	MIT	
get-type	30.1.0	library	pkg:npm/@jest/get-type@30.1.0	MIT	
test-sequencer	30.2.0	library	pkg:npm/@jest/test-sequencer@30.2.0	MIT	
babel-jest	30.2.0	library	pkg:npm/babel-jest@30.2.0	MIT	
babel___core	7.20.5	library	pkg:npm/@types/babel__core@7.20.5	MIT	
babel___generator	7.27.0	library	pkg:npm/@types/babel__generator@7.27.0	MIT	
babel___template	7.4.4	library	pkg:npm/@types/babel__template@7.4.4	MIT	
babel___traverse	7.28.0	library	pkg:npm/@types/babel__traverse@7.28.0	MIT	
babel-preset-jest	30.2.0	library	pkg:npm/babel-preset-jest@30.2.0	MIT	
babel-plugin-jest-hoist	30.2.0	library	pkg:npm/babel-plugin-jest-hoist@30.2.0	MIT	
babel-preset-current-node-syntax	1.2.0	library	pkg:npm/babel-preset-current-node-syntax@1.2.0	MIT	
plugin-syntax-async-generators	7.8.4	library	pkg:npm/@babel/plugin-syntax-async-generators@7.8.4	MIT	
plugin-syntax-bigint	7.8.3	library	pkg:npm/@babel/plugin-syntax-bigint@7.8.3	MIT	
plugin-syntax-class-properties	7.12.13	library	pkg:npm/@babel/plugin-syntax-class-properties@7.12.13	MIT	
plugin-syntax-class-static-block	7.14.5	library	pkg:npm/@babel/plugin-syntax-class-static-block@7.14.5	MIT	
plugin-syntax-import-attributes	7.28.6	library	pkg:npm/@babel/plugin-syntax-import-attributes@7.28.6	MIT	
plugin-syntax-import-meta	7.10.4	library	pkg:npm/@babel/plugin-syntax-import-meta@7.10.4	MIT	
plugin-syntax-json-strings	7.8.3	library	pkg:npm/@babel/plugin-syntax-json-strings@7.8.3	MIT	
plugin-syntax-logical-assignment-operators	7.10.4	library	pkg:npm/@babel/plugin-syntax-logical-assignment-operat	MIT	
plugin-syntax-nullish-coalescing-operator	7.8.3	library	pkg:npm/@babel/plugin-syntax-nullish-coalescing-operat	MIT	
plugin-syntax-numeric-separator	7.10.4	library	pkg:npm/@babel/plugin-syntax-numeric-separator@7.10.4	MIT	
plugin-syntax-object-rest-spread	7.8.3	library	pkg:npm/@babel/plugin-syntax-object-rest-spread@7.8.3	MIT	
plugin-syntax-optional-catch-binding	7.8.3	library	pkg:npm/@babel/plugin-syntax-optional-catch-binding@7.	MIT	
plugin-syntax-optional-chaining	7.8.3	library	pkg:npm/@babel/plugin-syntax-optional-chaining@7.8.3	MIT	
plugin-syntax-private-property-in-object	7.14.5	library	pkg:npm/@babel/plugin-syntax-private-property-in-objec	MIT	
plugin-syntax-top-level-await	7.14.5	library	pkg:npm/@babel/plugin-syntax-top-level-await@7.14.5	MIT	
deepmerge	4.3.1	library	pkg:npm/deepmerge@4.3.1	MIT	
jest-circus	30.2.0	library	pkg:npm/jest-circus@30.2.0	MIT	
environment	30.2.0	library	pkg:npm/@jest/environment@30.2.0	MIT	
fake-timers	30.2.0	library	pkg:npm/@jest/fake-timers@30.2.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
fake-timers	13.0.5	library	pkg:npm/@sinonjs/fake-timers@13.0.5	BSD-3-Clause	
commons	3.0.1	library	pkg:npm/@sinonjs/commons@3.0.1	BSD-3-Clause	
type-detect	4.0.8	library	pkg:npm/type-detect@4.0.8	MIT	
jest-mock	30.2.0	library	pkg:npm/jest-mock@30.2.0	MIT	
expect	30.2.0	library	pkg:npm/@jest/expect@30.2.0	MIT	
expect	30.2.0	library	pkg:npm/expect@30.2.0	MIT	
expect-utils	30.2.0	library	pkg:npm/@jest/expect-utils@30.2.0	MIT	
jest-matcher-utils	30.2.0	library	pkg:npm/jest-matcher-utils@30.2.0	MIT	
jest-diff	30.2.0	library	pkg:npm/jest-diff@30.2.0	MIT	
diff-sequences	30.0.1	library	pkg:npm/@jest/diff-sequences@30.0.1	MIT	
jest-snapshot	30.2.0	library	pkg:npm/jest-snapshot@30.2.0	MIT	
plugin-syntax-jsx	7.28.6	library	pkg:npm/@babel/plugin-syntax-jsx@7.28.6	MIT	
plugin-syntax-typescript	7.28.6	library	pkg:npm/@babel/plugin-syntax-typescript@7.28.6	MIT	
snapshot-utils	30.2.0	library	pkg:npm/@jest/snapshot-utils@30.2.0	MIT	
synckit	0.11.12	library	pkg:npm/synckit@0.11.12	MIT	
core	0.2.9	library	pkg:npm/@pkgr/core@0.2.9	MIT	
co	4.6.0	library	pkg:npm/co@4.6.0	MIT	
dedent	1.7.1	library	pkg:npm/dedent@1.7.1	MIT	
is-generator-fn	2.1.0	library	pkg:npm/is-generator-fn@2.1.0	MIT	
jest-each	30.2.0	library	pkg:npm/jest-each@30.2.0	MIT	
jest-runtime	30.2.0	library	pkg:npm/jest-runtime@30.2.0	MIT	
globals	30.2.0	library	pkg:npm/@jest/globals@30.2.0	MIT	
source-map	30.0.1	library	pkg:npm/@jest/source-map@30.0.1	MIT	
cjs-module-lexer	2.2.0	library	pkg:npm/cjs-module-lexer@2.2.0	MIT	
jest-resolve	30.2.0	library	pkg:npm/jest-resolve@30.2.0	MIT	
jest-pnp-resolver	1.2.3	library	pkg:npm/jest-pnp-resolver@1.2.3	MIT	
jest-validate	30.2.0	library	pkg:npm/jest-validate@30.2.0	MIT	
camelcase	6.3.0	library	pkg:npm/camelcase@6.3.0	MIT	
leven	3.1.0	library	pkg:npm/leven@3.1.0	MIT	
unrs-resolver	1.11.1	library	pkg:npm/unrs-resolver@1.11.1	MIT	
napi-postinstall	0.3.4	library	pkg:npm/napi-postinstall@0.3.4	MIT	
resolver-binding-android-arm-eabi	1.11.1	library	pkg:npm/@unrs/resolver-binding-android-arm-eabi@1.11.1	MIT	
resolver-binding-android-arm64	1.11.1	library	pkg:npm/@unrs/resolver-binding-android-arm64@1.11.1	MIT	
resolver-binding-darwin-arm64	1.11.1	library	pkg:npm/@unrs/resolver-binding-darwin-arm64@1.11.1	MIT	
resolver-binding-darwin-x64	1.11.1	library	pkg:npm/@unrs/resolver-binding-darwin-x64@1.11.1	MIT	
resolver-binding-freebsd-x64	1.11.1	library	pkg:npm/@unrs/resolver-binding-freebsd-x64@1.11.1	MIT	
resolver-binding-linux-arm-gnueabihf	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm-gnueabihf@1.1	MIT	
resolver-binding-linux-arm-musleabihf	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm-musleabihf@1.	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
resolver-binding-linux-arm64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm64-gnu@1.11.1	MIT	
resolver-binding-linux-arm64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm64-musl@1.11.1	MIT	
resolver-binding-linux-ppc64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-ppc64-gnu@1.11.1	MIT	
resolver-binding-linux-riscv64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-riscv64-gnu@1.11.	MIT	
resolver-binding-linux-riscv64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-riscv64-musl@1.11	MIT	
resolver-binding-linux-s390x-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-s390x-gnu@1.11.1	MIT	
resolver-binding-linux-x64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-x64-gnu@1.11.1	MIT	
resolver-binding-linux-x64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-x64-musl@1.11.1	MIT	
resolver-binding-wasm32-wasi	1.11.1	library	pkg:npm/@unrs/resolver-binding-wasm32-wasi@1.11.1	MIT	
wasm-runtime	0.2.12	library	pkg:npm/@napi-rs/wasm-runtime@0.2.12	MIT	
core	1.8.1	library	pkg:npm/@emnapi/core@1.8.1	MIT	
wasi-threads	1.1.0	library	pkg:npm/@emnapi/wasi-threads@1.1.0	MIT	
tslib	2.8.1	library	pkg:npm/tslib@2.8.1	0BSD	
runtime	1.8.1	library	pkg:npm/@emnapi/runtime@1.8.1	MIT	
wasm-util	0.10.1	library	pkg:npm/@tybys/wasm-util@0.10.1	MIT	
resolver-binding-win32-arm64-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-arm64-msvc@1.11.1	MIT	
resolver-binding-win32-ia32-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-ia32-msvc@1.11.1	MIT	
resolver-binding-win32-x64-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-x64-msvc@1.11.1	MIT	
strip-bom	4.0.0	library	pkg:npm/strip-bom@4.0.0	MIT	
pure-rand	7.0.1	library	pkg:npm/pure-rand@7.0.1	MIT	
jest-docblock	30.2.0	library	pkg:npm/jest-docblock@30.2.0	MIT	
detect-newline	3.1.0	library	pkg:npm/detect-newline@3.1.0	MIT	
jest-environment-node	30.2.0	library	pkg:npm/jest-environment-node@30.2.0	MIT	
jest-runner	30.2.0	library	pkg:npm/jest-runner@30.2.0	MIT	
emittery	0.13.1	library	pkg:npm/emittery@0.13.1	MIT	
jest-leak-detector	30.2.0	library	pkg:npm/jest-leak-detector@30.2.0	MIT	
jest-watcher	30.2.0	library	pkg:npm/jest-watcher@30.2.0	MIT	
source-map-support	0.5.13	library	pkg:npm/source-map-support@0.5.13	MIT	
buffer-from	1.1.2	library	pkg:npm/buffer-from@1.1.2	MIT	
source-map	0.6.1	library	pkg:npm/source-map@0.6.1	BSD-3-Clause	
parse-json	5.2.0	library	pkg:npm/parse-json@5.2.0	MIT	
error-ex	1.3.4	library	pkg:npm/error-ex@1.3.4	MIT	
is-arrayish	0.2.1	library	pkg:npm/is-arrayish@0.2.1	MIT	
json-parse-even-better-errors	2.3.1	library	pkg:npm/json-parse-even-better-errors@2.3.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
lines-and-columns	1.2.4	library	pkg:npm/lines-and-columns@1.2.4	MIT	
jest-resolve-dependencies	30.2.0	library	pkg:npm/jest-resolve-dependencies@30.2.0	MIT	
import-local	3.2.0	library	pkg:npm/import-local@3.2.0	MIT	
pkg-dir	4.2.0	library	pkg:npm/pkg-dir@4.2.0	MIT	
resolve-cwd	3.0.0	library	pkg:npm/resolve-cwd@3.0.0	MIT	
jest-cli	30.2.0	library	pkg:npm/jest-cli@30.2.0	MIT	
yargs	17.7.2	library	pkg:npm/yargs@17.7.2	MIT	
cliui	8.0.1	library	pkg:npm/cliui@8.0.1	ISC	
get-caller-file	2.0.5	library	pkg:npm/get-caller-file@2.0.5	ISC	
require-directory	2.1.1	library	pkg:npm/require-directory@2.1.1	MIT	
y18n	5.0.8	library	pkg:npm/y18n@5.0.8	ISC	
yargs-parser	21.1.1	library	pkg:npm/yargs-parser@21.1.1	ISC	
jest-junit	16.0.0	library	pkg:npm/jest-junit@16.0.0	Apache-2.0	
mkdirp	1.0.4	library	pkg:npm/mkdirp@1.0.4	MIT	
uuid	8.3.2	library	pkg:npm/uuid@8.3.2	MIT	
xml	1.0.1	library	pkg:npm/xml@1.0.1	MIT	
prettier	3.8.1	library	pkg:npm/prettier@3.8.1	MIT	
typescript	5.9.3	library	pkg:npm/typescript@5.9.3	Apache-2.0	
express	4.22.1	framework	pkg:npm/express@4.22.1	MIT	
accepts	1.3.8	library	pkg:npm/accepts@1.3.8	MIT	
negotiator	0.6.3	library	pkg:npm/negotiator@0.6.3	MIT	
array-flatten	1.1.1	library	pkg:npm/array-flatten@1.1.1	MIT	
body-parser	1.20.4	library	pkg:npm/body-parser@1.20.4	MIT	
debug	2.6.9	library	pkg:npm/debug@2.6.9	MIT	
ms	2.0.0	library	pkg:npm/ms@2.0.0	MIT	
destroy	1.2.0	library	pkg:npm/destroy@1.2.0	MIT	
iconv-lite	0.4.24	library	pkg:npm/iconv-lite@0.4.24	MIT	
qs	6.14.2	library	pkg:npm/qs@6.14.2	BSD-3-Clause	
raw-body	2.5.3	library	pkg:npm/raw-body@2.5.3	MIT	
type-is	1.6.18	library	pkg:npm/type-is@1.6.18	MIT	
media-typer	0.3.0	library	pkg:npm/media-typer@0.3.0	MIT	
content-disposition	0.5.4	library	pkg:npm/content-disposition@0.5.4	MIT	
cookie-signature	1.0.7	library	pkg:npm/cookie-signature@1.0.7	MIT	
finalhandler	1.3.2	library	pkg:npm/finalhandler@1.3.2	MIT	
fresh	0.5.2	library	pkg:npm/fresh@0.5.2	MIT	
merge-descriptors	1.0.3	library	pkg:npm/merge-descriptors@1.0.3	MIT	
methods	1.1.2	library	pkg:npm/methods@1.1.2	MIT	
path-to-regexp	0.1.12	library	pkg:npm/path-to-regexp@0.1.12	MIT	
send	0.19.2	library	pkg:npm/send@0.19.2	MIT	
mime	1.6.0	library	pkg:npm/mime@1.6.0	MIT	
serve-static	1.16.3	library	pkg:npm/serve-static@1.16.3	MIT	
utils-merge	1.0.1	library	pkg:npm/utils-merge@1.0.1	MIT	
ws	8.19.0	library	pkg:npm/ws@8.19.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
dotenv	16.6.1	library	pkg:npm/dotenv@16.6.1	BSD-2-Clause	
uuid	9.0.1	library	pkg:npm/uuid@9.0.1	MIT	
express	4.17.25	library	pkg:npm/@types/express@4.17.25	MIT	
body-parser	1.19.6	library	pkg:npm/@types/body-parser@1.19.6	MIT	
connect	3.4.38	library	pkg:npm/@types/connect@3.4.38	MIT	
node	20.19.33	library	pkg:npm/@types/node@20.19.33	MIT	
undici-types	6.21.0	library	pkg:npm/undici-types@6.21.0	MIT	
express-serve-static-core	4.19.8	library	pkg:npm/@types/express-serve-static-core@4.19.8	MIT	
qs	6.14.0	library	pkg:npm/@types/qs@6.14.0	MIT	
range-parser	1.2.7	library	pkg:npm/@types/range-parser@1.2.7	MIT	
send	1.2.1	library	pkg:npm/@types/send@1.2.1	MIT	
serve-static	1.15.10	library	pkg:npm/@types/serve-static@1.15.10	MIT	
http-errors	2.0.5	library	pkg:npm/@types/http-errors@2.0.5	MIT	
send	0.17.6	library	pkg:npm/@types/send@0.17.6	MIT	
mime	1.3.5	library	pkg:npm/@types/mime@1.3.5	MIT	
ws	8.18.1	library	pkg:npm/@types/ws@8.18.1	MIT	
uuid	9.0.8	library	pkg:npm/@types/uuid@9.0.8	MIT	
ts-node	10.9.2	library	pkg:npm/ts-node@10.9.2	MIT	
source-map-support	0.8.1	library	pkg:npm/@cspotcode/source-map-support@0.8.1	MIT	
trace-mapping	0.3.9	library	pkg:npm/@jridgewell/trace-mapping@0.3.9	MIT	
node10	1.0.12	library	pkg:npm/@tsconfig/node10@1.0.12	MIT	
node12	1.0.11	library	pkg:npm/@tsconfig/node12@1.0.11	MIT	
node14	1.0.3	library	pkg:npm/@tsconfig/node14@1.0.3	MIT	
node16	1.0.4	library	pkg:npm/@tsconfig/node16@1.0.4	MIT	
acorn-walk	8.3.5	library	pkg:npm/acorn-walk@8.3.5	MIT	
arg	4.1.3	library	pkg:npm/arg@4.1.3	MIT	
create-require	1.1.1	library	pkg:npm/create-require@1.1.1	MIT	
diff	4.0.4	library	pkg:npm/diff@4.0.4	BSD-3-Clause	
make-error	1.3.6	library	pkg:npm/make-error@1.3.6	ISC	
v8-compile-cache-lib	3.0.1	library	pkg:npm/v8-compile-cache-lib@3.0.1	MIT	
yn	3.1.1	library	pkg:npm/yn@3.1.1	MIT	
checkout	v4	application	pkg:github/actions/checkout@v4	MIT	
setup-node	v4	application	pkg:github/actions/setup-node@v4	MIT	
test-reporter	v1	application	pkg:github/dorny/test-reporter@v1	NOASSERTION	
upload-artifact	v4	application	pkg:github/actions/upload-artifact@v4	MIT	

Dependency graph (top-level refs)

```
pkg:npm/follow-redirects@1.15.11
  ->
pkg:npm/asynckit@0.4.0
  ->
pkg:npm/delayed-stream@1.0.0
  ->
pkg:npm/combined-stream@1.0.8
  -> pkg:npm/delayed-stream@1.0.0
```

```
pkg:npm/es-errors@1.3.0
  ->
pkg:npm/function-bind@1.1.2
  ->
pkg:npm/call-bind-apply-helpers@1.0.2
  -> pkg:npm/es-errors@1.3.0, pkg:npm/function-bind@1.1.2
pkg:npm/es-define-property@1.0.1
  ->
pkg:npm/es-object-atoms@1.1.1
  -> pkg:npm/es-errors@1.3.0
pkg:npm/gopd@1.2.0
  ->
pkg:npm/dunder-proto@1.0.1
  -> pkg:npm/call-bind-apply-helpers@1.0.2, pkg:npm/es-errors@1.3.0, pkg:npm/gopd@1.2.0
pkg:npm/get-proto@1.0.1
  -> pkg:npm/dunder-proto@1.0.1, pkg:npm/es-object-atoms@1.1.1
pkg:npm/has-symbols@1.1.0
  ->
pkg:npm/hasown@2.0.2
  -> pkg:npm/function-bind@1.1.2
pkg:npm/math-intrinsics@1.1.0
  ->
pkg:npm/get-intrinsic@1.3.0
  -> pkg:npm/call-bind-apply-helpers@1.0.2, pkg:npm/es-define-property@1.0.1,
  pkg:npm/es-errors@1.3.0, pkg:npm/es-object-atoms@1.1.1, pkg:npm/function-bind@1.1.2...
pkg:npm/has-tostringtag@1.0.2
  -> pkg:npm/has-symbols@1.1.0
pkg:npm/es-set-tostringtag@2.1.0
  -> pkg:npm/es-errors@1.3.0, pkg:npm/get-intrinsic@1.3.0,
  pkg:npm/has-tostringtag@1.0.2, pkg:npm/hasown@2.0.2
pkg:npm/mime-db@1.52.0
  ->
pkg:npm/mime-types@2.1.35
  -> pkg:npm/mime-db@1.52.0
pkg:npm/form-data@4.0.5
  -> pkg:npm/asynckit@0.4.0, pkg:npm/combined-stream@1.0.8,
  pkg:npm/es-set-tostringtag@2.1.0, pkg:npm/hasown@2.0.2, pkg:npm/mime-types@2.1.35
pkg:npm/proxy-from-env@1.1.0
  ->
pkg:npm/axios@1.13.5
  -> pkg:npm/follow-redirects@1.15.11, pkg:npm/form-data@4.0.5,
  pkg:npm/proxy-from-env@1.1.0
pkg:npm/color-name@1.1.4
  ->
pkg:npm/color-convert@2.0.1
  -> pkg:npm/color-name@1.1.4
pkg:npm/ansi-styles@4.3.0
  -> pkg:npm/color-convert@2.0.1
pkg:npm/has-flag@4.0.0
  ->
pkg:npm/supports-color@7.2.0
  -> pkg:npm/has-flag@4.0.0
pkg:npm/chalk@4.1.2
  -> pkg:npm/ansi-styles@4.3.0, pkg:npm/supports-color@7.2.0
pkg:npm/@colors/colors@1.6.0
  ->
```

1.5 Elasticsearch (SAP fork)

Path: `elasticsearch-main`
CycloneDX: spec 1.5, serial `urn:uuid:8a40673d-ea19-4e8a-a0b8-f290d29ce093...`
Generated: 2026-02-28T09:52:34Z
Tool: components

Components

Name	Version	Type	purl	License	Description

Dependency graph (top-level refs)

```
root-component
  ->
```

1.6 Generative AI Toolkit for SAP HANA Cloud

Path: `generative-ai-toolkit-for-sap-hana-cloud-main`
CycloneDX: spec 1.5, serial `urn:uuid:7fede9e7-0d58-4855-878d-22dc920a6712...`
Generated: 2026-02-28T10:30:23Z
Tool: components

Components

Name	Version	Type	purl	License	Description
langchain-community	0	library	`pkg:pypi/langchain-community@0`	MIT	
langchain-text-splitters	0	library	`pkg:pypi/langchain-text-splitters@0`	MIT	
numpy	0	library	`pkg:pypi/numpy@0`		
pandas	0	library	`pkg:pypi/pandas@0`	BSD-3-Clause	
hana-ml	2.27.26020601	library	`pkg:pypi/hana-ml@2.27.26020601`	LicenseRef-SAP-DeveloperAgreement	
pydantic	2.11	library	`pkg:pypi/pydantic@2.11`	MIT	
sap-ai-sdk-gen	0	library	`pkg:pypi/sap-ai-sdk-gen@0`	LicenseRef-SAP-DeveloperAgreement	
langchain-hana	0	library	`pkg:pypi/langchain-hana@0`	Apache-2.0	
fastmcp	2.0	library	`pkg:pypi/fastmcp@2.0`	Apache-2.0	

Dependency graph (top-level refs)

```
root-component
  -> pkg:pypi/langchain-community@0, pkg:pypi/langchain-text-splitters@0,
  pkg:pypi/numpy@0, pkg:pypi/pandas@0, pkg:pypi/hana-ml@2.27.26020601...
pkg:pypi/langchain-community@0
```

```
  ->
pkg:pypi/langchain-text-splitters@0
  ->
pkg:pypi/numpy@0
  ->
pkg:pypi/pandas@0
  ->
pkg:pypi/hana-ml@2.27.26020601
  ->
pkg:pypi/pydantic@2.11
  ->
pkg:pypi/sap-ai-sdk-gen@0
  ->
pkg:pypi/langchain-hana@0
  ->
pkg:pypi/fastmcp@2.0
  ->
```

1.7 LangChain Integration for SAP HANA Cloud

Path: `langchain-integration-for-sap-hana-cloud-main`
CycloneDX: spec 1.5, serial `urn:uuid:8a89088b-b2ae-49cc-94bc-beb946e3a3a4...`
Generated: 2026-02-28T10:30:32Z
Tool: components

Components

Name	Version	Type	purl	License	Description
langchain-core	1.2.13	library	`pkg:pypi/langchain-core@1.2.13`	MIT	
langchain-classic	1.0.1	library	`pkg:pypi/langchain-classic@1.0.1`	MIT	
langchain	1.2.10	library	`pkg:pypi/langchain@1.2.10`	MIT	
hdbcli	2.27.23	library	`pkg:pypi/hdbcli@2.27.23`	LicenseRef-SAP-DeveloperAgreement	
rdflib	7.6.0	library	`pkg:pypi/rdflib@7.6.0`	BSD-3-Clause	

Dependency graph (top-level refs)

```
root-component
  -> pkg:pypi/langchain-core@1.2.13, pkg:pypi/langchain-classic@1.0.1,
  pkg:pypi/langchain@1.2.10, pkg:pypi/hdbcli@2.27.23, pkg:pypi/rdflib@7.6.0
pkg:pypi/langchain-core@1.2.13
  ->
pkg:pypi/langchain-classic@1.0.1
  ->
pkg:pypi/langchain@1.2.10
  ->
pkg:pypi/hdbcli@2.27.23
  ->
pkg:pypi/rdflib@7.6.0
  ->
```

1.8 OData Vocabularies

Path: `odata-vocabularies-main`
CycloneDX: spec 1.5, serial `urn:uuid:b1f4778e-4f67-4746-8e1a-0eaa5280d0e4...`
Generated: 2026-02-28T09:52:33Z
Tool: components

Components

Name	Version	Type	purl	License	Description
colors	1.4.0	library	`pkg:npm/colors@1.4.0`	MIT	
odata-csdl	0.11.1	library	`pkg:npm/odata-csdl@0.11.1`		
sax	1.4.3	framework	`pkg:npm/sax@1.4.3`	BlueOak-1.0.0	
odata-vocabularies	0.5.2	library	`pkg:npm/odata-vocabularies@0.5.2`	NOASSERTION	
odata-csdl	0.9.5	library	`pkg:npm/odata-csdl@0.9.5`		
pandoc-filter	2.2.0	library	`pkg:npm/pandoc-filter@2.2.0`	MIT	
get-stdin	7.0.0	library	`pkg:npm/get-stdin@7.0.0`	MIT	
eslint	8.56.0	library	`pkg:npm/eslint@8.56.0`	MIT	
eslint-utils	4.4.0	library	`pkg:npm/@eslint-community/eslint-utils@4.4.0`	MIT	
eslint-visitor-keys	3.4.3	library	`pkg:npm/eslint-visitor-keys@3.4.3`	Apache-2.0	
regexpp	4.10.0	library	`pkg:npm/@eslint-community/regexpp@4.10.0`	MIT	
eslintrc	2.1.4	library	`pkg:npm/@eslint/eslintrc@2.1.4`	MIT	
ajv	6.12.6	library	`pkg:npm/ajv@6.12.6`	MIT	
fast-deep-equal	3.1.3	library	`pkg:npm/fast-deep-equal@3.1.3`	MIT	
fast-json-stable-stringify	2.1.0	library	`pkg:npm/fast-json-stable-stringify@2.1.0`	MIT	
json-schema-traverse	0.4.1	library	`pkg:npm/json-schema-traverse@0.4.1`	MIT	
uri-js	4.4.1	library	`pkg:npm/uri-js@4.4.1`	BSD-2-Clause	
punycode	2.3.1	library	`pkg:npm/punycode@2.3.1`	MIT	
debug	4.3.4	library	`pkg:npm/debug@4.3.4`	MIT	
ms	2.1.2	library	`pkg:npm/ms@2.1.2`	MIT	
espree	9.6.1	library	`pkg:npm/espree@9.6.1`	BSD-2-Clause	
acorn	8.11.3	library	`pkg:npm/acorn@8.11.3`	MIT	
acorn-jsx	5.3.2	library	`pkg:npm/acorn-jsx@5.3.2`	MIT	
globals	13.24.0	library	`pkg:npm/globals@13.24.0`	MIT	
type-fest	0.20.2	library	`pkg:npm/type-fest@0.20.2`	CC0-1.0	
ignore	5.3.1	library	`pkg:npm/ignore@5.3.1`	MIT	
import-fresh	3.3.0	library	`pkg:npm/import-fresh@3.3.0`	MIT	
parent-module	1.0.1	library	`pkg:npm/parent-module@1.0.1`	MIT	
callsites	3.1.0	library	`pkg:npm/callsites@3.1.0`	MIT	
resolve-from	4.0.0	library	`pkg:npm/resolve-from@4.0.0`	MIT	
js-yaml	4.1.1	library	`pkg:npm/js-yaml@4.1.1`	MIT	
argparse	2.0.1	library	`pkg:npm/argparse@2.0.1`	Python-2.0	
minimatch	3.1.2	library	`pkg:npm/minimatch@3.1.2`	BlueOak-1.0.0	

(continued on next page)

(continued from previous page)

Name	Version	Type	purl	License	Description
brace-expansion	1.1.12	library	pkg:npm/brace-expansion@1.1.12	MIT	
balanced-match	1.0.2	library	pkg:npm/balanced-match@1.0.2	MIT	
concat-map	0.0.1	library	pkg:npm/concat-map@0.0.1	MIT	
strip-json-comments	3.1.1	library	pkg:npm/strip-json-comments@3.1.1	MIT	
js	8.56.0	library	pkg:npm/@eslint/js@8.56.0	MIT	
config-array	0.11.14	library	pkg:npm/@humanwhocodes/config-array@0.11.14	Apache-2.0	
object-schema	2.0.2	library	pkg:npm/@humanwhocodes/object-schema@2.0.2	BSD-3-Clause	
module-importer	1.0.1	library	pkg:npm/@humanwhocodes/module-importer@1.0.1	Apache-2.0	
fs.walk	1.2.8	library	pkg:npm/@nodelib/fs.walk@1.2.8	MIT	
fs.scandir	2.1.5	library	pkg:npm/@nodelib/fs.scandir@2.1.5	MIT	
fs.stat	2.0.5	library	pkg:npm/@nodelib/fs.stat@2.0.5	MIT	
run-parallel	1.2.0	library	pkg:npm/run-parallel@1.2.0	MIT	
queue-microtask	1.2.3	library	pkg:npm/queue-microtask@1.2.3	MIT	
fastq	1.17.1	library	pkg:npm/fastq@1.17.1	ISC	
reusify	1.0.4	library	pkg:npm/reusify@1.0.4	MIT	
structured-clone	1.2.0	library	pkg:npm/@ungap/structured-clone@1.2.0	ISC	
chalk	4.1.2	library	pkg:npm/chalk@4.1.2	MIT	
ansi-styles	4.3.0	library	pkg:npm/ansi-styles@4.3.0	MIT	
color-convert	2.0.1	library	pkg:npm/color-convert@2.0.1	MIT	
color-name	1.1.4	library	pkg:npm/color-name@1.1.4	MIT	
supports-color	7.2.0	library	pkg:npm/supports-color@7.2.0	MIT	
has-flag	4.0.0	library	pkg:npm/has-flag@4.0.0	MIT	
cross-spawn	7.0.6	library	pkg:npm/cross-spawn@7.0.6	MIT	
path-key	3.1.1	library	pkg:npm/path-key@3.1.1	MIT	
shebang-command	2.0.0	library	pkg:npm/shebang-command@2.0.0	MIT	
shebang-regex	3.0.0	library	pkg:npm/shebang-regex@3.0.0	MIT	
which	2.0.2	library	pkg:npm/which@2.0.2	ISC	
isexe	2.0.0	library	pkg:npm/isexe@2.0.0	BlueOak-1.0.0	
doctrine	3.0.0	library	pkg:npm/doctrine@3.0.0	Apache-2.0	
esutils	2.0.3	library	pkg:npm/esutils@2.0.3	BSD-2-Clause	
escape-string-regexp	4.0.0	library	pkg:npm/escape-string-regexp@4.0.0	MIT	
eslint-scope	7.2.2	library	pkg:npm/eslint-scope@7.2.2	BSD-2-Clause	
esrecurse	4.3.0	library	pkg:npm/esrecurse@4.3.0	BSD-2-Clause	
estraverse	5.3.0	library	pkg:npm/estraverse@5.3.0	BSD-2-Clause	
esquery	1.5.0	library	pkg:npm/esquery@1.5.0	BSD-3-Clause	
file-entry-cache	6.0.1	library	pkg:npm/file-entry-cache@6.0.1	MIT	
flat-cache	3.2.0	library	pkg:npm/flat-cache@3.2.0	MIT	
flatted	3.2.9	library	pkg:npm/flatted@3.2.9	ISC	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
keyv	4.5.4	library	pkg:npm/keyv@4.5.4	MIT	
json-buffer	3.0.1	library	pkg:npm/json-buffer@3.0.1	MIT	
rimraf	3.0.2	library	pkg:npm/rimraf@3.0.2	BlueOak-1.0.0	
glob	7.2.3	library	pkg:npm/glob@7.2.3	BlueOak-1.0.0	
fs.realpath	1.0.0	library	pkg:npm/fs.realpath@1.0.0	ISC	
inflight	1.0.6	library	pkg:npm/inflight@1.0.6	ISC	
once	1.4.0	library	pkg:npm/once@1.4.0	ISC	
wrappy	1.0.2	library	pkg:npm/wrappy@1.0.2	ISC	
inherits	2.0.4	library	pkg:npm/inherits@2.0.4	ISC	
path-is-absolute	1.0.1	library	pkg:npm/path-is-absolute@1.0.1	MIT	
find-up	5.0.0	library	pkg:npm/find-up@5.0.0	MIT	
locate-path	6.0.0	library	pkg:npm/locate-path@6.0.0	MIT	
p-locate	5.0.0	library	pkg:npm/p-locate@5.0.0	MIT	
p-limit	3.1.0	library	pkg:npm/p-limit@3.1.0	MIT	
yocto-queue	0.1.0	library	pkg:npm/yocto-queue@0.1.0	MIT	
path-exists	4.0.0	library	pkg:npm/path-exists@4.0.0	MIT	
glob-parent	6.0.2	library	pkg:npm/glob-parent@6.0.2	ISC	
is-glob	4.0.3	library	pkg:npm/is-glob@4.0.3	MIT	
is-extglob	2.1.1	library	pkg:npm/is-extglob@2.1.1	MIT	
graphemer	1.4.0	library	pkg:npm/graphemer@1.4.0	MIT	
imurmurhash	0.1.4	library	pkg:npm/imurmurhash@0.1.4	MIT	
is-path-inside	3.0.3	library	pkg:npm/is-path-inside@3.0.3	MIT	
json-stable-stringify-without-jsonify	1.0.1	library	pkg:npm/json-stable-stringify-without-jsonify@1.0.1	MIT	
levn	0.4.1	library	pkg:npm/levn@0.4.1	MIT	
prelude-ls	1.2.1	library	pkg:npm/prelude-ls@1.2.1	MIT	
type-check	0.4.0	library	pkg:npm/type-check@0.4.0	MIT	
lodash.merge	4.6.2	library	pkg:npm/lodash.merge@4.6.2	MIT	
natural-compare	1.4.0	library	pkg:npm/natural-compare@1.4.0	MIT	
optionator	0.9.3	library	pkg:npm/optionator@0.9.3	MIT	
word-wrap	1.2.6	library	pkg:npm/@aashutoshrathi/word-wrap@1.2.6	MIT	
deep-is	0.1.4	library	pkg:npm/deep-is@0.1.4	MIT	
fast-levenshtein	2.0.6	library	pkg:npm/fast-levenshtein@2.0.6	MIT	
strip-ansi	6.0.1	library	pkg:npm/strip-ansi@6.0.1	MIT	
ansi-regex	5.0.1	library	pkg:npm/ansi-regex@5.0.1	MIT	
text-table	0.2.0	library	pkg:npm/text-table@0.2.0	MIT	
express	4.22.1	framework	pkg:npm/express@4.22.1	MIT	
accepts	1.3.8	library	pkg:npm/accepts@1.3.8	MIT	
mime-types	2.1.35	library	pkg:npm/mime-types@2.1.35	MIT	
mime-db	1.52.0	library	pkg:npm/mime-db@1.52.0	MIT	
negotiator	0.6.3	library	pkg:npm/negotiator@0.6.3	MIT	
array-flatten	1.1.1	library	pkg:npm/array-flatten@1.1.1	MIT	
body-parser	1.20.4	library	pkg:npm/body-parser@1.20.4	MIT	
bytes	3.1.2	library	pkg:npm/bytes@3.1.2	MIT	
content-type	1.0.5	library	pkg:npm/content-type@1.0.5	MIT	
debug	2.6.9	library	pkg:npm/debug@2.6.9	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
ms	2.0.0	library	pkg:npm/ms@2.0.0	MIT	
depd	2.0.0	library	pkg:npm/depd@2.0.0	MIT	
destroy	1.2.0	library	pkg:npm/destroy@1.2.0	MIT	
http-errors	2.0.1	library	pkg:npm/http-errors@2.0.1	MIT	
setprototypeof	1.2.0	library	pkg:npm/setprototypeof@1.2.0	ISC	
statuses	2.0.2	library	pkg:npm/statuses@2.0.2	MIT	
toidentifier	1.0.1	library	pkg:npm/toidentifier@1.0.1	MIT	
iconv-lite	0.4.24	library	pkg:npm/iconv-lite@0.4.24	MIT	
safer-buffer	2.1.2	library	pkg:npm/safer-buffer@2.1.2	MIT	
on-finished	2.4.1	library	pkg:npm/on-finished@2.4.1	MIT	
ee-first	1.1.1	library	pkg:npm/ee-first@1.1.1	MIT	
qs	6.14.2	library	pkg:npm/qs@6.14.2	BSD-3-Clause	
side-channel	1.1.0	library	pkg:npm/side-channel@1.1.0	MIT	
es-errors	1.3.0	library	pkg:npm/es-errors@1.3.0	MIT	
object-inspect	1.13.4	library	pkg:npm/object-inspect@1.13.4	MIT	
side-channel-list	1.0.0	library	pkg:npm/side-channel-list@1.0.0	MIT	
side-channel-map	1.0.1	library	pkg:npm/side-channel-map@1.0.1	MIT	
call-bound	1.0.4	library	pkg:npm/call-bound@1.0.4	MIT	
call-bind-apply-helpers	1.0.2	library	pkg:npm/call-bind-apply-helpers@1.0.2	MIT	
function-bind	1.1.2	library	pkg:npm/function-bind@1.1.2	MIT	
get-intrinsic	1.3.0	library	pkg:npm/get-intrinsic@1.3.0	MIT	
es-define-property	1.0.1	library	pkg:npm/es-define-property@1.0.1	MIT	
es-object-atoms	1.1.1	library	pkg:npm/es-object-atoms@1.1.1	MIT	
get-proto	1.0.1	library	pkg:npm/get-proto@1.0.1	MIT	
dunder-proto	1.0.1	library	pkg:npm/dunder-proto@1.0.1	MIT	
gopd	1.2.0	library	pkg:npm/gopd@1.2.0	MIT	
has-symbols	1.1.0	library	pkg:npm/has-symbols@1.1.0	MIT	
hasown	2.0.2	library	pkg:npm/hasown@2.0.2	MIT	
math-intrinsics	1.1.0	library	pkg:npm/math-intrinsics@1.1.0	MIT	
side-channel-weakmap	1.0.2	library	pkg:npm/side-channel-weakmap@1.0.2	MIT	
raw-body	2.5.3	library	pkg:npm/raw-body@2.5.3	MIT	
unpipe	1.0.0	library	pkg:npm/unpipe@1.0.0	MIT	
type-is	1.6.18	library	pkg:npm/type-is@1.6.18	MIT	
media-typer	0.3.0	library	pkg:npm/media-typer@0.3.0	MIT	
content-disposition	0.5.4	library	pkg:npm/content-disposition@0.5.4	MIT	
safe-buffer	5.2.1	library	pkg:npm/safe-buffer@5.2.1	MIT	
cookie	0.7.1	library	pkg:npm/cookie@0.7.1	MIT	
cookie-signature	1.0.6	library	pkg:npm/cookie-signature@1.0.6	MIT	
encodeurl	2.0.0	library	pkg:npm/encodeurl@2.0.0	MIT	
escape-html	1.0.3	library	pkg:npm/escape-html@1.0.3	MIT	
etag	1.8.1	library	pkg:npm/etag@1.8.1	MIT	
finalhandler	1.3.1	library	pkg:npm/finalhandler@1.3.1	MIT	
parseurl	1.3.3	library	pkg:npm/parseurl@1.3.3	MIT	
statuses	2.0.1	library	pkg:npm/statuses@2.0.1	MIT	
fresh	0.5.2	library	pkg:npm/fresh@0.5.2	MIT	
http-errors	2.0.0	library	pkg:npm/http-errors@2.0.0	MIT	
merge-descriptors	1.0.3	library	pkg:npm/merge-descriptors@1.0.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
methods	1.1.2	library	pkg:npm/methods@1.1.2	MIT	
path-to-regexp	0.1.12	library	pkg:npm/path-to-regexp@0.1.12	MIT	
proxy-addr	2.0.7	library	pkg:npm/proxy-addr@2.0.7	MIT	
forwarded	0.2.0	library	pkg:npm/forwarded@0.2.0	MIT	
ipaddr.js	1.9.1	library	pkg:npm/ipaddr.js@1.9.1	MIT	
range-parser	1.2.1	library	pkg:npm/range-parser@1.2.1	MIT	
send	0.19.0	library	pkg:npm/send@0.19.0	MIT	
encodeurl	1.0.2	library	pkg:npm/encodeurl@1.0.2	MIT	
mime	1.6.0	library	pkg:npm/mime@1.6.0	MIT	
ms	2.1.3	library	pkg:npm/ms@2.1.3	MIT	
serve-static	1.16.2	library	pkg:npm/serve-static@1.16.2	MIT	
utils-merge	1.0.1	library	pkg:npm/utils-merge@1.0.1	MIT	
vary	1.1.2	library	pkg:npm/vary@1.1.2	MIT	
prettier	3.2.5	library	pkg:npm/prettier@3.2.5	MIT	
checkout	v4	application	pkg:github/actions/checkout@v4	MIT	
setup-python	v5	application	pkg:github/actions/setup-python@v5	MIT	
codecov-action	v4	application	pkg:github/codecov/codecov-action@v4	NOASSERTION	
upload-artifact	v4	application	pkg:github/actions/upload-artifact@v4	MIT	
setup-buildx-action	v3	application	pkg:github/docker/setup-buildx-action@v3	NOASSERTION	
build-push-action	v5	application	pkg:github/docker/build-push-action@v5	NOASSERTION	
github-script	v7	application	pkg:github/actions/github-script@v7	MIT	

Dependency graph (top-level refs)

```
pkg:npm/colors@1.4.0
  ->
pkg:npm/sax@1.4.3
  ->
pkg:npm/odata-csdl@0.11.1
  -> pkg:npm/colors@1.4.0, pkg:npm/sax@1.4.3
pkg:npm/odata-csdl@0.9.5
  -> pkg:npm/colors@1.4.0, pkg:npm/sax@1.4.3
pkg:npm/get-stdin@7.0.0
  ->
pkg:npm/pandoc-filter@2.2.0
  -> pkg:npm/get-stdin@7.0.0
pkg:npm/odata-vocabularies@0.5.2
  -> pkg:npm/colors@1.4.0, pkg:npm/odata-csdl@0.9.5, pkg:npm/pandoc-filter@2.2.0
pkg:npm/eslint-visitor-keys@3.4.3
  ->
pkg:npm/@eslint-community/eslint-utils@4.4.0
  -> pkg:npm/eslint-visitor-keys@3.4.3, pkg:npm/eslint@8.56.0
pkg:npm/@eslint-community/regexpp@4.10.0
  ->
pkg:npm/fast-deep-equal@3.1.3
  ->
pkg:npm/fast-json-stable-stringify@2.1.0
  ->
pkg:npm/json-schema-traverse@0.4.1
  ->
pkg:npm/punycode@2.3.1
  ->
```

```
pkg:npm/uri-js@4.4.1
  -> pkg:npm/punycode@2.3.1
pkg:npm/ajv@6.12.6
  -> pkg:npm/fast-deep-equal@3.1.3, pkg:npm/fast-json-stable-stringify@2.1.0,
  pkg:npm/json-schema-traverse@0.4.1, pkg:npm/uri-js@4.4.1
pkg:npm/ms@2.1.2
  ->
pkg:npm/debug@4.3.4
  -> pkg:npm/ms@2.1.2
pkg:npm/acorn@8.11.3
  ->
pkg:npm/acorn-jsx@5.3.2
  -> pkg:npm/acorn@8.11.3
pkg:npm/espree@9.6.1
  -> pkg:npm/acorn-jsx@5.3.2, pkg:npm/acorn@8.11.3, pkg:npm/eslint-visitor-keys@3.4.3
pkg:npm/type-fest@0.20.2
  ->
pkg:npm/globals@13.24.0
  -> pkg:npm/type-fest@0.20.2
pkg:npm/ignore@5.3.1
  ->
pkg:npm/callsites@3.1.0
  ->
pkg:npm/parent-module@1.0.1
  -> pkg:npm/callsites@3.1.0
pkg:npm/resolve-from@4.0.0
  ->
pkg:npm/import-fresh@3.3.0
  -> pkg:npm/parent-module@1.0.1, pkg:npm/resolve-from@4.0.0
pkg:npm/argparse@2.0.1
  ->
pkg:npm/js-yaml@4.1.1
  -> pkg:npm/argparse@2.0.1
```

1.9 Data Cleaning Copilot

Path: `training-webcomponents-ngx`
CycloneDX: spec 1.5, serial `urn:uuid:57fa1e30-308f-4aee-ad3b-457732f38df6...`
Generated: 2026-02-28T10:30:18Z
Tool: components

Components

Name	Version	Type	purl	License	Description
aioboto3	15.0.0	library	`pkg:pypi/aioboto3@15.0.0`	Apache-2.0	
black	25.1.0	library	`pkg:pypi/black@25.1.0`	MIT	
boto3	1.38.27	library	`pkg:pypi/boto3@1.38.27`	Apache-2.0	
frictionless	5.18.1	library	`pkg:pypi/frictionless@5.18.1`	MIT	
gradio	5.42.0	library	`pkg:pypi/gradio@5.42.0`	Apache-2.0	
instructor	1.10.0	library	`pkg:pypi/instructor@1.10.0`	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
ipykernel	6.30.0	library	pkg:pypi/ipykernel@6.30.0	BSD-3-Clause	
langchain	0.3.27	library	pkg:pypi/langchain@0.3.27	MIT	
langchain-aws	0.2.27	library	pkg:pypi/langchain-aws@0.2.27	MIT	
langchain-community	0.3.27	library	pkg:pypi/langchain-community@0.3.27	MIT	
langchain-core	0.3.73	library	pkg:pypi/langchain-core@0.3.73	MIT	
loguru	0.7.3	library	pkg:pypi/loguru@0.7.3	MIT	
networkx	3.3	library	pkg:pypi/networkx@3.3	BSD-3-Clause	
numpy	2.1.0	library	pkg:pypi/numpy@2.1.0	BSD-3-Clause	
pandas	2.2.02.3	library	pkg:pypi/pandas@2.2.02.3	BSD-3-Clause	
pandera	0.25.0	library	pkg:pypi/pandera@0.25.0	MIT	
python-dotenv	1.1.1	library	pkg:pypi/python-dotenv@1.1.1	BSD-3-Clause	
pyyaml	6.0.2	library	pkg:pypi/pyyaml@6.0.2	MIT	
relbench	1.1.0	library	pkg:pypi/relbench@1.1.0	MIT	
ruff	0.12.3	library	pkg:pypi/ruff@0.12.3	MIT	
sap-ai-sdk-gen	5.4.5	library	pkg:pypi/sap-ai-sdk-gen@5.4.5	LicenseRef-SAP-DeveloperAgreement	
setuptools	80.9.0	library	pkg:pypi/setuptools@80.9.0	MIT	
sqlalchemy	2.0.41	library	pkg:pypi/sqlalchemy@2.0.41	MIT	
tabulate	0.9.0	library	pkg:pypi/tabulate@0.9.0	MIT	
ydata-profiling	4.15.1	library	pkg:pypi/ydata-profiling@4.15.1	MIT	

Dependency graph (top-level refs)

```
root-component
  -> pkg:pypi/aioboto3@15.0.0, pkg:pypi/black@25.1.0, pkg:pypi/boto3@1.38.27,
  pkg:pypi/frictionless@5.18.1, pkg:pypi/gradio@5.42.0...
pkg:pypi/aioboto3@15.0.0
  ->
pkg:pypi/black@25.1.0
  ->
pkg:pypi/boto3@1.38.27
  ->
pkg:pypi/frictionless@5.18.1
  ->
pkg:pypi/gradio@5.42.0
  ->
pkg:pypi/instructor@1.10.0
  ->
pkg:pypi/ipykernel@6.30.0
  ->
pkg:pypi/langchain@0.3.27
  ->
pkg:pypi/langchain-aws@0.2.27
  ->
pkg:pypi/langchain-community@0.3.27
```

```
  ->
pkg:pypi/langchain-core@0.3.73
  ->
pkg:pypi/loguru@0.7.3
  ->
pkg:pypi/networkx@3.3
  ->
pkg:pypi/numpy@2.1.0
  ->
pkg:pypi/pandas@2.2.02.3
  ->
pkg:pypi/pandera@0.25.0
  ->
pkg:pypi/python-dotenv@1.1.1
  ->
pkg:pypi/pyyaml@6.0.2
  ->
pkg:pypi/relbench@1.1.0
  ->
pkg:pypi/ruff@0.12.3
  ->
pkg:pypi/sap-ai-sdk-gen@5.4.5
  ->
pkg:pypi/setuptools@80.9.0
  ->
pkg:pypi/sqlalchemy@2.0.41
  ->
pkg:pypi/tabulate@0.9.0
  ->
pkg:pypi/ydata-profiling@4.15.1
  ->
```

1.10 UI5 Web Components (Angular)

Path: `ui5-webcomponents-ngx-main`
CycloneDX: spec 1.5, serial `urn:uuid:fbff48b0-080a-46e8-859e-a5a153858d6c...`
Generated: 2026-02-28T09:52:27Z
Tool: components

Components

Name	Version	Type	purl	License	Description
express	4.22.1	framework	`pkg:npm/express@4.22.1`	MIT	
accepts	1.3.8	library	`pkg:npm/accepts@1.3.8`	MIT	
mime-types	2.1.35	library	`pkg:npm/mime-types@2.1.35`	MIT	
mime-db	1.52.0	library	`pkg:npm/mime-db@1.52.0`	MIT	
negotiator	0.6.3	library	`pkg:npm/negotiator@0.6.3`	MIT	
array-flatten	1.1.1	library	`pkg:npm/array-flatten@1.1.1`	MIT	
body-parser	1.20.4	library	`pkg:npm/body-parser@1.20.4`	MIT	
bytes	3.1.2	library	`pkg:npm/bytes@3.1.2`	MIT	
content-type	1.0.5	library	`pkg:npm/content-type@1.0.5`	MIT	
debug	2.6.9	library	`pkg:npm/debug@2.6.9`	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
ms	2.0.0	library	pkg:npm/ms@2.0.0	MIT	
depd	2.0.0	library	pkg:npm/depd@2.0.0	MIT	
destroy	1.2.0	library	pkg:npm/destroy@1.2.0	MIT	
http-errors	2.0.1	library	pkg:npm/http-errors@2.0.1	MIT	
inherits	2.0.4	library	pkg:npm/inherits@2.0.4	ISC	
setprototypeof	1.2.0	library	pkg:npm/setprototypeof@1.2.0	ISC	
statuses	2.0.2	library	pkg:npm/statuses@2.0.2	MIT	
toidentifier	1.0.1	library	pkg:npm/toidentifier@1.0.1	MIT	
iconv-lite	0.4.24	library	pkg:npm/iconv-lite@0.4.24	MIT	
safer-buffer	2.1.2	library	pkg:npm/safer-buffer@2.1.2	MIT	
on-finished	2.4.1	library	pkg:npm/on-finished@2.4.1	MIT	
ee-first	1.1.1	library	pkg:npm/ee-first@1.1.1	MIT	
qs	6.14.2	library	pkg:npm/qs@6.14.2	BSD-3-Clause	
side-channel	1.1.0	library	pkg:npm/side-channel@1.1.0	MIT	
es-errors	1.3.0	library	pkg:npm/es-errors@1.3.0	MIT	
object-inspect	1.13.4	library	pkg:npm/object-inspect@1.13.4	MIT	
side-channel-list	1.0.0	library	pkg:npm/side-channel-list@1.0.0	MIT	
side-channel-map	1.0.1	library	pkg:npm/side-channel-map@1.0.1	MIT	
call-bound	1.0.4	library	pkg:npm/call-bound@1.0.4	MIT	
call-bind-apply-helpers	1.0.2	library	pkg:npm/call-bind-apply-helpers@1.0.2	MIT	
function-bind	1.1.2	library	pkg:npm/function-bind@1.1.2	MIT	
get-intrinsic	1.3.0	library	pkg:npm/get-intrinsic@1.3.0	MIT	
es-define-property	1.0.1	library	pkg:npm/es-define-property@1.0.1	MIT	
es-object-atoms	1.1.1	library	pkg:npm/es-object-atoms@1.1.1	MIT	
get-proto	1.0.1	library	pkg:npm/get-proto@1.0.1	MIT	
dunder-proto	1.0.1	library	pkg:npm/dunder-proto@1.0.1	MIT	
gopd	1.2.0	library	pkg:npm/gopd@1.2.0	MIT	
has-symbols	1.1.0	library	pkg:npm/has-symbols@1.1.0	MIT	
hasown	2.0.2	library	pkg:npm/hasown@2.0.2	MIT	
math-intrinsics	1.1.0	library	pkg:npm/math-intrinsics@1.1.0	MIT	
side-channel-weakmap	1.0.2	library	pkg:npm/side-channel-weakmap@1.0.2	MIT	
raw-body	2.5.3	library	pkg:npm/raw-body@2.5.3	MIT	
unpipe	1.0.0	library	pkg:npm/unpipe@1.0.0	MIT	
type-is	1.6.18	library	pkg:npm/type-is@1.6.18	MIT	
media-typer	0.3.0	library	pkg:npm/media-typer@0.3.0	MIT	
content-disposition	0.5.4	library	pkg:npm/content-disposition@0.5.4	MIT	
safe-buffer	5.2.1	library	pkg:npm/safe-buffer@5.2.1	MIT	
cookie	0.7.2	library	pkg:npm/cookie@0.7.2	MIT	
cookie-signature	1.0.7	library	pkg:npm/cookie-signature@1.0.7	MIT	
encodeurl	2.0.0	library	pkg:npm/encodeurl@2.0.0	MIT	
escape-html	1.0.3	library	pkg:npm/escape-html@1.0.3	MIT	
etag	1.8.1	library	pkg:npm/etag@1.8.1	MIT	
finalhandler	1.3.2	library	pkg:npm/finalhandler@1.3.2	MIT	
parseurl	1.3.3	library	pkg:npm/parseurl@1.3.3	MIT	
fresh	0.5.2	library	pkg:npm/fresh@0.5.2	MIT	
merge-descriptors	1.0.3	library	pkg:npm/merge-descriptors@1.0.3	MIT	
methods	1.1.2	library	pkg:npm/methods@1.1.2	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
path-to-regexp	0.1.12	library	pkg:npm/path-to-regexp@0.1.12	MIT	
proxy-addr	2.0.7	library	pkg:npm/proxy-addr@2.0.7	MIT	
forwarded	0.2.0	library	pkg:npm/forwarded@0.2.0	MIT	
ipaddr.js	1.9.1	library	pkg:npm/ipaddr.js@1.9.1	MIT	
range-parser	1.2.1	library	pkg:npm/range-parser@1.2.1	MIT	
send	0.19.2	library	pkg:npm/send@0.19.2	MIT	
mime	1.6.0	library	pkg:npm/mime@1.6.0	MIT	
ms	2.1.3	library	pkg:npm/ms@2.1.3	MIT	
serve-static	1.16.3	library	pkg:npm/serve-static@1.16.3	MIT	
utils-merge	1.0.1	library	pkg:npm/utils-merge@1.0.1	MIT	
vary	1.1.2	library	pkg:npm/vary@1.1.2	MIT	
express	4.17.25	library	pkg:npm/@types/express@4.17.25	MIT	
body-parser	1.19.6	library	pkg:npm/@types/body-parser@1.19.6	MIT	
connect	3.4.38	library	pkg:npm/@types/connect@3.4.38	MIT	
node	20.19.33	library	pkg:npm/@types/node@20.19.33	MIT	
undici-types	6.21.0	library	pkg:npm/undici-types@6.21.0	MIT	
express-serve-static-core	4.19.8	library	pkg:npm/@types/express-serve-static-core@4.19.8	MIT	
qs	6.14.0	library	pkg:npm/@types/qs@6.14.0	MIT	
range-parser	1.2.7	library	pkg:npm/@types/range-parser@1.2.7	MIT	
send	1.2.1	library	pkg:npm/@types/send@1.2.1	MIT	
serve-static	1.15.10	library	pkg:npm/@types/serve-static@1.15.10	MIT	
http-errors	2.0.5	library	pkg:npm/@types/http-errors@2.0.5	MIT	
send	0.17.6	library	pkg:npm/@types/send@0.17.6	MIT	
mime	1.3.5	library	pkg:npm/@types/mime@1.3.5	MIT	
ts-node	10.9.2	library	pkg:npm/ts-node@10.9.2	MIT	
typescript	5.9.3	library	pkg:npm/typescript@5.9.3	Apache-2.0	
source-map-support	0.8.1	library	pkg:npm/@cspotcode/source-map-support@0.8.1	MIT	
trace-mapping	0.3.9	library	pkg:npm/@jridgewell/trace-mapping@0.3.9	MIT	
resolve-uri	3.1.2	library	pkg:npm/@jridgewell/resolve-uri@3.1.2	MIT	
sourcemap-codec	1.5.5	library	pkg:npm/@jridgewell/sourcemap-codec@1.5.5	MIT	
node10	1.0.12	library	pkg:npm/@tsconfig/node10@1.0.12	MIT	
node12	1.0.11	library	pkg:npm/@tsconfig/node12@1.0.11	MIT	
node14	1.0.3	library	pkg:npm/@tsconfig/node14@1.0.3	MIT	
node16	1.0.4	library	pkg:npm/@tsconfig/node16@1.0.4	MIT	
acorn	8.16.0	library	pkg:npm/acorn@8.16.0	MIT	
acorn-walk	8.3.5	library	pkg:npm/acorn-walk@8.3.5	MIT	
arg	4.1.3	library	pkg:npm/arg@4.1.3	MIT	
create-require	1.1.1	library	pkg:npm/create-require@1.1.1	MIT	
diff	4.0.4	library	pkg:npm/diff@4.0.4	BSD-3-Clause	
make-error	1.3.6	library	pkg:npm/make-error@1.3.6	ISC	
v8-compile-cache-lib	3.0.1	library	pkg:npm/v8-compile-cache-lib@3.0.1	MIT	
yn	3.1.1	library	pkg:npm/yn@3.1.1	MIT	
core	1.11.1	library	pkg:npm/@actions/core@1.11.1	MIT	
exec	1.1.1	library	pkg:npm/@actions/exec@1.1.1	MIT	
http-client	2.2.3	library	pkg:npm/@actions/http-client@2.2.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
io	1.1.3	library	pkg:npm/@actions/io@1.1.3	MIT	
css-tools	4.4.4	library	pkg:npm/@adobe/css-tools@4.4.4	MIT	
abtesting	1.1.0	library	pkg:npm/@algolia/abtesting@1.1.0	MIT	
client-abtesting	5.35.0	library	pkg:npm/@algolia/client-abtesting@5.35.0	MIT	
client-analytics	5.35.0	library	pkg:npm/@algolia/client-analytics@5.35.0	MIT	
client-common	5.35.0	library	pkg:npm/@algolia/client-common@5.35.0	MIT	
client-insights	5.35.0	library	pkg:npm/@algolia/client-insights@5.35.0	MIT	
client-personalization	5.35.0	library	pkg:npm/@algolia/client-personalization@5.35.0	MIT	
client-query-suggestions	5.35.0	library	pkg:npm/@algolia/client-query-suggestions@5.35.0	MIT	
client-search	5.35.0	library	pkg:npm/@algolia/client-search@5.35.0	MIT	
ingestion	1.35.0	library	pkg:npm/@algolia/ingestion@1.35.0	MIT	
monitoring	1.35.0	library	pkg:npm/@algolia/monitoring@1.35.0	MIT	
recommend	5.35.0	library	pkg:npm/@algolia/recommend@5.35.0	MIT	
requester-browser-xhr	5.35.0	library	pkg:npm/@algolia/requester-browser-xhr@5.35.0	MIT	
requester-fetch	5.35.0	library	pkg:npm/@algolia/requester-fetch@5.35.0	MIT	
requester-node-http	5.35.0	library	pkg:npm/@algolia/requester-node-http@5.35.0	MIT	
remapping	2.3.0	library	pkg:npm/@ampproject/remapping@2.3.0	Apache-2.0	
architect	0.2003.14	framework	pkg:npm/@angular-devkit/architect@0.2003.14	MIT	
architect	0.2003.9	framework	pkg:npm/@angular-devkit/architect@0.2003.9	MIT	
build-angular	20.3.9	framework	pkg:npm/@angular-devkit/build-angular@20.3.9	MIT	
build-webpack	0.2003.9	framework	pkg:npm/@angular-devkit/build-webpack@0.2003.9	MIT	
core	20.3.14	framework	pkg:npm/@angular-devkit/core@20.3.14	MIT	
core	20.3.9	framework	pkg:npm/@angular-devkit/core@20.3.9	MIT	
schematics	20.3.14	framework	pkg:npm/@angular-devkit/schematics@20.3.14	MIT	
schematics	20.3.9	framework	pkg:npm/@angular-devkit/schematics@20.3.9	MIT	
bundled-angular-compiler	20.5.1	framework	pkg:npm/@angular-eslint/bundled-angular-compiler@20.5.	MIT	
eslint-plugin-template	20.5.1	framework	pkg:npm/@angular-eslint/eslint-plugin-template@20.5.1	MIT	
eslint-plugin	20.5.1	framework	pkg:npm/@angular-eslint/eslint-plugin@20.5.1	MIT	
template-parser	20.5.1	framework	pkg:npm/@angular-eslint/template-parser@20.5.1	MIT	
utils	20.5.1	framework	pkg:npm/@angular-eslint/utils@20.5.1	MIT	
animations	20.3.9	framework	pkg:npm/@angular/animations@20.3.9	MIT	
build	20.3.9	framework	pkg:npm/@angular/build@20.3.9	MIT	
cli	20.3.14	framework	pkg:npm/@angular/cli@20.3.14	MIT	
common	20.3.9	framework	pkg:npm/@angular/common@20.3.9	MIT	
compiler-cli	20.3.9	framework	pkg:npm/@angular/compiler-cli@20.3.9	MIT	
compiler	20.3.9	framework	pkg:npm/@angular/compiler@20.3.9	MIT	
core	20.3.9	framework	pkg:npm/@angular/core@20.3.9	MIT	
forms	20.3.9	framework	pkg:npm/@angular/forms@20.3.9	MIT	
language-service	20.3.9	framework	pkg:npm/@angular/language-service@20.3.9	MIT	
platform-browser-dynamic	20.3.9	framework	pkg:npm/@angular/platform-browser-dynamic@20.3.9	MIT	
platform-browser	20.3.9	framework	pkg:npm/@angular/platform-browser@20.3.9	MIT	
router	20.3.9	framework	pkg:npm/@angular/router@20.3.9	MIT	
css-color	3.2.0	library	pkg:npm/@asamuzakjp/css-color@3.2.0	MIT	
code-frame	7.12.11	library	pkg:npm/@babel/code-frame@7.12.11	MIT	
code-frame	7.27.1	library	pkg:npm/@babel/code-frame@7.27.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
compat-data	7.28.5	library	pkg:npm/@babel/compat-data@7.28.5	MIT	
core	7.28.3	library	pkg:npm/@babel/core@7.28.3	MIT	
core	7.28.5	library	pkg:npm/@babel/core@7.28.5	MIT	
generator	7.28.3	library	pkg:npm/@babel/generator@7.28.3	MIT	
generator	7.28.5	library	pkg:npm/@babel/generator@7.28.5	MIT	
helper-annotate-as-pure	7.27.3	library	pkg:npm/@babel/helper-annotate-as-pure@7.27.3	MIT	
helper-compilation-targets	7.27.2	library	pkg:npm/@babel/helper-compilation-targets@7.27.2	MIT	
helper-create-class-features-plugin	7.28.5	library	pkg:npm/@babel/helper-create-class-features-plugin@7.2	MIT	
helper-create-regexp-features-plugin	7.28.5	library	pkg:npm/@babel/helper-create-regexp-features-plugin@7.	MIT	
helper-define-polyfill-provider	0.6.5	library	pkg:npm/@babel/helper-define-polyfill-provider@0.6.5	MIT	
helper-globals	7.28.0	library	pkg:npm/@babel/helper-globals@7.28.0	MIT	
helper-member-expression-to-functions	7.28.5	library	pkg:npm/@babel/helper-member-expression-to-functions@7	MIT	
helper-module-imports	7.27.1	library	pkg:npm/@babel/helper-module-imports@7.27.1	MIT	
helper-module-transforms	7.28.3	library	pkg:npm/@babel/helper-module-transforms@7.28.3	MIT	
helper-optimise-call-expression	7.27.1	library	pkg:npm/@babel/helper-optimise-call-expression@7.27.1	MIT	
helper-plugin-utils	7.27.1	library	pkg:npm/@babel/helper-plugin-utils@7.27.1	MIT	
helper-remap-async-to-generator	7.27.1	library	pkg:npm/@babel/helper-remap-async-to-generator@7.27.1	MIT	
helper-replace-supers	7.27.1	library	pkg:npm/@babel/helper-replace-supers@7.27.1	MIT	
helper-skip-transparent-expression-wrappers	7.27.1	library	pkg:npm/@babel/helper-skip-transparent-expression-wrap	MIT	
helper-split-export-declaration	7.24.7	library	pkg:npm/@babel/helper-split-export-declaration@7.24.7	MIT	
helper-string-parser	7.27.1	library	pkg:npm/@babel/helper-string-parser@7.27.1	MIT	
helper-validator-identifier	7.28.5	library	pkg:npm/@babel/helper-validator-identifier@7.28.5	MIT	
helper-validator-option	7.27.1	library	pkg:npm/@babel/helper-validator-option@7.27.1	MIT	
helper-wrap-function	7.28.3	library	pkg:npm/@babel/helper-wrap-function@7.28.3	MIT	
helpers	7.28.4	library	pkg:npm/@babel/helpers@7.28.4	MIT	
highlight	7.25.9	library	pkg:npm/@babel/highlight@7.25.9	MIT	
parser	7.28.5	library	pkg:npm/@babel/parser@7.28.5	MIT	
plugin-bugfix-firefox-class-in-computed-class-key	7.28.5	library	pkg:npm/@babel/plugin-bugfix-firefox-class-in-computed	MIT	
plugin-bugfix-safari-class-field-initializer-scope	7.27.1	library	pkg:npm/@babel/plugin-bugfix-safari-class-field-initia	MIT	
plugin-bugfix-safari-id-destructuring-collision-in-function-expression	7.27.1	library	pkg:npm/@babel/plugin-bugfix-safari-id-destructuring-c	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-bugfix-v8-spread-parameters-in-optional-chaining	7.27.1	library	pkg:npm/@babel/plugin-bugfix-v8-spread-parameters-in-o	MIT	
plugin-bugfix-v8-static-class-fields-redefine-readonly	7.28.3	library	pkg:npm/@babel/plugin-bugfix-v8-static-class-fields-re	MIT	
plugin-proposal-decorators	7.28.0	library	pkg:npm/@babel/plugin-proposal-decorators@7.28.0	MIT	
plugin-proposal-private-property-in-object	7.21.0-placeholder-for-preset-env.2	library	pkg:npm/@babel/plugin-proposal-private-property-in-obj	MIT	
plugin-syntax-async-generators	7.8.4	library	pkg:npm/@babel/plugin-syntax-async-generators@7.8.4	MIT	
plugin-syntax-bigint	7.8.3	library	pkg:npm/@babel/plugin-syntax-bigint@7.8.3	MIT	
plugin-syntax-class-properties	7.12.13	library	pkg:npm/@babel/plugin-syntax-class-properties@7.12.13	MIT	
plugin-syntax-class-static-block	7.14.5	library	pkg:npm/@babel/plugin-syntax-class-static-block@7.14.5	MIT	
plugin-syntax-decorators	7.27.1	library	pkg:npm/@babel/plugin-syntax-decorators@7.27.1	MIT	
plugin-syntax-dynamic-import	7.8.3	library	pkg:npm/@babel/plugin-syntax-dynamic-import@7.8.3	MIT	
plugin-syntax-import-assertions	7.27.1	library	pkg:npm/@babel/plugin-syntax-import-assertions@7.27.1	MIT	
plugin-syntax-import-attributes	7.27.1	library	pkg:npm/@babel/plugin-syntax-import-attributes@7.27.1	MIT	
plugin-syntax-import-meta	7.10.4	library	pkg:npm/@babel/plugin-syntax-import-meta@7.10.4	MIT	
plugin-syntax-json-strings	7.8.3	library	pkg:npm/@babel/plugin-syntax-json-strings@7.8.3	MIT	
plugin-syntax-jsx	7.27.1	library	pkg:npm/@babel/plugin-syntax-jsx@7.27.1	MIT	
plugin-syntax-logical-assignment-operators	7.10.4	library	pkg:npm/@babel/plugin-syntax-logical-assignment-operat	MIT	
plugin-syntax-nullish-coalescing-operator	7.8.3	library	pkg:npm/@babel/plugin-syntax-nullish-coalescing-operat	MIT	
plugin-syntax-numeric-separator	7.10.4	library	pkg:npm/@babel/plugin-syntax-numeric-separator@7.10.4	MIT	
plugin-syntax-object-rest-spread	7.8.3	library	pkg:npm/@babel/plugin-syntax-object-rest-spread@7.8.3	MIT	
plugin-syntax-optional-catch-binding	7.8.3	library	pkg:npm/@babel/plugin-syntax-optional-catch-binding@7.	MIT	
plugin-syntax-optional-chaining	7.8.3	library	pkg:npm/@babel/plugin-syntax-optional-chaining@7.8.3	MIT	
plugin-syntax-private-property-in-object	7.14.5	library	pkg:npm/@babel/plugin-syntax-private-property-in-objec	MIT	
plugin-syntax-top-level-await	7.14.5	library	pkg:npm/@babel/plugin-syntax-top-level-await@7.14.5	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-syntax-typescript	7.27.1	library	pkg:npm/@babel/plugin-syntax-typescript@7.27.1	MIT	
plugin-syntax-unicode-sets-regex	7.18.6	library	pkg:npm/@babel/plugin-syntax-unicode-sets-regex@7.18.6	MIT	
plugin-transform-arrow-functions	7.27.1	library	pkg:npm/@babel/plugin-transform-arrow-functions@7.27.1	MIT	
plugin-transform-async-generator-functions	7.28.0	library	pkg:npm/@babel/plugin-transform-async-generator-functi	MIT	
plugin-transform-async-to-generator	7.27.1	library	pkg:npm/@babel/plugin-transform-async-to-generator@7.2	MIT	
plugin-transform-block-scoped-functions	7.27.1	library	pkg:npm/@babel/plugin-transform-block-scoped-functions	MIT	
plugin-transform-block-scoping	7.28.5	library	pkg:npm/@babel/plugin-transform-block-scoping@7.28.5	MIT	
plugin-transform-class-properties	7.27.1	library	pkg:npm/@babel/plugin-transform-class-properties@7.27.	MIT	
plugin-transform-class-static-block	7.28.3	library	pkg:npm/@babel/plugin-transform-class-static-block@7.2	MIT	
plugin-transform-classes	7.28.4	library	pkg:npm/@babel/plugin-transform-classes@7.28.4	MIT	
plugin-transform-computed-properties	7.27.1	library	pkg:npm/@babel/plugin-transform-computed-properties@7.	MIT	
plugin-transform-destructuring	7.28.5	library	pkg:npm/@babel/plugin-transform-destructuring@7.28.5	MIT	
plugin-transform-dotall-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-dotall-regex@7.27.1	MIT	
plugin-transform-duplicate-keys	7.27.1	library	pkg:npm/@babel/plugin-transform-duplicate-keys@7.27.1	MIT	
plugin-transform-duplicate-named-capturing-groups-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-duplicate-named-captur	MIT	
plugin-transform-dynamic-import	7.27.1	library	pkg:npm/@babel/plugin-transform-dynamic-import@7.27.1	MIT	
plugin-transform-explicit-resource-management	7.28.0	library	pkg:npm/@babel/plugin-transform-explicit-resource-mana	MIT	
plugin-transform-exponentiation-operator	7.28.5	library	pkg:npm/@babel/plugin-transform-exponentiation-operato	MIT	
plugin-transform-export-namespace-from	7.27.1	library	pkg:npm/@babel/plugin-transform-export-namespace-from@	MIT	
plugin-transform-for-of	7.27.1	library	pkg:npm/@babel/plugin-transform-for-of@7.27.1	MIT	
plugin-transform-function-name	7.27.1	library	pkg:npm/@babel/plugin-transform-function-name@7.27.1	MIT	
plugin-transform-json-strings	7.27.1	library	pkg:npm/@babel/plugin-transform-json-strings@7.27.1	MIT	
plugin-transform-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-literals@7.27.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-transform-logical-assignment-operators	7.28.5	library	pkg:npm/@babel/plugin-transform-logical-assignment-ope	MIT	
plugin-transform-member-expression-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-member-expression-lite	MIT	
plugin-transform-modules-amd	7.27.1	library	pkg:npm/@babel/plugin-transform-modules-amd@7.27.1	MIT	
plugin-transform-modules-commonjs	7.27.1	library	pkg:npm/@babel/plugin-transform-modules-commonjs@7.27.	MIT	
plugin-transform-modules-systemjs	7.28.5	library	pkg:npm/@babel/plugin-transform-modules-systemjs@7.28.	MIT	
plugin-transform-modules-umd	7.27.1	library	pkg:npm/@babel/plugin-transform-modules-umd@7.27.1	MIT	
plugin-transform-named-capturing-groups-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-named-capturing-groups	MIT	
plugin-transform-new-target	7.27.1	library	pkg:npm/@babel/plugin-transform-new-target@7.27.1	MIT	
plugin-transform-nullish-coalescing-operator	7.27.1	library	pkg:npm/@babel/plugin-transform-nullish-coalescing-ope	MIT	
plugin-transform-numeric-separator	7.27.1	library	pkg:npm/@babel/plugin-transform-numeric-separator@7.27	MIT	
plugin-transform-object-rest-spread	7.28.4	library	pkg:npm/@babel/plugin-transform-object-rest-spread@7.2	MIT	
plugin-transform-object-super	7.27.1	library	pkg:npm/@babel/plugin-transform-object-super@7.27.1	MIT	
plugin-transform-optional-catch-binding	7.27.1	library	pkg:npm/@babel/plugin-transform-optional-catch-binding	MIT	
plugin-transform-optional-chaining	7.28.5	library	pkg:npm/@babel/plugin-transform-optional-chaining@7.28	MIT	
plugin-transform-parameters	7.27.7	library	pkg:npm/@babel/plugin-transform-parameters@7.27.7	MIT	
plugin-transform-private-methods	7.27.1	library	pkg:npm/@babel/plugin-transform-private-methods@7.27.1	MIT	
plugin-transform-private-property-in-object	7.27.1	library	pkg:npm/@babel/plugin-transform-private-property-in-ob	MIT	
plugin-transform-property-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-property-literals@7.27	MIT	
plugin-transform-regenerator	7.28.4	library	pkg:npm/@babel/plugin-transform-regenerator@7.28.4	MIT	
plugin-transform-regexp-modifiers	7.27.1	library	pkg:npm/@babel/plugin-transform-regexp-modifiers@7.27.	MIT	
plugin-transform-reserved-words	7.27.1	library	pkg:npm/@babel/plugin-transform-reserved-words@7.27.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-transform-runtime	7.28.3	library	pkg:npm/@babel/plugin-transform-runtime@7.28.3	MIT	
plugin-transform-runtime	7.28.5	library	pkg:npm/@babel/plugin-transform-runtime@7.28.5	MIT	
plugin-transform-shorthand-properties	7.27.1	library	pkg:npm/@babel/plugin-transform-shorthand-properties@7	MIT	
plugin-transform-spread	7.27.1	library	pkg:npm/@babel/plugin-transform-spread@7.27.1	MIT	
plugin-transform-sticky-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-sticky-regex@7.27.1	MIT	
plugin-transform-template-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-template-literals@7.27	MIT	
plugin-transform-typeof-symbol	7.27.1	library	pkg:npm/@babel/plugin-transform-typeof-symbol@7.27.1	MIT	
plugin-transform-typescript	7.28.5	library	pkg:npm/@babel/plugin-transform-typescript@7.28.5	MIT	
plugin-transform-unicode-escapes	7.27.1	library	pkg:npm/@babel/plugin-transform-unicode-escapes@7.27.1	MIT	
plugin-transform-unicode-property-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-unicode-property-regex	MIT	
plugin-transform-unicode-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-unicode-regex@7.27.1	MIT	
plugin-transform-unicode-sets-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-unicode-sets-regex@7.2	MIT	
preset-env	7.28.3	library	pkg:npm/@babel/preset-env@7.28.3	MIT	
preset-env	7.28.5	library	pkg:npm/@babel/preset-env@7.28.5	MIT	
preset-modules	0.1.6-no-external-plugins	library	pkg:npm/@babel/preset-modules@0.1.6-no-external-plugin	MIT	
preset-typescript	7.28.5	library	pkg:npm/@babel/preset-typescript@7.28.5	MIT	
runtime	7.28.3	library	pkg:npm/@babel/runtime@7.28.3	MIT	
runtime	7.28.4	library	pkg:npm/@babel/runtime@7.28.4	MIT	
template	7.27.2	library	pkg:npm/@babel/template@7.27.2	MIT	
traverse	7.28.5	library	pkg:npm/@babel/traverse@7.28.5	MIT	
types	7.28.5	library	pkg:npm/@babel/types@7.28.5	MIT	
v8-coverage	0.2.3	library	pkg:npm/@bcoe/v8-coverage@0.2.3	MIT	
protobuf	2.10.2	library	pkg:npm/@bufbuild/protobuf@2.10.2	Apache-2.0	
cli	17.3.0	library	pkg:npm/@commitlint/cli@17.3.0	MIT	
config-angular-type-enum	17.8.1	library	pkg:npm/@commitlint/config-angular-type-enum@17.8.1	MIT	
config-angular	17.3.0	library	pkg:npm/@commitlint/config-angular@17.3.0	MIT	
config-conventional	17.3.0	library	pkg:npm/@commitlint/config-conventional@17.3.0	MIT	
config-validator	17.8.1	library	pkg:npm/@commitlint/config-validator@17.8.1	MIT	
ensure	17.8.1	library	pkg:npm/@commitlint/ensure@17.8.1	MIT	
execute-rule	17.8.1	library	pkg:npm/@commitlint/execute-rule@17.8.1	MIT	
format	17.8.1	library	pkg:npm/@commitlint/format@17.8.1	MIT	
is-ignored	17.8.1	library	pkg:npm/@commitlint/is-ignored@17.8.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
lint	17.8.1	library	pkg:npm/@commitlint/lint@17.8.1	MIT	
load	17.8.1	library	pkg:npm/@commitlint/load@17.8.1	MIT	
message	17.8.1	library	pkg:npm/@commitlint/message@17.8.1	MIT	
parse	17.8.1	library	pkg:npm/@commitlint/parse@17.8.1	MIT	
read	17.8.1	library	pkg:npm/@commitlint/read@17.8.1	MIT	
resolve-extends	17.8.1	library	pkg:npm/@commitlint/resolve-extends@17.8.1	MIT	
rules	17.8.1	library	pkg:npm/@commitlint/rules@17.8.1	MIT	
to-lines	17.8.1	library	pkg:npm/@commitlint/to-lines@17.8.1	MIT	
top-level	17.8.1	library	pkg:npm/@commitlint/top-level@17.8.1	MIT	
types	17.8.1	library	pkg:npm/@commitlint/types@17.8.1	MIT	
color-helpers	5.1.0	library	pkg:npm/@csstools/color-helpers@5.1.0	MIT-0	
css-calc	2.1.4	library	pkg:npm/@csstools/css-calc@2.1.4	MIT	
css-color-parser	3.1.0	library	pkg:npm/@csstools/css-color-parser@3.1.0	MIT	
css-parser-algorithms	3.0.5	library	pkg:npm/@csstools/css-parser-algorithms@3.0.5	MIT	
css-tokenizer	3.0.4	library	pkg:npm/@csstools/css-tokenizer@3.0.4	MIT	
postcss-color-function	1.1.1	library	pkg:npm/@csstools/postcss-color-function@1.1.1	MIT-0	
postcss-font-format-keywords	1.0.1	library	pkg:npm/@csstools/postcss-font-format-keywords@1.0.1	MIT-0	
postcss-hwb-function	1.0.2	library	pkg:npm/@csstools/postcss-hwb-function@1.0.2	MIT-0	
postcss-ic-unit	1.0.1	library	pkg:npm/@csstools/postcss-ic-unit@1.0.1	MIT-0	
postcss-is-pseudo-class	2.0.7	library	pkg:npm/@csstools/postcss-is-pseudo-class@2.0.7	MIT-0	
postcss-normalize-display-values	1.0.1	library	pkg:npm/@csstools/postcss-normalize-display-values@1.0	MIT-0	
postcss-oklab-function	1.1.1	library	pkg:npm/@csstools/postcss-oklab-function@1.1.1	MIT-0	
postcss-progressive-custom-properties	1.3.0	library	pkg:npm/@csstools/postcss-progressive-custom-propertie	MIT-0	
postcss-stepped-value-functions	1.0.1	library	pkg:npm/@csstools/postcss-stepped-value-functions@1.0.	MIT-0	
postcss-unset-value	1.0.2	library	pkg:npm/@csstools/postcss-unset-value@1.0.2	MIT-0	
selector-specificity	2.2.0	library	pkg:npm/@csstools/selector-specificity@2.2.0	MIT-0	
analyzer	0.10.10	library	pkg:npm/@custom-elements-manifest/analyzer@0.10.10	MIT	
find-dependencies	0.0.6	library	pkg:npm/@custom-elements-manifest/find-dependencies@0.	ISC	
request	3.0.10	library	pkg:npm/@cypress/request@3.0.10	Apache-2.0	
xvfb	1.2.4	library	pkg:npm/@cypress/xvfb@1.2.4	MIT	
json-ext	0.6.3	library	pkg:npm/@discoveryjs/json-ext@0.6.3	MIT	
core	1.8.1	library	pkg:npm/@emnapi/core@1.8.1	MIT	
runtime	1.8.1	library	pkg:npm/@emnapi/runtime@1.8.1	MIT	
wasi-threads	1.1.0	library	pkg:npm/@emnapi/wasi-threads@1.1.0	MIT	
aix-ppc64	0.21.5	library	pkg:npm/@esbuild/aix-ppc64@0.21.5	MIT	
aix-ppc64	0.25.12	library	pkg:npm/@esbuild/aix-ppc64@0.25.12	MIT	
aix-ppc64	0.25.5	library	pkg:npm/@esbuild/aix-ppc64@0.25.5	MIT	
aix-ppc64	0.25.9	library	pkg:npm/@esbuild/aix-ppc64@0.25.9	MIT	
aix-ppc64	0.27.2	library	pkg:npm/@esbuild/aix-ppc64@0.27.2	MIT	
android-arm64	0.21.5	library	pkg:npm/@esbuild/android-arm64@0.21.5	MIT	
android-arm64	0.25.12	library	pkg:npm/@esbuild/android-arm64@0.25.12	MIT	
android-arm64	0.25.5	library	pkg:npm/@esbuild/android-arm64@0.25.5	MIT	
android-arm64	0.25.9	library	pkg:npm/@esbuild/android-arm64@0.25.9	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
android-arm64	0.27.2	library	pkg:npm/@esbuild/android-arm64@0.27.2	MIT	
android-arm	0.21.5	library	pkg:npm/@esbuild/android-arm@0.21.5	MIT	
android-arm	0.25.12	library	pkg:npm/@esbuild/android-arm@0.25.12	MIT	
android-arm	0.25.5	library	pkg:npm/@esbuild/android-arm@0.25.5	MIT	
android-arm	0.25.9	library	pkg:npm/@esbuild/android-arm@0.25.9	MIT	
android-arm	0.27.2	library	pkg:npm/@esbuild/android-arm@0.27.2	MIT	
android-x64	0.21.5	library	pkg:npm/@esbuild/android-x64@0.21.5	MIT	
android-x64	0.25.12	library	pkg:npm/@esbuild/android-x64@0.25.12	MIT	
android-x64	0.25.5	library	pkg:npm/@esbuild/android-x64@0.25.5	MIT	
android-x64	0.25.9	library	pkg:npm/@esbuild/android-x64@0.25.9	MIT	
android-x64	0.27.2	library	pkg:npm/@esbuild/android-x64@0.27.2	MIT	
darwin-arm64	0.21.5	library	pkg:npm/@esbuild/darwin-arm64@0.21.5	MIT	
darwin-arm64	0.25.12	library	pkg:npm/@esbuild/darwin-arm64@0.25.12	MIT	
darwin-arm64	0.25.5	library	pkg:npm/@esbuild/darwin-arm64@0.25.5	MIT	
darwin-arm64	0.25.9	library	pkg:npm/@esbuild/darwin-arm64@0.25.9	MIT	
darwin-arm64	0.27.2	library	pkg:npm/@esbuild/darwin-arm64@0.27.2	MIT	
darwin-x64	0.21.5	library	pkg:npm/@esbuild/darwin-x64@0.21.5	MIT	
darwin-x64	0.25.12	library	pkg:npm/@esbuild/darwin-x64@0.25.12	MIT	
darwin-x64	0.25.5	library	pkg:npm/@esbuild/darwin-x64@0.25.5	MIT	
darwin-x64	0.25.9	library	pkg:npm/@esbuild/darwin-x64@0.25.9	MIT	
darwin-x64	0.27.2	library	pkg:npm/@esbuild/darwin-x64@0.27.2	MIT	
freebsd-arm64	0.21.5	library	pkg:npm/@esbuild/freebsd-arm64@0.21.5	MIT	
freebsd-arm64	0.25.12	library	pkg:npm/@esbuild/freebsd-arm64@0.25.12	MIT	
freebsd-arm64	0.25.5	library	pkg:npm/@esbuild/freebsd-arm64@0.25.5	MIT	
freebsd-arm64	0.25.9	library	pkg:npm/@esbuild/freebsd-arm64@0.25.9	MIT	
freebsd-arm64	0.27.2	library	pkg:npm/@esbuild/freebsd-arm64@0.27.2	MIT	
freebsd-x64	0.21.5	library	pkg:npm/@esbuild/freebsd-x64@0.21.5	MIT	
freebsd-x64	0.25.12	library	pkg:npm/@esbuild/freebsd-x64@0.25.12	MIT	
freebsd-x64	0.25.5	library	pkg:npm/@esbuild/freebsd-x64@0.25.5	MIT	
freebsd-x64	0.25.9	library	pkg:npm/@esbuild/freebsd-x64@0.25.9	MIT	
freebsd-x64	0.27.2	library	pkg:npm/@esbuild/freebsd-x64@0.27.2	MIT	
linux-arm64	0.21.5	library	pkg:npm/@esbuild/linux-arm64@0.21.5	MIT	
linux-arm64	0.25.12	library	pkg:npm/@esbuild/linux-arm64@0.25.12	MIT	
linux-arm64	0.25.5	library	pkg:npm/@esbuild/linux-arm64@0.25.5	MIT	
linux-arm64	0.25.9	library	pkg:npm/@esbuild/linux-arm64@0.25.9	MIT	
linux-arm64	0.27.2	library	pkg:npm/@esbuild/linux-arm64@0.27.2	MIT	
linux-arm	0.21.5	library	pkg:npm/@esbuild/linux-arm@0.21.5	MIT	
linux-arm	0.25.12	library	pkg:npm/@esbuild/linux-arm@0.25.12	MIT	
linux-arm	0.25.5	library	pkg:npm/@esbuild/linux-arm@0.25.5	MIT	
linux-arm	0.25.9	library	pkg:npm/@esbuild/linux-arm@0.25.9	MIT	
linux-arm	0.27.2	library	pkg:npm/@esbuild/linux-arm@0.27.2	MIT	
linux-ia32	0.21.5	library	pkg:npm/@esbuild/linux-ia32@0.21.5	MIT	
linux-ia32	0.25.12	library	pkg:npm/@esbuild/linux-ia32@0.25.12	MIT	
linux-ia32	0.25.5	library	pkg:npm/@esbuild/linux-ia32@0.25.5	MIT	
linux-ia32	0.25.9	library	pkg:npm/@esbuild/linux-ia32@0.25.9	MIT	
linux-ia32	0.27.2	library	pkg:npm/@esbuild/linux-ia32@0.27.2	MIT	
linux-loong64	0.21.5	library	pkg:npm/@esbuild/linux-loong64@0.21.5	MIT	
linux-loong64	0.25.12	library	pkg:npm/@esbuild/linux-loong64@0.25.12	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
linux-loong64	0.25.5	library	pkg:npm/@esbuild/linux-loong64@0.25.5	MIT	
linux-loong64	0.25.9	library	pkg:npm/@esbuild/linux-loong64@0.25.9	MIT	
linux-loong64	0.27.2	library	pkg:npm/@esbuild/linux-loong64@0.27.2	MIT	
linux-mips64el	0.21.5	library	pkg:npm/@esbuild/linux-mips64el@0.21.5	MIT	
linux-mips64el	0.25.12	library	pkg:npm/@esbuild/linux-mips64el@0.25.12	MIT	
linux-mips64el	0.25.5	library	pkg:npm/@esbuild/linux-mips64el@0.25.5	MIT	
linux-mips64el	0.25.9	library	pkg:npm/@esbuild/linux-mips64el@0.25.9	MIT	
linux-mips64el	0.27.2	library	pkg:npm/@esbuild/linux-mips64el@0.27.2	MIT	
linux-ppc64	0.21.5	library	pkg:npm/@esbuild/linux-ppc64@0.21.5	MIT	
linux-ppc64	0.25.12	library	pkg:npm/@esbuild/linux-ppc64@0.25.12	MIT	
linux-ppc64	0.25.5	library	pkg:npm/@esbuild/linux-ppc64@0.25.5	MIT	
linux-ppc64	0.25.9	library	pkg:npm/@esbuild/linux-ppc64@0.25.9	MIT	
linux-ppc64	0.27.2	library	pkg:npm/@esbuild/linux-ppc64@0.27.2	MIT	
linux-riscv64	0.21.5	library	pkg:npm/@esbuild/linux-riscv64@0.21.5	MIT	
linux-riscv64	0.25.12	library	pkg:npm/@esbuild/linux-riscv64@0.25.12	MIT	
linux-riscv64	0.25.5	library	pkg:npm/@esbuild/linux-riscv64@0.25.5	MIT	
linux-riscv64	0.25.9	library	pkg:npm/@esbuild/linux-riscv64@0.25.9	MIT	
linux-riscv64	0.27.2	library	pkg:npm/@esbuild/linux-riscv64@0.27.2	MIT	
linux-s390x	0.21.5	library	pkg:npm/@esbuild/linux-s390x@0.21.5	MIT	
linux-s390x	0.25.12	library	pkg:npm/@esbuild/linux-s390x@0.25.12	MIT	
linux-s390x	0.25.5	library	pkg:npm/@esbuild/linux-s390x@0.25.5	MIT	
linux-s390x	0.25.9	library	pkg:npm/@esbuild/linux-s390x@0.25.9	MIT	
linux-s390x	0.27.2	library	pkg:npm/@esbuild/linux-s390x@0.27.2	MIT	
linux-x64	0.21.5	library	pkg:npm/@esbuild/linux-x64@0.21.5	MIT	
linux-x64	0.25.12	library	pkg:npm/@esbuild/linux-x64@0.25.12	MIT	
linux-x64	0.25.5	library	pkg:npm/@esbuild/linux-x64@0.25.5	MIT	
linux-x64	0.25.9	library	pkg:npm/@esbuild/linux-x64@0.25.9	MIT	
linux-x64	0.27.2	library	pkg:npm/@esbuild/linux-x64@0.27.2	MIT	
netbsd-arm64	0.25.12	library	pkg:npm/@esbuild/netbsd-arm64@0.25.12	MIT	
netbsd-arm64	0.25.5	library	pkg:npm/@esbuild/netbsd-arm64@0.25.5	MIT	
netbsd-arm64	0.25.9	library	pkg:npm/@esbuild/netbsd-arm64@0.25.9	MIT	
netbsd-arm64	0.27.2	library	pkg:npm/@esbuild/netbsd-arm64@0.27.2	MIT	
netbsd-x64	0.21.5	library	pkg:npm/@esbuild/netbsd-x64@0.21.5	MIT	
netbsd-x64	0.25.12	library	pkg:npm/@esbuild/netbsd-x64@0.25.12	MIT	
netbsd-x64	0.25.5	library	pkg:npm/@esbuild/netbsd-x64@0.25.5	MIT	
netbsd-x64	0.25.9	library	pkg:npm/@esbuild/netbsd-x64@0.25.9	MIT	
netbsd-x64	0.27.2	library	pkg:npm/@esbuild/netbsd-x64@0.27.2	MIT	
openbsd-arm64	0.25.12	library	pkg:npm/@esbuild/openbsd-arm64@0.25.12	MIT	
openbsd-arm64	0.25.5	library	pkg:npm/@esbuild/openbsd-arm64@0.25.5	MIT	
openbsd-arm64	0.25.9	library	pkg:npm/@esbuild/openbsd-arm64@0.25.9	MIT	
openbsd-arm64	0.27.2	library	pkg:npm/@esbuild/openbsd-arm64@0.27.2	MIT	
openbsd-x64	0.21.5	library	pkg:npm/@esbuild/openbsd-x64@0.21.5	MIT	
openbsd-x64	0.25.12	library	pkg:npm/@esbuild/openbsd-x64@0.25.12	MIT	
openbsd-x64	0.25.5	library	pkg:npm/@esbuild/openbsd-x64@0.25.5	MIT	
openbsd-x64	0.25.9	library	pkg:npm/@esbuild/openbsd-x64@0.25.9	MIT	
openbsd-x64	0.27.2	library	pkg:npm/@esbuild/openbsd-x64@0.27.2	MIT	
openharmony-arm64	0.25.12	library	pkg:npm/@esbuild/openharmony-arm64@0.25.12	MIT	
openharmony-arm64	0.25.9	library	pkg:npm/@esbuild/openharmony-arm64@0.25.9	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
openharmony-arm64	0.27.2	library	pkg:npm/@esbuild/openharmony-arm64@0.27.2	MIT	
sunos-x64	0.21.5	library	pkg:npm/@esbuild/sunos-x64@0.21.5	MIT	
sunos-x64	0.25.12	library	pkg:npm/@esbuild/sunos-x64@0.25.12	MIT	
sunos-x64	0.25.5	library	pkg:npm/@esbuild/sunos-x64@0.25.5	MIT	
sunos-x64	0.25.9	library	pkg:npm/@esbuild/sunos-x64@0.25.9	MIT	
sunos-x64	0.27.2	library	pkg:npm/@esbuild/sunos-x64@0.27.2	MIT	
win32-arm64	0.21.5	library	pkg:npm/@esbuild/win32-arm64@0.21.5	MIT	
win32-arm64	0.25.12	library	pkg:npm/@esbuild/win32-arm64@0.25.12	MIT	
win32-arm64	0.25.5	library	pkg:npm/@esbuild/win32-arm64@0.25.5	MIT	
win32-arm64	0.25.9	library	pkg:npm/@esbuild/win32-arm64@0.25.9	MIT	
win32-arm64	0.27.2	library	pkg:npm/@esbuild/win32-arm64@0.27.2	MIT	
win32-ia32	0.21.5	library	pkg:npm/@esbuild/win32-ia32@0.21.5	MIT	
win32-ia32	0.25.12	library	pkg:npm/@esbuild/win32-ia32@0.25.12	MIT	
win32-ia32	0.25.5	library	pkg:npm/@esbuild/win32-ia32@0.25.5	MIT	
win32-ia32	0.25.9	library	pkg:npm/@esbuild/win32-ia32@0.25.9	MIT	
win32-ia32	0.27.2	library	pkg:npm/@esbuild/win32-ia32@0.27.2	MIT	
win32-x64	0.21.5	library	pkg:npm/@esbuild/win32-x64@0.21.5	MIT	
win32-x64	0.25.12	library	pkg:npm/@esbuild/win32-x64@0.25.12	MIT	
win32-x64	0.25.5	library	pkg:npm/@esbuild/win32-x64@0.25.5	MIT	
win32-x64	0.25.9	library	pkg:npm/@esbuild/win32-x64@0.25.9	MIT	
win32-x64	0.27.2	library	pkg:npm/@esbuild/win32-x64@0.27.2	MIT	
eslint-utils	4.9.1	library	pkg:npm/@eslint-community/eslint-utils@4.9.1	MIT	
regexpp	4.12.2	library	pkg:npm/@eslint-community/regexpp@4.12.2	MIT	
eslintrc	0.4.3	library	pkg:npm/@eslint/eslintrc@0.4.3	MIT	
eslintrc	2.1.4	library	pkg:npm/@eslint/eslintrc@2.1.4	MIT	
js	8.57.0	library	pkg:npm/@eslint/js@8.57.0	MIT	
busboy	2.1.1	library	pkg:npm/@fastify/busboy@2.1.1	MIT	
catalyst	1.7.0	library	pkg:npm/@github/catalyst@1.7.0	MIT	
node-server	1.19.7	library	pkg:npm/@hono/node-server@1.19.7	MIT	
config-array	0.11.14	library	pkg:npm/@humanwhocodes/config-array@0.11.14	Apache-2.0	
config-array	0.5.0	library	pkg:npm/@humanwhocodes/config-array@0.5.0	Apache-2.0	
module-importer	1.0.1	library	pkg:npm/@humanwhocodes/module-importer@1.0.1	Apache-2.0	
object-schema	1.2.1	library	pkg:npm/@humanwhocodes/object-schema@1.2.1	BSD-3-Clause	
object-schema	2.0.3	library	pkg:npm/@humanwhocodes/object-schema@2.0.3	BSD-3-Clause	
parse-repository-url	3.0.2	library	pkg:npm/@hutson/parse-repository-url@3.0.2	Apache-2.0	
ansi	1.0.2	library	pkg:npm/@inquirer/ansi@1.0.2	MIT	
checkbox	4.3.2	library	pkg:npm/@inquirer/checkbox@4.3.2	MIT	
confirm	5.1.14	library	pkg:npm/@inquirer/confirm@5.1.14	MIT	
confirm	5.1.21	library	pkg:npm/@inquirer/confirm@5.1.21	MIT	
core	10.3.2	library	pkg:npm/@inquirer/core@10.3.2	MIT	
editor	4.2.23	library	pkg:npm/@inquirer/editor@4.2.23	MIT	
expand	4.0.23	library	pkg:npm/@inquirer/expand@4.0.23	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
external-editor	1.0.3	library	pkg:npm/@inquirer/external-editor@1.0.3	MIT	
figures	1.0.15	library	pkg:npm/@inquirer/figures@1.0.15	MIT	
input	4.3.1	library	pkg:npm/@inquirer/input@4.3.1	MIT	
number	3.0.23	library	pkg:npm/@inquirer/number@3.0.23	MIT	
password	4.0.23	library	pkg:npm/@inquirer/password@4.0.23	MIT	
prompts	7.8.2	library	pkg:npm/@inquirer/prompts@7.8.2	MIT	
rawlist	4.1.11	library	pkg:npm/@inquirer/rawlist@4.1.11	MIT	
search	3.2.2	library	pkg:npm/@inquirer/search@3.2.2	MIT	
select	4.4.2	library	pkg:npm/@inquirer/select@4.4.2	MIT	
type	3.0.10	library	pkg:npm/@inquirer/type@3.0.10	MIT	
balanced-match	4.0.1	library	pkg:npm/@isaacs/balanced-match@4.0.1	MIT	
brace-expansion	5.0.0	library	pkg:npm/@isaacs/brace-expansion@5.0.0	MIT	
cliui	8.0.2	library	pkg:npm/@isaacs/cliui@8.0.2	BlueOak-1.0.0	
fs-minipass	4.0.1	library	pkg:npm/@isaacs/fs-minipass@4.0.1	ISC	
string-locale-compare	1.1.0	library	pkg:npm/@isaacs/string-locale-compare@1.1.0	ISC	
load-nyc-config	1.1.0	library	pkg:npm/@istanbuljs/load-nyc-config@1.1.0	ISC	
schema	0.1.3	library	pkg:npm/@istanbuljs/schema@0.1.3	MIT	
escodegen	2.3.1	library	pkg:npm/@javascript-obfuscator/escodegen@2.3.1	BSD-2-Clause	
estraverse	5.4.0	library	pkg:npm/@javascript-obfuscator/estraverse@5.4.0	BSD-2-Clause	
console	30.0.5	library	pkg:npm/@jest/console@30.0.5	MIT	
console	30.2.0	library	pkg:npm/@jest/console@30.2.0	MIT	
core	30.0.5	library	pkg:npm/@jest/core@30.0.5	MIT	
diff-sequences	30.0.1	library	pkg:npm/@jest/diff-sequences@30.0.1	MIT	
environment-jsdom-abstract	30.0.5	library	pkg:npm/@jest/environment-jsdom-abstract@30.0.5	MIT	
environment-jsdom-abstract	30.2.0	library	pkg:npm/@jest/environment-jsdom-abstract@30.2.0	MIT	
environment	30.0.5	library	pkg:npm/@jest/environment@30.0.5	MIT	
environment	30.2.0	library	pkg:npm/@jest/environment@30.2.0	MIT	
expect-utils	30.0.5	library	pkg:npm/@jest/expect-utils@30.0.5	MIT	
expect-utils	30.2.0	library	pkg:npm/@jest/expect-utils@30.2.0	MIT	
expect-utils	28.1.3	library	pkg:npm/@jest/expect-utils@28.1.3	MIT	
expect	30.0.5	library	pkg:npm/@jest/expect@30.0.5	MIT	
expect	30.2.0	library	pkg:npm/@jest/expect@30.2.0	MIT	
fake-timers	30.0.5	library	pkg:npm/@jest/fake-timers@30.0.5	MIT	
fake-timers	30.2.0	library	pkg:npm/@jest/fake-timers@30.2.0	MIT	
get-type	30.0.1	library	pkg:npm/@jest/get-type@30.0.1	MIT	
get-type	30.1.0	library	pkg:npm/@jest/get-type@30.1.0	MIT	
globals	30.0.5	library	pkg:npm/@jest/globals@30.0.5	MIT	
globals	30.2.0	library	pkg:npm/@jest/globals@30.2.0	MIT	
pattern	30.0.1	library	pkg:npm/@jest/pattern@30.0.1	MIT	
reporters	30.0.5	library	pkg:npm/@jest/reporters@30.0.5	MIT	
reporters	30.2.0	library	pkg:npm/@jest/reporters@30.2.0	MIT	
schemas	30.0.5	library	pkg:npm/@jest/schemas@30.0.5	MIT	
schemas	28.1.3	library	pkg:npm/@jest/schemas@28.1.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
schemas	29.6.3	library	pkg:npm/@jest/schemas@29.6.3	MIT	
snapshot-utils	30.0.5	library	pkg:npm/@jest/snapshot-utils@30.0.5	MIT	
snapshot-utils	30.2.0	library	pkg:npm/@jest/snapshot-utils@30.2.0	MIT	
source-map	30.0.1	library	pkg:npm/@jest/source-map@30.0.1	MIT	
test-result	30.0.5	library	pkg:npm/@jest/test-result@30.0.5	MIT	
test-result	30.2.0	library	pkg:npm/@jest/test-result@30.2.0	MIT	
test-sequencer	30.0.5	library	pkg:npm/@jest/test-sequencer@30.0.5	MIT	
test-sequencer	30.2.0	library	pkg:npm/@jest/test-sequencer@30.2.0	MIT	
transform	30.0.5	library	pkg:npm/@jest/transform@30.0.5	MIT	
transform	30.2.0	library	pkg:npm/@jest/transform@30.2.0	MIT	
types	30.0.5	library	pkg:npm/@jest/types@30.0.5	MIT	
types	30.2.0	library	pkg:npm/@jest/types@30.2.0	MIT	
types	28.1.3	library	pkg:npm/@jest/types@28.1.3	MIT	
types	29.6.3	library	pkg:npm/@jest/types@29.6.3	MIT	
gen-mapping	0.3.13	library	pkg:npm/@jridgewell/gen-mapping@0.3.13	MIT	
remapping	2.3.5	library	pkg:npm/@jridgewell/remapping@2.3.5	MIT	
source-map	0.3.11	library	pkg:npm/@jridgewell/source-map@0.3.11	MIT	
trace-mapping	0.3.31	library	pkg:npm/@jridgewell/trace-mapping@0.3.31	MIT	
salty	0.2.9	library	pkg:npm/@jsdoc/salty@0.2.9	Apache-2.0	
base64	1.1.2	library	pkg:npm/@jsonjoy.com/base64@1.1.2	Apache-2.0	
buffers	1.2.1	library	pkg:npm/@jsonjoy.com/buffers@1.2.1	Apache-2.0	
codegen	1.0.0	library	pkg:npm/@jsonjoy.com/codegen@1.0.0	Apache-2.0	
json-pack	1.21.0	library	pkg:npm/@jsonjoy.com/json-pack@1.21.0	Apache-2.0	
json-pointer	1.0.2	library	pkg:npm/@jsonjoy.com/json-pointer@1.0.2	Apache-2.0	
util	1.9.0	library	pkg:npm/@jsonjoy.com/util@1.9.0	Apache-2.0	
ip-codec	2.0.5	library	pkg:npm/@leichtgewicht/ip-codec@2.0.5	MIT	
create	8.2.4	library	pkg:npm/@lerna/create@8.2.4	MIT	
prompt-adapter-inquirer	3.0.1	library	pkg:npm/@listr2/prompt-adapter-inquirer@3.0.1	MIT	
ssr-dom-shim	1.5.0	library	pkg:npm/@lit-labs/ssr-dom-shim@1.5.0	BSD-3-Clause	
lmdb-darwin-arm64	3.4.2	library	pkg:npm/@lmdb/lmdb-darwin-arm64@3.4.2	MIT	
lmdb-darwin-x64	3.4.2	library	pkg:npm/@lmdb/lmdb-darwin-x64@3.4.2	MIT	
lmdb-linux-arm64	3.4.2	library	pkg:npm/@lmdb/lmdb-linux-arm64@3.4.2	MIT	
lmdb-linux-arm	3.4.2	library	pkg:npm/@lmdb/lmdb-linux-arm@3.4.2	MIT	
lmdb-linux-x64	3.4.2	library	pkg:npm/@lmdb/lmdb-linux-x64@3.4.2	MIT	
lmdb-win32-arm64	3.4.2	library	pkg:npm/@lmdb/lmdb-win32-arm64@3.4.2	MIT	
lmdb-win32-x64	3.4.2	library	pkg:npm/@lmdb/lmdb-win32-x64@3.4.2	MIT	
react	3.1.1	library	pkg:npm/@mdx-js/react@3.1.1	MIT	
sdk	1.25.2	library	pkg:npm/@modelcontextprotocol/sdk@1.25.2	MIT	
node-bundle-require	2.68.2	library	pkg:npm/@modern-js/node-bundle-require@2.68.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
utils	2.68.2	library	pkg:npm/@modern-js/utils@2.68.2	MIT	
bridge-react-webpack-plugin	0.18.4	library	pkg:npm/@module-federation/bridge-react-webpack-plugin	MIT	
bridge-react-webpack-plugin	0.22.0	library	pkg:npm/@module-federation/bridge-react-webpack-plugin	MIT	
cli	0.18.4	library	pkg:npm/@module-federation/cli@0.18.4	MIT	
cli	0.22.0	library	pkg:npm/@module-federation/cli@0.22.0	MIT	
data-prefetch	0.18.4	library	pkg:npm/@module-federation/data-prefetch@0.18.4	MIT	
data-prefetch	0.22.0	library	pkg:npm/@module-federation/data-prefetch@0.22.0	MIT	
dts-plugin	0.18.4	library	pkg:npm/@module-federation/dts-plugin@0.18.4	MIT	
dts-plugin	0.22.0	library	pkg:npm/@module-federation/dts-plugin@0.22.0	MIT	
enhanced	0.22.0	library	pkg:npm/@module-federation/enhanced@0.22.0	MIT	
enhanced	0.18.4	library	pkg:npm/@module-federation/enhanced@0.18.4	MIT	
error-codes	0.18.4	library	pkg:npm/@module-federation/error-codes@0.18.4	MIT	
error-codes	0.22.0	library	pkg:npm/@module-federation/error-codes@0.22.0	MIT	
inject-external-runtime-core-plugin	0.18.4	library	pkg:npm/@module-federation/inject-external-runtime-core	MIT	
inject-external-runtime-core-plugin	0.22.0	library	pkg:npm/@module-federation/inject-external-runtime-core	MIT	
managers	0.18.4	library	pkg:npm/@module-federation/managers@0.18.4	MIT	
managers	0.22.0	library	pkg:npm/@module-federation/managers@0.22.0	MIT	
manifest	0.18.4	library	pkg:npm/@module-federation/manifest@0.18.4	MIT	
manifest	0.22.0	library	pkg:npm/@module-federation/manifest@0.22.0	MIT	
node	2.7.26	library	pkg:npm/@module-federation/node@2.7.26	MIT	
rspack	0.18.4	library	pkg:npm/@module-federation/rspack@0.18.4	MIT	
rspack	0.22.0	library	pkg:npm/@module-federation/rspack@0.22.0	MIT	
runtime-core	0.18.4	library	pkg:npm/@module-federation/runtime-core@0.18.4	MIT	
runtime-core	0.22.0	library	pkg:npm/@module-federation/runtime-core@0.22.0	MIT	
runtime-tools	0.18.4	library	pkg:npm/@module-federation/runtime-tools@0.18.4	MIT	
runtime-tools	0.22.0	library	pkg:npm/@module-federation/runtime-tools@0.22.0	MIT	
runtime	0.18.4	library	pkg:npm/@module-federation/runtime@0.18.4	MIT	
runtime	0.22.0	library	pkg:npm/@module-federation/runtime@0.22.0	MIT	
sdk	0.18.4	library	pkg:npm/@module-federation/sdk@0.18.4	MIT	
sdk	0.22.0	library	pkg:npm/@module-federation/sdk@0.22.0	MIT	
third-party-dts-extractor	0.18.4	library	pkg:npm/@module-federation/third-party-dts-extractor@0	MIT	
third-party-dts-extractor	0.22.0	library	pkg:npm/@module-federation/third-party-dts-extractor@0	MIT	
webpack-bundler-runtime	0.18.4	library	pkg:npm/@module-federation/webpack-bundler-runtime@0.1	MIT	
webpack-bundler-runtime	0.22.0	library	pkg:npm/@module-federation/webpack-bundler-runtime@0.2	MIT	
msgpackr-extract-darwin-arm64	3.0.3	library	pkg:npm/@msgpackr-extract/msgpackr-extract-darwin-arm6	MIT	
msgpackr-extract-darwin-x64	3.0.3	library	pkg:npm/@msgpackr-extract/msgpackr-extract-darwin-x64@	MIT	
msgpackr-extract-linux-arm64	3.0.3	library	pkg:npm/@msgpackr-extract/msgpackr-extract-linux-arm64	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
msgpackr-extract-linux-arm	3.0.3	library	pkg:npm/@msgpackr-extract/msgpackr-extract-linux-arm@3	MIT	
msgpackr-extract-linux-x64	3.0.3	library	pkg:npm/@msgpackr-extract/msgpackr-extract-linux-x64@3	MIT	
msgpackr-extract-win32-x64	3.0.3	library	pkg:npm/@msgpackr-extract/msgpackr-extract-win32-x64@3	MIT	
nice-android-arm-eabi	1.1.1	library	pkg:npm/@napi-rs/nice-android-arm-eabi@1.1.1	MIT	
nice-android-arm64	1.1.1	library	pkg:npm/@napi-rs/nice-android-arm64@1.1.1	MIT	
nice-darwin-arm64	1.1.1	library	pkg:npm/@napi-rs/nice-darwin-arm64@1.1.1	MIT	
nice-darwin-x64	1.1.1	library	pkg:npm/@napi-rs/nice-darwin-x64@1.1.1	MIT	
nice-freebsd-x64	1.1.1	library	pkg:npm/@napi-rs/nice-freebsd-x64@1.1.1	MIT	
nice-linux-arm-gnueabihf	1.1.1	library	pkg:npm/@napi-rs/nice-linux-arm-gnueabihf@1.1.1	MIT	
nice-linux-arm64-gnu	1.1.1	library	pkg:npm/@napi-rs/nice-linux-arm64-gnu@1.1.1	MIT	
nice-linux-arm64-musl	1.1.1	library	pkg:npm/@napi-rs/nice-linux-arm64-musl@1.1.1	MIT	
nice-linux-ppc64-gnu	1.1.1	library	pkg:npm/@napi-rs/nice-linux-ppc64-gnu@1.1.1	MIT	
nice-linux-riscv64-gnu	1.1.1	library	pkg:npm/@napi-rs/nice-linux-riscv64-gnu@1.1.1	MIT	
nice-linux-s390x-gnu	1.1.1	library	pkg:npm/@napi-rs/nice-linux-s390x-gnu@1.1.1	MIT	
nice-linux-x64-gnu	1.1.1	library	pkg:npm/@napi-rs/nice-linux-x64-gnu@1.1.1	MIT	
nice-linux-x64-musl	1.1.1	library	pkg:npm/@napi-rs/nice-linux-x64-musl@1.1.1	MIT	
nice-openharmony-arm64	1.1.1	library	pkg:npm/@napi-rs/nice-openharmony-arm64@1.1.1	MIT	
nice-win32-arm64-msvc	1.1.1	library	pkg:npm/@napi-rs/nice-win32-arm64-msvc@1.1.1	MIT	
nice-win32-ia32-msvc	1.1.1	library	pkg:npm/@napi-rs/nice-win32-ia32-msvc@1.1.1	MIT	
nice-win32-x64-msvc	1.1.1	library	pkg:npm/@napi-rs/nice-win32-x64-msvc@1.1.1	MIT	
nice	1.1.1	library	pkg:npm/@napi-rs/nice@1.1.1	MIT	
wasm-runtime	0.2.4	library	pkg:npm/@napi-rs/wasm-runtime@0.2.4	MIT	
wasm-runtime	1.0.7	library	pkg:npm/@napi-rs/wasm-runtime@1.0.7	MIT	
wasm-runtime	0.2.12	library	pkg:npm/@napi-rs/wasm-runtime@0.2.12	MIT	
webpack	20.3.9	library	pkg:npm/@ngtools/webpack@20.3.9	MIT	
fs.scandir	2.1.5	library	pkg:npm/@nodelib/fs.scandir@2.1.5	MIT	
fs.stat	2.0.5	library	pkg:npm/@nodelib/fs.stat@2.0.5	MIT	
fs.walk	1.2.8	library	pkg:npm/@nodelib/fs.walk@1.2.8	MIT	
agent	2.2.2	library	pkg:npm/@npmcli/agent@2.2.2	ISC	
agent	3.0.0	library	pkg:npm/@npmcli/agent@3.0.0	ISC	
agent	4.0.0	library	pkg:npm/@npmcli/agent@4.0.0	ISC	
arborist	7.5.4	library	pkg:npm/@npmcli/arborist@7.5.4	ISC	
config	8.3.4	library	pkg:npm/@npmcli/config@8.3.4	ISC	
fs	3.1.1	library	pkg:npm/@npmcli/fs@3.1.1	ISC	
fs	4.0.0	library	pkg:npm/@npmcli/fs@4.0.0	ISC	
fs	5.0.0	library	pkg:npm/@npmcli/fs@5.0.0	ISC	
git	5.0.8	library	pkg:npm/@npmcli/git@5.0.8	ISC	
git	6.0.3	library	pkg:npm/@npmcli/git@6.0.3	ISC	
installed-package-contents	2.1.0	library	pkg:npm/@npmcli/installed-package-contents@2.1.0	ISC	
installed-package-contents	3.0.0	library	pkg:npm/@npmcli/installed-package-contents@3.0.0	ISC	
map-workspaces	3.0.6	library	pkg:npm/@npmcli/map-workspaces@3.0.6	ISC	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
metavuln-calculator	7.1.1	library	pkg:npm/@npmcli/metavuln-calculator@7.1.1	ISC	
name-from-folder	2.0.0	library	pkg:npm/@npmcli/name-from-folder@2.0.0	ISC	
node-gyp	3.0.0	library	pkg:npm/@npmcli/node-gyp@3.0.0	ISC	
node-gyp	4.0.0	library	pkg:npm/@npmcli/node-gyp@4.0.0	ISC	
package-json	5.2.0	library	pkg:npm/@npmcli/package-json@5.2.0	ISC	
package-json	5.2.1	library	pkg:npm/@npmcli/package-json@5.2.1	ISC	
package-json	6.2.0	library	pkg:npm/@npmcli/package-json@6.2.0	ISC	
promise-spawn	7.0.2	library	pkg:npm/@npmcli/promise-spawn@7.0.2	ISC	
promise-spawn	8.0.3	library	pkg:npm/@npmcli/promise-spawn@8.0.3	ISC	
query	3.1.0	library	pkg:npm/@npmcli/query@3.1.0	ISC	
redact	2.0.1	library	pkg:npm/@npmcli/redact@2.0.1	ISC	
redact	3.2.2	library	pkg:npm/@npmcli/redact@3.2.2	ISC	
run-script	8.1.0	library	pkg:npm/@npmcli/run-script@8.1.0	ISC	
run-script	9.1.0	library	pkg:npm/@npmcli/run-script@9.1.0	ISC	
angular	22.0.2	library	pkg:npm/@nx/angular@22.0.2	MIT	
cypress	22.0.2	library	pkg:npm/@nx/cypress@22.0.2	MIT	
devkit	22.0.2	library	pkg:npm/@nx/devkit@22.0.2	MIT	
devkit	20.8.3	library	pkg:npm/@nx/devkit@20.8.3	MIT	
eslint-plugin	22.0.2	library	pkg:npm/@nx/eslint-plugin@22.0.2	MIT	
eslint	22.0.2	library	pkg:npm/@nx/eslint@22.0.2	MIT	
jest	22.0.2	library	pkg:npm/@nx/jest@22.0.2	MIT	
js	22.0.2	library	pkg:npm/@nx/js@22.0.2	MIT	
module-federation	22.0.2	library	pkg:npm/@nx/module-federation@22.0.2	MIT	
nx-darwin-arm64	22.0.2	library	pkg:npm/@nx/nx-darwin-arm64@22.0.2	MIT	
nx-darwin-x64	22.0.2	library	pkg:npm/@nx/nx-darwin-x64@22.0.2	MIT	
nx-freebsd-x64	22.0.2	library	pkg:npm/@nx/nx-freebsd-x64@22.0.2	MIT	
nx-linux-arm-gnueabihf	22.0.2	library	pkg:npm/@nx/nx-linux-arm-gnueabihf@22.0.2	MIT	
nx-linux-arm64-gnu	22.0.2	library	pkg:npm/@nx/nx-linux-arm64-gnu@22.0.2	MIT	
nx-linux-arm64-musl	22.0.2	library	pkg:npm/@nx/nx-linux-arm64-musl@22.0.2	MIT	
nx-linux-x64-gnu	22.0.2	library	pkg:npm/@nx/nx-linux-x64-gnu@22.0.2	MIT	
nx-linux-x64-musl	22.0.2	library	pkg:npm/@nx/nx-linux-x64-musl@22.0.2	MIT	
nx-win32-arm64-msvc	22.0.2	library	pkg:npm/@nx/nx-win32-arm64-msvc@22.0.2	MIT	
nx-win32-x64-msvc	22.0.2	library	pkg:npm/@nx/nx-win32-x64-msvc@22.0.2	MIT	
plugin	22.0.2	library	pkg:npm/@nx/plugin@22.0.2	MIT	
rspack	22.0.2	library	pkg:npm/@nx/rspack@22.0.2	MIT	
storybook	22.0.2	library	pkg:npm/@nx/storybook@22.0.2	MIT	
web	22.0.2	library	pkg:npm/@nx/web@22.0.2	MIT	
webpack	22.0.2	library	pkg:npm/@nx/webpack@22.0.2	MIT	
workspace	22.0.2	library	pkg:npm/@nx/workspace@22.0.2	MIT	
auth-token	4.0.0	library	pkg:npm/@octokit/auth-token@4.0.0	MIT	
core	5.2.2	library	pkg:npm/@octokit/core@5.2.2	MIT	
endpoint	9.0.6	library	pkg:npm/@octokit/endpoint@9.0.6	MIT	
graphql	7.1.1	library	pkg:npm/@octokit/graphql@7.1.1	MIT	
openapi-types	24.2.0	library	pkg:npm/@octokit/openapi-types@24.2.0	MIT	
plugin-enterprise-rest	6.0.1	library	pkg:npm/@octokit/plugin-enterprise-rest@6.0.1	MIT	
plugin-paginate-rest	11.4.4-cjs.2	library	pkg:npm/@octokit/plugin-paginate-rest@11.4.4-cjs.2	MIT	
plugin-request-log	4.0.1	library	pkg:npm/@octokit/plugin-request-log@4.0.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-rest-endpoint-methods	13.3.2-cjs.1	library	pkg:npm/@octokit/plugin-rest-endpoint-methods@13.3.2-c	MIT	
request-error	5.1.1	library	pkg:npm/@octokit/request-error@5.1.1	MIT	
request	8.4.1	library	pkg:npm/@octokit/request@8.4.1	MIT	
rest	20.1.2	library	pkg:npm/@octokit/rest@20.1.2	MIT	
types	13.10.0	library	pkg:npm/@octokit/types@13.10.0	MIT	
wasm	0.1.1	library	pkg:npm/@one-ini/wasm@0.1.1	MIT	
watcher-android-arm64	2.5.1	library	pkg:npm/@parcel/watcher-android-arm64@2.5.1	MIT	
watcher-darwin-arm64	2.5.1	library	pkg:npm/@parcel/watcher-darwin-arm64@2.5.1	MIT	
watcher-darwin-x64	2.5.1	library	pkg:npm/@parcel/watcher-darwin-x64@2.5.1	MIT	
watcher-freebsd-x64	2.5.1	library	pkg:npm/@parcel/watcher-freebsd-x64@2.5.1	MIT	
watcher-linux-arm-glibc	2.5.1	library	pkg:npm/@parcel/watcher-linux-arm-glibc@2.5.1	MIT	
watcher-linux-arm-musl	2.5.1	library	pkg:npm/@parcel/watcher-linux-arm-musl@2.5.1	MIT	
watcher-linux-arm64-glibc	2.5.1	library	pkg:npm/@parcel/watcher-linux-arm64-glibc@2.5.1	MIT	
watcher-linux-arm64-musl	2.5.1	library	pkg:npm/@parcel/watcher-linux-arm64-musl@2.5.1	MIT	
watcher-linux-x64-glibc	2.5.1	library	pkg:npm/@parcel/watcher-linux-x64-glibc@2.5.1	MIT	
watcher-linux-x64-musl	2.5.1	library	pkg:npm/@parcel/watcher-linux-x64-musl@2.5.1	MIT	
watcher-win32-arm64	2.5.1	library	pkg:npm/@parcel/watcher-win32-arm64@2.5.1	MIT	
watcher-win32-ia32	2.5.1	library	pkg:npm/@parcel/watcher-win32-ia32@2.5.1	MIT	
watcher-win32-x64	2.5.1	library	pkg:npm/@parcel/watcher-win32-x64@2.5.1	MIT	
watcher	2.5.1	library	pkg:npm/@parcel/watcher@2.5.1	MIT	
tsquery	5.0.1	library	pkg:npm/@phenomnomnominal/tsquery@5.0.1	MIT	
parseargs	0.11.0	library	pkg:npm/@pkgjs/parseargs@0.11.0	MIT	
core	0.2.9	library	pkg:npm/@pkgr/core@0.2.9	MIT	
sync	0.5.5	library	pkg:npm/@prettier/sync@0.5.5	MIT	
plugin-json	6.1.0	library	pkg:npm/@rollup/plugin-json@6.1.0	MIT	
pluginutils	5.3.0	library	pkg:npm/@rollup/pluginutils@5.3.0	MIT	
rollup-android-arm-eabi	4.44.1	library	pkg:npm/@rollup/rollup-android-arm-eabi@4.44.1	MIT	
rollup-android-arm64	4.44.1	library	pkg:npm/@rollup/rollup-android-arm64@4.44.1	MIT	
rollup-darwin-arm64	4.44.1	library	pkg:npm/@rollup/rollup-darwin-arm64@4.44.1	MIT	
rollup-darwin-x64	4.44.1	library	pkg:npm/@rollup/rollup-darwin-x64@4.44.1	MIT	
rollup-freebsd-arm64	4.44.1	library	pkg:npm/@rollup/rollup-freebsd-arm64@4.44.1	MIT	
rollup-freebsd-x64	4.44.1	library	pkg:npm/@rollup/rollup-freebsd-x64@4.44.1	MIT	
rollup-linux-arm-gnueabihf	4.44.1	library	pkg:npm/@rollup/rollup-linux-arm-gnueabihf@4.44.1	MIT	
rollup-linux-arm-musleabihf	4.44.1	library	pkg:npm/@rollup/rollup-linux-arm-musleabihf@4.44.1	MIT	
rollup-linux-arm64-gnu	4.44.1	library	pkg:npm/@rollup/rollup-linux-arm64-gnu@4.44.1	MIT	
rollup-linux-arm64-musl	4.44.1	library	pkg:npm/@rollup/rollup-linux-arm64-musl@4.44.1	MIT	
rollup-linux-loongarch64-gnu	4.44.1	library	pkg:npm/@rollup/rollup-linux-loongarch64-gnu@4.44.1	MIT	
rollup-linux-powerpc64le-gnu	4.44.1	library	pkg:npm/@rollup/rollup-linux-powerpc64le-gnu@4.44.1	MIT	
rollup-linux-riscv64-gnu	4.44.1	library	pkg:npm/@rollup/rollup-linux-riscv64-gnu@4.44.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
rollup-linux-riscv64-musl	4.44.1	library	pkg:npm/@rollup/rollup-linux-riscv64-musl@4.44.1	MIT	
rollup-linux-s390x-gnu	4.44.1	library	pkg:npm/@rollup/rollup-linux-s390x-gnu@4.44.1	MIT	
rollup-linux-x64-gnu	4.44.1	library	pkg:npm/@rollup/rollup-linux-x64-gnu@4.44.1	MIT	
rollup-linux-x64-musl	4.44.1	library	pkg:npm/@rollup/rollup-linux-x64-musl@4.44.1	MIT	
rollup-win32-arm64-msvc	4.44.1	library	pkg:npm/@rollup/rollup-win32-arm64-msvc@4.44.1	MIT	
rollup-win32-ia32-msvc	4.44.1	library	pkg:npm/@rollup/rollup-win32-ia32-msvc@4.44.1	MIT	
rollup-win32-x64-msvc	4.44.1	library	pkg:npm/@rollup/rollup-win32-x64-msvc@4.44.1	MIT	
wasm-node	4.55.1	library	pkg:npm/@rollup/wasm-node@4.55.1	MIT	
binding-darwin-arm64	1.7.1	library	pkg:npm/@rspack/binding-darwin-arm64@1.7.1	MIT	
binding-darwin-x64	1.7.1	library	pkg:npm/@rspack/binding-darwin-x64@1.7.1	MIT	
binding-linux-arm64-gnu	1.7.1	library	pkg:npm/@rspack/binding-linux-arm64-gnu@1.7.1	MIT	
binding-linux-arm64-musl	1.7.1	library	pkg:npm/@rspack/binding-linux-arm64-musl@1.7.1	MIT	
binding-linux-x64-gnu	1.7.1	library	pkg:npm/@rspack/binding-linux-x64-gnu@1.7.1	MIT	
binding-linux-x64-musl	1.7.1	library	pkg:npm/@rspack/binding-linux-x64-musl@1.7.1	MIT	
binding-wasm32-wasi	1.7.1	library	pkg:npm/@rspack/binding-wasm32-wasi@1.7.1	MIT	
binding-win32-arm64-msvc	1.7.1	library	pkg:npm/@rspack/binding-win32-arm64-msvc@1.7.1	MIT	
binding-win32-ia32-msvc	1.7.1	library	pkg:npm/@rspack/binding-win32-ia32-msvc@1.7.1	MIT	
binding-win32-x64-msvc	1.7.1	library	pkg:npm/@rspack/binding-win32-x64-msvc@1.7.1	MIT	
binding	1.7.1	library	pkg:npm/@rspack/binding@1.7.1	MIT	
core	1.7.1	library	pkg:npm/@rspack/core@1.7.1	MIT	
dev-server	1.1.5	library	pkg:npm/@rspack/dev-server@1.1.5	MIT	
lite-tapable	1.1.0	library	pkg:npm/@rspack/lite-tapable@1.1.0	MIT	
plugin-react-refresh	1.6.0	library	pkg:npm/@rspack/plugin-react-refresh@1.6.0	MIT	
scc	1.1.0	library	pkg:npm/@rtsao/scc@1.1.0	MIT	
theming-base-content	11.29.3	library	pkg:npm/@sap-theming/theming-base-content@11.29.3	Apache-2.0	
theming-base-content	11.32.3	library	pkg:npm/@sap-theming/theming-base-content@11.32.3	Apache-2.0	
common-css	0.40.1	library	pkg:npm/@sap-ui/common-css@0.40.1	Apache-2.0	
angular	20.3.14	library	pkg:npm/@schematics/angular@20.3.14	MIT	
angular	20.3.9	library	pkg:npm/@schematics/angular@20.3.9	MIT	
bundle	2.3.2	library	pkg:npm/@sigstore/bundle@2.3.2	Apache-2.0	
bundle	3.1.0	library	pkg:npm/@sigstore/bundle@3.1.0	Apache-2.0	
core	1.1.0	library	pkg:npm/@sigstore/core@1.1.0	Apache-2.0	
core	2.0.0	library	pkg:npm/@sigstore/core@2.0.0	Apache-2.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
protobuf-specs	0.3.3	library	pkg:npm/@sigstore/protobuf-specs@0.3.3	Apache-2.0	
protobuf-specs	0.4.3	library	pkg:npm/@sigstore/protobuf-specs@0.4.3	Apache-2.0	
sign	2.3.2	library	pkg:npm/@sigstore/sign@2.3.2	Apache-2.0	
sign	3.1.0	library	pkg:npm/@sigstore/sign@3.1.0	Apache-2.0	
tuf	2.3.4	library	pkg:npm/@sigstore/tuf@2.3.4	Apache-2.0	
tuf	3.1.1	library	pkg:npm/@sigstore/tuf@3.1.1	Apache-2.0	
verify	1.2.1	library	pkg:npm/@sigstore/verify@1.2.1	Apache-2.0	
verify	2.1.1	library	pkg:npm/@sigstore/verify@2.1.1	Apache-2.0	
typebox	0.24.51	library	pkg:npm/@sinclair/typebox@0.24.51	MIT	
typebox	0.27.8	library	pkg:npm/@sinclair/typebox@0.27.8	MIT	
typebox	0.34.47	library	pkg:npm/@sinclair/typebox@0.34.47	MIT	
is	4.6.0	library	pkg:npm/@sindresorhus/is@4.6.0	MIT	
commons	3.0.1	library	pkg:npm/@sinonjs/commons@3.0.1	BSD-3-Clause	
fake-timers	13.0.5	library	pkg:npm/@sinonjs/fake-timers@13.0.5	BSD-3-Clause	
addon-docs	9.1.0	library	pkg:npm/@storybook/addon-docs@9.1.0	MIT	
angular	9.1.0	library	pkg:npm/@storybook/angular@9.1.0	MIT	
builder-webpack5	9.1.0	library	pkg:npm/@storybook/builder-webpack5@9.1.0	MIT	
core-webpack	9.1.0	library	pkg:npm/@storybook/core-webpack@9.1.0	MIT	
csf-plugin	9.1.0	library	pkg:npm/@storybook/csf-plugin@9.1.0	MIT	
global	5.0.0	library	pkg:npm/@storybook/global@5.0.0	MIT	
icons	1.6.0	library	pkg:npm/@storybook/icons@1.6.0	MIT	
mdx2-csf	1.1.0	library	pkg:npm/@storybook/mdx2-csf@1.1.0	MIT	
react-dom-shim	9.1.0	library	pkg:npm/@storybook/react-dom-shim@9.1.0	MIT	
helpers	0.5.18	library	pkg:npm/@swc/helpers@0.5.18	Apache-2.0	
http-timer	4.0.6	library	pkg:npm/@szmarczak/http-timer@4.0.6	MIT	
jest-dom	6.9.1	library	pkg:npm/@testing-library/jest-dom@6.9.1	MIT	
user-event	14.6.1	library	pkg:npm/@testing-library/user-event@14.6.1	MIT	
sax	0.2.0	framework	pkg:npm/@trysound/sax@0.2.0	ISC	
canonical-json	2.0.0	library	pkg:npm/@tufjs/canonical-json@2.0.0	MIT	
models	2.0.1	library	pkg:npm/@tufjs/models@2.0.1	MIT	
models	3.0.1	library	pkg:npm/@tufjs/models@3.0.1	MIT	
wasm-util	0.10.1	library	pkg:npm/@tybys/wasm-util@0.10.1	MIT	
wasm-util	0.9.0	library	pkg:npm/@tybys/wasm-util@0.9.0	MIT	
aria-query	5.0.4	library	pkg:npm/@types/aria-query@5.0.4	MIT	
babel___core	7.20.5	library	pkg:npm/@types/babel__core@7.20.5	MIT	
babel___generator	7.27.0	library	pkg:npm/@types/babel__generator@7.27.0	MIT	
babel___template	7.4.4	library	pkg:npm/@types/babel__template@7.4.4	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
babel___traverse	7.28.0	library	pkg:npm/@types/babel__traverse@7.28.0	MIT	
bonjour	3.5.13	library	pkg:npm/@types/bonjour@3.5.13	MIT	
cacheable-request	6.0.3	library	pkg:npm/@types/cacheable-request@6.0.3	MIT	
chai	5.2.3	library	pkg:npm/@types/chai@5.2.3	MIT	
connect-history-api-fallback	1.5.4	library	pkg:npm/@types/connect-history-api-fallback@1.5.4	MIT	
deep-eql	4.0.2	library	pkg:npm/@types/deep-eql@4.0.2	MIT	
diff	5.2.3	library	pkg:npm/@types/diff@5.2.3	MIT	
easy-table	1.2.3	library	pkg:npm/@types/easy-table@1.2.3	MIT	
ejs	3.1.5	library	pkg:npm/@types/ejs@3.1.5	MIT	
eslint-scope	3.7.7	library	pkg:npm/@types/eslint-scope@3.7.7	MIT	
eslint	9.6.1	library	pkg:npm/@types/eslint@9.6.1	MIT	
estree	1.0.8	library	pkg:npm/@types/estree@1.0.8	MIT	
express-serve-static-core	5.1.0	library	pkg:npm/@types/express-serve-static-core@5.1.0	MIT	
express-serve-static-core	4.19.7	library	pkg:npm/@types/express-serve-static-core@4.19.7	MIT	
express	5.0.6	library	pkg:npm/@types/express@5.0.6	MIT	
fs-extra	11.0.4	library	pkg:npm/@types/fs-extra@11.0.4	MIT	
glob	8.1.0	library	pkg:npm/@types/glob@8.1.0	MIT	
html-minifier-terser	6.1.0	library	pkg:npm/@types/html-minifier-terser@6.1.0	MIT	
http-cache-semantics	4.0.4	library	pkg:npm/@types/http-cache-semantics@4.0.4	MIT	
http-proxy	1.17.17	library	pkg:npm/@types/http-proxy@1.17.17	MIT	
inquirer	8.2.12	library	pkg:npm/@types/inquirer@8.2.12	MIT	
istanbul-lib-coverage	2.0.6	library	pkg:npm/@types/istanbul-lib-coverage@2.0.6	MIT	
istanbul-lib-report	3.0.3	library	pkg:npm/@types/istanbul-lib-report@3.0.3	MIT	
istanbul-reports	3.0.4	library	pkg:npm/@types/istanbul-reports@3.0.4	MIT	
jest	30.0.0	library	pkg:npm/@types/jest@30.0.0	MIT	
jquery	3.5.33	library	pkg:npm/@types/jquery@3.5.33	MIT	
jsdom	21.1.7	library	pkg:npm/@types/jsdom@21.1.7	MIT	
json-schema	7.0.15	library	pkg:npm/@types/json-schema@7.0.15	MIT	
json5	0.0.29	library	pkg:npm/@types/json5@0.0.29	MIT	
jsonfile	6.1.4	library	pkg:npm/@types/jsonfile@6.1.4	MIT	
keyv	3.1.4	library	pkg:npm/@types/keyv@3.1.4	MIT	
linkify-it	5.0.0	library	pkg:npm/@types/linkify-it@5.0.0	MIT	
lodash.flattendeep	4.4.9	library	pkg:npm/@types/lodash.flattendeep@4.4.9	MIT	
lodash.pickby	4.6.9	library	pkg:npm/@types/lodash.pickby@4.6.9	MIT	
lodash.union	4.6.9	library	pkg:npm/@types/lodash.union@4.6.9	MIT	
lodash	4.17.21	library	pkg:npm/@types/lodash@4.17.21	MIT	
lodash	4.14.191	library	pkg:npm/@types/lodash@4.14.191	MIT	
markdown-it	14.1.2	library	pkg:npm/@types/markdown-it@14.1.2	MIT	
mdurl	2.0.0	library	pkg:npm/@types/mdurl@2.0.0	MIT	
mdx	2.0.13	library	pkg:npm/@types/mdx@2.0.13	MIT	
minimatch	3.0.5	library	pkg:npm/@types/minimatch@3.0.5	MIT	
minimatch	5.1.2	library	pkg:npm/@types/minimatch@5.1.2	MIT	
minimist	1.2.5	library	pkg:npm/@types/minimist@1.2.5	MIT	
mocha	10.0.10	library	pkg:npm/@types/mocha@10.0.10	MIT	
morgan	1.9.10	library	pkg:npm/@types/morgan@1.9.10	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
node-forge	1.3.14	library	pkg:npm/@types/node-forge@1.3.14	MIT	
node	25.0.3	library	pkg:npm/@types/node@25.0.3	MIT	
node	18.16.9	library	pkg:npm/@types/node@18.16.9	MIT	
node	20.5.1	library	pkg:npm/@types/node@20.5.1	MIT	
node	18.19.130	library	pkg:npm/@types/node@18.19.130	MIT	
normalize-package-data	2.4.4	library	pkg:npm/@types/normalize-package-data@2.4.4	MIT	
object-inspect	1.13.0	library	pkg:npm/@types/object-inspect@1.13.0	MIT	
openui5	1.143.0	library	pkg:npm/@types/openui5@1.143.0	MIT	
parse-json	4.0.2	library	pkg:npm/@types/parse-json@4.0.2	MIT	
prop-types	15.7.15	library	pkg:npm/@types/prop-types@15.7.15	MIT	
qunit	2.19.13	library	pkg:npm/@types/qunit@2.19.13	MIT	
react	18.3.27	library	pkg:npm/@types/react@18.3.27	MIT	
recursive-readdir	2.2.4	library	pkg:npm/@types/recursive-readdir@2.2.4	MIT	
responselike	1.0.3	library	pkg:npm/@types/responselike@1.0.3	MIT	
retry	0.12.2	library	pkg:npm/@types/retry@0.12.2	MIT	
semver	7.5.8	library	pkg:npm/@types/semver@7.5.8	MIT	
semver	7.7.1	library	pkg:npm/@types/semver@7.7.1	MIT	
serve-index	1.9.4	library	pkg:npm/@types/serve-index@1.9.4	MIT	
serve-static	2.2.0	library	pkg:npm/@types/serve-static@2.2.0	MIT	
sinonjs___fake-timers	8.1.1	library	pkg:npm/@types/sinonjs__fake-timers@8.1.1	MIT	
sizzle	2.3.10	library	pkg:npm/@types/sizzle@2.3.10	MIT	
sockjs	0.3.36	library	pkg:npm/@types/sockjs@0.3.36	MIT	
stack-utils	2.0.3	library	pkg:npm/@types/stack-utils@2.0.3	MIT	
stream-buffers	3.0.8	library	pkg:npm/@types/stream-buffers@3.0.8	MIT	
supports-color	8.1.3	library	pkg:npm/@types/supports-color@8.1.3	MIT	
through	0.0.33	library	pkg:npm/@types/through@0.0.33	MIT	
tmp	0.2.6	library	pkg:npm/@types/tmp@0.2.6	MIT	
tough-cookie	4.0.5	library	pkg:npm/@types/tough-cookie@4.0.5	MIT	
trusted-types	2.0.7	library	pkg:npm/@types/trusted-types@2.0.7	MIT	
ua-parser-js	0.7.39	library	pkg:npm/@types/ua-parser-js@0.7.39	MIT	
which	1.3.2	library	pkg:npm/@types/which@1.3.2	MIT	
ws	8.18.1	library	pkg:npm/@types/ws@8.18.1	MIT	
yargs-parser	21.0.3	library	pkg:npm/@types/yargs-parser@21.0.3	MIT	
yargs	17.0.35	library	pkg:npm/@types/yargs@17.0.35	MIT	
yauzl	2.10.3	library	pkg:npm/@types/yauzl@2.10.3	MIT	
eslint-plugin	7.18.0	library	pkg:npm/@typescript-eslint/eslint-plugin@7.18.0	MIT	
eslint-plugin	6.21.0	library	pkg:npm/@typescript-eslint/eslint-plugin@6.21.0	MIT	
experimental-utils	5.62.0	library	pkg:npm/@typescript-eslint/experimental-utils@5.62.0	MIT	
parser	7.18.0	library	pkg:npm/@typescript-eslint/parser@7.18.0	MIT	
parser	6.21.0	library	pkg:npm/@typescript-eslint/parser@6.21.0	MIT	
project-service	8.52.0	library	pkg:npm/@typescript-eslint/project-service@8.52.0	MIT	
scope-manager	5.62.0	library	pkg:npm/@typescript-eslint/scope-manager@5.62.0	MIT	
scope-manager	6.21.0	library	pkg:npm/@typescript-eslint/scope-manager@6.21.0	MIT	
scope-manager	7.18.0	library	pkg:npm/@typescript-eslint/scope-manager@7.18.0	MIT	
scope-manager	8.52.0	library	pkg:npm/@typescript-eslint/scope-manager@8.52.0	MIT	
tsconfig-utils	8.52.0	library	pkg:npm/@typescript-eslint/tsconfig-utils@8.52.0	MIT	
type-utils	6.21.0	library	pkg:npm/@typescript-eslint/type-utils@6.21.0	MIT	
type-utils	7.18.0	library	pkg:npm/@typescript-eslint/type-utils@7.18.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
type-utils	8.52.0	library	pkg:npm/@typescript-eslint/type-utils@8.52.0	MIT	
types	5.62.0	library	pkg:npm/@typescript-eslint/types@5.62.0	MIT	
types	6.21.0	library	pkg:npm/@typescript-eslint/types@6.21.0	MIT	
types	7.18.0	library	pkg:npm/@typescript-eslint/types@7.18.0	MIT	
types	8.52.0	library	pkg:npm/@typescript-eslint/types@8.52.0	MIT	
typescript-estree	5.62.0	library	pkg:npm/@typescript-eslint/typescript-estree@5.62.0	MIT	
typescript-estree	6.21.0	library	pkg:npm/@typescript-eslint/typescript-estree@6.21.0	MIT	
typescript-estree	7.18.0	library	pkg:npm/@typescript-eslint/typescript-estree@7.18.0	MIT	
typescript-estree	8.52.0	library	pkg:npm/@typescript-eslint/typescript-estree@8.52.0	MIT	
utils	5.62.0	library	pkg:npm/@typescript-eslint/utils@5.62.0	MIT	
utils	6.21.0	library	pkg:npm/@typescript-eslint/utils@6.21.0	MIT	
utils	7.18.0	library	pkg:npm/@typescript-eslint/utils@7.18.0	MIT	
utils	8.52.0	library	pkg:npm/@typescript-eslint/utils@8.52.0	MIT	
visitor-keys	5.62.0	library	pkg:npm/@typescript-eslint/visitor-keys@5.62.0	MIT	
visitor-keys	6.21.0	library	pkg:npm/@typescript-eslint/visitor-keys@6.21.0	MIT	
visitor-keys	7.18.0	library	pkg:npm/@typescript-eslint/visitor-keys@7.18.0	MIT	
visitor-keys	8.52.0	library	pkg:npm/@typescript-eslint/visitor-keys@8.52.0	MIT	
builder	3.7.1	library	pkg:npm/@ui5/builder@3.7.1	Apache-2.0	
fs	3.0.6	library	pkg:npm/@ui5/fs@3.0.6	Apache-2.0	
logger	3.0.1	library	pkg:npm/@ui5/logger@3.0.1	Apache-2.0	
project	3.9.5	library	pkg:npm/@ui5/project@3.9.5	Apache-2.0	
tooling-webc	0.3.1	library	pkg:npm/@ui5/tooling-webc@0.3.1	Apache-2.0	
webcomponents-ai	2.18.1	library	pkg:npm/@ui5/webcomponents-ai@2.18.1	Apache-2.0	
webcomponents-base	2.18.1	library	pkg:npm/@ui5/webcomponents-base@2.18.1	Apache-2.0	
webcomponents-fiori	2.18.1	library	pkg:npm/@ui5/webcomponents-fiori@2.18.1	Apache-2.0	
webcomponents-icons-business-suite	2.18.1	library	pkg:npm/@ui5/webcomponents-icons-business-suite@2.18.1	Apache-2.0	
webcomponents-icons-tnt	2.18.1	library	pkg:npm/@ui5/webcomponents-icons-tnt@2.18.1	Apache-2.0	
webcomponents-icons	2.18.1	library	pkg:npm/@ui5/webcomponents-icons@2.18.1	Apache-2.0	
webcomponents-localization	2.18.1	library	pkg:npm/@ui5/webcomponents-localization@2.18.1	Apache-2.0	
webcomponents-theming	2.18.1	library	pkg:npm/@ui5/webcomponents-theming@2.18.1	Apache-2.0	
webcomponents-tools	2.18.1	library	pkg:npm/@ui5/webcomponents-tools@2.18.1	Apache-2.0	
webcomponents	2.18.1	library	pkg:npm/@ui5/webcomponents@2.18.1	Apache-2.0	
structured-clone	1.3.0	library	pkg:npm/@ungap/structured-clone@1.3.0	ISC	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
resolver-binding-android-arm-eabi	1.11.1	library	pkg:npm/@unrs/resolver-binding-android-arm-eabi@1.11.1	MIT	
resolver-binding-android-arm64	1.11.1	library	pkg:npm/@unrs/resolver-binding-android-arm64@1.11.1	MIT	
resolver-binding-darwin-arm64	1.11.1	library	pkg:npm/@unrs/resolver-binding-darwin-arm64@1.11.1	MIT	
resolver-binding-darwin-x64	1.11.1	library	pkg:npm/@unrs/resolver-binding-darwin-x64@1.11.1	MIT	
resolver-binding-freebsd-x64	1.11.1	library	pkg:npm/@unrs/resolver-binding-freebsd-x64@1.11.1	MIT	
resolver-binding-linux-arm-gnueabihf	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm-gnueabihf@1.1	MIT	
resolver-binding-linux-arm-musleabihf	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm-musleabihf@1.	MIT	
resolver-binding-linux-arm64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm64-gnu@1.11.1	MIT	
resolver-binding-linux-arm64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-arm64-musl@1.11.1	MIT	
resolver-binding-linux-ppc64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-ppc64-gnu@1.11.1	MIT	
resolver-binding-linux-riscv64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-riscv64-gnu@1.11.	MIT	
resolver-binding-linux-riscv64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-riscv64-musl@1.11	MIT	
resolver-binding-linux-s390x-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-s390x-gnu@1.11.1	MIT	
resolver-binding-linux-x64-gnu	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-x64-gnu@1.11.1	MIT	
resolver-binding-linux-x64-musl	1.11.1	library	pkg:npm/@unrs/resolver-binding-linux-x64-musl@1.11.1	MIT	
resolver-binding-wasm32-wasi	1.11.1	library	pkg:npm/@unrs/resolver-binding-wasm32-wasi@1.11.1	MIT	
resolver-binding-win32-arm64-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-arm64-msvc@1.11.1	MIT	
resolver-binding-win32-ia32-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-ia32-msvc@1.11.1	MIT	
resolver-binding-win32-x64-msvc	1.11.1	library	pkg:npm/@unrs/resolver-binding-win32-x64-msvc@1.11.1	MIT	
plugin-basic-ssl	2.1.0	library	pkg:npm/@vitejs/plugin-basic-ssl@2.1.0	MIT	
expect	3.2.4	library	pkg:npm/@vitest/expect@3.2.4	MIT	
mocker	3.2.4	library	pkg:npm/@vitest/mocker@3.2.4	MIT	
pretty-format	3.2.4	library	pkg:npm/@vitest/pretty-format@3.2.4	MIT	
spy	3.2.4	library	pkg:npm/@vitest/spy@3.2.4	MIT	
utils	3.2.4	library	pkg:npm/@vitest/utils@3.2.4	MIT	
cli	7.40.0	library	pkg:npm/@wdio/cli@7.40.0	MIT	
config	7.40.0	library	pkg:npm/@wdio/config@7.40.0	MIT	
dot-reporter	7.40.0	library	pkg:npm/@wdio/dot-reporter@7.40.0	MIT	
local-runner	7.40.0	library	pkg:npm/@wdio/local-runner@7.40.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
logger	7.26.0	library	pkg:npm/@wdio/logger@7.26.0	MIT	
mocha-framework	7.40.0	library	pkg:npm/@wdio/mocha-framework@7.40.0	MIT	
protocols	7.27.0	library	pkg:npm/@wdio/protocols@7.27.0	MIT	
repl	7.40.0	library	pkg:npm/@wdio/repl@7.40.0	MIT	
reporter	7.40.0	library	pkg:npm/@wdio/reporter@7.40.0	MIT	
runner	7.40.0	library	pkg:npm/@wdio/runner@7.40.0	MIT	
spec-reporter	7.40.0	library	pkg:npm/@wdio/spec-reporter@7.40.0	MIT	
static-server-service	7.40.0	library	pkg:npm/@wdio/static-server-service@7.40.0	MIT	
types	7.40.0	library	pkg:npm/@wdio/types@7.40.0	MIT	
utils	7.40.0	library	pkg:npm/@wdio/utils@7.40.0	MIT	
config-loader	0.1.3	library	pkg:npm/@web/config-loader@0.1.3	MIT	
ast	1.14.1	library	pkg:npm/@webassemblyjs/ast@1.14.1	MIT	
floating-point-hex-parser	1.13.2	library	pkg:npm/@webassemblyjs/floating-point-hex-parser@1.13.	MIT	
helper-api-error	1.13.2	library	pkg:npm/@webassemblyjs/helper-api-error@1.13.2	MIT	
helper-buffer	1.14.1	library	pkg:npm/@webassemblyjs/helper-buffer@1.14.1	MIT	
helper-numbers	1.13.2	library	pkg:npm/@webassemblyjs/helper-numbers@1.13.2	MIT	
helper-wasm-bytecode	1.13.2	library	pkg:npm/@webassemblyjs/helper-wasm-bytecode@1.13.2	MIT	
helper-wasm-section	1.14.1	library	pkg:npm/@webassemblyjs/helper-wasm-section@1.14.1	MIT	
ieee754	1.13.2	library	pkg:npm/@webassemblyjs/ieee754@1.13.2	MIT	
leb128	1.13.2	library	pkg:npm/@webassemblyjs/leb128@1.13.2	Apache-2.0	
utf8	1.13.2	library	pkg:npm/@webassemblyjs/utf8@1.13.2	MIT	
wasm-edit	1.14.1	library	pkg:npm/@webassemblyjs/wasm-edit@1.14.1	MIT	
wasm-gen	1.14.1	library	pkg:npm/@webassemblyjs/wasm-gen@1.14.1	MIT	
wasm-opt	1.14.1	library	pkg:npm/@webassemblyjs/wasm-opt@1.14.1	MIT	
wasm-parser	1.14.1	library	pkg:npm/@webassemblyjs/wasm-parser@1.14.1	MIT	
wast-printer	1.14.1	library	pkg:npm/@webassemblyjs/wast-printer@1.14.1	MIT	
rml-darwin-arm64	2.6.0	library	pkg:npm/@xn-sakina/rml-darwin-arm64@2.6.0	MIT	
rml-darwin-x64	2.6.0	library	pkg:npm/@xn-sakina/rml-darwin-x64@2.6.0	MIT	
rml-linux-arm-gnueabihf	2.6.0	library	pkg:npm/@xn-sakina/rml-linux-arm-gnueabihf@2.6.0	MIT	
rml-linux-arm64-gnu	2.6.0	library	pkg:npm/@xn-sakina/rml-linux-arm64-gnu@2.6.0	MIT	
rml-linux-arm64-musl	2.6.0	library	pkg:npm/@xn-sakina/rml-linux-arm64-musl@2.6.0	MIT	
rml-linux-x64-gnu	2.6.0	library	pkg:npm/@xn-sakina/rml-linux-x64-gnu@2.6.0	MIT	
rml-linux-x64-musl	2.6.0	library	pkg:npm/@xn-sakina/rml-linux-x64-musl@2.6.0	MIT	
rml-win32-arm64-msvc	2.6.0	library	pkg:npm/@xn-sakina/rml-win32-arm64-msvc@2.6.0	MIT	
rml-win32-x64-msvc	2.6.0	library	pkg:npm/@xn-sakina/rml-win32-x64-msvc@2.6.0	MIT	
ieee754	1.2.0	library	pkg:npm/@xtuc/ieee754@1.2.0	BSD-3-Clause	
long	4.2.2	library	pkg:npm/@xtuc/long@4.2.2	Apache-2.0	
lockfile	1.1.0	library	pkg:npm/@yarnpkg/lockfile@1.1.0	BSD-2-Clause	
parsers	3.0.2	library	pkg:npm/@yarnpkg/parsers@3.0.2	BSD-2-Clause	
js-yaml	0.0.7	library	pkg:npm/@zkochan/js-yaml@0.0.7	MIT	
library	0.21.3	library	pkg:npm/@zxing/library@0.21.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
text-encoding	0.9.0	library	pkg:npm/@zxing/text-encoding@0.9.0	Apache-2.0	
JSONStream	1.3.5	library	pkg:npm/JSONStream@1.3.5	Apache-2.0	
abbrev	2.0.0	library	pkg:npm/abbrev@2.0.0	ISC	
abbrev	3.0.1	library	pkg:npm/abbrev@3.0.1	ISC	
abbrev	4.0.0	library	pkg:npm/abbrev@4.0.0	ISC	
accepts	2.0.0	library	pkg:npm/accepts@2.0.0	MIT	
acorn-import-phases	1.0.4	library	pkg:npm/acorn-import-phases@1.0.4	MIT	
acorn-jsx	5.3.2	library	pkg:npm/acorn-jsx@5.3.2	MIT	
acorn-walk	8.3.4	library	pkg:npm/acorn-walk@8.3.4	MIT	
acorn	7.4.1	library	pkg:npm/acorn@7.4.1	MIT	
acorn	8.15.0	library	pkg:npm/acorn@8.15.0	MIT	
add-stream	1.0.0	library	pkg:npm/add-stream@1.0.0	MIT	
address	1.2.2	library	pkg:npm/address@1.2.2	MIT	
adjust-sourcemap-loader	4.0.0	library	pkg:npm/adjust-sourcemap-loader@4.0.0	MIT	
adm-zip	0.5.16	library	pkg:npm/adm-zip@0.5.16	MIT	
agent-base	6.0.2	library	pkg:npm/agent-base@6.0.2	MIT	
agent-base	7.1.4	library	pkg:npm/agent-base@7.1.4	MIT	
aggregate-error	3.1.0	library	pkg:npm/aggregate-error@3.1.0	MIT	
ajv-errors	1.0.1	library	pkg:npm/ajv-errors@1.0.1	MIT	
ajv-formats	3.0.1	library	pkg:npm/ajv-formats@3.0.1	MIT	
ajv-formats	2.1.1	library	pkg:npm/ajv-formats@2.1.1	MIT	
ajv-keywords	3.5.2	library	pkg:npm/ajv-keywords@3.5.2	MIT	
ajv-keywords	5.1.0	library	pkg:npm/ajv-keywords@5.1.0	MIT	
ajv	8.17.1	library	pkg:npm/ajv@8.17.1	MIT	
ajv	6.12.6	library	pkg:npm/ajv@6.12.6	MIT	
algoliasearch	5.35.0	library	pkg:npm/algoliasearch@5.35.0	MIT	
ansi-colors	4.1.3	library	pkg:npm/ansi-colors@4.1.3	MIT	
ansi-escapes	4.3.2	library	pkg:npm/ansi-escapes@4.3.2	MIT	
ansi-escapes	7.2.0	library	pkg:npm/ansi-escapes@7.2.0	MIT	
ansi-html-community	0.0.8	library	pkg:npm/ansi-html-community@0.0.8	Apache-2.0	
ansi-regex	2.1.1	library	pkg:npm/ansi-regex@2.1.1	MIT	
ansi-regex	5.0.1	library	pkg:npm/ansi-regex@5.0.1	MIT	
ansi-regex	6.2.2	library	pkg:npm/ansi-regex@6.2.2	MIT	
ansi-styles	2.2.1	library	pkg:npm/ansi-styles@2.2.1	MIT	
ansi-styles	3.2.1	library	pkg:npm/ansi-styles@3.2.1	MIT	
ansi-styles	4.3.0	library	pkg:npm/ansi-styles@4.3.0	MIT	
ansi-styles	5.2.0	library	pkg:npm/ansi-styles@5.2.0	MIT	
ansi-styles	6.2.3	library	pkg:npm/ansi-styles@6.2.3	MIT	
anymatch	3.1.3	library	pkg:npm/anymatch@3.1.3	ISC	
aproba	2.0.0	library	pkg:npm/aproba@2.0.0	ISC	
arch	2.2.0	library	pkg:npm/arch@2.2.0	MIT	
archiver-utils	2.1.0	library	pkg:npm/archiver-utils@2.1.0	MIT	
archiver-utils	3.0.4	library	pkg:npm/archiver-utils@3.0.4	MIT	
archiver	5.3.2	library	pkg:npm/archiver@5.3.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
argparse	1.0.10	library	pkg:npm/argparse@1.0.10	Python-2.0	
argparse	2.0.1	library	pkg:npm/argparse@2.0.1	Python-2.0	
aria-query	5.3.2	library	pkg:npm/aria-query@5.3.2	Apache-2.0	
arr-union	3.1.0	library	pkg:npm/arr-union@3.1.0	MIT	
array-back	3.1.0	library	pkg:npm/array-back@3.1.0	MIT	
array-back	6.2.2	library	pkg:npm/array-back@6.2.2	MIT	
array-buffer-byte-length	1.0.2	library	pkg:npm/array-buffer-byte-length@1.0.2	MIT	
array-differ	3.0.0	library	pkg:npm/array-differ@3.0.0	MIT	
array-ify	1.0.0	library	pkg:npm/array-ify@1.0.0	MIT	
array-includes	3.1.9	library	pkg:npm/array-includes@3.1.9	MIT	
array-union	2.1.0	library	pkg:npm/array-union@2.1.0	MIT	
array-union	3.0.1	library	pkg:npm/array-union@3.0.1	MIT	
array.prototype.findlastindex	1.2.6	library	pkg:npm/array.prototype.findlastindex@1.2.6	MIT	
array.prototype.flat	1.3.3	library	pkg:npm/array.prototype.flat@1.3.3	MIT	
array.prototype.flatmap	1.3.3	library	pkg:npm/array.prototype.flatmap@1.3.3	MIT	
arraybuffer.prototype.slice	1.0.4	library	pkg:npm/arraybuffer.prototype.slice@1.0.4	MIT	
arrify	1.0.1	library	pkg:npm/arrify@1.0.1	MIT	
arrify	2.0.1	library	pkg:npm/arrify@2.0.1	MIT	
asn1	0.2.6	library	pkg:npm/asn1@0.2.6	MIT	
assert-plus	1.0.0	library	pkg:npm/assert-plus@1.0.0	MIT	
assertion-error	1.1.0	library	pkg:npm/assertion-error@1.1.0	MIT	
assertion-error	2.0.1	library	pkg:npm/assertion-error@2.0.1	MIT	
ast-types	0.16.1	library	pkg:npm/ast-types@0.16.1	MIT	
astral-regex	2.0.0	library	pkg:npm/astral-regex@2.0.0	MIT	
async-exit-hook	2.0.1	library	pkg:npm/async-exit-hook@2.0.1	MIT	
async-function	1.0.0	library	pkg:npm/async-function@1.0.0	MIT	
async-generator-function	1.0.0	library	pkg:npm/async-generator-function@1.0.0	MIT	
async	3.2.6	library	pkg:npm/async@3.2.6	MIT	
asynckit	0.4.0	library	pkg:npm/asynckit@0.4.0	MIT	
at-least-node	1.0.0	library	pkg:npm/at-least-node@1.0.0	ISC	
autoprefixer	10.4.21	library	pkg:npm/autoprefixer@10.4.21	MIT	
autoprefixer	10.4.23	library	pkg:npm/autoprefixer@10.4.23	MIT	
available-typed-arrays	1.0.7	library	pkg:npm/available-typed-arrays@1.0.7	MIT	
aws-sign2	0.7.0	library	pkg:npm/aws-sign2@0.7.0	Apache-2.0	
aws4	1.13.2	library	pkg:npm/aws4@1.13.2	MIT	
axios	1.13.5	library	pkg:npm/axios@1.13.5	MIT	
axobject-query	4.1.0	library	pkg:npm/axobject-query@4.1.0	Apache-2.0	
babel-jest	30.0.5	library	pkg:npm/babel-jest@30.0.5	MIT	
babel-jest	30.2.0	library	pkg:npm/babel-jest@30.2.0	MIT	
babel-loader	10.0.0	library	pkg:npm/babel-loader@10.0.0	MIT	
babel-loader	9.2.1	library	pkg:npm/babel-loader@9.2.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
babel-plugin-const-enum	1.2.0	library	pkg:npm/babel-plugin-const-enum@1.2.0	MIT	
babel-plugin-istanbul	7.0.1	library	pkg:npm/babel-plugin-istanbul@7.0.1	BSD-3-Clause	
babel-plugin-jest-hoist	30.0.1	library	pkg:npm/babel-plugin-jest-hoist@30.0.1	MIT	
babel-plugin-jest-hoist	30.2.0	library	pkg:npm/babel-plugin-jest-hoist@30.2.0	MIT	
babel-plugin-macros	3.1.0	library	pkg:npm/babel-plugin-macros@3.1.0	MIT	
babel-plugin-module-resolver	5.0.2	library	pkg:npm/babel-plugin-module-resolver@5.0.2	MIT	
babel-plugin-polyfill-corejs2	0.4.14	library	pkg:npm/babel-plugin-polyfill-corejs2@0.4.14	MIT	
babel-plugin-polyfill-corejs3	0.13.0	library	pkg:npm/babel-plugin-polyfill-corejs3@0.13.0	MIT	
babel-plugin-polyfill-regenerator	0.6.5	library	pkg:npm/babel-plugin-polyfill-regenerator@0.6.5	MIT	
babel-plugin-transform-dynamic-import	2.1.0	library	pkg:npm/babel-plugin-transform-dynamic-import@2.1.0	MIT	
babel-plugin-transform-typescript-metadata	0.3.2	library	pkg:npm/babel-plugin-transform-typescript-metadata@0.3	MIT	
babel-preset-current-node-syntax	1.2.0	library	pkg:npm/babel-preset-current-node-syntax@1.2.0	MIT	
babel-preset-jest	30.0.1	library	pkg:npm/babel-preset-jest@30.0.1	MIT	
babel-preset-jest	30.2.0	library	pkg:npm/babel-preset-jest@30.2.0	MIT	
balanced-match	1.0.2	library	pkg:npm/balanced-match@1.0.2	MIT	
base64-js	1.5.1	library	pkg:npm/base64-js@1.5.1	MIT	
baseline-browser-mapping	2.9.13	library	pkg:npm/baseline-browser-mapping@2.9.13	Apache-2.0	
basic-auth	2.0.1	library	pkg:npm/basic-auth@2.0.1	MIT	
batch	0.6.1	library	pkg:npm/batch@0.6.1	MIT	
bcrypt-pbkdf	1.0.2	library	pkg:npm/bcrypt-pbkdf@1.0.2	BSD-3-Clause	
beasties	0.3.5	library	pkg:npm/beasties@0.3.5	Apache-2.0	
before-after-hook	2.2.3	library	pkg:npm/before-after-hook@2.2.3	Apache-2.0	
better-opn	3.0.2	library	pkg:npm/better-opn@3.0.2	MIT	
big.js	5.2.2	library	pkg:npm/big.js@5.2.2	MIT	
bin-links	4.0.4	library	pkg:npm/bin-links@4.0.4	ISC	
binary-extensions	2.3.0	library	pkg:npm/binary-extensions@2.3.0	MIT	
bl	4.1.0	library	pkg:npm/bl@4.1.0	MIT	
blob-util	2.0.2	library	pkg:npm/blob-util@2.0.2	Apache-2.0	
bluebird	3.7.2	library	pkg:npm/bluebird@3.7.2	MIT	
body-parser	2.2.2	library	pkg:npm/body-parser@2.2.2	MIT	
bonjour-service	1.3.0	library	pkg:npm/bonjour-service@1.3.0	MIT	
boolbase	1.0.0	library	pkg:npm/boolbase@1.0.0	ISC	
brace-expansion	1.1.12	library	pkg:npm/brace-expansion@1.1.12	MIT	
brace-expansion	2.0.2	library	pkg:npm/brace-expansion@2.0.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
braces	3.0.3	library	pkg:npm/braces@3.0.3	MIT	
browser-stdout	1.3.1	library	pkg:npm/browser-stdout@1.3.1	ISC	
browserslist	4.28.1	library	pkg:npm/browserslist@4.28.1	MIT	
bs-logger	0.2.6	library	pkg:npm/bs-logger@0.2.6	MIT	
bser	2.1.1	library	pkg:npm/bser@2.1.1	Apache-2.0	
btoa	1.2.1	library	pkg:npm/btoa@1.2.1	Apache-2.0	
buffer-builder	0.2.0	library	pkg:npm/buffer-builder@0.2.0	MIT	
buffer-crc32	0.2.13	library	pkg:npm/buffer-crc32@0.2.13	MIT	
buffer-from	1.1.2	library	pkg:npm/buffer-from@1.1.2	MIT	
buffer	5.7.1	library	pkg:npm/buffer@5.7.1	MIT	
bundle-name	4.1.0	library	pkg:npm/bundle-name@4.1.0	MIT	
byte-size	8.1.1	library	pkg:npm/byte-size@8.1.1	MIT	
cac	3.0.4	library	pkg:npm/cac@3.0.4	MIT	
cacache	18.0.4	library	pkg:npm/cacache@18.0.4	ISC	
cacache	19.0.1	library	pkg:npm/cacache@19.0.1	ISC	
cacache	20.0.3	library	pkg:npm/cacache@20.0.3	ISC	
cacheable-lookup	5.0.4	library	pkg:npm/cacheable-lookup@5.0.4	MIT	
cacheable-request	7.0.4	library	pkg:npm/cacheable-request@7.0.4	MIT	
cachedir	2.4.0	library	pkg:npm/cachedir@2.4.0	MIT	
call-bind	1.0.8	library	pkg:npm/call-bind@1.0.8	MIT	
callsites	3.1.0	library	pkg:npm/callsites@3.1.0	MIT	
camel-case	4.1.2	library	pkg:npm/camel-case@4.1.2	MIT	
camelcase-keys	3.0.0	library	pkg:npm/camelcase-keys@3.0.0	MIT	
camelcase-keys	6.2.2	library	pkg:npm/camelcase-keys@6.2.2	MIT	
camelcase	3.0.0	library	pkg:npm/camelcase@3.0.0	MIT	
camelcase	5.3.1	library	pkg:npm/camelcase@5.3.1	MIT	
camelcase	6.3.0	library	pkg:npm/camelcase@6.3.0	MIT	
caniuse-api	3.0.0	library	pkg:npm/caniuse-api@3.0.0	MIT	
caniuse-lite	1.0.30001763	library	pkg:npm/caniuse-lite@1.0.30001763	CC-BY-4.0	
case-sensitive-paths-webpack-plugin	2.4.0	library	pkg:npm/case-sensitive-paths-webpack-plugin@2.4.0	MIT	
caseless	0.12.0	library	pkg:npm/caseless@0.12.0	Apache-2.0	
catharsis	0.9.0	library	pkg:npm/catharsis@0.9.0	MIT	
cem-plugin-vs-code-custom-data-generator	1.4.2	library	pkg:npm/cem-plugin-vs-code-custom-data-generator@1.4.2	MIT	
chai	4.5.0	library	pkg:npm/chai@4.5.0	MIT	
chai	5.3.3	library	pkg:npm/chai@5.3.3	MIT	
chalk	3.0.0	library	pkg:npm/chalk@3.0.0	MIT	
chalk	4.1.0	library	pkg:npm/chalk@4.1.0	MIT	
chalk	1.1.3	library	pkg:npm/chalk@1.1.3	MIT	
chalk	2.4.2	library	pkg:npm/chalk@2.4.2	MIT	
chalk	4.1.2	library	pkg:npm/chalk@4.1.2	MIT	
chalk	5.6.2	library	pkg:npm/chalk@5.6.2	MIT	
char-regex	1.0.2	library	pkg:npm/char-regex@1.0.2	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
chardet	0.7.0	library	pkg:npm/chardet@0.7.0	MIT	
chardet	2.1.1	library	pkg:npm/chardet@2.1.1	MIT	
check-error	1.0.3	library	pkg:npm/check-error@1.0.3	MIT	
check-error	2.1.3	library	pkg:npm/check-error@2.1.3	MIT	
check-more-types	2.24.0	library	pkg:npm/check-more-types@2.24.0	MIT	
cheerio-select	2.1.0	library	pkg:npm/cheerio-select@2.1.0	BSD-2-Clause	
cheerio	1.0.0-rc.12	library	pkg:npm/cheerio@1.0.0-rc.12	MIT	
child_process	1.0.2	framework	pkg:npm/child_process@1.0.2	ISC	
chokidar	3.5.2	library	pkg:npm/chokidar@3.5.2	MIT	
chokidar	3.6.0	library	pkg:npm/chokidar@3.6.0	MIT	
chokidar	4.0.3	library	pkg:npm/chokidar@4.0.3	MIT	
chownr	1.1.4	library	pkg:npm/chownr@1.1.4	BlueOak-1.0.0	
chownr	2.0.0	library	pkg:npm/chownr@2.0.0	BlueOak-1.0.0	
chownr	3.0.0	library	pkg:npm/chownr@3.0.0	BlueOak-1.0.0	
chrome-launcher	0.15.2	library	pkg:npm/chrome-launcher@0.15.2	Apache-2.0	
chrome-trace-event	1.0.4	library	pkg:npm/chrome-trace-event@1.0.4	MIT	
ci-info	3.9.0	library	pkg:npm/ci-info@3.9.0	MIT	
ci-info	4.3.1	library	pkg:npm/ci-info@4.3.1	MIT	
cjs-module-lexer	1.4.3	library	pkg:npm/cjs-module-lexer@1.4.3	MIT	
cjs-module-lexer	2.2.0	library	pkg:npm/cjs-module-lexer@2.2.0	MIT	
clean-css	5.3.3	library	pkg:npm/clean-css@5.3.3	MIT	
clean-stack	2.2.0	library	pkg:npm/clean-stack@2.2.0	MIT	
cli-cursor	3.1.0	library	pkg:npm/cli-cursor@3.1.0	MIT	
cli-cursor	5.0.0	library	pkg:npm/cli-cursor@5.0.0	MIT	
cli-progress	3.12.0	library	pkg:npm/cli-progress@3.12.0	MIT	
cli-spinners	2.6.1	library	pkg:npm/cli-spinners@2.6.1	MIT	
cli-spinners	2.9.2	library	pkg:npm/cli-spinners@2.9.2	MIT	
cli-table3	0.6.1	library	pkg:npm/cli-table3@0.6.1	MIT	
cli-truncate	2.1.0	library	pkg:npm/cli-truncate@2.1.0	MIT	
cli-truncate	4.0.0	library	pkg:npm/cli-truncate@4.0.0	MIT	
cli-width	3.0.0	library	pkg:npm/cli-width@3.0.0	ISC	
cli-width	4.1.0	library	pkg:npm/cli-width@4.1.0	ISC	
cliui	7.0.4	library	pkg:npm/cliui@7.0.4	ISC	
cliui	8.0.1	library	pkg:npm/cliui@8.0.1	ISC	
cliui	9.0.1	library	pkg:npm/cliui@9.0.1	ISC	
clone-deep	4.0.1	library	pkg:npm/clone-deep@4.0.1	MIT	
clone-deep	0.2.4	library	pkg:npm/clone-deep@0.2.4	MIT	
clone-response	1.0.3	library	pkg:npm/clone-response@1.0.3	MIT	
clone	1.0.4	library	pkg:npm/clone@1.0.4	MIT	
clone	2.1.2	library	pkg:npm/clone@2.1.2	MIT	
cmd-shim	6.0.3	library	pkg:npm/cmd-shim@6.0.3	ISC	
co	4.6.0	library	pkg:npm/co@4.6.0	MIT	
collect-v8-coverage	1.0.3	library	pkg:npm/collect-v8-coverage@1.0.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
color-convert	1.9.3	library	pkg:npm/color-convert@1.9.3	MIT	
color-convert	2.0.1	library	pkg:npm/color-convert@2.0.1	MIT	
color-name	1.1.3	library	pkg:npm/color-name@1.1.3	MIT	
color-name	1.1.4	library	pkg:npm/color-name@1.1.4	MIT	
color-support	1.1.3	library	pkg:npm/color-support@1.1.3	ISC	
colord	2.9.3	library	pkg:npm/colord@2.9.3	MIT	
colorette	2.0.20	library	pkg:npm/colorette@2.0.20	MIT	
colorjs.io	0.5.2	library	pkg:npm/colorjs.io@0.5.2	MIT	
colors	1.4.0	library	pkg:npm/colors@1.4.0	MIT	
columnify	1.6.0	library	pkg:npm/columnify@1.6.0	MIT	
combined-stream	1.0.8	library	pkg:npm/combined-stream@1.0.8	MIT	
command-line-args	5.1.2	library	pkg:npm/command-line-args@5.1.2	MIT	
command-line-args	5.2.1	library	pkg:npm/command-line-args@5.2.1	MIT	
commander	11.1.0	library	pkg:npm/commander@11.1.0	MIT	
commander	10.0.1	library	pkg:npm/commander@10.0.1	MIT	
commander	14.0.2	library	pkg:npm/commander@14.0.2	MIT	
commander	2.20.3	library	pkg:npm/commander@2.20.3	MIT	
commander	6.2.1	library	pkg:npm/commander@6.2.1	MIT	
commander	7.2.0	library	pkg:npm/commander@7.2.0	MIT	
commander	8.3.0	library	pkg:npm/commander@8.3.0	MIT	
comment-parser	1.2.4	library	pkg:npm/comment-parser@1.2.4	MIT	
comment-parser	1.4.1	library	pkg:npm/comment-parser@1.4.1	MIT	
common-ancestor-path	1.0.1	library	pkg:npm/common-ancestor-path@1.0.1	BlueOak-1.0.0	
common-path-prefix	3.0.0	library	pkg:npm/common-path-prefix@3.0.0	ISC	
common-tags	1.8.2	library	pkg:npm/common-tags@1.8.2	MIT	
compare-func	2.0.0	library	pkg:npm/compare-func@2.0.0	MIT	
compress-commons	4.1.2	library	pkg:npm/compress-commons@4.1.2	MIT	
compressible	2.0.18	library	pkg:npm/compressible@2.0.18	MIT	
compression	1.8.1	library	pkg:npm/compression@1.8.1	MIT	
concat-map	0.0.1	library	pkg:npm/concat-map@0.0.1	MIT	
concat-stream	2.0.0	library	pkg:npm/concat-stream@2.0.0	MIT	
config-chain	1.1.13	library	pkg:npm/config-chain@1.1.13	MIT	
confusing-browser-globals	1.0.11	library	pkg:npm/confusing-browser-globals@1.0.11	MIT	
connect-history-api-fallback	2.0.0	library	pkg:npm/connect-history-api-fallback@2.0.0	MIT	
console-control-strings	1.1.0	library	pkg:npm/console-control-strings@1.1.0	ISC	
content-disposition	1.0.1	library	pkg:npm/content-disposition@1.0.1	MIT	
conventional-changelog-angular	7.0.0	library	pkg:npm/conventional-changelog-angular@7.0.0	ISC	
conventional-changelog-angular	5.0.13	library	pkg:npm/conventional-changelog-angular@5.0.13	ISC	
conventional-changelog-angular	6.0.0	library	pkg:npm/conventional-changelog-angular@6.0.0	ISC	
conventional-changelog-atom	2.0.8	library	pkg:npm/conventional-changelog-atom@2.0.8	ISC	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
conventional-changelog-codemirror	2.0.8	library	pkg:npm/conventional-changelog-codemirror@2.0.8	ISC	
conventional-changelog-conventionalcommits	4.6.3	library	pkg:npm/conventional-changelog-conventionalcommits@4.6	ISC	
conventional-changelog-conventionalcommits	5.0.0	library	pkg:npm/conventional-changelog-conventionalcommits@5.0	ISC	
conventional-changelog-core	5.0.1	library	pkg:npm/conventional-changelog-core@5.0.1	MIT	
conventional-changelog-core	4.2.4	library	pkg:npm/conventional-changelog-core@4.2.4	MIT	
conventional-changelog-ember	2.0.9	library	pkg:npm/conventional-changelog-ember@2.0.9	ISC	
conventional-changelog-eslint	3.0.9	library	pkg:npm/conventional-changelog-eslint@3.0.9	ISC	
conventional-changelog-express	2.0.6	library	pkg:npm/conventional-changelog-express@2.0.6	ISC	
conventional-changelog-jquery	3.0.11	library	pkg:npm/conventional-changelog-jquery@3.0.11	ISC	
conventional-changelog-jshint	2.0.9	library	pkg:npm/conventional-changelog-jshint@2.0.9	ISC	
conventional-changelog-preset-loader	2.3.4	library	pkg:npm/conventional-changelog-preset-loader@2.3.4	MIT	
conventional-changelog-preset-loader	3.0.0	library	pkg:npm/conventional-changelog-preset-loader@3.0.0	MIT	
conventional-changelog-writer	5.0.1	library	pkg:npm/conventional-changelog-writer@5.0.1	MIT	
conventional-changelog-writer	6.0.1	library	pkg:npm/conventional-changelog-writer@6.0.1	MIT	
conventional-changelog	3.1.25	library	pkg:npm/conventional-changelog@3.1.25	MIT	
conventional-commits-filter	2.0.7	library	pkg:npm/conventional-commits-filter@2.0.7	MIT	
conventional-commits-filter	3.0.0	library	pkg:npm/conventional-commits-filter@3.0.0	MIT	
conventional-commits-parser	3.2.4	library	pkg:npm/conventional-commits-parser@3.2.4	MIT	
conventional-commits-parser	4.0.0	library	pkg:npm/conventional-commits-parser@4.0.0	MIT	
conventional-recommended-bump	7.0.1	library	pkg:npm/conventional-recommended-bump@7.0.1	MIT	
conventional-recommended-bump	6.1.0	library	pkg:npm/conventional-recommended-bump@6.1.0	MIT	
convert-source-map	1.9.0	library	pkg:npm/convert-source-map@1.9.0	MIT	
convert-source-map	2.0.0	library	pkg:npm/convert-source-map@2.0.0	MIT	
cookie-signature	1.2.2	library	pkg:npm/cookie-signature@1.2.2	MIT	
cookies	0.9.1	library	pkg:npm/cookies@0.9.1	MIT	
copy-anything	2.0.6	library	pkg:npm/copy-anything@2.0.6	MIT	
copy-webpack-plugin	13.0.1	library	pkg:npm/copy-webpack-plugin@13.0.1	MIT	
copy-webpack-plugin	10.2.4	library	pkg:npm/copy-webpack-plugin@10.2.4	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
core-js-compat	3.47.0	library	pkg:npm/core-js-compat@3.47.0	MIT	
core-util-is	1.0.2	library	pkg:npm/core-util-is@1.0.2	MIT	
core-util-is	1.0.3	library	pkg:npm/core-util-is@1.0.3	MIT	
cors	2.8.5	library	pkg:npm/cors@2.8.5	MIT	
corser	2.0.1	library	pkg:npm/corser@2.0.1	MIT	
cosmiconfig-typescript-loader	4.4.0	library	pkg:npm/cosmiconfig-typescript-loader@4.4.0	MIT	
cosmiconfig	9.0.0	library	pkg:npm/cosmiconfig@9.0.0	MIT	
cosmiconfig	7.1.0	library	pkg:npm/cosmiconfig@7.1.0	MIT	
cosmiconfig	8.3.6	library	pkg:npm/cosmiconfig@8.3.6	MIT	
crc-32	1.2.2	library	pkg:npm/crc-32@1.2.2	Apache-2.0	
crc32-stream	4.0.3	library	pkg:npm/crc32-stream@4.0.3	MIT	
cron-parser	4.9.0	library	pkg:npm/cron-parser@4.9.0	MIT	
cross-env	7.0.3	library	pkg:npm/cross-env@7.0.3	MIT	
cross-fetch	3.1.5	library	pkg:npm/cross-fetch@3.1.5	MIT	
cross-spawn	4.0.2	library	pkg:npm/cross-spawn@4.0.2	MIT	
cross-spawn	7.0.6	library	pkg:npm/cross-spawn@7.0.6	MIT	
css-blank-pseudo	3.0.3	library	pkg:npm/css-blank-pseudo@3.0.3	MIT-0	
css-declaration-sorter	7.3.1	library	pkg:npm/css-declaration-sorter@7.3.1	ISC	
css-has-pseudo	3.0.4	library	pkg:npm/css-has-pseudo@3.0.4	MIT-0	
css-loader	7.1.2	library	pkg:npm/css-loader@7.1.2	MIT	
css-loader	6.11.0	library	pkg:npm/css-loader@6.11.0	MIT	
css-minimizer-webpack-plugin	5.0.1	library	pkg:npm/css-minimizer-webpack-plugin@5.0.1	MIT	
css-prefers-color-scheme	6.0.3	library	pkg:npm/css-prefers-color-scheme@6.0.3	MIT-0	
css-select	4.3.0	library	pkg:npm/css-select@4.3.0	BSD-2-Clause	
css-select	5.2.2	library	pkg:npm/css-select@5.2.2	BSD-2-Clause	
css-select	6.0.0	library	pkg:npm/css-select@6.0.0	BSD-2-Clause	
css-shorthand-properties	1.1.2	library	pkg:npm/css-shorthand-properties@1.1.2	MIT	
css-tree	2.3.1	library	pkg:npm/css-tree@2.3.1	MIT	
css-tree	2.2.1	library	pkg:npm/css-tree@2.2.1	MIT	
css-value	0.0.1	library	pkg:npm/css-value@0.0.1	NOASSERTION	
css-what	6.2.2	library	pkg:npm/css-what@6.2.2	BSD-2-Clause	
css-what	7.0.0	library	pkg:npm/css-what@7.0.0	BSD-2-Clause	
css.escape	1.5.1	library	pkg:npm/css.escape@1.5.1	MIT	
cssdb	6.6.3	library	pkg:npm/cssdb@6.6.3	MIT-0	
cssesc	3.0.0	library	pkg:npm/cssesc@3.0.0	MIT	
cssnano-preset-default	6.1.2	library	pkg:npm/cssnano-preset-default@6.1.2	MIT	
cssnano-utils	4.0.2	library	pkg:npm/cssnano-utils@4.0.2	MIT	
cssnano	6.1.2	library	pkg:npm/cssnano@6.1.2	MIT	
csso	5.0.5	library	pkg:npm/csso@5.0.5	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
cssstyle	4.6.0	library	pkg:npm/cssstyle@4.6.0	MIT	
csstype	3.2.3	library	pkg:npm/csstype@3.2.3	MIT	
cuint	0.2.2	library	pkg:npm/cuint@0.2.2	MIT	
custom-element-jet-brains-integration	1.7.0	library	pkg:npm/custom-element-jet-brains-integration@1.7.0	MIT	
custom-elements-manifest	1.0.0	library	pkg:npm/custom-elements-manifest@1.0.0	BSD-3-Clause	
cypress	14.3.3	library	pkg:npm/cypress@14.3.3	MIT	
dargs	7.0.0	library	pkg:npm/dargs@7.0.0	MIT	
dashdash	1.14.1	library	pkg:npm/dashdash@1.14.1	MIT	
data-urls	5.0.0	library	pkg:npm/data-urls@5.0.0	MIT	
data-view-buffer	1.0.2	library	pkg:npm/data-view-buffer@1.0.2	MIT	
data-view-byte-length	1.0.2	library	pkg:npm/data-view-byte-length@1.0.2	MIT	
data-view-byte-offset	1.0.1	library	pkg:npm/data-view-byte-offset@1.0.1	MIT	
date-format	4.0.14	library	pkg:npm/date-format@4.0.14	MIT	
dateformat	3.0.3	library	pkg:npm/dateformat@3.0.3	MIT	
dayjs	1.11.19	library	pkg:npm/dayjs@1.11.19	MIT	
debounce	1.2.1	library	pkg:npm/debounce@1.2.1	MIT	
debug	4.4.3	library	pkg:npm/debug@4.4.3	MIT	
debug	4.3.1	library	pkg:npm/debug@4.3.1	MIT	
debug	4.3.2	library	pkg:npm/debug@4.3.2	MIT	
debug	4.3.4	library	pkg:npm/debug@4.3.4	MIT	
debug	3.2.7	library	pkg:npm/debug@3.2.7	MIT	
decamelize-keys	1.1.1	library	pkg:npm/decamelize-keys@1.1.1	MIT	
decamelize	1.2.0	library	pkg:npm/decamelize@1.2.0	MIT	
decamelize	4.0.0	library	pkg:npm/decamelize@4.0.0	MIT	
decimal.js	10.6.0	library	pkg:npm/decimal.js@10.6.0	MIT	
decompress-response	6.0.0	library	pkg:npm/decompress-response@6.0.0	MIT	
dedent	1.5.3	library	pkg:npm/dedent@1.5.3	MIT	
dedent	1.7.1	library	pkg:npm/dedent@1.7.1	MIT	
deep-eql	4.1.4	library	pkg:npm/deep-eql@4.1.4	MIT	
deep-eql	5.0.2	library	pkg:npm/deep-eql@5.0.2	MIT	
deep-equal	1.0.1	library	pkg:npm/deep-equal@1.0.1	MIT	
deep-is	0.1.4	library	pkg:npm/deep-is@0.1.4	MIT	
deepmerge	4.3.1	library	pkg:npm/deepmerge@4.3.1	MIT	
default-browser-id	5.0.1	library	pkg:npm/default-browser-id@5.0.1	MIT	
default-browser	5.4.0	library	pkg:npm/default-browser@5.4.0	MIT	
defaults	1.0.4	library	pkg:npm/defaults@1.0.4	MIT	
defer-to-connect	2.0.1	library	pkg:npm/defer-to-connect@2.0.1	MIT	
define-data-property	1.1.4	library	pkg:npm/define-data-property@1.1.4	MIT	
define-lazy-prop	2.0.0	library	pkg:npm/define-lazy-prop@2.0.0	MIT	
define-lazy-prop	3.0.0	library	pkg:npm/define-lazy-prop@3.0.0	MIT	
define-properties	1.2.1	library	pkg:npm/define-properties@1.2.1	MIT	
delayed-stream	1.0.0	library	pkg:npm/delayed-stream@1.0.0	MIT	
delegates	1.0.0	library	pkg:npm/delegates@1.0.0	MIT	
depd	1.1.2	library	pkg:npm/depd@1.1.2	MIT	
dependency-graph	0.11.0	library	pkg:npm/dependency-graph@0.11.0	MIT	
dependency-graph	1.0.0	library	pkg:npm/dependency-graph@1.0.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
deprecation	2.3.1	library	pkg:npm/deprecation@2.3.1	ISC	
detect-indent	5.0.0	library	pkg:npm/detect-indent@5.0.0	MIT	
detect-libc	1.0.3	library	pkg:npm/detect-libc@1.0.3	Apache-2.0	
detect-libc	2.1.2	library	pkg:npm/detect-libc@2.1.2	Apache-2.0	
detect-newline	3.1.0	library	pkg:npm/detect-newline@3.1.0	MIT	
detect-node	2.1.0	library	pkg:npm/detect-node@2.1.0	MIT	
detect-port	1.6.1	library	pkg:npm/detect-port@1.6.1	MIT	
devtools-protocol	0.0.948846	library	pkg:npm/devtools-protocol@0.0.948846	BSD-3-Clause	
devtools-protocol	0.0.981744	library	pkg:npm/devtools-protocol@0.0.981744	BSD-3-Clause	
devtools-protocol	0.0.1260888	library	pkg:npm/devtools-protocol@0.0.1260888	BSD-3-Clause	
devtools	7.40.0	library	pkg:npm/devtools@7.40.0	MIT	
diff-sequences	28.1.1	library	pkg:npm/diff-sequences@28.1.1	MIT	
diff-sequences	29.6.3	library	pkg:npm/diff-sequences@29.6.3	MIT	
diff	5.2.0	library	pkg:npm/diff@5.2.0	BSD-3-Clause	
dir-glob	3.0.1	library	pkg:npm/dir-glob@3.0.1	MIT	
dns-packet	5.6.1	library	pkg:npm/dns-packet@5.6.1	MIT	
doctrine	2.1.0	library	pkg:npm/doctrine@2.1.0	Apache-2.0	
doctrine	3.0.0	library	pkg:npm/doctrine@3.0.0	Apache-2.0	
dom-accessibility-api	0.6.3	library	pkg:npm/dom-accessibility-api@0.6.3	MIT	
dom-converter	0.2.0	library	pkg:npm/dom-converter@0.2.0	MIT	
dom-serializer	1.4.1	library	pkg:npm/dom-serializer@1.4.1	MIT	
dom-serializer	2.0.0	library	pkg:npm/dom-serializer@2.0.0	MIT	
domelementtype	2.3.0	library	pkg:npm/domelementtype@2.3.0	BSD-2-Clause	
domhandler	4.3.1	library	pkg:npm/domhandler@4.3.1	BSD-2-Clause	
domhandler	5.0.3	library	pkg:npm/domhandler@5.0.3	BSD-2-Clause	
domutils	2.8.0	library	pkg:npm/domutils@2.8.0	BSD-2-Clause	
domutils	3.2.2	library	pkg:npm/domutils@3.2.2	BSD-2-Clause	
dot-case	3.0.4	library	pkg:npm/dot-case@3.0.4	MIT	
dot-prop	5.3.0	library	pkg:npm/dot-prop@5.3.0	MIT	
dotenv-expand	11.0.7	library	pkg:npm/dotenv-expand@11.0.7	BSD-2-Clause	
dotenv	16.6.1	library	pkg:npm/dotenv@16.6.1	BSD-2-Clause	
dotenv	16.4.7	library	pkg:npm/dotenv@16.4.7	BSD-2-Clause	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
eastasianwidth	0.2.0	library	pkg:npm/eastasianwidth@0.2.0	MIT	
easy-table	1.2.0	library	pkg:npm/easy-table@1.2.0	MIT	
ecc-jsbn	0.1.2	library	pkg:npm/ecc-jsbn@0.1.2	MIT	
edge-paths	2.2.1	library	pkg:npm/edge-paths@2.2.1	MIT	
editorconfig	1.0.4	library	pkg:npm/editorconfig@1.0.4	MIT	
ejs	3.1.10	library	pkg:npm/ejs@3.1.10	Apache-2.0	
electron-to-chromium	1.5.267	library	pkg:npm/electron-to-chromium@1.5.267	ISC	
emittery	0.13.1	library	pkg:npm/emittery@0.13.1	MIT	
emoji-regex	10.6.0	library	pkg:npm/emoji-regex@10.6.0	MIT	
emoji-regex	8.0.0	library	pkg:npm/emoji-regex@8.0.0	MIT	
emoji-regex	9.2.2	library	pkg:npm/emoji-regex@9.2.2	MIT	
emojis-list	3.0.0	library	pkg:npm/emojis-list@3.0.0	MIT	
encoding	0.1.13	library	pkg:npm/encoding@0.1.13	MIT	
end-of-stream	1.4.5	library	pkg:npm/end-of-stream@1.4.5	MIT	
enhanced-resolve	5.18.4	library	pkg:npm/enhanced-resolve@5.18.4	MIT	
enhanced-resolve	5.19.0	library	pkg:npm/enhanced-resolve@5.19.0	MIT	
enquirer	2.4.1	library	pkg:npm/enquirer@2.4.1	MIT	
enquirer	2.3.6	library	pkg:npm/enquirer@2.3.6	MIT	
entities	2.2.0	library	pkg:npm/entities@2.2.0	BSD-2-Clause	
entities	4.5.0	library	pkg:npm/entities@4.5.0	BSD-2-Clause	
entities	6.0.1	library	pkg:npm/entities@6.0.1	BSD-2-Clause	
env-paths	2.2.1	library	pkg:npm/env-paths@2.2.1	MIT	
envinfo	7.13.0	library	pkg:npm/envinfo@7.13.0	MIT	
environment	1.1.0	library	pkg:npm/environment@1.1.0	MIT	
err-code	2.0.3	library	pkg:npm/err-code@2.0.3	MIT	
errno	0.1.8	library	pkg:npm/errno@0.1.8	MIT	
error-ex	1.3.4	library	pkg:npm/error-ex@1.3.4	MIT	
error-stack-parser	2.1.4	library	pkg:npm/error-stack-parser@2.1.4	MIT	
es-abstract	1.24.1	library	pkg:npm/es-abstract@1.24.1	MIT	
es-module-lexer	1.7.0	library	pkg:npm/es-module-lexer@1.7.0	MIT	
es-module-lexer	2.0.0	library	pkg:npm/es-module-lexer@2.0.0	MIT	
es-set-tostringtag	2.1.0	library	pkg:npm/es-set-tostringtag@2.1.0	MIT	
es-shim-unscopables	1.1.0	library	pkg:npm/es-shim-unscopables@1.1.0	MIT	
es-to-primitive	1.3.0	library	pkg:npm/es-to-primitive@1.3.0	MIT	
esbuild-register	3.6.0	library	pkg:npm/esbuild-register@3.6.0	MIT	
esbuild-wasm	0.25.9	library	pkg:npm/esbuild-wasm@0.25.9	MIT	
esbuild-wasm	0.27.2	library	pkg:npm/esbuild-wasm@0.27.2	MIT	
esbuild	0.25.5	library	pkg:npm/esbuild@0.25.5	MIT	
esbuild	0.25.9	library	pkg:npm/esbuild@0.25.9	MIT	
esbuild	0.27.2	library	pkg:npm/esbuild@0.27.2	MIT	
esbuild	0.25.12	library	pkg:npm/esbuild@0.25.12	MIT	
esbuild	0.21.5	library	pkg:npm/esbuild@0.21.5	MIT	
escalade	3.2.0	library	pkg:npm/escalade@3.2.0	MIT	
escape-string-regexp	1.0.5	library	pkg:npm/escape-string-regexp@1.0.5	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
escape-string-regexp	2.0.0	library	pkg:npm/escape-string-regexp@2.0.0	MIT	
escape-string-regexp	4.0.0	library	pkg:npm/escape-string-regexp@4.0.0	MIT	
escape-string-regexp	5.0.0	library	pkg:npm/escape-string-regexp@5.0.0	MIT	
escape-unicode	0.2.0	library	pkg:npm/escape-unicode@0.2.0	MIT	
escodegen	2.1.0	library	pkg:npm/escodegen@2.1.0	BSD-2-Clause	
escope	4.0.0	library	pkg:npm/escope@4.0.0	BSD-2-Clause	
eslint-config-airbnb-base	14.2.1	library	pkg:npm/eslint-config-airbnb-base@14.2.1	MIT	
eslint-config-prettier	10.1.1	library	pkg:npm/eslint-config-prettier@10.1.1	MIT	
eslint-import-resolver-node	0.3.9	library	pkg:npm/eslint-import-resolver-node@0.3.9	MIT	
eslint-module-utils	2.12.1	library	pkg:npm/eslint-module-utils@2.12.1	MIT	
eslint-plugin-cypress	2.15.1	library	pkg:npm/eslint-plugin-cypress@2.15.1	MIT	
eslint-plugin-import	2.32.0	library	pkg:npm/eslint-plugin-import@2.32.0	MIT	
eslint-plugin-jsx-no-leaked-values	0.1.24	library	pkg:npm/eslint-plugin-jsx-no-leaked-values@0.1.24	MIT	
eslint-plugin-storybook	9.1.17	library	pkg:npm/eslint-plugin-storybook@9.1.17	MIT	
eslint-scope	5.1.1	library	pkg:npm/eslint-scope@5.1.1	BSD-2-Clause	
eslint-scope	7.2.2	library	pkg:npm/eslint-scope@7.2.2	BSD-2-Clause	
eslint-scope	8.4.0	library	pkg:npm/eslint-scope@8.4.0	BSD-2-Clause	
eslint-utils	2.1.0	library	pkg:npm/eslint-utils@2.1.0	MIT	
eslint-visitor-keys	1.3.0	library	pkg:npm/eslint-visitor-keys@1.3.0	Apache-2.0	
eslint-visitor-keys	2.1.0	library	pkg:npm/eslint-visitor-keys@2.1.0	Apache-2.0	
eslint-visitor-keys	3.4.3	library	pkg:npm/eslint-visitor-keys@3.4.3	Apache-2.0	
eslint-visitor-keys	4.2.1	library	pkg:npm/eslint-visitor-keys@4.2.1	Apache-2.0	
eslint	8.57.0	library	pkg:npm/eslint@8.57.0	MIT	
eslint	7.32.0	library	pkg:npm/eslint@7.32.0	MIT	
espree	10.4.0	library	pkg:npm/espree@10.4.0	BSD-2-Clause	
espree	7.3.1	library	pkg:npm/espree@7.3.1	BSD-2-Clause	
espree	9.6.1	library	pkg:npm/espree@9.6.1	BSD-2-Clause	
esprima	4.0.1	library	pkg:npm/esprima@4.0.1	BSD-2-Clause	
esquery	1.7.0	library	pkg:npm/esquery@1.7.0	BSD-3-Clause	
esrecurse	4.3.0	library	pkg:npm/esrecurse@4.3.0	BSD-2-Clause	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
estraverse	4.3.0	library	pkg:npm/estraverse@4.3.0	BSD-2-Clause	
estraverse	5.3.0	library	pkg:npm/estraverse@5.3.0	BSD-2-Clause	
estree-walker	2.0.2	library	pkg:npm/estree-walker@2.0.2	MIT	
estree-walker	3.0.3	library	pkg:npm/estree-walker@3.0.3	MIT	
esutils	2.0.3	library	pkg:npm/esutils@2.0.3	BSD-2-Clause	
eventemitter2	6.4.7	library	pkg:npm/eventemitter2@6.4.7	MIT	
eventemitter3	4.0.7	library	pkg:npm/eventemitter3@4.0.7	MIT	
eventemitter3	5.0.1	library	pkg:npm/eventemitter3@5.0.1	MIT	
events	3.3.0	library	pkg:npm/events@3.3.0	MIT	
eventsource-parser	3.0.6	library	pkg:npm/eventsource-parser@3.0.6	MIT	
eventsource	3.0.7	library	pkg:npm/eventsource@3.0.7	MIT	
execa	4.1.0	library	pkg:npm/execa@4.1.0	MIT	
execa	5.0.0	library	pkg:npm/execa@5.0.0	MIT	
execa	5.1.1	library	pkg:npm/execa@5.1.1	MIT	
executable	4.1.1	library	pkg:npm/executable@4.1.1	MIT	
exit-x	0.2.2	library	pkg:npm/exit-x@0.2.2	MIT	
expand-tilde	2.0.2	library	pkg:npm/expand-tilde@2.0.2	MIT	
expect-webdriverio	3.7.0	library	pkg:npm/expect-webdriverio@3.7.0	MIT	
expect	30.0.5	library	pkg:npm/expect@30.0.5	MIT	
expect	30.2.0	library	pkg:npm/expect@30.2.0	MIT	
expect	28.1.3	library	pkg:npm/expect@28.1.3	MIT	
exponential-backoff	3.1.3	library	pkg:npm/exponential-backoff@3.1.3	Apache-2.0	
express-rate-limit	7.5.1	framework	pkg:npm/express-rate-limit@7.5.1	MIT	
express	5.2.1	framework	pkg:npm/express@5.2.1	MIT	
extend	3.0.2	library	pkg:npm/extend@3.0.2	MIT	
external-editor	3.1.0	library	pkg:npm/external-editor@3.1.0	MIT	
extract-zip	2.0.1	library	pkg:npm/extract-zip@2.0.1	BSD-2-Clause	
extsprintf	1.3.0	library	pkg:npm/extsprintf@1.3.0	MIT	
extsprintf	1.4.1	library	pkg:npm/extsprintf@1.4.1	MIT	
fast-deep-equal	3.1.3	library	pkg:npm/fast-deep-equal@3.1.3	MIT	
fast-deep-equal	2.0.1	library	pkg:npm/fast-deep-equal@2.0.1	MIT	
fast-glob	3.2.12	library	pkg:npm/fast-glob@3.2.12	MIT	
fast-glob	3.3.3	library	pkg:npm/fast-glob@3.3.3	MIT	
fast-json-stable-stringify	2.1.0	library	pkg:npm/fast-json-stable-stringify@2.1.0	MIT	
fast-levenshtein	2.0.6	library	pkg:npm/fast-levenshtein@2.0.6	MIT	
fast-uri	3.1.0	library	pkg:npm/fast-uri@3.1.0	BSD-3-Clause	
fastq	1.20.1	library	pkg:npm/fastq@1.20.1	ISC	
faye-websocket	0.11.4	library	pkg:npm/faye-websocket@0.11.4	Apache-2.0	
fb-watchman	2.0.2	library	pkg:npm/fb-watchman@2.0.2	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
fd-slicer	1.1.0	library	pkg:npm/fd-slicer@1.1.0	MIT	
fdir	6.5.0	library	pkg:npm/fdir@6.5.0	MIT	
figures	3.2.0	library	pkg:npm/figures@3.2.0	MIT	
figures	5.0.0	library	pkg:npm/figures@5.0.0	MIT	
file-entry-cache	6.0.1	library	pkg:npm/file-entry-cache@6.0.1	MIT	
filelist	1.0.4	library	pkg:npm/filelist@1.0.4	Apache-2.0	
fill-range	7.1.1	library	pkg:npm/fill-range@7.1.1	MIT	
finalhandler	2.1.1	library	pkg:npm/finalhandler@2.1.1	MIT	
find-babel-config	2.1.2	library	pkg:npm/find-babel-config@2.1.2	MIT	
find-cache-dir	4.0.0	library	pkg:npm/find-cache-dir@4.0.0	MIT	
find-cache-directory	6.0.0	library	pkg:npm/find-cache-directory@6.0.0	MIT	
find-file-up	2.0.1	library	pkg:npm/find-file-up@2.0.1	MIT	
find-pkg	2.0.0	library	pkg:npm/find-pkg@2.0.0	MIT	
find-replace	3.0.0	library	pkg:npm/find-replace@3.0.0	MIT	
find-up-simple	1.0.1	library	pkg:npm/find-up-simple@1.0.1	MIT	
find-up	1.1.2	library	pkg:npm/find-up@1.1.2	MIT	
find-up	2.1.0	library	pkg:npm/find-up@2.1.0	MIT	
find-up	3.0.0	library	pkg:npm/find-up@3.0.0	MIT	
find-up	4.1.0	library	pkg:npm/find-up@4.1.0	MIT	
find-up	5.0.0	library	pkg:npm/find-up@5.0.0	MIT	
find-up	6.3.0	library	pkg:npm/find-up@6.3.0	MIT	
flat-cache	3.2.0	library	pkg:npm/flat-cache@3.2.0	MIT	
flat	5.0.2	library	pkg:npm/flat@5.0.2	BSD-3-Clause	
flatted	3.3.3	library	pkg:npm/flatted@3.3.3	ISC	
follow-redirects	1.15.11	library	pkg:npm/follow-redirects@1.15.11	MIT	
for-each	0.3.5	library	pkg:npm/for-each@0.3.5	MIT	
for-in	0.1.8	library	pkg:npm/for-in@0.1.8	MIT	
for-in	1.0.2	library	pkg:npm/for-in@1.0.2	MIT	
for-own	0.1.5	library	pkg:npm/for-own@0.1.5	MIT	
foreground-child	3.3.1	library	pkg:npm/foreground-child@3.3.1	BlueOak-1.0.0	
forever-agent	0.6.1	library	pkg:npm/forever-agent@0.6.1	Apache-2.0	
fork-ts-checker-webpack-plugin	7.2.13	library	pkg:npm/fork-ts-checker-webpack-plugin@7.2.13	MIT	
fork-ts-checker-webpack-plugin	8.0.0	library	pkg:npm/fork-ts-checker-webpack-plugin@8.0.0	MIT	
form-data	4.0.5	library	pkg:npm/form-data@4.0.5	MIT	
fraction.js	4.3.7	library	pkg:npm/fraction.js@4.3.7	MIT	
fraction.js	5.3.4	library	pkg:npm/fraction.js@5.3.4	MIT	
fresh	2.0.0	library	pkg:npm/fresh@2.0.0	MIT	
front-matter	4.0.2	library	pkg:npm/front-matter@4.0.2	MIT	
fs-constants	1.0.0	library	pkg:npm/fs-constants@1.0.0	MIT	
fs-extra	9.1.0	library	pkg:npm/fs-extra@9.1.0	MIT	
fs-extra	10.1.0	library	pkg:npm/fs-extra@10.1.0	MIT	
fs-extra	11.3.3	library	pkg:npm/fs-extra@11.3.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
fs-extra	8.1.0	library	pkg:npm/fs-extra@8.1.0	MIT	
fs-minipass	2.1.0	library	pkg:npm/fs-minipass@2.1.0	ISC	
fs-minipass	3.0.3	library	pkg:npm/fs-minipass@3.0.3	ISC	
fs-monkey	1.1.0	library	pkg:npm/fs-monkey@1.1.0	Unlicense	
fs.realpath	1.0.0	library	pkg:npm/fs.realpath@1.0.0	ISC	
fsevents	2.3.3	library	pkg:npm/fsevents@2.3.3	MIT	
function.prototype.name	1.1.8	library	pkg:npm/function.prototype.name@1.1.8	MIT	
functional-red-black-tree	1.0.1	library	pkg:npm/functional-red-black-tree@1.0.1	MIT	
functions-have-names	1.2.3	library	pkg:npm/functions-have-names@1.2.3	MIT	
fundamental-styles	0.40.1	library	pkg:npm/fundamental-styles@0.40.1	Apache-2.0	
gaze	1.1.3	library	pkg:npm/gaze@1.1.3	MIT	
generator-function	2.0.1	library	pkg:npm/generator-function@2.0.1	MIT	
gensync	1.0.0-beta.2	library	pkg:npm/gensync@1.0.0-beta.2	MIT	
get-caller-file	2.0.5	library	pkg:npm/get-caller-file@2.0.5	ISC	
get-east-asian-width	1.4.0	library	pkg:npm/get-east-asian-width@1.4.0	MIT	
get-func-name	2.0.2	library	pkg:npm/get-func-name@2.0.2	MIT	
get-intrinsic	1.3.1	library	pkg:npm/get-intrinsic@1.3.1	MIT	
get-package-type	0.1.0	library	pkg:npm/get-package-type@0.1.0	MIT	
get-pkg-repo	4.2.1	library	pkg:npm/get-pkg-repo@4.2.1	MIT	
get-port	5.1.1	library	pkg:npm/get-port@5.1.1	MIT	
get-stdin	9.0.0	library	pkg:npm/get-stdin@9.0.0	MIT	
get-stream	6.0.0	library	pkg:npm/get-stream@6.0.0	MIT	
get-stream	5.2.0	library	pkg:npm/get-stream@5.2.0	MIT	
get-stream	6.0.1	library	pkg:npm/get-stream@6.0.1	MIT	
get-symbol-description	1.1.0	library	pkg:npm/get-symbol-description@1.1.0	MIT	
getopts	2.3.0	library	pkg:npm/getopts@2.3.0	MIT	
getos	3.2.1	library	pkg:npm/getos@3.2.1	MIT	
getpass	0.1.7	library	pkg:npm/getpass@0.1.7	MIT	
git-raw-commits	2.0.11	library	pkg:npm/git-raw-commits@2.0.11	MIT	
git-raw-commits	3.0.0	library	pkg:npm/git-raw-commits@3.0.0	MIT	
git-remote-origin-url	2.0.0	library	pkg:npm/git-remote-origin-url@2.0.0	MIT	
git-semver-tags	4.1.1	library	pkg:npm/git-semver-tags@4.1.1	MIT	
git-semver-tags	5.0.1	library	pkg:npm/git-semver-tags@5.0.1	MIT	
git-up	7.0.0	library	pkg:npm/git-up@7.0.0	MIT	
git-url-parse	14.0.0	library	pkg:npm/git-url-parse@14.0.0	MIT	
gitconfiglocal	1.0.0	library	pkg:npm/gitconfiglocal@1.0.0	BSD-3-Clause	
glob-parent	6.0.2	library	pkg:npm/glob-parent@6.0.2	ISC	
glob-parent	5.1.2	library	pkg:npm/glob-parent@5.1.2	ISC	
glob-to-regex.js	1.2.0	library	pkg:npm/glob-to-regex.js@1.2.0	Apache-2.0	
glob-to-regexp	0.4.1	library	pkg:npm/glob-to-regexp@0.4.1	BSD-2-Clause	
glob	10.5.0	library	pkg:npm/glob@10.5.0	BlueOak-1.0.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
glob	13.0.0	library	pkg:npm/glob@13.0.0	BlueOak-1.0.0	
glob	7.2.3	library	pkg:npm/glob@7.2.3	BlueOak-1.0.0	
glob	8.1.0	library	pkg:npm/glob@8.1.0	BlueOak-1.0.0	
glob	9.3.5	library	pkg:npm/glob@9.3.5	BlueOak-1.0.0	
glob	7.1.7	library	pkg:npm/glob@7.1.7	BlueOak-1.0.0	
global-dirs	0.1.1	library	pkg:npm/global-dirs@0.1.1	MIT	
global-dirs	3.0.1	library	pkg:npm/global-dirs@3.0.1	MIT	
global-modules	1.0.0	library	pkg:npm/global-modules@1.0.0	MIT	
global-prefix	1.0.2	library	pkg:npm/global-prefix@1.0.2	MIT	
globals	13.24.0	library	pkg:npm/globals@13.24.0	MIT	
globals	15.15.0	library	pkg:npm/globals@15.15.0	MIT	
globalthis	1.0.4	library	pkg:npm/globalthis@1.0.4	MIT	
globby	11.0.4	library	pkg:npm/globby@11.0.4	MIT	
globby	11.1.0	library	pkg:npm/globby@11.1.0	MIT	
globby	12.2.0	library	pkg:npm/globby@12.2.0	MIT	
globby	13.2.2	library	pkg:npm/globby@13.2.2	MIT	
globule	1.3.4	library	pkg:npm/globule@1.3.4	MIT	
got	11.8.6	library	pkg:npm/got@11.8.6	MIT	
graceful-fs	4.2.11	library	pkg:npm/graceful-fs@4.2.11	ISC	
grapheme-splitter	1.0.4	library	pkg:npm/grapheme-splitter@1.0.4	MIT	
graphemer	1.4.0	library	pkg:npm/graphemer@1.4.0	MIT	
handle-thing	2.0.1	library	pkg:npm/handle-thing@2.0.1	MIT	
handlebars	4.7.8	library	pkg:npm/handlebars@4.7.8	MIT	
hard-rejection	2.1.0	library	pkg:npm/hard-rejection@2.1.0	MIT	
harmony-reflect	1.6.2	library	pkg:npm/harmony-reflect@1.6.2	Apache-2.0	
has-ansi	2.0.0	library	pkg:npm/has-ansi@2.0.0	MIT	
has-bigints	1.1.0	library	pkg:npm/has-bigints@1.1.0	MIT	
has-flag	3.0.0	library	pkg:npm/has-flag@3.0.0	MIT	
has-flag	4.0.0	library	pkg:npm/has-flag@4.0.0	MIT	
has-property-descriptors	1.0.2	library	pkg:npm/has-property-descriptors@1.0.2	MIT	
has-proto	1.2.0	library	pkg:npm/has-proto@1.2.0	MIT	
has-tostringtag	1.0.2	library	pkg:npm/has-tostringtag@1.0.2	MIT	
has-unicode	2.0.1	library	pkg:npm/has-unicode@2.0.1	ISC	
he	1.2.0	library	pkg:npm/he@1.2.0	MIT	
homedir-polyfill	1.0.3	library	pkg:npm/homedir-polyfill@1.0.3	MIT	
hosted-git-info	2.8.9	library	pkg:npm/hosted-git-info@2.8.9	ISC	
hosted-git-info	4.1.0	library	pkg:npm/hosted-git-info@4.1.0	ISC	
hosted-git-info	7.0.2	library	pkg:npm/hosted-git-info@7.0.2	ISC	
hosted-git-info	8.1.0	library	pkg:npm/hosted-git-info@8.1.0	ISC	
hosted-git-info	9.0.2	library	pkg:npm/hosted-git-info@9.0.2	ISC	
hpack.js	2.1.6	library	pkg:npm/hpack.js@2.1.6	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
html-encoding-sniffer	3.0.0	library	pkg:npm/html-encoding-sniffer@3.0.0	MIT	
html-encoding-sniffer	4.0.0	library	pkg:npm/html-encoding-sniffer@4.0.0	MIT	
html-entities	2.6.0	library	pkg:npm/html-entities@2.6.0	MIT	
html-escaper	2.0.2	library	pkg:npm/html-escaper@2.0.2	MIT	
html-minifier-terser	6.1.0	library	pkg:npm/html-minifier-terser@6.1.0	MIT	
html-webpack-plugin	5.6.5	library	pkg:npm/html-webpack-plugin@5.6.5	MIT	
htmlparser2	10.0.0	library	pkg:npm/htmlparser2@10.0.0	MIT	
htmlparser2	6.1.0	library	pkg:npm/htmlparser2@6.1.0	MIT	
htmlparser2	8.0.2	library	pkg:npm/htmlparser2@8.0.2	MIT	
http-assert	1.5.0	library	pkg:npm/http-assert@1.5.0	MIT	
http-cache-semantics	4.2.0	library	pkg:npm/http-cache-semantics@4.2.0	BSD-2-Clause	
http-deceiver	1.2.7	library	pkg:npm/http-deceiver@1.2.7	MIT	
http-errors	1.6.3	library	pkg:npm/http-errors@1.6.3	MIT	
http-errors	1.8.1	library	pkg:npm/http-errors@1.8.1	MIT	
http-parser-js	0.5.10	library	pkg:npm/http-parser-js@0.5.10	MIT	
http-proxy-agent	7.0.2	library	pkg:npm/http-proxy-agent@7.0.2	MIT	
http-proxy-middleware	3.0.5	library	pkg:npm/http-proxy-middleware@3.0.5	MIT	
http-proxy-middleware	2.0.9	library	pkg:npm/http-proxy-middleware@2.0.9	MIT	
http-proxy	1.18.1	library	pkg:npm/http-proxy@1.18.1	MIT	
http-server	14.1.1	library	pkg:npm/http-server@14.1.1	MIT	
http-signature	1.4.0	library	pkg:npm/http-signature@1.4.0	MIT	
http2-wrapper	1.0.3	library	pkg:npm/http2-wrapper@1.0.3	MIT	
https-proxy-agent	5.0.0	library	pkg:npm/https-proxy-agent@5.0.0	MIT	
https-proxy-agent	5.0.1	library	pkg:npm/https-proxy-agent@5.0.1	MIT	
https-proxy-agent	7.0.6	library	pkg:npm/https-proxy-agent@7.0.6	MIT	
human-signals	1.1.1	library	pkg:npm/human-signals@1.1.1	Apache-2.0	
human-signals	2.1.0	library	pkg:npm/human-signals@2.1.0	Apache-2.0	
husky	8.0.2	library	pkg:npm/husky@8.0.2	MIT	
hyperdyperid	1.2.0	library	pkg:npm/hyperdyperid@1.2.0	MIT	
iconv-lite	0.6.3	library	pkg:npm/iconv-lite@0.6.3	MIT	
iconv-lite	0.7.1	library	pkg:npm/iconv-lite@0.7.1	MIT	
icss-utils	5.1.0	library	pkg:npm/icss-utils@5.1.0	ISC	
identity-obj-proxy	3.0.0	library	pkg:npm/identity-obj-proxy@3.0.0	MIT	
ieee754	1.2.1	library	pkg:npm/ieee754@1.2.1	BSD-3-Clause	
ignore-walk	6.0.5	library	pkg:npm/ignore-walk@6.0.5	ISC	
ignore-walk	8.0.0	library	pkg:npm/ignore-walk@8.0.0	ISC	
ignore	4.0.6	library	pkg:npm/ignore@4.0.6	MIT	
ignore	5.3.2	library	pkg:npm/ignore@5.3.2	MIT	
ignore	7.0.5	library	pkg:npm/ignore@7.0.5	MIT	
image-size	0.5.5	library	pkg:npm/image-size@0.5.5	MIT	
immutable	5.1.4	library	pkg:npm/immutable@5.1.4	MIT	
import-fresh	3.3.1	library	pkg:npm/import-fresh@3.3.1	MIT	
import-local	3.1.0	library	pkg:npm/import-local@3.1.0	MIT	
import-local	3.2.0	library	pkg:npm/import-local@3.2.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
imurmurhash	0.1.4	library	pkg:npm/imurmurhash@0.1.4	MIT	
indent-string	3.2.0	library	pkg:npm/indent-string@3.2.0	MIT	
indent-string	4.0.0	library	pkg:npm/indent-string@4.0.0	MIT	
inflight	1.0.6	library	pkg:npm/inflight@1.0.6	ISC	
inherits	2.0.3	library	pkg:npm/inherits@2.0.3	ISC	
ini	2.0.0	library	pkg:npm/ini@2.0.0	ISC	
ini	5.0.0	library	pkg:npm/ini@5.0.0	ISC	
ini	1.3.8	library	pkg:npm/ini@1.3.8	ISC	
ini	4.1.3	library	pkg:npm/ini@4.1.3	ISC	
init-package-json	6.0.3	library	pkg:npm/init-package-json@6.0.3	ISC	
injection-js	2.6.1	library	pkg:npm/injection-js@2.6.1	MIT	
inquirer	8.2.4	library	pkg:npm/inquirer@8.2.4	MIT	
inquirer	8.2.7	library	pkg:npm/inquirer@8.2.7	MIT	
internal-slot	1.1.0	library	pkg:npm/internal-slot@1.1.0	MIT	
ip-address	10.1.0	library	pkg:npm/ip-address@10.1.0	MIT	
ip-regex	4.3.0	library	pkg:npm/ip-regex@4.3.0	MIT	
ipaddr.js	2.3.0	library	pkg:npm/ipaddr.js@2.3.0	MIT	
is-array-buffer	3.0.5	library	pkg:npm/is-array-buffer@3.0.5	MIT	
is-arrayish	0.2.1	library	pkg:npm/is-arrayish@0.2.1	MIT	
is-async-function	2.1.1	library	pkg:npm/is-async-function@2.1.1	MIT	
is-bigint	1.1.0	library	pkg:npm/is-bigint@1.1.0	MIT	
is-binary-path	2.1.0	library	pkg:npm/is-binary-path@2.1.0	MIT	
is-boolean-object	1.2.2	library	pkg:npm/is-boolean-object@1.2.2	MIT	
is-buffer	1.1.6	library	pkg:npm/is-buffer@1.1.6	MIT	
is-callable	1.2.7	library	pkg:npm/is-callable@1.2.7	MIT	
is-ci	3.0.1	library	pkg:npm/is-ci@3.0.1	MIT	
is-core-module	2.16.1	library	pkg:npm/is-core-module@2.16.1	MIT	
is-data-view	1.0.2	library	pkg:npm/is-data-view@1.0.2	MIT	
is-date-object	1.1.0	library	pkg:npm/is-date-object@1.1.0	MIT	
is-docker	2.2.1	library	pkg:npm/is-docker@2.2.1	MIT	
is-docker	3.0.0	library	pkg:npm/is-docker@3.0.0	MIT	
is-extendable	0.1.1	library	pkg:npm/is-extendable@0.1.1	MIT	
is-extglob	2.1.1	library	pkg:npm/is-extglob@2.1.1	MIT	
is-finalizationregistry	1.1.1	library	pkg:npm/is-finalizationregistry@1.1.1	MIT	
is-fullwidth-code-point	3.0.0	library	pkg:npm/is-fullwidth-code-point@3.0.0	MIT	
is-fullwidth-code-point	4.0.0	library	pkg:npm/is-fullwidth-code-point@4.0.0	MIT	
is-fullwidth-code-point	5.1.0	library	pkg:npm/is-fullwidth-code-point@5.1.0	MIT	
is-generator-fn	2.1.0	library	pkg:npm/is-generator-fn@2.1.0	MIT	
is-generator-function	1.1.2	library	pkg:npm/is-generator-function@1.1.2	MIT	
is-glob	4.0.3	library	pkg:npm/is-glob@4.0.3	MIT	
is-inside-container	1.0.0	library	pkg:npm/is-inside-container@1.0.0	MIT	
is-installed-globally	0.4.0	library	pkg:npm/is-installed-globally@0.4.0	MIT	
is-interactive	1.0.0	library	pkg:npm/is-interactive@1.0.0	MIT	
is-interactive	2.0.0	library	pkg:npm/is-interactive@2.0.0	MIT	
is-lambda	1.0.1	library	pkg:npm/is-lambda@1.0.1	MIT	
is-map	2.0.3	library	pkg:npm/is-map@2.0.3	MIT	
is-negative-zero	2.0.3	library	pkg:npm/is-negative-zero@2.0.3	MIT	
is-network-error	1.3.0	library	pkg:npm/is-network-error@1.3.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
is-number-object	1.1.1	library	pkg:npm/is-number-object@1.1.1	MIT	
is-number	7.0.0	library	pkg:npm/is-number@7.0.0	MIT	
is-obj	2.0.0	library	pkg:npm/is-obj@2.0.0	MIT	
is-path-inside	3.0.3	library	pkg:npm/is-path-inside@3.0.3	MIT	
is-plain-obj	1.1.0	library	pkg:npm/is-plain-obj@1.1.0	MIT	
is-plain-obj	2.1.0	library	pkg:npm/is-plain-obj@2.1.0	MIT	
is-plain-obj	3.0.0	library	pkg:npm/is-plain-obj@3.0.0	MIT	
is-plain-object	2.0.4	library	pkg:npm/is-plain-object@2.0.4	MIT	
is-plain-object	5.0.0	library	pkg:npm/is-plain-object@5.0.0	MIT	
is-port-reachable	3.1.0	library	pkg:npm/is-port-reachable@3.1.0	MIT	
is-potential-custom-element-name	1.0.1	library	pkg:npm/is-potential-custom-element-name@1.0.1	MIT	
is-promise	4.0.0	library	pkg:npm/is-promise@4.0.0	MIT	
is-regex	1.2.1	library	pkg:npm/is-regex@1.2.1	MIT	
is-set	2.0.3	library	pkg:npm/is-set@2.0.3	MIT	
is-shared-array-buffer	1.0.4	library	pkg:npm/is-shared-array-buffer@1.0.4	MIT	
is-ssh	1.4.1	library	pkg:npm/is-ssh@1.4.1	MIT	
is-stream	2.0.0	library	pkg:npm/is-stream@2.0.0	MIT	
is-stream	2.0.1	library	pkg:npm/is-stream@2.0.1	MIT	
is-string	1.1.1	library	pkg:npm/is-string@1.1.1	MIT	
is-symbol	1.1.1	library	pkg:npm/is-symbol@1.1.1	MIT	
is-text-path	1.0.1	library	pkg:npm/is-text-path@1.0.1	MIT	
is-typed-array	1.1.15	library	pkg:npm/is-typed-array@1.1.15	MIT	
is-typedarray	1.0.0	library	pkg:npm/is-typedarray@1.0.0	MIT	
is-unicode-supported	0.1.0	library	pkg:npm/is-unicode-supported@0.1.0	MIT	
is-unicode-supported	1.3.0	library	pkg:npm/is-unicode-supported@1.3.0	MIT	
is-unicode-supported	2.1.0	library	pkg:npm/is-unicode-supported@2.1.0	MIT	
is-url	1.2.4	library	pkg:npm/is-url@1.2.4	MIT	
is-utf8	0.2.1	library	pkg:npm/is-utf8@0.2.1	MIT	
is-weakmap	2.0.2	library	pkg:npm/is-weakmap@2.0.2	MIT	
is-weakref	1.1.1	library	pkg:npm/is-weakref@1.1.1	MIT	
is-weakset	2.0.4	library	pkg:npm/is-weakset@2.0.4	MIT	
is-what	3.14.1	library	pkg:npm/is-what@3.14.1	MIT	
is-windows	1.0.2	library	pkg:npm/is-windows@1.0.2	MIT	
is-wsl	2.2.0	library	pkg:npm/is-wsl@2.2.0	MIT	
is-wsl	3.1.0	library	pkg:npm/is-wsl@3.1.0	MIT	
is2	2.0.9	library	pkg:npm/is2@2.0.9	MIT	
isarray	2.0.5	library	pkg:npm/isarray@2.0.5	MIT	
isarray	1.0.0	library	pkg:npm/isarray@1.0.0	MIT	
isexe	2.0.0	library	pkg:npm/isexe@2.0.0	BlueOak-1.0.0	
isexe	3.1.1	library	pkg:npm/isexe@3.1.1	BlueOak-1.0.0	
isobject	3.0.1	library	pkg:npm/isobject@3.0.1	MIT	
isomorphic-ws	5.0.0	library	pkg:npm/isomorphic-ws@5.0.0	MIT	
isstream	0.1.2	library	pkg:npm/isstream@0.1.2	MIT	
istanbul-lib-coverage	3.2.2	library	pkg:npm/istanbul-lib-coverage@3.2.2	BSD-3-Clause	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
istanbul-lib-instrument	6.0.3	library	pkg:npm/istanbul-lib-instrument@6.0.3	BSD-3-Clause	
istanbul-lib-report	3.0.1	library	pkg:npm/istanbul-lib-report@3.0.1	BSD-3-Clause	
istanbul-lib-source-maps	5.0.6	library	pkg:npm/istanbul-lib-source-maps@5.0.6	BSD-3-Clause	
istanbul-reports	3.2.0	library	pkg:npm/istanbul-reports@3.2.0	BSD-3-Clause	
jackspeak	3.4.3	library	pkg:npm/jackspeak@3.4.3	BlueOak-1.0.0	
jake	10.9.4	library	pkg:npm/jake@10.9.4	Apache-2.0	
jest-changed-files	30.0.5	library	pkg:npm/jest-changed-files@30.0.5	MIT	
jest-circus	30.0.5	library	pkg:npm/jest-circus@30.0.5	MIT	
jest-circus	30.2.0	library	pkg:npm/jest-circus@30.2.0	MIT	
jest-cli	30.0.5	library	pkg:npm/jest-cli@30.0.5	MIT	
jest-config	30.0.5	library	pkg:npm/jest-config@30.0.5	MIT	
jest-config	30.2.0	library	pkg:npm/jest-config@30.2.0	MIT	
jest-diff	30.0.5	library	pkg:npm/jest-diff@30.0.5	MIT	
jest-diff	30.2.0	library	pkg:npm/jest-diff@30.2.0	MIT	
jest-diff	29.7.0	library	pkg:npm/jest-diff@29.7.0	MIT	
jest-diff	28.1.3	library	pkg:npm/jest-diff@28.1.3	MIT	
jest-docblock	30.0.1	library	pkg:npm/jest-docblock@30.0.1	MIT	
jest-docblock	30.2.0	library	pkg:npm/jest-docblock@30.2.0	MIT	
jest-each	30.0.5	library	pkg:npm/jest-each@30.0.5	MIT	
jest-each	30.2.0	library	pkg:npm/jest-each@30.2.0	MIT	
jest-environment-jsdom	30.0.5	library	pkg:npm/jest-environment-jsdom@30.0.5	MIT	
jest-environment-node	30.0.5	library	pkg:npm/jest-environment-node@30.0.5	MIT	
jest-environment-node	30.2.0	library	pkg:npm/jest-environment-node@30.2.0	MIT	
jest-get-type	28.0.2	library	pkg:npm/jest-get-type@28.0.2	MIT	
jest-get-type	29.6.3	library	pkg:npm/jest-get-type@29.6.3	MIT	
jest-haste-map	30.0.5	library	pkg:npm/jest-haste-map@30.0.5	MIT	
jest-haste-map	30.2.0	library	pkg:npm/jest-haste-map@30.2.0	MIT	
jest-leak-detector	30.0.5	library	pkg:npm/jest-leak-detector@30.0.5	MIT	
jest-leak-detector	30.2.0	library	pkg:npm/jest-leak-detector@30.2.0	MIT	
jest-matcher-utils	30.0.5	library	pkg:npm/jest-matcher-utils@30.0.5	MIT	
jest-matcher-utils	30.2.0	library	pkg:npm/jest-matcher-utils@30.2.0	MIT	
jest-matcher-utils	28.1.3	library	pkg:npm/jest-matcher-utils@28.1.3	MIT	
jest-message-util	30.0.5	library	pkg:npm/jest-message-util@30.0.5	MIT	
jest-message-util	30.2.0	library	pkg:npm/jest-message-util@30.2.0	MIT	
jest-message-util	28.1.3	library	pkg:npm/jest-message-util@28.1.3	MIT	
jest-mock	30.0.5	library	pkg:npm/jest-mock@30.0.5	MIT	
jest-mock	30.2.0	library	pkg:npm/jest-mock@30.2.0	MIT	
jest-pnp-resolver	1.2.3	library	pkg:npm/jest-pnp-resolver@1.2.3	MIT	
jest-preset-angular	15.0.0	library	pkg:npm/jest-preset-angular@15.0.0	MIT	
jest-regex-util	30.0.1	library	pkg:npm/jest-regex-util@30.0.1	MIT	
jest-resolve-dependencies	30.0.5	library	pkg:npm/jest-resolve-dependencies@30.0.5	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
jest-resolve	30.0.5	library	pkg:npm/jest-resolve@30.0.5	MIT	
jest-resolve	30.2.0	library	pkg:npm/jest-resolve@30.2.0	MIT	
jest-runner	30.0.5	library	pkg:npm/jest-runner@30.0.5	MIT	
jest-runner	30.2.0	library	pkg:npm/jest-runner@30.2.0	MIT	
jest-runtime	30.0.5	library	pkg:npm/jest-runtime@30.0.5	MIT	
jest-runtime	30.2.0	library	pkg:npm/jest-runtime@30.2.0	MIT	
jest-snapshot	30.0.5	library	pkg:npm/jest-snapshot@30.0.5	MIT	
jest-snapshot	30.2.0	library	pkg:npm/jest-snapshot@30.2.0	MIT	
jest-util	30.0.5	library	pkg:npm/jest-util@30.0.5	MIT	
jest-util	30.2.0	library	pkg:npm/jest-util@30.2.0	MIT	
jest-util	28.1.3	library	pkg:npm/jest-util@28.1.3	MIT	
jest-util	29.7.0	library	pkg:npm/jest-util@29.7.0	MIT	
jest-validate	30.0.5	library	pkg:npm/jest-validate@30.0.5	MIT	
jest-validate	30.2.0	library	pkg:npm/jest-validate@30.2.0	MIT	
jest-watcher	30.0.5	library	pkg:npm/jest-watcher@30.0.5	MIT	
jest-watcher	30.2.0	library	pkg:npm/jest-watcher@30.2.0	MIT	
jest-worker	30.0.5	library	pkg:npm/jest-worker@30.0.5	MIT	
jest-worker	30.2.0	library	pkg:npm/jest-worker@30.2.0	MIT	
jest-worker	27.5.1	library	pkg:npm/jest-worker@27.5.1	MIT	
jest-worker	29.7.0	library	pkg:npm/jest-worker@29.7.0	MIT	
jest	30.0.5	library	pkg:npm/jest@30.0.5	MIT	
jiti	2.4.2	library	pkg:npm/jiti@2.4.2	MIT	
jiti	1.21.7	library	pkg:npm/jiti@1.21.7	MIT	
jiti	2.6.1	library	pkg:npm/jiti@2.6.1	MIT	
jose	6.1.3	library	pkg:npm/jose@6.1.3	MIT	
js-beautify	1.15.4	library	pkg:npm/js-beautify@1.15.4	MIT	
js-cookie	3.0.5	library	pkg:npm/js-cookie@3.0.5	MIT	
js-tokens	4.0.0	library	pkg:npm/js-tokens@4.0.0	MIT	
js-yaml	4.1.0	library	pkg:npm/js-yaml@4.1.0	MIT	
js-yaml	3.14.2	library	pkg:npm/js-yaml@3.14.2	MIT	
js-yaml	4.1.1	library	pkg:npm/js-yaml@4.1.1	MIT	
js2xmlparser	4.0.2	library	pkg:npm/js2xmlparser@4.0.2	Apache-2.0	
jsbn	0.1.1	library	pkg:npm/jsbn@0.1.1	MIT	
jsdoc	4.0.5	library	pkg:npm/jsdoc@4.0.5	Apache-2.0	
jsdom	26.1.0	library	pkg:npm/jsdom@26.1.0	MIT	
jsesc	3.1.0	library	pkg:npm/jsesc@3.1.0	MIT	
json-beautify	1.1.1	library	pkg:npm/json-beautify@1.1.1	ISC	
json-buffer	3.0.1	library	pkg:npm/json-buffer@3.0.1	MIT	
json-parse-better-errors	1.0.2	library	pkg:npm/json-parse-better-errors@1.0.2	MIT	
json-parse-even-better-errors	2.3.1	library	pkg:npm/json-parse-even-better-errors@2.3.1	MIT	
json-parse-even-better-errors	3.0.2	library	pkg:npm/json-parse-even-better-errors@3.0.2	MIT	
json-parse-even-better-errors	4.0.0	library	pkg:npm/json-parse-even-better-errors@4.0.0	MIT	
json-schema-traverse	0.4.1	library	pkg:npm/json-schema-traverse@0.4.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
json-schema-traverse	1.0.0	library	pkg:npm/json-schema-traverse@1.0.0	MIT	
json-schema-typed	8.0.2	library	pkg:npm/json-schema-typed@8.0.2	BSD-2-Clause	
json-schema	0.4.0	library	pkg:npm/json-schema@0.4.0	BSD-3-Clause	
json-stable-stringify-without-jsonify	1.0.1	library	pkg:npm/json-stable-stringify-without-jsonify@1.0.1	MIT	
json-stable-stringify	1.3.0	library	pkg:npm/json-stable-stringify@1.3.0	MIT	
json-stringify-nice	1.1.4	library	pkg:npm/json-stringify-nice@1.1.4	ISC	
json-stringify-safe	5.0.1	library	pkg:npm/json-stringify-safe@5.0.1	ISC	
json5	1.0.2	library	pkg:npm/json5@1.0.2	MIT	
json5	2.2.3	library	pkg:npm/json5@2.2.3	MIT	
jsonc-eslint-parser	2.1.0	library	pkg:npm/jsonc-eslint-parser@2.1.0	MIT	
jsonc-eslint-parser	2.4.2	library	pkg:npm/jsonc-eslint-parser@2.4.2	MIT	
jsonc-parser	3.2.0	library	pkg:npm/jsonc-parser@3.2.0	MIT	
jsonc-parser	3.3.1	library	pkg:npm/jsonc-parser@3.3.1	MIT	
jsonfile	4.0.0	library	pkg:npm/jsonfile@4.0.0	MIT	
jsonfile	6.2.0	library	pkg:npm/jsonfile@6.2.0	MIT	
jsonify	0.0.1	library	pkg:npm/jsonify@0.0.1	CC0-1.0	
jsonparse	1.3.1	library	pkg:npm/jsonparse@1.3.1	MIT	
jsprim	2.0.2	library	pkg:npm/jsprim@2.0.2	MIT	
just-diff-apply	5.5.0	library	pkg:npm/just-diff-apply@5.5.0	MIT	
just-diff	6.0.2	library	pkg:npm/just-diff@6.0.2	MIT	
karma-source-map-support	1.4.0	library	pkg:npm/karma-source-map-support@1.4.0	MIT	
keygrip	1.1.0	library	pkg:npm/keygrip@1.1.0	MIT	
keyv	4.5.4	library	pkg:npm/keyv@4.5.4	MIT	
kind-of	2.0.1	library	pkg:npm/kind-of@2.0.1	MIT	
kind-of	3.2.2	library	pkg:npm/kind-of@3.2.2	MIT	
kind-of	6.0.3	library	pkg:npm/kind-of@6.0.3	MIT	
klaw-sync	6.0.0	library	pkg:npm/klaw-sync@6.0.0	MIT	
klaw	3.0.0	library	pkg:npm/klaw@3.0.0	MIT	
kleur	3.0.3	library	pkg:npm/kleur@3.0.3	MIT	
klona	2.0.6	library	pkg:npm/klona@2.0.6	MIT	
koa-compose	4.1.0	framework	pkg:npm/koa-compose@4.1.0	MIT	
koa	3.0.1	framework	pkg:npm/koa@3.0.1	MIT	
koa	3.0.3	framework	pkg:npm/koa@3.0.3	MIT	
ky	0.30.0	library	pkg:npm/ky@0.30.0	MIT	
launch-editor	2.12.0	library	pkg:npm/launch-editor@2.12.0	MIT	
lazy-ass	1.6.0	library	pkg:npm/lazy-ass@1.6.0	MIT	
lazy-cache	0.2.7	library	pkg:npm/lazy-cache@0.2.7	MIT	
lazy-cache	1.0.4	library	pkg:npm/lazy-cache@1.0.4	MIT	
lazystream	1.0.1	library	pkg:npm/lazystream@1.0.1	MIT	
lerna	8.2.4	library	pkg:npm/lerna@8.2.4	MIT	
less-loader	12.3.0	library	pkg:npm/less-loader@12.3.0	MIT	
less-loader	11.1.4	library	pkg:npm/less-loader@11.1.4	MIT	
less-openui5	0.11.6	library	pkg:npm/less-openui5@0.11.6	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
less	4.4.0	library	pkg:npm/less@4.4.0	Apache-2.0	
less	4.5.1	library	pkg:npm/less@4.5.1	Apache-2.0	
leven	3.1.0	library	pkg:npm/leven@3.1.0	MIT	
levn	0.4.1	library	pkg:npm/levn@0.4.1	MIT	
levn	0.3.0	library	pkg:npm/levn@0.3.0	MIT	
libnpmaccess	8.0.6	library	pkg:npm/libnpmaccess@8.0.6	ISC	
libnpmpublish	9.0.9	library	pkg:npm/libnpmpublish@9.0.9	ISC	
license-webpack-plugin	4.0.2	library	pkg:npm/license-webpack-plugin@4.0.2	MIT	
lighthouse-logger	1.4.2	library	pkg:npm/lighthouse-logger@1.4.2	Apache-2.0	
lilconfig	2.1.0	library	pkg:npm/lilconfig@2.1.0	MIT	
lilconfig	3.1.3	library	pkg:npm/lilconfig@3.1.3	MIT	
lines-and-columns	2.0.3	library	pkg:npm/lines-and-columns@2.0.3	MIT	
lines-and-columns	1.2.4	library	pkg:npm/lines-and-columns@1.2.4	MIT	
lines-and-columns	2.0.4	library	pkg:npm/lines-and-columns@2.0.4	MIT	
linkify-it	5.0.0	library	pkg:npm/linkify-it@5.0.0	MIT	
listr2	9.0.1	library	pkg:npm/listr2@9.0.1	MIT	
listr2	3.14.0	library	pkg:npm/listr2@3.14.0	MIT	
lit-html	2.8.0	library	pkg:npm/lit-html@2.8.0	BSD-3-Clause	
lmdb	3.4.2	library	pkg:npm/lmdb@3.4.2	MIT	
load-json-file	6.2.0	library	pkg:npm/load-json-file@6.2.0	MIT	
load-json-file	1.1.0	library	pkg:npm/load-json-file@1.1.0	MIT	
load-json-file	4.0.0	library	pkg:npm/load-json-file@4.0.0	MIT	
loader-runner	4.3.1	library	pkg:npm/loader-runner@4.3.1	MIT	
loader-utils	3.3.1	library	pkg:npm/loader-utils@3.3.1	MIT	
loader-utils	2.0.4	library	pkg:npm/loader-utils@2.0.4	MIT	
locate-path	2.0.0	library	pkg:npm/locate-path@2.0.0	MIT	
locate-path	3.0.0	library	pkg:npm/locate-path@3.0.0	MIT	
locate-path	5.0.0	library	pkg:npm/locate-path@5.0.0	MIT	
locate-path	6.0.0	library	pkg:npm/locate-path@6.0.0	MIT	
locate-path	7.2.0	library	pkg:npm/locate-path@7.2.0	MIT	
lockfile	1.0.4	library	pkg:npm/lockfile@1.0.4	ISC	
lodash.camelcase	4.3.0	library	pkg:npm/lodash.camelcase@4.3.0	MIT	
lodash.clonedeep	4.5.0	library	pkg:npm/lodash.clonedeep@4.5.0	MIT	
lodash.clonedeepwith	4.5.0	library	pkg:npm/lodash.clonedeepwith@4.5.0	MIT	
lodash.debounce	4.0.8	library	pkg:npm/lodash.debounce@4.0.8	MIT	
lodash.defaults	4.2.0	library	pkg:npm/lodash.defaults@4.2.0	MIT	
lodash.difference	4.5.0	library	pkg:npm/lodash.difference@4.5.0	MIT	
lodash.flatten	4.4.0	library	pkg:npm/lodash.flatten@4.4.0	MIT	
lodash.flattendeep	4.4.0	library	pkg:npm/lodash.flattendeep@4.4.0	MIT	
lodash.isfunction	3.0.9	library	pkg:npm/lodash.isfunction@3.0.9	MIT	
lodash.ismatch	4.4.0	library	pkg:npm/lodash.ismatch@4.4.0	MIT	
lodash.isobject	3.0.2	library	pkg:npm/lodash.isobject@3.0.2	MIT	
lodash.isplainobject	4.0.6	library	pkg:npm/lodash.isplainobject@4.0.6	MIT	
lodash.kebabcase	4.1.1	library	pkg:npm/lodash.kebabcase@4.1.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
lodash.memoize	4.1.2	library	pkg:npm/lodash.memoize@4.1.2	MIT	
lodash.merge	4.6.2	library	pkg:npm/lodash.merge@4.6.2	MIT	
lodash.mergewith	4.6.2	library	pkg:npm/lodash.mergewith@4.6.2	MIT	
lodash.once	4.1.1	library	pkg:npm/lodash.once@4.1.1	MIT	
lodash.pickby	4.6.0	library	pkg:npm/lodash.pickby@4.6.0	MIT	
lodash.snakecase	4.1.1	library	pkg:npm/lodash.snakecase@4.1.1	MIT	
lodash.startcase	4.4.0	library	pkg:npm/lodash.startcase@4.4.0	MIT	
lodash.truncate	4.4.2	library	pkg:npm/lodash.truncate@4.4.2	MIT	
lodash.union	4.6.0	library	pkg:npm/lodash.union@4.6.0	MIT	
lodash.uniq	4.5.0	library	pkg:npm/lodash.uniq@4.5.0	MIT	
lodash.upperfirst	4.3.1	library	pkg:npm/lodash.upperfirst@4.3.1	MIT	
lodash.zip	4.2.0	library	pkg:npm/lodash.zip@4.2.0	MIT	
lodash	4.17.23	library	pkg:npm/lodash@4.17.23	MIT	
lodash	4.17.21	library	pkg:npm/lodash@4.17.21	MIT	
log-symbols	4.1.0	library	pkg:npm/log-symbols@4.1.0	MIT	
log-symbols	6.0.0	library	pkg:npm/log-symbols@6.0.0	MIT	
log-update	4.0.0	library	pkg:npm/log-update@4.0.0	MIT	
log-update	6.1.0	library	pkg:npm/log-update@6.1.0	MIT	
log4js	6.9.1	library	pkg:npm/log4js@6.9.1	Apache-2.0	
loglevel-plugin-prefix	0.8.4	library	pkg:npm/loglevel-plugin-prefix@0.8.4	MIT	
loglevel	1.9.2	library	pkg:npm/loglevel@1.9.2	MIT	
long-timeout	0.1.1	library	pkg:npm/long-timeout@0.1.1	MIT	
loose-envify	1.4.0	library	pkg:npm/loose-envify@1.4.0	MIT	
loupe	2.3.7	library	pkg:npm/loupe@2.3.7	MIT	
loupe	3.2.1	library	pkg:npm/loupe@3.2.1	MIT	
lower-case	2.0.2	library	pkg:npm/lower-case@2.0.2	MIT	
lowercase-keys	2.0.0	library	pkg:npm/lowercase-keys@2.0.0	MIT	
lru-cache	10.4.3	library	pkg:npm/lru-cache@10.4.3	BlueOak-1.0.0	
lru-cache	11.2.4	library	pkg:npm/lru-cache@11.2.4	BlueOak-1.0.0	
lru-cache	4.1.5	library	pkg:npm/lru-cache@4.1.5	BlueOak-1.0.0	
lru-cache	5.1.1	library	pkg:npm/lru-cache@5.1.1	BlueOak-1.0.0	
lru-cache	6.0.0	library	pkg:npm/lru-cache@6.0.0	BlueOak-1.0.0	
luxon	3.7.2	library	pkg:npm/luxon@3.7.2	MIT	
magic-string	0.30.17	library	pkg:npm/magic-string@0.30.17	MIT	
magic-string	0.30.21	library	pkg:npm/magic-string@0.30.21	MIT	
make-dir	4.0.0	library	pkg:npm/make-dir@4.0.0	MIT	
make-dir	2.1.0	library	pkg:npm/make-dir@2.1.0	MIT	
make-dir	3.1.0	library	pkg:npm/make-dir@3.1.0	MIT	
make-fetch-happen	13.0.1	library	pkg:npm/make-fetch-happen@13.0.1	ISC	
make-fetch-happen	14.0.3	library	pkg:npm/make-fetch-happen@14.0.3	ISC	
make-fetch-happen	15.0.3	library	pkg:npm/make-fetch-happen@15.0.3	ISC	
make-synchronized	0.4.2	library	pkg:npm/make-synchronized@0.4.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
makeerror	1.0.12	library	pkg:npm/makeerror@1.0.12	BSD-3-Clause	
map-obj	1.0.1	library	pkg:npm/map-obj@1.0.1	MIT	
map-obj	4.3.0	library	pkg:npm/map-obj@4.3.0	MIT	
markdown-it-anchor	8.6.7	library	pkg:npm/markdown-it-anchor@8.6.7	Unlicense	
markdown-it	14.1.1	library	pkg:npm/markdown-it@14.1.1	MIT	
marked	4.3.0	library	pkg:npm/marked@4.3.0	MIT	
marky	1.3.0	library	pkg:npm/marky@1.3.0	Apache-2.0	
mdn-data	2.0.28	library	pkg:npm/mdn-data@2.0.28	CC0-1.0	
mdn-data	2.0.30	library	pkg:npm/mdn-data@2.0.30	CC0-1.0	
mdurl	2.0.0	library	pkg:npm/mdurl@2.0.0	MIT	
media-typer	1.1.0	library	pkg:npm/media-typer@1.1.0	MIT	
memfs	3.5.3	library	pkg:npm/memfs@3.5.3	Apache-2.0	
memfs	4.51.1	library	pkg:npm/memfs@4.51.1	Apache-2.0	
meow	8.1.2	library	pkg:npm/meow@8.1.2	MIT	
merge-deep	3.0.3	library	pkg:npm/merge-deep@3.0.3	MIT	
merge-descriptors	2.0.0	library	pkg:npm/merge-descriptors@2.0.0	MIT	
merge-stream	2.0.0	library	pkg:npm/merge-stream@2.0.0	MIT	
merge2	1.4.1	library	pkg:npm/merge2@1.4.1	MIT	
micromatch	4.0.8	library	pkg:npm/micromatch@4.0.8	MIT	
mime-db	1.54.0	library	pkg:npm/mime-db@1.54.0	MIT	
mime-types	3.0.2	library	pkg:npm/mime-types@3.0.2	MIT	
mime	2.5.2	library	pkg:npm/mime@2.5.2	MIT	
mimic-fn	2.1.0	library	pkg:npm/mimic-fn@2.1.0	MIT	
mimic-function	5.0.1	library	pkg:npm/mimic-function@5.0.1	MIT	
mimic-response	1.0.1	library	pkg:npm/mimic-response@1.0.1	MIT	
mimic-response	3.1.0	library	pkg:npm/mimic-response@3.1.0	MIT	
min-indent	1.0.1	library	pkg:npm/min-indent@1.0.1	MIT	
mini-css-extract-plugin	2.9.4	library	pkg:npm/mini-css-extract-plugin@2.9.4	MIT	
mini-css-extract-plugin	2.4.7	library	pkg:npm/mini-css-extract-plugin@2.4.7	MIT	
minimalistic-assert	1.0.1	library	pkg:npm/minimalistic-assert@1.0.1	ISC	
minimatch	3.0.5	library	pkg:npm/minimatch@3.0.5	BlueOak-1.0.0	
minimatch	9.0.1	library	pkg:npm/minimatch@9.0.1	BlueOak-1.0.0	
minimatch	9.0.3	library	pkg:npm/minimatch@9.0.3	BlueOak-1.0.0	
minimatch	10.1.1	library	pkg:npm/minimatch@10.1.1	BlueOak-1.0.0	
minimatch	3.1.2	library	pkg:npm/minimatch@3.1.2	BlueOak-1.0.0	
minimatch	5.1.6	library	pkg:npm/minimatch@5.1.6	BlueOak-1.0.0	
minimatch	6.2.0	library	pkg:npm/minimatch@6.2.0	BlueOak-1.0.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
minimatch	8.0.4	library	pkg:npm/minimatch@8.0.4	BlueOak-1.0.0	
minimatch	9.0.5	library	pkg:npm/minimatch@9.0.5	BlueOak-1.0.0	
minimatch	3.0.8	library	pkg:npm/minimatch@3.0.8	BlueOak-1.0.0	
minimist-options	4.1.0	library	pkg:npm/minimist-options@4.1.0	MIT	
minimist	1.2.8	library	pkg:npm/minimist@1.2.8	MIT	
minipass-collect	2.0.1	library	pkg:npm/minipass-collect@2.0.1	ISC	
minipass-fetch	3.0.5	library	pkg:npm/minipass-fetch@3.0.5	MIT	
minipass-fetch	4.0.1	library	pkg:npm/minipass-fetch@4.0.1	MIT	
minipass-fetch	5.0.0	library	pkg:npm/minipass-fetch@5.0.0	MIT	
minipass-flush	1.0.5	library	pkg:npm/minipass-flush@1.0.5	ISC	
minipass-pipeline	1.2.4	library	pkg:npm/minipass-pipeline@1.2.4	ISC	
minipass-sized	1.0.3	library	pkg:npm/minipass-sized@1.0.3	ISC	
minipass	3.3.6	library	pkg:npm/minipass@3.3.6	BlueOak-1.0.0	
minipass	4.2.8	library	pkg:npm/minipass@4.2.8	BlueOak-1.0.0	
minipass	5.0.0	library	pkg:npm/minipass@5.0.0	BlueOak-1.0.0	
minipass	7.1.2	library	pkg:npm/minipass@7.1.2	BlueOak-1.0.0	
minizlib	2.1.2	library	pkg:npm/minizlib@2.1.2	MIT	
minizlib	3.1.0	library	pkg:npm/minizlib@3.1.0	MIT	
mixin-object	2.0.1	library	pkg:npm/mixin-object@2.0.1	MIT	
mkdirp-classic	0.5.3	library	pkg:npm/mkdirp-classic@0.5.3	MIT	
mkdirp	1.0.4	library	pkg:npm/mkdirp@1.0.4	MIT	
mkdirp	3.0.1	library	pkg:npm/mkdirp@3.0.1	MIT	
mocha	10.8.2	library	pkg:npm/mocha@10.8.2	MIT	
modify-values	1.0.1	library	pkg:npm/modify-values@1.0.1	MIT	
morgan	1.10.1	library	pkg:npm/morgan@1.10.1	MIT	
mrmime	2.0.1	library	pkg:npm/mrmime@2.0.1	MIT	
ms	2.1.2	library	pkg:npm/ms@2.1.2	MIT	
msgpackr-extract	3.0.3	library	pkg:npm/msgpackr-extract@3.0.3	MIT	
msgpackr	1.11.8	library	pkg:npm/msgpackr@1.11.8	MIT	
multicast-dns	7.2.5	library	pkg:npm/multicast-dns@7.2.5	MIT	
multimatch	5.0.0	library	pkg:npm/multimatch@5.0.0	MIT	
mute-stream	0.0.8	library	pkg:npm/mute-stream@0.0.8	ISC	
mute-stream	1.0.0	library	pkg:npm/mute-stream@1.0.0	ISC	
mute-stream	2.0.0	library	pkg:npm/mute-stream@2.0.0	ISC	
nanoid	3.3.11	library	pkg:npm/nanoid@3.3.11	MIT	
napi-postinstall	0.3.4	library	pkg:npm/napi-postinstall@0.3.4	MIT	
natural-compare	1.4.0	library	pkg:npm/natural-compare@1.4.0	MIT	
needle	3.3.1	library	pkg:npm/needle@3.3.1	MIT	
negotiator	0.6.4	library	pkg:npm/negotiator@0.6.4	MIT	
negotiator	1.0.0	library	pkg:npm/negotiator@1.0.0	MIT	
neo-async	2.6.2	library	pkg:npm/neo-async@2.6.2	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
ng-packagr	20.3.0	library	pkg:npm/ng-packagr@20.3.0	MIT	
no-case	3.0.4	library	pkg:npm/no-case@3.0.4	MIT	
node-abort-controller	3.1.1	library	pkg:npm/node-abort-controller@3.1.1	MIT	
node-addon-api	6.1.0	library	pkg:npm/node-addon-api@6.1.0	MIT	
node-addon-api	7.1.1	library	pkg:npm/node-addon-api@7.1.1	MIT	
node-fetch	2.6.7	library	pkg:npm/node-fetch@2.6.7	MIT	
node-fetch	2.7.0	library	pkg:npm/node-fetch@2.7.0	MIT	
node-forge	1.3.3	library	pkg:npm/node-forge@1.3.3	BSD-3-Clause	
node-gyp-build-optional-packages	5.2.2	library	pkg:npm/node-gyp-build-optional-packages@5.2.2	MIT	
node-gyp	10.3.1	library	pkg:npm/node-gyp@10.3.1	MIT	
node-gyp	11.5.0	library	pkg:npm/node-gyp@11.5.0	MIT	
node-gyp	12.1.0	library	pkg:npm/node-gyp@12.1.0	MIT	
node-int64	0.4.0	library	pkg:npm/node-int64@0.4.0	MIT	
node-machine-id	1.1.12	library	pkg:npm/node-machine-id@1.1.12	MIT	
node-releases	2.0.27	library	pkg:npm/node-releases@2.0.27	MIT	
node-schedule	2.1.1	library	pkg:npm/node-schedule@2.1.1	MIT	
node-stream-zip	1.15.0	library	pkg:npm/node-stream-zip@1.15.0	MIT	
nopt	7.2.1	library	pkg:npm/nopt@7.2.1	ISC	
nopt	8.1.0	library	pkg:npm/nopt@8.1.0	ISC	
nopt	9.0.0	library	pkg:npm/nopt@9.0.0	ISC	
normalize-package-data	2.5.0	library	pkg:npm/normalize-package-data@2.5.0	BSD-2-Clause	
normalize-package-data	3.0.3	library	pkg:npm/normalize-package-data@3.0.3	BSD-2-Clause	
normalize-package-data	6.0.2	library	pkg:npm/normalize-package-data@6.0.2	BSD-2-Clause	
normalize-path	3.0.0	library	pkg:npm/normalize-path@3.0.0	MIT	
normalize-range	0.1.2	library	pkg:npm/normalize-range@0.1.2	MIT	
normalize-url	6.1.0	library	pkg:npm/normalize-url@6.1.0	MIT	
npm-bundled	3.0.1	library	pkg:npm/npm-bundled@3.0.1	ISC	
npm-bundled	4.0.0	library	pkg:npm/npm-bundled@4.0.0	ISC	
npm-install-checks	6.3.0	library	pkg:npm/npm-install-checks@6.3.0	BSD-2-Clause	
npm-install-checks	7.1.2	library	pkg:npm/npm-install-checks@7.1.2	BSD-2-Clause	
npm-normalize-package-bin	3.0.1	library	pkg:npm/npm-normalize-package-bin@3.0.1	ISC	
npm-normalize-package-bin	4.0.0	library	pkg:npm/npm-normalize-package-bin@4.0.0	ISC	
npm-package-arg	11.0.2	library	pkg:npm/npm-package-arg@11.0.2	ISC	
npm-package-arg	13.0.0	library	pkg:npm/npm-package-arg@13.0.0	ISC	
npm-package-arg	11.0.3	library	pkg:npm/npm-package-arg@11.0.3	ISC	
npm-package-arg	12.0.2	library	pkg:npm/npm-package-arg@12.0.2	ISC	
npm-packlist	8.0.2	library	pkg:npm/npm-packlist@8.0.2	ISC	
npm-packlist	10.0.3	library	pkg:npm/npm-packlist@10.0.3	ISC	
npm-pick-manifest	10.0.0	library	pkg:npm/npm-pick-manifest@10.0.0	ISC	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
npm-pick-manifest	9.1.0	library	pkg:npm/npm-pick-manifest@9.1.0	ISC	
npm-registry-fetch	17.1.0	library	pkg:npm/npm-registry-fetch@17.1.0	ISC	
npm-registry-fetch	18.0.2	library	pkg:npm/npm-registry-fetch@18.0.2	ISC	
npm-run-path	4.0.1	library	pkg:npm/npm-run-path@4.0.1	MIT	
nth-check	2.1.1	library	pkg:npm/nth-check@2.1.1	BSD-2-Clause	
nwsapi	2.2.23	library	pkg:npm/nwsapi@2.2.23	MIT	
nx	22.0.2	library	pkg:npm/nx@22.0.2	MIT	
object-assign	4.1.1	library	pkg:npm/object-assign@4.1.1	MIT	
object-keys	1.1.1	library	pkg:npm/object-keys@1.1.1	MIT	
object.assign	4.1.7	library	pkg:npm/object.assign@4.1.7	MIT	
object.entries	1.1.9	library	pkg:npm/object.entries@1.1.9	MIT	
object.fromentries	2.0.8	library	pkg:npm/object.fromentries@2.0.8	MIT	
object.groupby	1.0.3	library	pkg:npm/object.groupby@1.0.3	MIT	
object.values	1.2.1	library	pkg:npm/object.values@1.2.1	MIT	
obuf	1.1.2	library	pkg:npm/obuf@1.1.2	MIT	
on-finished	2.3.0	library	pkg:npm/on-finished@2.3.0	MIT	
on-headers	1.1.0	library	pkg:npm/on-headers@1.1.0	MIT	
once	1.4.0	library	pkg:npm/once@1.4.0	ISC	
onetime	5.1.2	library	pkg:npm/onetime@5.1.2	MIT	
onetime	7.0.0	library	pkg:npm/onetime@7.0.0	MIT	
open	10.2.0	library	pkg:npm/open@10.2.0	MIT	
open	7.4.2	library	pkg:npm/open@7.4.2	MIT	
open	8.4.2	library	pkg:npm/open@8.4.2	MIT	
opener	1.5.2	library	pkg:npm/opener@1.5.2		
optionator	0.8.3	library	pkg:npm/optionator@0.8.3	MIT	
optionator	0.9.4	library	pkg:npm/optionator@0.9.4	MIT	
ora	5.3.0	library	pkg:npm/ora@5.3.0	MIT	
ora	8.2.0	library	pkg:npm/ora@8.2.0	MIT	
ora	5.4.1	library	pkg:npm/ora@5.4.1	MIT	
ordered-binary	1.6.1	library	pkg:npm/ordered-binary@1.6.1	MIT	
os-tmpdir	1.0.2	library	pkg:npm/os-tmpdir@1.0.2	MIT	
ospath	1.2.2	library	pkg:npm/ospath@1.2.2	MIT	
own-keys	1.0.1	library	pkg:npm/own-keys@1.0.1	MIT	
p-cancelable	2.1.1	library	pkg:npm/p-cancelable@2.1.1	MIT	
p-finally	1.0.0	library	pkg:npm/p-finally@1.0.0	MIT	
p-iteration	1.1.8	library	pkg:npm/p-iteration@1.1.8	MIT	
p-limit	1.3.0	library	pkg:npm/p-limit@1.3.0	MIT	
p-limit	2.3.0	library	pkg:npm/p-limit@2.3.0	MIT	
p-limit	3.1.0	library	pkg:npm/p-limit@3.1.0	MIT	
p-limit	4.0.0	library	pkg:npm/p-limit@4.0.0	MIT	
p-locate	2.0.0	library	pkg:npm/p-locate@2.0.0	MIT	
p-locate	3.0.0	library	pkg:npm/p-locate@3.0.0	MIT	
p-locate	4.1.0	library	pkg:npm/p-locate@4.1.0	MIT	
p-locate	5.0.0	library	pkg:npm/p-locate@5.0.0	MIT	
p-locate	6.0.0	library	pkg:npm/p-locate@6.0.0	MIT	
p-map-series	2.1.0	library	pkg:npm/p-map-series@2.1.0	MIT	
p-map	4.0.0	library	pkg:npm/p-map@4.0.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
p-map	7.0.4	library	pkg:npm/p-map@7.0.4	MIT	
p-pipe	3.1.0	library	pkg:npm/p-pipe@3.1.0	MIT	
p-queue	6.6.2	library	pkg:npm/p-queue@6.6.2	MIT	
p-reduce	2.1.0	library	pkg:npm/p-reduce@2.1.0	MIT	
p-retry	6.2.1	library	pkg:npm/p-retry@6.2.1	MIT	
p-timeout	3.2.0	library	pkg:npm/p-timeout@3.2.0	MIT	
p-try	1.0.0	library	pkg:npm/p-try@1.0.0	MIT	
p-try	2.2.0	library	pkg:npm/p-try@2.2.0	MIT	
p-waterfall	2.1.1	library	pkg:npm/p-waterfall@2.1.1	MIT	
package-json-from-dist	1.0.1	library	pkg:npm/package-json-from-dist@1.0.1	BlueOak-1.0.0	
pacote	21.0.0	library	pkg:npm/pacote@21.0.0	ISC	
pacote	18.0.6	library	pkg:npm/pacote@18.0.6	ISC	
param-case	3.0.4	library	pkg:npm/param-case@3.0.4	MIT	
parent-module	1.0.1	library	pkg:npm/parent-module@1.0.1	MIT	
parse-conflict-json	3.0.1	library	pkg:npm/parse-conflict-json@3.0.1	ISC	
parse-json	2.2.0	library	pkg:npm/parse-json@2.2.0	MIT	
parse-json	4.0.0	library	pkg:npm/parse-json@4.0.0	MIT	
parse-json	5.2.0	library	pkg:npm/parse-json@5.2.0	MIT	
parse-json	7.1.1	library	pkg:npm/parse-json@7.1.1	MIT	
parse-ms	2.1.0	library	pkg:npm/parse-ms@2.1.0	MIT	
parse-node-version	1.0.1	library	pkg:npm/parse-node-version@1.0.1	MIT	
parse-passwd	1.0.0	library	pkg:npm/parse-passwd@1.0.0	MIT	
parse-path	7.1.0	library	pkg:npm/parse-path@7.1.0	MIT	
parse-url	8.1.0	library	pkg:npm/parse-url@8.1.0	MIT	
parse5-html-rewriting-stream	8.0.0	library	pkg:npm/parse5-html-rewriting-stream@8.0.0	MIT	
parse5-htmlparser2-tree-adapter	7.1.0	library	pkg:npm/parse5-htmlparser2-tree-adapter@7.1.0	MIT	
parse5-sax-parser	8.0.0	library	pkg:npm/parse5-sax-parser@8.0.0	MIT	
parse5	4.0.0	library	pkg:npm/parse5@4.0.0	MIT	
parse5	7.3.0	library	pkg:npm/parse5@7.3.0	MIT	
parse5	8.0.0	library	pkg:npm/parse5@8.0.0	MIT	
pascal-case	3.1.2	library	pkg:npm/pascal-case@3.1.2	MIT	
patch-package	8.0.1	library	pkg:npm/patch-package@8.0.1	MIT	
path-exists	2.1.0	library	pkg:npm/path-exists@2.1.0	MIT	
path-exists	3.0.0	library	pkg:npm/path-exists@3.0.0	MIT	
path-exists	4.0.0	library	pkg:npm/path-exists@4.0.0	MIT	
path-exists	5.0.0	library	pkg:npm/path-exists@5.0.0	MIT	
path-is-absolute	1.0.1	library	pkg:npm/path-is-absolute@1.0.1	MIT	
path-key	3.1.1	library	pkg:npm/path-key@3.1.1	MIT	
path-parse	1.0.7	library	pkg:npm/path-parse@1.0.7	MIT	
path-scurry	1.11.1	library	pkg:npm/path-scurry@1.11.1	BlueOak-1.0.0	
path-scurry	2.0.1	library	pkg:npm/path-scurry@2.0.1	BlueOak-1.0.0	
path-to-regexp	8.3.0	library	pkg:npm/path-to-regexp@8.3.0	MIT	
path-type	1.1.0	library	pkg:npm/path-type@1.1.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
path-type	3.0.0	library	pkg:npm/path-type@3.0.0	MIT	
path-type	4.0.0	library	pkg:npm/path-type@4.0.0	MIT	
pathval	1.1.1	library	pkg:npm/pathval@1.1.1	MIT	
pathval	2.0.1	library	pkg:npm/pathval@2.0.1	MIT	
pend	1.2.0	library	pkg:npm/pend@1.2.0	MIT	
performance-now	2.1.0	library	pkg:npm/performance-now@2.1.0	MIT	
picocolors	1.1.1	library	pkg:npm/picocolors@1.1.1	ISC	
picomatch	4.0.2	library	pkg:npm/picomatch@4.0.2	MIT	
picomatch	4.0.3	library	pkg:npm/picomatch@4.0.3	MIT	
picomatch	2.3.1	library	pkg:npm/picomatch@2.3.1	MIT	
pify	5.0.0	library	pkg:npm/pify@5.0.0	MIT	
pify	2.3.0	library	pkg:npm/pify@2.3.0	MIT	
pify	3.0.0	library	pkg:npm/pify@3.0.0	MIT	
pify	4.0.1	library	pkg:npm/pify@4.0.1	MIT	
pinkie-promise	2.0.1	library	pkg:npm/pinkie-promise@2.0.1	MIT	
pinkie	2.0.4	library	pkg:npm/pinkie@2.0.4	MIT	
pirates	4.0.7	library	pkg:npm/pirates@4.0.7	MIT	
piscina	5.1.3	library	pkg:npm/piscina@5.1.3	MIT	
piscina	5.1.4	library	pkg:npm/piscina@5.1.4	MIT	
pkce-challenge	5.0.1	library	pkg:npm/pkce-challenge@5.0.1	MIT	
pkg-dir	4.2.0	library	pkg:npm/pkg-dir@4.2.0	MIT	
pkg-dir	7.0.0	library	pkg:npm/pkg-dir@7.0.0	MIT	
pkg-dir	8.0.0	library	pkg:npm/pkg-dir@8.0.0	MIT	
pkg-up	3.1.0	library	pkg:npm/pkg-up@3.1.0	MIT	
portfinder	1.0.38	library	pkg:npm/portfinder@1.0.38	MIT	
possible-typed-array-names	1.1.0	library	pkg:npm/possible-typed-array-names@1.1.0	MIT	
postcss-attribute-case-insensitive	5.0.2	library	pkg:npm/postcss-attribute-case-insensitive@5.0.2	MIT	
postcss-calc	9.0.1	library	pkg:npm/postcss-calc@9.0.1	MIT	
postcss-clamp	4.1.0	library	pkg:npm/postcss-clamp@4.1.0	MIT	
postcss-cli	9.1.0	library	pkg:npm/postcss-cli@9.1.0	MIT	
postcss-color-functional-notation	4.2.4	library	pkg:npm/postcss-color-functional-notation@4.2.4	MIT-0	
postcss-color-hex-alpha	8.0.4	library	pkg:npm/postcss-color-hex-alpha@8.0.4	MIT	
postcss-color-rebeccapurple	7.1.1	library	pkg:npm/postcss-color-rebeccapurple@7.1.1	MIT-0	
postcss-colormin	6.1.0	library	pkg:npm/postcss-colormin@6.1.0	MIT	
postcss-convert-values	6.1.0	library	pkg:npm/postcss-convert-values@6.1.0	MIT	
postcss-custom-media	8.0.2	library	pkg:npm/postcss-custom-media@8.0.2	MIT	
postcss-custom-properties	12.1.11	library	pkg:npm/postcss-custom-properties@12.1.11	MIT	
postcss-custom-selectors	6.0.3	library	pkg:npm/postcss-custom-selectors@6.0.3	MIT	
postcss-dir-pseudo-class	6.0.5	library	pkg:npm/postcss-dir-pseudo-class@6.0.5	MIT-0	
postcss-discard-comments	6.0.2	library	pkg:npm/postcss-discard-comments@6.0.2	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
postcss-discard-duplicates	6.0.3	library	pkg:npm/postcss-discard-duplicates@6.0.3	MIT	
postcss-discard-empty	6.0.3	library	pkg:npm/postcss-discard-empty@6.0.3	MIT	
postcss-discard-overridden	6.0.2	library	pkg:npm/postcss-discard-overridden@6.0.2	MIT	
postcss-double-position-gradients	3.1.2	library	pkg:npm/postcss-double-position-gradients@3.1.2	MIT-0	
postcss-env-function	4.0.6	library	pkg:npm/postcss-env-function@4.0.6	MIT-0	
postcss-focus-visible	6.0.4	library	pkg:npm/postcss-focus-visible@6.0.4	MIT-0	
postcss-focus-within	5.0.4	library	pkg:npm/postcss-focus-within@5.0.4	MIT-0	
postcss-font-variant	5.0.0	library	pkg:npm/postcss-font-variant@5.0.0	MIT	
postcss-gap-properties	3.0.5	library	pkg:npm/postcss-gap-properties@3.0.5	MIT-0	
postcss-image-set-function	4.0.7	library	pkg:npm/postcss-image-set-function@4.0.7	MIT-0	
postcss-import	14.1.0	library	pkg:npm/postcss-import@14.1.0	MIT	
postcss-initial	4.0.1	library	pkg:npm/postcss-initial@4.0.1	MIT	
postcss-lab-function	4.2.1	library	pkg:npm/postcss-lab-function@4.2.1	MIT-0	
postcss-load-config	3.1.4	library	pkg:npm/postcss-load-config@3.1.4	MIT	
postcss-loader	8.1.1	library	pkg:npm/postcss-loader@8.1.1	MIT	
postcss-loader	6.2.1	library	pkg:npm/postcss-loader@6.2.1	MIT	
postcss-loader	8.2.0	library	pkg:npm/postcss-loader@8.2.0	MIT	
postcss-logical	5.0.4	library	pkg:npm/postcss-logical@5.0.4	MIT-0	
postcss-media-minmax	5.0.0	library	pkg:npm/postcss-media-minmax@5.0.0	MIT	
postcss-media-query-parser	0.2.3	library	pkg:npm/postcss-media-query-parser@0.2.3	MIT	
postcss-merge-longhand	6.0.5	library	pkg:npm/postcss-merge-longhand@6.0.5	MIT	
postcss-merge-rules	6.1.1	library	pkg:npm/postcss-merge-rules@6.1.1	MIT	
postcss-minify-font-values	6.1.0	library	pkg:npm/postcss-minify-font-values@6.1.0	MIT	
postcss-minify-gradients	6.0.3	library	pkg:npm/postcss-minify-gradients@6.0.3	MIT	
postcss-minify-params	6.1.0	library	pkg:npm/postcss-minify-params@6.1.0	MIT	
postcss-minify-selectors	6.0.4	library	pkg:npm/postcss-minify-selectors@6.0.4	MIT	
postcss-modules-extract-imports	3.1.0	library	pkg:npm/postcss-modules-extract-imports@3.1.0	ISC	
postcss-modules-local-by-default	4.2.0	library	pkg:npm/postcss-modules-local-by-default@4.2.0	MIT	
postcss-modules-scope	3.2.1	library	pkg:npm/postcss-modules-scope@3.2.1	ISC	
postcss-modules-values	4.0.0	library	pkg:npm/postcss-modules-values@4.0.0	ISC	
postcss-nesting	10.2.0	library	pkg:npm/postcss-nesting@10.2.0	MIT-0	
postcss-normalize-charset	6.0.2	library	pkg:npm/postcss-normalize-charset@6.0.2	MIT	
postcss-normalize-display-values	6.0.2	library	pkg:npm/postcss-normalize-display-values@6.0.2	MIT	
postcss-normalize-positions	6.0.2	library	pkg:npm/postcss-normalize-positions@6.0.2	MIT	
postcss-normalize-repeat-style	6.0.2	library	pkg:npm/postcss-normalize-repeat-style@6.0.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
postcss-normalize-string	6.0.2	library	pkg:npm/postcss-normalize-string@6.0.2	MIT	
postcss-normalize-timing-functions	6.0.2	library	pkg:npm/postcss-normalize-timing-functions@6.0.2	MIT	
postcss-normalize-unicode	6.1.0	library	pkg:npm/postcss-normalize-unicode@6.1.0	MIT	
postcss-normalize-url	6.0.2	library	pkg:npm/postcss-normalize-url@6.0.2	MIT	
postcss-normalize-whitespace	6.0.2	library	pkg:npm/postcss-normalize-whitespace@6.0.2	MIT	
postcss-opacity-percentage	1.1.3	library	pkg:npm/postcss-opacity-percentage@1.1.3	MIT	
postcss-ordered-values	6.0.2	library	pkg:npm/postcss-ordered-values@6.0.2	MIT	
postcss-overflow-shorthand	3.0.4	library	pkg:npm/postcss-overflow-shorthand@3.0.4	MIT-0	
postcss-page-break	3.0.4	library	pkg:npm/postcss-page-break@3.0.4	MIT	
postcss-place	7.0.5	library	pkg:npm/postcss-place@7.0.5	MIT-0	
postcss-preset-env	7.5.0	library	pkg:npm/postcss-preset-env@7.5.0	MIT-0	
postcss-pseudo-class-any-link	7.1.6	library	pkg:npm/postcss-pseudo-class-any-link@7.1.6	MIT-0	
postcss-reduce-initial	6.1.0	library	pkg:npm/postcss-reduce-initial@6.1.0	MIT	
postcss-reduce-transforms	6.0.2	library	pkg:npm/postcss-reduce-transforms@6.0.2	MIT	
postcss-replace-overflow-wrap	4.0.0	library	pkg:npm/postcss-replace-overflow-wrap@4.0.0	MIT	
postcss-reporter	7.1.0	library	pkg:npm/postcss-reporter@7.1.0	MIT	
postcss-selector-not	5.0.0	library	pkg:npm/postcss-selector-not@5.0.0	MIT	
postcss-selector-parser	6.1.2	library	pkg:npm/postcss-selector-parser@6.1.2	MIT	
postcss-selector-parser	7.1.1	library	pkg:npm/postcss-selector-parser@7.1.1	MIT	
postcss-svgo	6.0.3	library	pkg:npm/postcss-svgo@6.0.3	MIT	
postcss-unique-selectors	6.0.4	library	pkg:npm/postcss-unique-selectors@6.0.4	MIT	
postcss-url	10.1.3	library	pkg:npm/postcss-url@10.1.3	MIT	
postcss-value-parser	4.2.0	library	pkg:npm/postcss-value-parser@4.2.0	MIT	
postcss	8.4.31	library	pkg:npm/postcss@8.4.31	MIT	
postcss	8.5.6	library	pkg:npm/postcss@8.5.6	MIT	
prelude-ls	1.2.1	library	pkg:npm/prelude-ls@1.2.1	MIT	
prelude-ls	1.1.2	library	pkg:npm/prelude-ls@1.1.2	MIT	
prettier-plugin-organize-imports	3.2.4	library	pkg:npm/prettier-plugin-organize-imports@3.2.4	MIT	
prettier	3.2.4	library	pkg:npm/prettier@3.2.4	MIT	
prettier	2.8.8	library	pkg:npm/prettier@2.8.8	MIT	
pretty-bytes	5.6.0	library	pkg:npm/pretty-bytes@5.6.0	MIT	
pretty-data	0.40.0	library	pkg:npm/pretty-data@0.40.0	MIT	
pretty-error	4.0.0	library	pkg:npm/pretty-error@4.0.0	MIT	
pretty-format	30.0.5	library	pkg:npm/pretty-format@30.0.5	MIT	
pretty-format	30.2.0	library	pkg:npm/pretty-format@30.2.0	MIT	
pretty-format	28.1.3	library	pkg:npm/pretty-format@28.1.3	MIT	
pretty-format	29.7.0	library	pkg:npm/pretty-format@29.7.0	MIT	
pretty-hrtime	1.0.3	library	pkg:npm/pretty-hrtime@1.0.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
pretty-ms	7.0.1	library	pkg:npm/pretty-ms@7.0.1	MIT	
proc-log	4.2.0	library	pkg:npm/proc-log@4.2.0	ISC	
proc-log	5.0.0	library	pkg:npm/proc-log@5.0.0	ISC	
proc-log	6.1.0	library	pkg:npm/proc-log@6.1.0	ISC	
process-nextick-args	2.0.1	library	pkg:npm/process-nextick-args@2.0.1	MIT	
process	0.11.10	library	pkg:npm/process@0.11.10	MIT	
proggy	2.0.0	library	pkg:npm/proggy@2.0.0	ISC	
progress	2.0.3	library	pkg:npm/progress@2.0.3	MIT	
promise-all-reject-late	1.0.1	library	pkg:npm/promise-all-reject-late@1.0.1	ISC	
promise-call-limit	3.0.2	library	pkg:npm/promise-call-limit@3.0.2	ISC	
promise-inflight	1.0.1	library	pkg:npm/promise-inflight@1.0.1	ISC	
promise-retry	2.0.1	library	pkg:npm/promise-retry@2.0.1	MIT	
prompts	2.4.2	library	pkg:npm/prompts@2.4.2	MIT	
promzard	1.0.2	library	pkg:npm/promzard@1.0.2	ISC	
properties-reader	2.3.0	library	pkg:npm/properties-reader@2.3.0	MIT	
proto-list	1.2.4	library	pkg:npm/proto-list@1.2.4	ISC	
protocols	2.0.2	library	pkg:npm/protocols@2.0.2	MIT	
proxy-from-env	1.0.0	library	pkg:npm/proxy-from-env@1.0.0	MIT	
proxy-from-env	1.1.0	library	pkg:npm/proxy-from-env@1.1.0	MIT	
prr	1.0.1	library	pkg:npm/prr@1.0.1	MIT	
pseudomap	1.0.2	library	pkg:npm/pseudomap@1.0.2	ISC	
pump	3.0.3	library	pkg:npm/pump@3.0.3	MIT	
punycode.js	2.3.1	library	pkg:npm/punycode.js@2.3.1	MIT	
punycode	2.3.1	library	pkg:npm/punycode@2.3.1	MIT	
puppeteer-core	13.1.3	library	pkg:npm/puppeteer-core@13.1.3	Apache-2.0	
puppeteer-core	13.7.0	library	pkg:npm/puppeteer-core@13.7.0	Apache-2.0	
pure-rand	7.0.1	library	pkg:npm/pure-rand@7.0.1	MIT	
q	1.5.1	library	pkg:npm/q@1.5.1	MIT	
query-selector-shadow-dom	1.0.1	library	pkg:npm/query-selector-shadow-dom@1.0.1	MIT	
queue-microtask	1.2.3	library	pkg:npm/queue-microtask@1.2.3	MIT	
quick-lru	4.0.1	library	pkg:npm/quick-lru@4.0.1	MIT	
quick-lru	5.1.1	library	pkg:npm/quick-lru@5.1.1	MIT	
rambda	9.4.2	library	pkg:npm/rambda@9.4.2	MIT	
random-int	3.1.0	library	pkg:npm/random-int@3.1.0	MIT	
randombytes	2.1.0	library	pkg:npm/randombytes@2.1.0	MIT	
raw-body	3.0.2	library	pkg:npm/raw-body@3.0.2	MIT	
react-dom	19.2.3	framework	pkg:npm/react-dom@19.2.3	MIT	
react-dom	18.3.1	framework	pkg:npm/react-dom@18.3.1	MIT	
react-is	18.3.1	framework	pkg:npm/react-is@18.3.1	MIT	
react	19.2.3	framework	pkg:npm/react@19.2.3	MIT	
react	18.3.1	framework	pkg:npm/react@18.3.1	MIT	
read-cache	1.0.0	library	pkg:npm/read-cache@1.0.0	MIT	
read-cmd-shim	4.0.0	library	pkg:npm/read-cmd-shim@4.0.0	ISC	
read-package-json-fast	3.0.2	library	pkg:npm/read-package-json-fast@3.0.2	ISC	
read-pkg-up	1.0.1	library	pkg:npm/read-pkg-up@1.0.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
read-pkg-up	10.1.0	library	pkg:npm/read-pkg-up@10.1.0	MIT	
read-pkg-up	3.0.0	library	pkg:npm/read-pkg-up@3.0.0	MIT	
read-pkg-up	7.0.1	library	pkg:npm/read-pkg-up@7.0.1	MIT	
read-pkg	1.1.0	library	pkg:npm/read-pkg@1.1.0	MIT	
read-pkg	3.0.0	library	pkg:npm/read-pkg@3.0.0	MIT	
read-pkg	5.2.0	library	pkg:npm/read-pkg@5.2.0	MIT	
read-pkg	8.1.0	library	pkg:npm/read-pkg@8.1.0	MIT	
read	3.0.1	library	pkg:npm/read@3.0.1	ISC	
readable-stream	3.6.2	library	pkg:npm/readable-stream@3.6.2	MIT	
readable-stream	2.3.8	library	pkg:npm/readable-stream@2.3.8	MIT	
readdir-glob	1.1.3	library	pkg:npm/readdir-glob@1.1.3	Apache-2.0	
readdirp	4.1.2	library	pkg:npm/readdirp@4.1.2	MIT	
readdirp	3.6.0	library	pkg:npm/readdirp@3.6.0	MIT	
recast	0.23.11	library	pkg:npm/recast@0.23.11	MIT	
recursive-readdir	2.2.3	library	pkg:npm/recursive-readdir@2.2.3	MIT	
redent	3.0.0	library	pkg:npm/redent@3.0.0	MIT	
reflect-metadata	0.2.2	library	pkg:npm/reflect-metadata@0.2.2	Apache-2.0	
reflect.getprototypeof	1.0.10	library	pkg:npm/reflect.getprototypeof@1.0.10	MIT	
regenerate-unicode-properties	10.2.2	library	pkg:npm/regenerate-unicode-properties@10.2.2	MIT	
regenerate	1.4.2	library	pkg:npm/regenerate@1.4.2	MIT	
regex-parser	2.3.1	library	pkg:npm/regex-parser@2.3.1	MIT	
regexp.prototype.flags	1.5.4	library	pkg:npm/regexp.prototype.flags@1.5.4	MIT	
regexpp	3.2.0	library	pkg:npm/regexpp@3.2.0	MIT	
regexpu-core	6.4.0	library	pkg:npm/regexpu-core@6.4.0	MIT	
regjsgen	0.8.0	library	pkg:npm/regjsgen@0.8.0	MIT	
regjsparser	0.13.0	library	pkg:npm/regjsparser@0.13.0	BSD-2-Clause	
relateurl	0.2.7	library	pkg:npm/relateurl@0.2.7	MIT	
renderkid	3.0.0	library	pkg:npm/renderkid@3.0.0	MIT	
request-progress	3.0.0	library	pkg:npm/request-progress@3.0.0	MIT	
require-directory	2.1.1	library	pkg:npm/require-directory@2.1.1	MIT	
require-from-string	2.0.2	library	pkg:npm/require-from-string@2.0.2	MIT	
requires-port	1.0.0	library	pkg:npm/requires-port@1.0.0	MIT	
requizzle	0.2.4	library	pkg:npm/requizzle@0.2.4	MIT	
reselect	4.1.8	library	pkg:npm/reselect@4.1.8	MIT	
reserved-words	0.1.2	library	pkg:npm/reserved-words@0.1.2	MIT	
resolve-alpn	1.2.1	library	pkg:npm/resolve-alpn@1.2.1	MIT	
resolve-cwd	3.0.0	library	pkg:npm/resolve-cwd@3.0.0	MIT	
resolve-dir	1.0.1	library	pkg:npm/resolve-dir@1.0.1	MIT	
resolve-from	5.0.0	library	pkg:npm/resolve-from@5.0.0	MIT	
resolve-from	4.0.0	library	pkg:npm/resolve-from@4.0.0	MIT	
resolve-global	1.0.0	library	pkg:npm/resolve-global@1.0.0	MIT	
resolve-url-loader	5.0.0	library	pkg:npm/resolve-url-loader@5.0.0	MIT	
resolve.exports	2.0.3	library	pkg:npm/resolve.exports@2.0.3	MIT	
resolve	1.22.10	library	pkg:npm/resolve@1.22.10	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
resolve	1.22.8	library	pkg:npm/resolve@1.22.8	MIT	
resolve	1.22.11	library	pkg:npm/resolve@1.22.11	MIT	
responselike	2.0.1	library	pkg:npm/responselike@2.0.1	MIT	
resq	1.11.0	library	pkg:npm/resq@1.11.0	MIT	
restore-cursor	3.1.0	library	pkg:npm/restore-cursor@3.1.0	MIT	
restore-cursor	5.1.0	library	pkg:npm/restore-cursor@5.1.0	MIT	
retry	0.12.0	library	pkg:npm/retry@0.12.0	MIT	
retry	0.13.1	library	pkg:npm/retry@0.13.1	MIT	
reusify	1.1.0	library	pkg:npm/reusify@1.1.0	MIT	
rfdc	1.4.1	library	pkg:npm/rfdc@1.4.1	MIT	
rgb2hex	0.2.5	library	pkg:npm/rgb2hex@0.2.5	MIT	
rimraf	3.0.2	library	pkg:npm/rimraf@3.0.2	BlueOak-1.0.0	
rimraf	4.4.1	library	pkg:npm/rimraf@4.4.1	BlueOak-1.0.0	
rimraf	5.0.10	library	pkg:npm/rimraf@5.0.10	BlueOak-1.0.0	
rollup-plugin-dts	6.3.0	library	pkg:npm/rollup-plugin-dts@6.3.0	LGPL-3.0-only	
rollup	4.44.1	library	pkg:npm/rollup@4.44.1	MIT	
router	2.2.0	library	pkg:npm/router@2.2.0	MIT	
rrweb-cssom	0.8.0	library	pkg:npm/rrweb-cssom@0.8.0	MIT	
rs-module-lexer	2.6.0	library	pkg:npm/rs-module-lexer@2.6.0	MIT	
rslog	1.3.2	library	pkg:npm/rslog@1.3.2	MIT	
run-applescript	7.1.0	library	pkg:npm/run-applescript@7.1.0	MIT	
run-async	2.4.1	library	pkg:npm/run-async@2.4.1	MIT	
run-parallel	1.2.0	library	pkg:npm/run-parallel@1.2.0	MIT	
rxjs	7.8.1	library	pkg:npm/rxjs@7.8.1	Apache-2.0	
rxjs	7.8.2	library	pkg:npm/rxjs@7.8.2	Apache-2.0	
safe-array-concat	1.1.3	library	pkg:npm/safe-array-concat@1.1.3	MIT	
safe-buffer	5.1.2	library	pkg:npm/safe-buffer@5.1.2	MIT	
safe-push-apply	1.0.0	library	pkg:npm/safe-push-apply@1.0.0	MIT	
safe-regex-test	1.1.0	library	pkg:npm/safe-regex-test@1.1.0	MIT	
sass-embedded-all-unknown	1.97.2	library	pkg:npm/sass-embedded-all-unknown@1.97.2	MIT	
sass-embedded-android-arm64	1.97.2	library	pkg:npm/sass-embedded-android-arm64@1.97.2	MIT	
sass-embedded-android-arm	1.97.2	library	pkg:npm/sass-embedded-android-arm@1.97.2	MIT	
sass-embedded-android-riscv64	1.97.2	library	pkg:npm/sass-embedded-android-riscv64@1.97.2	MIT	
sass-embedded-android-x64	1.97.2	library	pkg:npm/sass-embedded-android-x64@1.97.2	MIT	
sass-embedded-darwin-arm64	1.97.2	library	pkg:npm/sass-embedded-darwin-arm64@1.97.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
sass-embedded-darwin-x64	1.97.2	library	pkg:npm/sass-embedded-darwin-x64@1.97.2	MIT	
sass-embedded-linux-arm64	1.97.2	library	pkg:npm/sass-embedded-linux-arm64@1.97.2	MIT	
sass-embedded-linux-arm	1.97.2	library	pkg:npm/sass-embedded-linux-arm@1.97.2	MIT	
sass-embedded-linux-musl-arm64	1.97.2	library	pkg:npm/sass-embedded-linux-musl-arm64@1.97.2	MIT	
sass-embedded-linux-musl-arm	1.97.2	library	pkg:npm/sass-embedded-linux-musl-arm@1.97.2	MIT	
sass-embedded-linux-musl-riscv64	1.97.2	library	pkg:npm/sass-embedded-linux-musl-riscv64@1.97.2	MIT	
sass-embedded-linux-musl-x64	1.97.2	library	pkg:npm/sass-embedded-linux-musl-x64@1.97.2	MIT	
sass-embedded-linux-riscv64	1.97.2	library	pkg:npm/sass-embedded-linux-riscv64@1.97.2	MIT	
sass-embedded-linux-x64	1.97.2	library	pkg:npm/sass-embedded-linux-x64@1.97.2	MIT	
sass-embedded-unknown-all	1.97.2	library	pkg:npm/sass-embedded-unknown-all@1.97.2	MIT	
sass-embedded-win32-arm64	1.97.2	library	pkg:npm/sass-embedded-win32-arm64@1.97.2	MIT	
sass-embedded-win32-x64	1.97.2	library	pkg:npm/sass-embedded-win32-x64@1.97.2	MIT	
sass-embedded	1.97.2	library	pkg:npm/sass-embedded@1.97.2	MIT	
sass-loader	16.0.5	library	pkg:npm/sass-loader@16.0.5	MIT	
sass-loader	16.0.6	library	pkg:npm/sass-loader@16.0.6	MIT	
sass	1.90.0	library	pkg:npm/sass@1.90.0	MIT	
sass	1.97.2	library	pkg:npm/sass@1.97.2	MIT	
sax	1.4.3	framework	pkg:npm/sax@1.4.3	BlueOak-1.0.0	
saxes	6.0.0	framework	pkg:npm/saxes@6.0.0	ISC	
scheduler	0.23.2	library	pkg:npm/scheduler@0.23.2	MIT	
scheduler	0.27.0	library	pkg:npm/scheduler@0.27.0	MIT	
schema-utils	3.3.0	library	pkg:npm/schema-utils@3.3.0	MIT	
schema-utils	4.3.3	library	pkg:npm/schema-utils@4.3.3	MIT	
secure-compare	3.0.1	library	pkg:npm/secure-compare@3.0.1	MIT	
select-hose	2.0.0	library	pkg:npm/select-hose@2.0.0	MIT	
selfsigned	2.4.1	library	pkg:npm/selfsigned@2.4.1	MIT	
semver	5.7.2	library	pkg:npm/semver@5.7.2	ISC	
semver	7.5.4	library	pkg:npm/semver@7.5.4	ISC	
semver	7.6.3	library	pkg:npm/semver@7.6.3	ISC	
semver	7.7.2	library	pkg:npm/semver@7.7.2	ISC	
semver	6.3.1	library	pkg:npm/semver@6.3.1	ISC	
semver	7.7.3	library	pkg:npm/semver@7.7.3	ISC	
send	1.2.1	library	pkg:npm/send@1.2.1	MIT	
serialize-error	8.1.0	library	pkg:npm/serialize-error@8.1.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
serialize-javascript	6.0.2	library	pkg:npm/serialize-javascript@6.0.2	BSD-3-Clause	
serve-index	1.9.1	library	pkg:npm/serve-index@1.9.1	MIT	
serve-static	2.2.1	library	pkg:npm/serve-static@2.2.1	MIT	
set-blocking	2.0.0	library	pkg:npm/set-blocking@2.0.0	ISC	
set-function-length	1.2.2	library	pkg:npm/set-function-length@1.2.2	MIT	
set-function-name	2.0.2	library	pkg:npm/set-function-name@2.0.2	MIT	
set-proto	1.0.0	library	pkg:npm/set-proto@1.0.0	MIT	
setprototypeof	1.1.0	library	pkg:npm/setprototypeof@1.1.0	ISC	
shallow-clone	0.1.2	library	pkg:npm/shallow-clone@0.1.2	MIT	
shallow-clone	3.0.1	library	pkg:npm/shallow-clone@3.0.1	MIT	
shebang-command	2.0.0	library	pkg:npm/shebang-command@2.0.0	MIT	
shebang-regex	3.0.0	library	pkg:npm/shebang-regex@3.0.0	MIT	
shell-quote	1.8.3	library	pkg:npm/shell-quote@1.8.3	MIT	
signal-exit	3.0.7	library	pkg:npm/signal-exit@3.0.7	ISC	
signal-exit	4.1.0	library	pkg:npm/signal-exit@4.1.0	ISC	
sigstore	2.3.1	library	pkg:npm/sigstore@2.3.1	Apache-2.0	
sigstore	3.1.0	library	pkg:npm/sigstore@3.1.0	Apache-2.0	
sisteransi	1.0.5	library	pkg:npm/sisteransi@1.0.5	MIT	
slash	3.0.0	library	pkg:npm/slash@3.0.0	MIT	
slash	2.0.0	library	pkg:npm/slash@2.0.0	MIT	
slash	4.0.0	library	pkg:npm/slash@4.0.0	MIT	
slice-ansi	3.0.0	library	pkg:npm/slice-ansi@3.0.0	MIT	
slice-ansi	4.0.0	library	pkg:npm/slice-ansi@4.0.0	MIT	
slice-ansi	5.0.0	library	pkg:npm/slice-ansi@5.0.0	MIT	
slice-ansi	7.1.2	library	pkg:npm/slice-ansi@7.1.2	MIT	
smart-buffer	4.2.0	library	pkg:npm/smart-buffer@4.2.0	MIT	
sockjs	0.3.24	library	pkg:npm/sockjs@0.3.24	MIT	
socks-proxy-agent	8.0.5	library	pkg:npm/socks-proxy-agent@8.0.5	MIT	
socks	2.8.7	library	pkg:npm/socks@2.8.7	MIT	
sort-keys	2.0.0	library	pkg:npm/sort-keys@2.0.0	MIT	
sorted-array-functions	1.3.0	library	pkg:npm/sorted-array-functions@1.3.0	MIT	
source-map-js	1.2.1	library	pkg:npm/source-map-js@1.2.1	BSD-3-Clause	
source-map-loader	5.0.0	library	pkg:npm/source-map-loader@5.0.0	MIT	
source-map-support	0.5.13	library	pkg:npm/source-map-support@0.5.13	MIT	
source-map-support	0.5.19	library	pkg:npm/source-map-support@0.5.19	MIT	
source-map-support	0.5.21	library	pkg:npm/source-map-support@0.5.21	MIT	
source-map	0.6.1	library	pkg:npm/source-map@0.6.1	BSD-3-Clause	
source-map	0.7.6	library	pkg:npm/source-map@0.7.6	BSD-3-Clause	
spdx-correct	3.2.0	library	pkg:npm/spdx-correct@3.2.0	Apache-2.0	
spdx-exceptions	2.5.0	library	pkg:npm/spdx-exceptions@2.5.0	CC-BY-3.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
spdx-expression-parse	3.0.1	library	pkg:npm/spdx-expression-parse@3.0.1	MIT	
spdx-license-ids	3.0.22	library	pkg:npm/spdx-license-ids@3.0.22	CC0-1.0	
spdy-transport	3.0.0	library	pkg:npm/spdy-transport@3.0.0	MIT	
spdy	4.0.2	library	pkg:npm/spdy@4.0.2	MIT	
split2	3.2.2	library	pkg:npm/split2@3.2.2	ISC	
split2	4.2.0	library	pkg:npm/split2@4.2.0	ISC	
split	1.0.1	library	pkg:npm/split@1.0.1	MIT	
sprintf-js	1.0.3	library	pkg:npm/sprintf-js@1.0.3	BSD-3-Clause	
sshpk	1.18.0	library	pkg:npm/sshpk@1.18.0	MIT	
ssri	10.0.6	library	pkg:npm/ssri@10.0.6	ISC	
ssri	12.0.0	library	pkg:npm/ssri@12.0.0	ISC	
ssri	13.0.0	library	pkg:npm/ssri@13.0.0	ISC	
stack-utils	2.0.6	library	pkg:npm/stack-utils@2.0.6	MIT	
stackframe	1.3.4	library	pkg:npm/stackframe@1.3.4	MIT	
statuses	1.5.0	library	pkg:npm/statuses@1.5.0	MIT	
stdin-discarder	0.2.2	library	pkg:npm/stdin-discarder@0.2.2	MIT	
stop-iteration-iterator	1.1.0	library	pkg:npm/stop-iteration-iterator@1.1.0	MIT	
storybook	9.1.17	library	pkg:npm/storybook@9.1.17	MIT	
stream-buffers	3.0.3	library	pkg:npm/stream-buffers@3.0.3	Unlicense	
streamroller	3.1.5	library	pkg:npm/streamroller@3.1.5	MIT	
string-argv	0.3.2	library	pkg:npm/string-argv@0.3.2	MIT	
string-length	4.0.2	library	pkg:npm/string-length@4.0.2	MIT	
string-width	4.2.3	library	pkg:npm/string-width@4.2.3	MIT	
string-width-cjs	4.2.3	library	pkg:npm/string-width-cjs@4.2.3	ISC	
string-width	5.1.2	library	pkg:npm/string-width@5.1.2	MIT	
string-width	7.2.0	library	pkg:npm/string-width@7.2.0	MIT	
string.prototype.trim	1.2.10	library	pkg:npm/string.prototype.trim@1.2.10	MIT	
string.prototype.trimend	1.0.9	library	pkg:npm/string.prototype.trimend@1.0.9	MIT	
string.prototype.trimstart	1.0.8	library	pkg:npm/string.prototype.trimstart@1.0.8	MIT	
string_decoder	1.3.0	library	pkg:npm/string_decoder@1.3.0	MIT	
string_decoder	1.1.1	library	pkg:npm/string_decoder@1.1.1	MIT	
strip-ansi	6.0.1	library	pkg:npm/strip-ansi@6.0.1	MIT	
strip-ansi-cjs	6.0.1	library	pkg:npm/strip-ansi-cjs@6.0.1	ISC	
strip-ansi	3.0.1	library	pkg:npm/strip-ansi@3.0.1	MIT	
strip-ansi	7.1.2	library	pkg:npm/strip-ansi@7.1.2	MIT	
strip-bom	2.0.0	library	pkg:npm/strip-bom@2.0.0	MIT	
strip-bom	3.0.0	library	pkg:npm/strip-bom@3.0.0	MIT	
strip-bom	4.0.0	library	pkg:npm/strip-bom@4.0.0	MIT	
strip-final-newline	2.0.0	library	pkg:npm/strip-final-newline@2.0.0	MIT	
strip-indent	3.0.0	library	pkg:npm/strip-indent@3.0.0	MIT	
strip-json-comments	3.1.1	library	pkg:npm/strip-json-comments@3.1.1	MIT	
style-loader	3.3.4	library	pkg:npm/style-loader@3.3.4	MIT	
stylehacks	6.1.1	library	pkg:npm/stylehacks@6.1.1	MIT	
suffix	0.1.1	library	pkg:npm/suffix@0.1.1	MIT	
supports-color	8.1.1	library	pkg:npm/supports-color@8.1.1	MIT	
supports-color	2.0.0	library	pkg:npm/supports-color@2.0.0	MIT	
supports-color	5.5.0	library	pkg:npm/supports-color@5.5.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
supports-color	7.2.0	library	pkg:npm/supports-color@7.2.0	MIT	
supports-preserve-symlinks-flag	1.0.0	library	pkg:npm/supports-preserve-symlinks-flag@1.0.0	MIT	
svgo	3.3.2	library	pkg:npm/svgo@3.3.2	MIT	
symbol-tree	3.2.4	library	pkg:npm/symbol-tree@3.2.4	MIT	
sync-child-process	1.0.2	library	pkg:npm/sync-child-process@1.0.2	MIT	
sync-message-port	1.1.3	library	pkg:npm/sync-message-port@1.1.3	MIT	
synckit	0.11.11	library	pkg:npm/synckit@0.11.11	MIT	
table	6.9.0	library	pkg:npm/table@6.9.0	BSD-3-Clause	
tapable	2.3.0	library	pkg:npm/tapable@2.3.0	MIT	
tar-fs	2.1.1	library	pkg:npm/tar-fs@2.1.1	MIT	
tar-stream	2.2.0	library	pkg:npm/tar-stream@2.2.0	MIT	
tar	6.2.1	library	pkg:npm/tar@6.2.1	BlueOak-1.0.0	
tar	7.5.2	library	pkg:npm/tar@7.5.2	BlueOak-1.0.0	
tcp-port-used	1.0.2	library	pkg:npm/tcp-port-used@1.0.2	MIT	
telejson	8.0.0	library	pkg:npm/telejson@8.0.0	MIT	
temp-dir	1.0.0	library	pkg:npm/temp-dir@1.0.0	MIT	
terser-webpack-plugin	5.3.16	library	pkg:npm/terser-webpack-plugin@5.3.16	MIT	
terser	5.43.1	library	pkg:npm/terser@5.43.1	BSD-2-Clause	
terser	5.44.1	library	pkg:npm/terser@5.44.1	BSD-2-Clause	
test-exclude	6.0.0	library	pkg:npm/test-exclude@6.0.0	ISC	
text-extensions	1.9.0	library	pkg:npm/text-extensions@1.9.0	MIT	
text-table	0.2.0	library	pkg:npm/text-table@0.2.0	MIT	
thenby	1.3.4	library	pkg:npm/thenby@1.3.4	Apache-2.0	
thingies	2.5.0	library	pkg:npm/thingies@2.5.0	MIT	
throttleit	1.0.1	library	pkg:npm/throttleit@1.0.1	MIT	
through2	2.0.5	library	pkg:npm/through2@2.0.5	MIT	
through2	4.0.2	library	pkg:npm/through2@4.0.2	MIT	
through	2.3.8	library	pkg:npm/through@2.3.8	MIT	
thunky	1.1.0	library	pkg:npm/thunky@1.1.0	MIT	
tiny-invariant	1.3.3	library	pkg:npm/tiny-invariant@1.3.3	MIT	
tinyglobby	0.2.12	library	pkg:npm/tinyglobby@0.2.12	MIT	
tinyglobby	0.2.14	library	pkg:npm/tinyglobby@0.2.14	MIT	
tinyglobby	0.2.15	library	pkg:npm/tinyglobby@0.2.15	MIT	
tinyrainbow	2.0.0	library	pkg:npm/tinyrainbow@2.0.0	MIT	
tinyspy	4.0.4	library	pkg:npm/tinyspy@4.0.4	MIT	
tldts-core	6.1.86	library	pkg:npm/tldts-core@6.1.86	MIT	
tldts	6.1.86	library	pkg:npm/tldts@6.1.86	MIT	
tmp	0.0.33	library	pkg:npm/tmp@0.0.33	MIT	
tmp	0.2.5	library	pkg:npm/tmp@0.2.5	MIT	
tmpl	1.0.5	library	pkg:npm/tmpl@1.0.5	BSD-3-Clause	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
to-regex-range	5.0.1	library	pkg:npm/to-regex-range@5.0.1	MIT	
tough-cookie	5.1.2	library	pkg:npm/tough-cookie@5.1.2	BSD-3-Clause	
tr46	5.1.1	library	pkg:npm/tr46@5.1.1	MIT	
tr46	0.0.3	library	pkg:npm/tr46@0.0.3	MIT	
tree-dump	1.1.0	library	pkg:npm/tree-dump@1.1.0	Apache-2.0	
tree-kill	1.2.2	library	pkg:npm/tree-kill@1.2.2	MIT	
treeverse	3.0.0	library	pkg:npm/treeverse@3.0.0	ISC	
trim-newlines	3.0.1	library	pkg:npm/trim-newlines@3.0.1	MIT	
ts-api-utils	1.4.3	library	pkg:npm/ts-api-utils@1.4.3	MIT	
ts-api-utils	2.4.0	library	pkg:npm/ts-api-utils@2.4.0	MIT	
ts-checker-rspack-plugin	1.2.3	library	pkg:npm/ts-checker-rspack-plugin@1.2.3	MIT	
ts-custom-error	3.3.1	library	pkg:npm/ts-custom-error@3.3.1	MIT	
ts-dedent	2.2.0	library	pkg:npm/ts-dedent@2.2.0	MIT	
ts-jest	29.4.0	library	pkg:npm/ts-jest@29.4.0	MIT	
ts-jest	29.4.6	library	pkg:npm/ts-jest@29.4.6	MIT	
ts-loader	9.5.4	library	pkg:npm/ts-loader@9.5.4	MIT	
ts-node	10.9.1	library	pkg:npm/ts-node@10.9.1	MIT	
ts-pattern	4.3.0	library	pkg:npm/ts-pattern@4.3.0	MIT	
tsconfig-paths-webpack-plugin	4.2.0	library	pkg:npm/tsconfig-paths-webpack-plugin@4.2.0	MIT	
tsconfig-paths	3.15.0	library	pkg:npm/tsconfig-paths@3.15.0	MIT	
tsconfig-paths	4.2.0	library	pkg:npm/tsconfig-paths@4.2.0	MIT	
tslib	2.4.1	library	pkg:npm/tslib@2.4.1	0BSD	
tslib	2.8.1	library	pkg:npm/tslib@2.8.1	0BSD	
tslib	1.14.1	library	pkg:npm/tslib@1.14.1	0BSD	
tsscmp	1.0.6	library	pkg:npm/tsscmp@1.0.6	MIT	
tsutils	3.21.0	library	pkg:npm/tsutils@3.21.0	MIT	
tuf-js	2.2.1	library	pkg:npm/tuf-js@2.2.1	MIT	
tuf-js	3.1.0	library	pkg:npm/tuf-js@3.1.0	MIT	
tunnel-agent	0.6.0	library	pkg:npm/tunnel-agent@0.6.0	Apache-2.0	
tunnel	0.0.6	library	pkg:npm/tunnel@0.0.6	MIT	
tweetnacl	0.14.5	library	pkg:npm/tweetnacl@0.14.5	Unlicense	
type-check	0.4.0	library	pkg:npm/type-check@0.4.0	MIT	
type-check	0.3.2	library	pkg:npm/type-check@0.3.2	MIT	
type-detect	4.0.8	library	pkg:npm/type-detect@4.0.8	MIT	
type-detect	4.1.0	library	pkg:npm/type-detect@4.1.0	MIT	
type-fest	0.18.1	library	pkg:npm/type-fest@0.18.1	CC0-1.0	
type-fest	0.20.2	library	pkg:npm/type-fest@0.20.2	CC0-1.0	
type-fest	0.21.3	library	pkg:npm/type-fest@0.21.3	CC0-1.0	
type-fest	0.4.1	library	pkg:npm/type-fest@0.4.1	CC0-1.0	
type-fest	0.6.0	library	pkg:npm/type-fest@0.6.0	CC0-1.0	
type-fest	0.8.1	library	pkg:npm/type-fest@0.8.1	CC0-1.0	
type-fest	3.13.1	library	pkg:npm/type-fest@3.13.1	CC0-1.0	
type-fest	4.41.0	library	pkg:npm/type-fest@4.41.0	CC0-1.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
type-is	2.0.1	library	pkg:npm/type-is@2.0.1	MIT	
typed-array-buffer	1.0.3	library	pkg:npm/typed-array-buffer@1.0.3	MIT	
typed-array-byte-length	1.0.3	library	pkg:npm/typed-array-byte-length@1.0.3	MIT	
typed-array-byte-offset	1.0.4	library	pkg:npm/typed-array-byte-offset@1.0.4	MIT	
typed-array-length	1.0.7	library	pkg:npm/typed-array-length@1.0.7	MIT	
typed-assert	1.0.9	library	pkg:npm/typed-assert@1.0.9	MIT	
typedarray	0.0.6	library	pkg:npm/typedarray@0.0.6	MIT	
typescript	5.4.5	library	pkg:npm/typescript@5.4.5	Apache-2.0	
typical	4.0.0	library	pkg:npm/typical@4.0.0	MIT	
ua-parser-js	1.0.41	library	pkg:npm/ua-parser-js@1.0.41	MIT	
uc.micro	2.1.0	library	pkg:npm/uc.micro@2.1.0	MIT	
uglify-js	3.19.3	library	pkg:npm/uglify-js@3.19.3	BSD-2-Clause	
ui5-webcomponents-ngx	0.0.0-use.local	library	pkg:npm/ui5-webcomponents-ngx@0.0.0-use.local	NOASSERTION	
unbox-primitive	1.1.0	library	pkg:npm/unbox-primitive@1.1.0	MIT	
unbzip2-stream	1.4.3	library	pkg:npm/unbzip2-stream@1.4.3	MIT	
underscore	1.13.7	library	pkg:npm/underscore@1.13.7	MIT	
undici-types	5.26.5	library	pkg:npm/undici-types@5.26.5	MIT	
undici-types	7.16.0	library	pkg:npm/undici-types@7.16.0	MIT	
undici	5.29.0	library	pkg:npm/undici@5.29.0	MIT	
unicode-canonical-property-names-ecmascript	2.0.1	library	pkg:npm/unicode-canonical-property-names-ecmascript@2.	MIT	
unicode-match-property-ecmascript	2.0.0	library	pkg:npm/unicode-match-property-ecmascript@2.0.0	MIT	
unicode-match-property-value-ecmascript	2.2.1	library	pkg:npm/unicode-match-property-value-ecmascript@2.2.1	MIT	
unicode-property-aliases-ecmascript	2.2.0	library	pkg:npm/unicode-property-aliases-ecmascript@2.2.0	MIT	
union	0.5.0	library	pkg:npm/union@0.5.0	NOASSERTION	
unique-filename	3.0.0	library	pkg:npm/unique-filename@3.0.0	ISC	
unique-filename	4.0.0	library	pkg:npm/unique-filename@4.0.0	ISC	
unique-filename	5.0.0	library	pkg:npm/unique-filename@5.0.0	ISC	
unique-slug	4.0.0	library	pkg:npm/unique-slug@4.0.0	ISC	
unique-slug	5.0.0	library	pkg:npm/unique-slug@5.0.0	ISC	
unique-slug	6.0.0	library	pkg:npm/unique-slug@6.0.0	ISC	
universal-user-agent	6.0.1	library	pkg:npm/universal-user-agent@6.0.1	ISC	
universalify	0.1.2	library	pkg:npm/universalify@0.1.2	MIT	
universalify	2.0.1	library	pkg:npm/universalify@2.0.1	MIT	
unplugin	1.16.1	library	pkg:npm/unplugin@1.16.1	MIT	
unrs-resolver	1.11.1	library	pkg:npm/unrs-resolver@1.11.1	MIT	
untildify	4.0.0	library	pkg:npm/untildify@4.0.0	MIT	
upath	2.0.1	library	pkg:npm/upath@2.0.1	MIT	
update-browserslist-db	1.2.3	library	pkg:npm/update-browserslist-db@1.2.3	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
uri-js	4.4.1	library	pkg:npm/uri-js@4.4.1	BSD-2-Clause	
url-join	4.0.1	library	pkg:npm/url-join@4.0.1	MIT	
util-deprecate	1.0.2	library	pkg:npm/util-deprecate@1.0.2	MIT	
utila	0.4.0	library	pkg:npm/utila@0.4.0	MIT	
uuid	10.0.0	library	pkg:npm/uuid@10.0.0	MIT	
uuid	8.3.2	library	pkg:npm/uuid@8.3.2	MIT	
uuid	9.0.1	library	pkg:npm/uuid@9.0.1	MIT	
v8-compile-cache	2.4.0	library	pkg:npm/v8-compile-cache@2.4.0	MIT	
v8-to-istanbul	9.3.0	library	pkg:npm/v8-to-istanbul@9.3.0	ISC	
validate-npm-package-license	3.0.4	library	pkg:npm/validate-npm-package-license@3.0.4	Apache-2.0	
validate-npm-package-name	5.0.1	library	pkg:npm/validate-npm-package-name@5.0.1	ISC	
validate-npm-package-name	6.0.2	library	pkg:npm/validate-npm-package-name@6.0.2	ISC	
varint	6.0.0	library	pkg:npm/varint@6.0.0	MIT	
verror	1.10.0	library	pkg:npm/verror@1.10.0	MIT	
vite-plugin-istanbul	6.0.2	library	pkg:npm/vite-plugin-istanbul@6.0.2	MIT	
vite	7.1.11	library	pkg:npm/vite@7.1.11	MIT	
vite	5.4.21	library	pkg:npm/vite@5.4.21	MIT	
w3c-xmlserializer	5.0.0	library	pkg:npm/w3c-xmlserializer@5.0.0	MIT	
walk-up-path	3.0.1	library	pkg:npm/walk-up-path@3.0.1	ISC	
walker	1.0.8	library	pkg:npm/walker@1.0.8	Apache-2.0	
watchpack	2.4.4	library	pkg:npm/watchpack@2.4.4	MIT	
watchpack	2.5.0	library	pkg:npm/watchpack@2.5.0	MIT	
watchpack	2.5.1	library	pkg:npm/watchpack@2.5.1	MIT	
wbuf	1.7.3	library	pkg:npm/wbuf@1.7.3	MIT	
wcwidth	1.0.1	library	pkg:npm/wcwidth@1.0.1	MIT	
wdio-chromedriver-service	7.3.2	library	pkg:npm/wdio-chromedriver-service@7.3.2	MIT	
weak-lru-cache	1.2.2	library	pkg:npm/weak-lru-cache@1.2.2	MIT	
webdriver	7.40.0	library	pkg:npm/webdriver@7.40.0	MIT	
webdriverio	7.40.0	library	pkg:npm/webdriverio@7.40.0	MIT	
webidl-conversions	3.0.1	library	pkg:npm/webidl-conversions@3.0.1	BSD-2-Clause	
webidl-conversions	7.0.0	library	pkg:npm/webidl-conversions@7.0.0	BSD-2-Clause	
webpack-dev-middleware	7.4.2	library	pkg:npm/webpack-dev-middleware@7.4.2	MIT	
webpack-dev-middleware	6.1.3	library	pkg:npm/webpack-dev-middleware@6.1.3	MIT	
webpack-dev-middleware	7.4.5	library	pkg:npm/webpack-dev-middleware@7.4.5	MIT	
webpack-dev-server	5.2.2	library	pkg:npm/webpack-dev-server@5.2.2	MIT	
webpack-hot-middleware	2.26.1	library	pkg:npm/webpack-hot-middleware@2.26.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
webpack-merge	6.0.1	library	pkg:npm/webpack-merge@6.0.1	MIT	
webpack-merge	5.10.0	library	pkg:npm/webpack-merge@5.10.0	MIT	
webpack-node-externals	3.0.0	library	pkg:npm/webpack-node-externals@3.0.0	MIT	
webpack-sources	3.3.3	library	pkg:npm/webpack-sources@3.3.3	MIT	
webpack-subresource-integrity	5.1.0	library	pkg:npm/webpack-subresource-integrity@5.1.0	MIT	
webpack-virtual-modules	0.6.2	library	pkg:npm/webpack-virtual-modules@0.6.2	MIT	
webpack	5.105.2	library	pkg:npm/webpack@5.105.2	MIT	
webpack	5.101.2	library	pkg:npm/webpack@5.101.2	MIT	
websocket-driver	0.7.4	library	pkg:npm/websocket-driver@0.7.4	Apache-2.0	
websocket-extensions	0.1.4	library	pkg:npm/websocket-extensions@0.1.4	Apache-2.0	
whatwg-encoding	2.0.0	library	pkg:npm/whatwg-encoding@2.0.0	MIT	
whatwg-encoding	3.1.1	library	pkg:npm/whatwg-encoding@3.1.1	MIT	
whatwg-mimetype	4.0.0	library	pkg:npm/whatwg-mimetype@4.0.0	MIT	
whatwg-url	14.2.0	library	pkg:npm/whatwg-url@14.2.0	MIT	
whatwg-url	5.0.0	library	pkg:npm/whatwg-url@5.0.0	MIT	
which-boxed-primitive	1.1.1	library	pkg:npm/which-boxed-primitive@1.1.1	MIT	
which-builtin-type	1.2.1	library	pkg:npm/which-builtin-type@1.2.1	MIT	
which-collection	1.0.2	library	pkg:npm/which-collection@1.0.2	MIT	
which-typed-array	1.1.19	library	pkg:npm/which-typed-array@1.1.19	MIT	
which	1.3.1	library	pkg:npm/which@1.3.1	ISC	
which	2.0.2	library	pkg:npm/which@2.0.2	ISC	
which	4.0.0	library	pkg:npm/which@4.0.0	ISC	
which	5.0.0	library	pkg:npm/which@5.0.0	ISC	
which	6.0.0	library	pkg:npm/which@6.0.0	ISC	
wide-align	1.1.5	library	pkg:npm/wide-align@1.1.5	ISC	
wildcard	2.0.1	library	pkg:npm/wildcard@2.0.1	MIT	
word-wrap	1.2.5	library	pkg:npm/word-wrap@1.2.5	MIT	
wordwrap	1.0.0	library	pkg:npm/wordwrap@1.0.0	MIT	
workerpool	6.5.1	library	pkg:npm/workerpool@6.5.1	Apache-2.0	
wrap-ansi	7.0.0	library	pkg:npm/wrap-ansi@7.0.0	MIT	
wrap-ansi-cjs	7.0.0	library	pkg:npm/wrap-ansi-cjs@7.0.0	ISC	
wrap-ansi	6.2.0	library	pkg:npm/wrap-ansi@6.2.0	MIT	
wrap-ansi	8.1.0	library	pkg:npm/wrap-ansi@8.1.0	MIT	
wrap-ansi	9.0.2	library	pkg:npm/wrap-ansi@9.0.2	MIT	
wrappy	1.0.2	library	pkg:npm/wrappy@1.0.2	ISC	
write-file-atomic	5.0.1	library	pkg:npm/write-file-atomic@5.0.1	ISC	
write-file-atomic	2.4.3	library	pkg:npm/write-file-atomic@2.4.3	ISC	
write-json-file	3.2.0	library	pkg:npm/write-json-file@3.2.0	MIT	
write-pkg	4.0.0	library	pkg:npm/write-pkg@4.0.0	MIT	
ws	8.18.0	library	pkg:npm/ws@8.18.0	MIT	
ws	8.2.3	library	pkg:npm/ws@8.2.3	MIT	
ws	8.5.0	library	pkg:npm/ws@8.5.0	MIT	
ws	8.19.0	library	pkg:npm/ws@8.19.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
wsl-utils	0.1.0	library	pkg:npm/wsl-utils@0.1.0	MIT	
xml-name-validator	5.0.0	library	pkg:npm/xml-name-validator@5.0.0	Apache-2.0	
xml2js	0.6.2	library	pkg:npm/xml2js@0.6.2	MIT	
xmlbuilder	11.0.1	library	pkg:npm/xmlbuilder@11.0.1	MIT	
xmlchars	2.2.0	library	pkg:npm/xmlchars@2.2.0	MIT	
xmlcreate	2.0.4	library	pkg:npm/xmlcreate@2.0.4	Apache-2.0	
xtend	4.0.2	library	pkg:npm/xtend@4.0.2	MIT	
xxhashjs	0.2.2	library	pkg:npm/xxhashjs@0.2.2	MIT	
y18n	5.0.8	library	pkg:npm/y18n@5.0.8	ISC	
yallist	2.1.2	library	pkg:npm/yallist@2.1.2	BlueOak-1.0.0	
yallist	3.1.1	library	pkg:npm/yallist@3.1.1	BlueOak-1.0.0	
yallist	4.0.0	library	pkg:npm/yallist@4.0.0	BlueOak-1.0.0	
yallist	5.0.0	library	pkg:npm/yallist@5.0.0	BlueOak-1.0.0	
yaml	1.10.2	library	pkg:npm/yaml@1.10.2	ISC	
yaml	2.8.2	library	pkg:npm/yaml@2.8.2	ISC	
yargs-parser	21.1.1	library	pkg:npm/yargs-parser@21.1.1	ISC	
yargs-parser	20.2.9	library	pkg:npm/yargs-parser@20.2.9	ISC	
yargs-parser	22.0.0	library	pkg:npm/yargs-parser@22.0.0	ISC	
yargs-unparser	2.0.0	library	pkg:npm/yargs-unparser@2.0.0	MIT	
yargs	17.7.2	library	pkg:npm/yargs@17.7.2	MIT	
yargs	18.0.0	library	pkg:npm/yargs@18.0.0	MIT	
yargs	16.2.0	library	pkg:npm/yargs@16.2.0	MIT	
yarn-install	1.0.0	library	pkg:npm/yarn-install@1.0.0	MIT	
yauzl	2.10.0	library	pkg:npm/yauzl@2.10.0	MIT	
yesno	0.4.0	library	pkg:npm/yesno@0.4.0	BSD-3-Clause	
yocto-queue	0.1.0	library	pkg:npm/yocto-queue@0.1.0	MIT	
yocto-queue	1.2.2	library	pkg:npm/yocto-queue@1.2.2	MIT	
yoctocolors-cjs	2.1.3	library	pkg:npm/yoctocolors-cjs@2.1.3	MIT	
zip-stream	4.1.1	library	pkg:npm/zip-stream@4.1.1	MIT	
zod-to-json-schema	3.25.1	library	pkg:npm/zod-to-json-schema@3.25.1	ISC	
zod	4.1.13	library	pkg:npm/zod@4.1.13	MIT	
zod	4.3.5	library	pkg:npm/zod@4.3.5	MIT	
zone.js	0.15.0	library	pkg:npm/zone.js@0.15.0	MIT	

Dependency graph (top-level refs)

```
pkg:npm/mime-db@1.52.0
  ->
pkg:npm/mime-types@2.1.35
  -> pkg:npm/mime-db@1.52.0
pkg:npm/negotiator@0.6.3
  ->
```

```
pkg:npm/accepts@1.3.8
  -> pkg:npm/mime-types@2.1.35, pkg:npm/negotiator@0.6.3
pkg:npm/array-flatten@1.1.1
  ->
pkg:npm/bytes@3.1.2
  ->
pkg:npm/content-type@1.0.5
  ->
pkg:npm/ms@2.0.0
  ->
pkg:npm/debug@2.6.9
  -> pkg:npm/ms@2.0.0
pkg:npm/depd@2.0.0
  ->
pkg:npm/destroy@1.2.0
  ->
pkg:npm/inherits@2.0.4
  ->
pkg:npm/setprototypeof@1.2.0
  ->
pkg:npm/statuses@2.0.2
  ->
pkg:npm/toidentifier@1.0.1
  ->
pkg:npm/http-errors@2.0.1
  -> pkg:npm/depd@2.0.0, pkg:npm/inherits@2.0.4, pkg:npm/setprototypeof@1.2.0,
  pkg:npm/statuses@2.0.2, pkg:npm/toidentifier@1.0.1
pkg:npm/safer-buffer@2.1.2
  ->
pkg:npm/iconv-lite@0.4.24
  -> pkg:npm/safer-buffer@2.1.2
pkg:npm/ee-first@1.1.1
  ->
pkg:npm/on-finished@2.4.1
  -> pkg:npm/ee-first@1.1.1
pkg:npm/es-errors@1.3.0
  ->
pkg:npm/object-inspect@1.13.4
  ->
pkg:npm/side-channel-list@1.0.0
  -> pkg:npm/es-errors@1.3.0, pkg:npm/object-inspect@1.13.4
pkg:npm/function-bind@1.1.2
  -> pkg:npm/node-gyp@12.1.0
pkg:npm/call-bind-apply-helpers@1.0.2
  -> pkg:npm/es-errors@1.3.0, pkg:npm/function-bind@1.1.2
pkg:npm/es-define-property@1.0.1
  ->
pkg:npm/es-object-atoms@1.1.1
  -> pkg:npm/es-errors@1.3.0
pkg:npm/gopd@1.2.0
  ->
pkg:npm/dunder-proto@1.0.1
  -> pkg:npm/call-bind-apply-helpers@1.0.2, pkg:npm/es-errors@1.3.0, pkg:npm/gopd@1.2.0
pkg:npm/get-proto@1.0.1
  -> pkg:npm/dunder-proto@1.0.1, pkg:npm/es-object-atoms@1.1.1
```

1.11 vLLM (inference engine)

Path: `vllm-main`
CycloneDX: spec 1.5, serial `urn:uuid:d7f3f612-b4bd-496f-9aad-34f9ae0c9406...`
Generated: 2026-02-28T09:52:34Z
Tool: components

Components

Name	Version	Type	purl	License	Description
six	1.16.0	library	`pkg:pypi/six@1.16.0`	MIT	
setuptools	77.0.3	library	`pkg:pypi/setuptools@77.0.3`	MIT	
depyf	0.20.0	library	`pkg:pypi/depyf@0.20.0`	MIT	
grpcio	1.78.0	library	`pkg:pypi/grpcio@1.78.0`	Apache-2.0	
grpcio-reflection	1.78.0	library	`pkg:pypi/grpcio-reflection@1.78.0`	Apache-2.0	
grpcio-tools	1.78.0	library	`pkg:pypi/grpcio-tools@1.78.0`	Apache-2.0	
ray	2.48.0	library	`pkg:pypi/ray@2.48.0`	Apache-2.0	
tensorizer	2.10.1	library	`pkg:pypi/tensorizer@2.10.1`	MIT	
packaging	24.2	library	`pkg:pypi/packaging@24.2`	Apache-2.0	
setuptools-scm	8	library	`pkg:pypi/setuptools-scm@8`	MIT	
runai-model-streamer	0.15.3	library	`pkg:pypi/runai-model-streamer@0.15.3`	NOASSERTION	
conch-triton-kernels	1.2.1	library	`pkg:pypi/conch-triton-kernels@1.2.1`	Apache-2.0	
timm	1.0.17	library	`pkg:pypi/timm@1.0.17`	Apache-2.0	
torch	2.10.0	library	`pkg:pypi/torch@2.10.0`	BSD-3-Clause	
torchaudio	2.10.0	library	`pkg:pypi/torchaudio@2.10.0`	BSD-3-Clause	
torchvision	0.25.0	library	`pkg:pypi/torchvision@0.25.0`	BSD-3-Clause	
flashinfer-python	0.6.4	library	`pkg:pypi/flashinfer-python@0.6.4`	Apache-2.0	
triton	3.6.0	library	`pkg:pypi/triton@3.6.0`	MIT	
cmake	3.26.1	library	`pkg:pypi/cmake@3.26.1`	Apache-2.0	
jinja2	3.1.6	library	`pkg:pypi/jinja2@3.1.6`	BSD-3-Clause	
amdsmi	6.4.3	library	`pkg:pypi/amdsmi@6.4.3`	NOASSERTION	
intel-openmp	2024.2.1	library	`pkg:pypi/intel-openmp@2024.2.1`	LicenseRef-Intel-EULA	
tblib	3.1.0	library	`pkg:pypi/tblib@3.1.0`	BSD-2-Clause	
pytest	8.3.5	library	`pkg:pypi/pytest@8.3.5`	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
pytest-asyncio	0.24.0	library	pkg:pypi/pytest-asyncio@0.24.0	Apache-2.0	
pytest-timeout	2.3.1	library	pkg:pypi/pytest-timeout@2.3.1	MIT	
pytest-cov	6.3.0	library	pkg:pypi/pytest-cov@6.3.0	MIT	
pytest-forked	1.6.0	library	pkg:pypi/pytest-forked@1.6.0	MIT	
pytest-rerunfailures	14.0	library	pkg:pypi/pytest-rerunfailures@14.0	MPL-2.0	
pytest-shard	0.1.2	library	pkg:pypi/pytest-shard@0.1.2	MIT	
anyio	4.6.2.post1	library	pkg:pypi/anyio@4.6.2.post1	MIT	
aiohttp	3.13.3	library	pkg:pypi/aiohttp@3.13.3	Apache-2.0	
httpx	0.27.2	library	pkg:pypi/httpx@0.27.2	BSD-3-Clause	
audioread	3.0.1	library	pkg:pypi/audioread@3.0.1	MIT	
cffi	1.17.1	library	pkg:pypi/cffi@1.17.1	MIT	
decorator	5.2.1	library	pkg:pypi/decorator@5.2.1	BSD-3-Clause	
lazy-loader	0.4	library	pkg:pypi/lazy-loader@0.4	BSD-3-Clause	
platformdirs	4.3.6	library	pkg:pypi/platformdirs@4.3.6	MIT	
pooch	1.8.2	library	pkg:pypi/pooch@1.8.2	BSD-3-Clause	
soundfile	0.13.1	library	pkg:pypi/soundfile@0.13.1	BSD-3-Clause	
soxr	0.5.0.post1	library	pkg:pypi/soxr@0.5.0.post1	LGPL-2.1-or-later	
librosa	0.10.2.post1	library	pkg:pypi/librosa@0.10.2.post1	ISC	
bm25s	0.2.13	library	pkg:pypi/bm25s@0.2.13	MIT	
pystemmer	3.0.0	library	pkg:pypi/pystemmer@3.0.0	BSD-3-Clause	
blobfile	3.0.0	library	pkg:pypi/blobfile@3.0.0	CC0-1.0	
decord	0.6.0	library	pkg:pypi/decord@0.6.0	Apache-2.0	
rapidfuzz	3.12.1	library	pkg:pypi/rapidfuzz@3.12.1	MIT	
gpt-oss	0.0.8	library	pkg:pypi/gpt-oss@0.0.8	NOASSERTION	
schemathesis	3.39.15	library	pkg:pypi/schemathesis@3.39.15	MIT	
lm-eval	0.4.11	library	pkg:pypi/lm-eval@0.4.11	MIT	
jiwer	4.0.0	library	pkg:pypi/jiwer@4.0.0	Apache-2.0	
multiprocess	0.70.16	library	pkg:pypi/multiprocess@0.70.16	BSD-3-Clause	
torchgeo	0.7.0	library	pkg:pypi/torchgeo@0.7.0	MIT	
mteb	2	library	pkg:pypi/mteb@2	Apache-2.0	
num2words	0.5.14	library	pkg:pypi/num2words@0.5.14	LGPL-2.1-or-later	
pqdm	0.2.0	library	pkg:pypi/pqdm@0.2.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
open-clip-torch	2.32.0	library	pkg:pypi/open-clip-torch@2.32.0	MIT	
perceptron	0.1.4	library	pkg:pypi/perceptron@0.1.4	NOASSERTION	
albumentations	1.4.6	library	pkg:pypi/albumentations@1.4.6	MIT	
transformers	4.57.3	library	pkg:pypi/transformers@4.57.3	Apache-2.0	
huggingface-hub	0.36.2	library	pkg:pypi/huggingface-hub@0.36.2	Apache-2.0	
mistral-common	1.9.1	library	pkg:pypi/mistral-common@1.9.1	Apache-2.0	
terratorch	1.2.2	library	pkg:pypi/terratorch@1.2.2	Apache-2.0	
segmentation-models-pytorch	0.5.0	library	pkg:pypi/segmentation-models-pytorch@0.5.0	MIT	
imagehash	4.3.2	library	pkg:pypi/imagehash@4.3.2	BSD-2-Clause	
bitsandbytes	0.49.2	library	pkg:pypi/bitsandbytes@0.49.2	MIT	
pre-commit	4.0.1	library	pkg:pypi/pre-commit@4.0.1	MIT	
nixl	0.3.0	library	pkg:pypi/nixl@0.3.0		
tpu-inference	0.12.0	library	pkg:pypi/tpu-inference@0.12.0	Apache-2.0	
absl-py	2.1.0	library	pkg:pypi/absl-py@2.1.0	Apache-2.0	
accelerate	1.0.1	library	pkg:pypi/accelerate@1.0.1	Apache-2.0	
aenum	3.1.16	library	pkg:pypi/aenum@3.1.16	BSD-3-Clause	
affine	2.4.0	library	pkg:pypi/affine@2.4.0	BSD-3-Clause	
aiohappyeyeballs	2.6.1	library	pkg:pypi/aiohappyeyeballs@2.6.1	PSF-2.0	
aiohttp-cors	0.8.1	library	pkg:pypi/aiohttp-cors@0.8.1	Apache-2.0	
aiosignal	1.4.0	library	pkg:pypi/aiosignal@1.4.0	Apache-2.0	
albucore	0.0.16	library	pkg:pypi/albucore@0.0.16	MIT	
alembic	1.16.4	library	pkg:pypi/alembic@1.16.4	MIT	
annotated-doc	0.0.4	library	pkg:pypi/annotated-doc@0.0.4	MIT	
annotated-types	0.7.0	library	pkg:pypi/annotated-types@0.7.0	MIT	
antlr4-python3-runtime	4.9.3	library	pkg:pypi/antlr4-python3-runtime@4.9.3	BSD-3-Clause	
arctic-inference	0.1.1	library	pkg:pypi/arctic-inference@0.1.1	NOASSERTION	
argcomplete	3.5.1	library	pkg:pypi/argcomplete@3.5.1	Apache-2.0	
arrow	1.3.0	library	pkg:pypi/arrow@1.3.0	Apache-2.0	
attrs	24.2.0	library	pkg:pypi/attrs@24.2.0	MIT	
backoff	2.2.1	library	pkg:pypi/backoff@2.2.1	MIT	
black	24.10.0	library	pkg:pypi/black@24.10.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
boto3	1.35.57	library	pkg:pypi/boto3@1.35.57	Apache-2.0	
botocore	1.35.57	library	pkg:pypi/botocore@1.35.57	Apache-2.0	
bounded-pool-executor	0.0.3	library	pkg:pypi/bounded-pool-executor@0.0.3	MIT	
buildkite-test-collector	0.1.9	library	pkg:pypi/buildkite-test-collector@0.1.9	MIT	
cachetools	5.5.2	library	pkg:pypi/cachetools@5.5.2	MIT	
certifi	2024.8.30	library	pkg:pypi/certifi@2024.8.30	MPL-2.0	
chardet	5.2.0	library	pkg:pypi/chardet@5.2.0	LGPL-2.1-or-later	
charset-normalizer	3.4.0	library	pkg:pypi/charset-normalizer@3.4.0	MIT	
chz	0.3.0	library	pkg:pypi/chz@0.3.0	MIT	
click	8.1.7	library	pkg:pypi/click@8.1.7	BSD-3-Clause	
click-plugins	1.1.1.2	library	pkg:pypi/click-plugins@1.1.1.2	BSD-3-Clause	
cligj	0.7.2	library	pkg:pypi/cligj@0.7.2	BSD-3-Clause	
colorama	0.4.6	library	pkg:pypi/colorama@0.4.6	BSD-3-Clause	
colorful	0.5.6	library	pkg:pypi/colorful@0.5.6	MIT	
colorlog	6.10.1	library	pkg:pypi/colorlog@6.10.1	MIT	
contourpy	1.3.0	library	pkg:pypi/contourpy@1.3.0	BSD-3-Clause	
coverage	7.10.6	library	pkg:pypi/coverage@7.10.6	Apache-2.0	
cramjam	2.9.0	library	pkg:pypi/cramjam@2.9.0	MIT	
cuda-bindings	12.9.4	library	pkg:pypi/cuda-bindings@12.9.4	LicenseRef-NVIDIA-SOFTWARE-LICENSE	
cuda-pathfinder	1.3.3	library	pkg:pypi/cuda-pathfinder@1.3.3	Apache-2.0	
cupy-cuda12x	13.6.0	library	pkg:pypi/cupy-cuda12x@13.6.0	MIT	
cycler	0.12.1	library	pkg:pypi/cycler@0.12.1	BSD-3-Clause	
datamodel-code-generator	0.26.3	library	pkg:pypi/datamodel-code-generator@0.26.3	MIT	
dataproperty	1.0.1	library	pkg:pypi/dataproperty@1.0.1	MIT	
datasets	3.3.0	library	pkg:pypi/datasets@3.3.0	Apache-2.0	
diffusers	0.36.0	library	pkg:pypi/diffusers@0.36.0	Apache-2.0	
dill	0.3.8	library	pkg:pypi/dill@0.3.8	BSD-3-Clause	
distlib	0.3.9	library	pkg:pypi/distlib@0.3.9	PSF-2.0	
dnspython	2.7.0	library	pkg:pypi/dnspython@2.7.0	ISC	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
docker	7.1.0	library	pkg:pypi/docker@7.1.0	Apache-2.0	
docopt	0.6.2	library	pkg:pypi/docopt@0.6.2	MIT	
docstring-parser	0.17.0	library	pkg:pypi/docstring-parser@0.17.0	MIT	
einops	0.8.1	library	pkg:pypi/einops@0.8.1	MIT	
einx	0.3.0	library	pkg:pypi/einx@0.3.0	MIT	
email-validator	2.2.0	library	pkg:pypi/email-validator@2.2.0	Unlicense	
encodec	0.1.1	library	pkg:pypi/encodec@0.1.1	LicenseRef-Commercial	
evaluate	0.4.3	library	pkg:pypi/evaluate@0.4.3	Apache-2.0	
fastapi	0.128.0	library	pkg:pypi/fastapi@0.128.0	MIT	
fastparquet	2024.11.0	library	pkg:pypi/fastparquet@2024.11.0	Apache-2.0	
fastrlock	0.8.2	library	pkg:pypi/fastrlock@0.8.2	MIT	
fastsafetensors	0.2.2	library	pkg:pypi/fastsafetensors@0.2.2	Apache-2.0	
filelock	3.16.1	library	pkg:pypi/filelock@3.16.1	Unlicense	
fiona	1.10.1	library	pkg:pypi/fiona@1.10.1	BSD-3-Clause	
fonttools	4.55.0	library	pkg:pypi/fonttools@4.55.0	MIT	
fqdn	1.5.1	library	pkg:pypi/fqdn@1.5.1	MPL-2.0	
frozendict	2.4.6	library	pkg:pypi/frozendict@2.4.6	LGPL-2.1-or-later	
frozenlist	1.5.0	library	pkg:pypi/frozenlist@1.5.0	Apache-2.0	
fsspec	2024.12.0	library	pkg:pypi/fsspec@2024.12.0	BSD-3-Clause	
ftfy	6.3.1	library	pkg:pypi/ftfy@6.3.1	Apache-2.0	
genai-perf	0.0.16	library	pkg:pypi/genai-perf@0.0.16	BSD-3-Clause	
genson	1.3.0	library	pkg:pypi/genson@1.3.0	MIT	
geopandas	1.0.1	library	pkg:pypi/geopandas@1.0.1	BSD-3-Clause	
gitdb	4.0.12	library	pkg:pypi/gitdb@4.0.12	BSD-3-Clause	
gitpython	3.1.44	library	pkg:pypi/gitpython@3.1.44	BSD-3-Clause	
google-api-core	2.24.2	library	pkg:pypi/google-api-core@2.24.2	Apache-2.0	
google-auth	2.40.2	library	pkg:pypi/google-auth@2.40.2	Apache-2.0	
google-cloud-core	2.4.3	library	pkg:pypi/google-cloud-core@2.4.3	Apache-2.0	
google-cloud-storage	3.4.0	library	pkg:pypi/google-cloud-storage@3.4.0	Apache-2.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
google-crc32c	1.7.1	library	pkg:pypi/google-crc32c@1.7.1	Apache-2.0	
google-resumable-media	2.7.2	library	pkg:pypi/google-resumable-media@2.7.2	Apache-2.0	
googleapis-common-protos	1.70.0	library	pkg:pypi/googleapis-common-protos@1.70.0	Apache-2.0	
graphql-core	3.2.6	library	pkg:pypi/graphql-core@3.2.6	MIT	
greenlet	3.2.3	library	pkg:pypi/greenlet@3.2.3		
h11	0.14.0	library	pkg:pypi/h11@0.14.0	MIT	
h2	4.3.0	library	pkg:pypi/h2@4.3.0	MIT	
h5py	3.13.0	library	pkg:pypi/h5py@3.13.0	BSD-3-Clause	
harfile	0.3.0	library	pkg:pypi/harfile@0.3.0	MIT	
hf-xet	1.1.7	library	pkg:pypi/hf-xet@1.1.7	Apache-2.0	
hiredis	3.0.0	library	pkg:pypi/hiredis@3.0.0	MIT	
hpack	4.1.0	library	pkg:pypi/hpack@4.1.0	MIT	
html2text	2025.4.15	library	pkg:pypi/html2text@2025.4.15	GPL-3.0-or-later	
httpcore	1.0.6	library	pkg:pypi/httpcore@1.0.6	BSD-3-Clause	
humanize	4.11.0	library	pkg:pypi/humanize@4.11.0	MIT	
hydra-core	1.3.2	library	pkg:pypi/hydra-core@1.3.2	MIT	
hyperframe	6.1.0	library	pkg:pypi/hyperframe@6.1.0	MIT	
hypothesis	6.131.0	library	pkg:pypi/hypothesis@6.131.0	MPL-2.0	
hypothesis-graphql	0.11.1	library	pkg:pypi/hypothesis-graphql@0.11.1	MIT	
hypothesis-jsonschema	0.23.1	library	pkg:pypi/hypothesis-jsonschema@0.23.1	MPL-2.0	
idna	3.10	library	pkg:pypi/idna@3.10	BSD-3-Clause	
imageio	2.37.0	library	pkg:pypi/imageio@2.37.0	BSD-3-Clause	
importlib-metadata	8.7.0	library	pkg:pypi/importlib-metadata@8.7.0	Apache-2.0	
importlib-resources	6.5.2	library	pkg:pypi/importlib-resources@6.5.2	Apache-2.0	
inflect	5.6.2	library	pkg:pypi/inflect@5.6.2	MIT	
iniconfig	2.0.0	library	pkg:pypi/iniconfig@2.0.0	MIT	
isoduration	20.11.0	library	pkg:pypi/isoduration@20.11.0	ISC	
isort	5.13.2	library	pkg:pypi/isort@5.13.2	MIT	
jmespath	1.0.1	library	pkg:pypi/jmespath@1.0.1	MIT	
joblib	1.4.2	library	pkg:pypi/joblib@1.4.2	BSD-3-Clause	
jsonargparse	4.46.0	library	pkg:pypi/jsonargparse@4.46.0	MIT	
jsonlines	4.0.0	library	pkg:pypi/jsonlines@4.0.0	BSD-3-Clause	
jsonnet	0.21.0	library	pkg:pypi/jsonnet@0.21.0	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
jsonpointer	3.0.0	library	pkg:pypi/jsonpointer@3.0.0	BSD-3-Clause	
jsonschema	4.23.0	library	pkg:pypi/jsonschema@4.23.0	MIT	
jsonschema-specifications	2024.10.1	library	pkg:pypi/jsonschema-specifications@2024.10.1	MIT	
junit-xml	1.9	library	pkg:pypi/junit-xml@1.9	MIT	
kaleido	0.2.1	library	pkg:pypi/kaleido@0.2.1	MIT	
kiwisolver	1.4.7	library	pkg:pypi/kiwisolver@1.4.7	BSD-3-Clause	
kornia	0.8.1	library	pkg:pypi/kornia@0.8.1	Apache-2.0	
kornia-rs	0.1.9	library	pkg:pypi/kornia-rs@0.1.9	Apache-2.0	
libnacl	2.1.0	library	pkg:pypi/libnacl@2.1.0	Apache-2.0	
lightly	1.5.22	library	pkg:pypi/lightly@1.5.22	MIT	
lightly-utils	0.0.2	library	pkg:pypi/lightly-utils@0.0.2	MIT	
lightning	2.6.1	library	pkg:pypi/lightning@2.6.1	Apache-2.0	
lightning-utilities	0.14.3	library	pkg:pypi/lightning-utilities@0.14.3	Apache-2.0	
llvmlite	0.44.0	library	pkg:pypi/llvmlite@0.44.0	BSD-3-Clause	
lxml	5.3.0	library	pkg:pypi/lxml@5.3.0	BSD-3-Clause	
mako	1.3.10	library	pkg:pypi/mako@1.3.10	MIT	
markdown	3.8.2	library	pkg:pypi/markdown@3.8.2	BSD-3-Clause	
markdown-it-py	3.0.0	library	pkg:pypi/markdown-it-py@3.0.0	MIT	
markupsafe	3.0.1	library	pkg:pypi/markupsafe@3.0.1	BSD-3-Clause	
matplotlib	3.9.2	library	pkg:pypi/matplotlib@3.9.2	PSF-2.0	
mbstrdecoder	1.1.3	library	pkg:pypi/mbstrdecoder@1.1.3	MIT	
mdurl	0.1.2	library	pkg:pypi/mdurl@0.1.2	MIT	
more-itertools	10.5.0	library	pkg:pypi/more-itertools@10.5.0	MIT	
mpmath	1.3.0	library	pkg:pypi/mpmath@1.3.0	BSD-3-Clause	
msgpack	1.1.0	library	pkg:pypi/msgpack@1.1.0	Apache-2.0	
multidict	6.1.0	library	pkg:pypi/multidict@6.1.0	Apache-2.0	
mypy-extensions	1.0.0	library	pkg:pypi/mypy-extensions@1.0.0	MIT	
networkx	3.2.1	library	pkg:pypi/networkx@3.2.1	BSD-3-Clause	
nltk	3.9.1	library	pkg:pypi/nltk@3.9.1	Apache-2.0	
numba	0.61.2	library	pkg:pypi/numba@0.61.2	BSD-3-Clause	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
numpy	2.2.6	library	pkg:pypi/numpy@2.2.6	BSD-3-Clause	
nvidia-cublas-cu12	12.9.1.4	library	pkg:pypi/nvidia-cublas-cu12@12.9.1.4	LicenseRef-Proprietary	
nvidia-cuda-cupti-cu12	12.9.79	library	pkg:pypi/nvidia-cuda-cupti-cu12@12.9.79	LicenseRef-Proprietary	
nvidia-cuda-nvrtc-cu12	12.9.86	library	pkg:pypi/nvidia-cuda-nvrtc-cu12@12.9.86	LicenseRef-Proprietary	
nvidia-cuda-runtime-cu12	12.9.79	library	pkg:pypi/nvidia-cuda-runtime-cu12@12.9.79	LicenseRef-Proprietary	
nvidia-cudnn-cu12	9.10.2.21	library	pkg:pypi/nvidia-cudnn-cu12@9.10.2.21	LicenseRef-Proprietary	
nvidia-cufft-cu12	11.4.1.4	library	pkg:pypi/nvidia-cufft-cu12@11.4.1.4	LicenseRef-Proprietary	
nvidia-cufile-cu12	1.14.1.1	library	pkg:pypi/nvidia-cufile-cu12@1.14.1.1	LicenseRef-Proprietary	
nvidia-curand-cu12	10.3.10.19	library	pkg:pypi/nvidia-curand-cu12@10.3.10.19	LicenseRef-Proprietary	
nvidia-cusolver-cu12	11.7.5.82	library	pkg:pypi/nvidia-cusolver-cu12@11.7.5.82	LicenseRef-Proprietary	
nvidia-cusparse-cu12	12.5.10.65	library	pkg:pypi/nvidia-cusparse-cu12@12.5.10.65	LicenseRef-Proprietary	
nvidia-cusparselt-cu12	0.7.1	library	pkg:pypi/nvidia-cusparselt-cu12@0.7.1	LicenseRef-Proprietary	
nvidia-nccl-cu12	2.27.5	library	pkg:pypi/nvidia-nccl-cu12@2.27.5	BSD-3-Clause	
nvidia-nvjitlink-cu12	12.9.86	library	pkg:pypi/nvidia-nvjitlink-cu12@12.9.86	LicenseRef-Proprietary	
nvidia-nvshmem-cu12	3.4.5	library	pkg:pypi/nvidia-nvshmem-cu12@3.4.5	NOASSERTION	
nvidia-nvtx-cu12	12.9.79	library	pkg:pypi/nvidia-nvtx-cu12@12.9.79	Apache-2.0	
omegaconf	2.3.0	library	pkg:pypi/omegaconf@2.3.0	BSD-3-Clause	
openai-harmony	0.0.4	library	pkg:pypi/openai-harmony@0.0.4	NOASSERTION	
opencensus	0.11.4	library	pkg:pypi/opencensus@0.11.4	Apache-2.0	
opencensus-context	0.1.3	library	pkg:pypi/opencensus-context@0.1.3	Apache-2.0	
opencv-python-headless	4.13.0.90	library	pkg:pypi/opencv-python-headless@4.13.0.90	Apache-2.0	
opentelemetry-api	1.35.0	library	pkg:pypi/opentelemetry-api@1.35.0	Apache-2.0	
opentelemetry-exporter-prometheus	0.56b0	library	pkg:pypi/opentelemetry-exporter-prometheus@0.56b0	Apache-2.0	
opentelemetry-proto	1.36.0	library	pkg:pypi/opentelemetry-proto@1.36.0	Apache-2.0	
opentelemetry-sdk	1.35.0	library	pkg:pypi/opentelemetry-sdk@1.35.0	Apache-2.0	

(continued on next page)

(continued from previous page)

Name	Version	Type	purl	License	Description
opentelemetry-semantic-conventions	0.56b0	library	pkg:pypi/opentelemetry-semantic-conventions@0.56b0	Apache-2.0	
optuna	3.6.1	library	pkg:pypi/optuna@3.6.1	MIT	
orjson	3.11.5	library	pkg:pypi/orjson@3.11.5		
pandas	2.2.3	library	pkg:pypi/pandas@2.2.3	BSD-3-Clause	
pathspec	0.12.1	library	pkg:pypi/pathspec@0.12.1	MPL-2.0	
pathvalidate	3.2.1	library	pkg:pypi/pathvalidate@3.2.1	MIT	
patsy	1.0.1	library	pkg:pypi/patsy@1.0.1	BSD-3-Clause	
peft	0.16.0	library	pkg:pypi/peft@0.16.0	Apache-2.0	
perf-analyzer	0.1.0	library	pkg:pypi/perf-analyzer@0.1.0	BSD-3-Clause	
pillow	10.4.0	library	pkg:pypi/pillow@10.4.0	ISC	
plotly	5.24.1	library	pkg:pypi/plotly@5.24.1	MIT	
pluggy	1.5.0	library	pkg:pypi/pluggy@1.5.0	MIT	
polars	1.29.0	library	pkg:pypi/polars@1.29.0	MIT	
portalocker	2.10.1	library	pkg:pypi/portalocker@2.10.1	BSD-3-Clause	
prometheus-client	0.22.0	library	pkg:pypi/prometheus-client@0.22.0	Apache-2.0	
propcache	0.2.0	library	pkg:pypi/propcache@0.2.0	Apache-2.0	
proto-plus	1.26.1	library	pkg:pypi/proto-plus@1.26.1	Apache-2.0	
protobuf	6.33.2	library	pkg:pypi/protobuf@6.33.2	BSD-3-Clause	
psutil	6.1.0	library	pkg:pypi/psutil@6.1.0	BSD-3-Clause	
py	1.11.0	library	pkg:pypi/py@1.11.0	MIT	
py-spy	0.4.0	library	pkg:pypi/py-spy@0.4.0	MIT	
pyarrow	23.0.0	library	pkg:pypi/pyarrow@23.0.0	Apache-2.0	
pyasn1	0.6.1	library	pkg:pypi/pyasn1@0.6.1	BSD-3-Clause	
pyasn1-modules	0.4.2	library	pkg:pypi/pyasn1-modules@0.4.2	BSD-3-Clause	
pycocotools	2.0.8	library	pkg:pypi/pycocotools@2.0.8	BSD-2-Clause	
pycountry	24.6.1	library	pkg:pypi/pycountry@24.6.1	LGPL-2.1-or-later	
pycparser	2.22	library	pkg:pypi/pycparser@2.22	BSD-3-Clause	
pycryptodomex	3.22.0	library	pkg:pypi/pycryptodomex@3.22.0	BSD-3-Clause	
pydantic	2.12.0	library	pkg:pypi/pydantic@2.12.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
pydantic-core	2.41.1	library	pkg:pypi/pydantic-core@2.41.1	MIT	
pydantic-extra-types	2.10.5	library	pkg:pypi/pydantic-extra-types@2.10.5	MIT	
pygments	2.18.0	library	pkg:pypi/pygments@2.18.0	BSD-3-Clause	
pyogrio	0.11.0	library	pkg:pypi/pyogrio@0.11.0	MIT	
pyparsing	3.2.0	library	pkg:pypi/pyparsing@3.2.0	MIT	
pyproj	3.7.1	library	pkg:pypi/pyproj@3.7.1	MIT	
pyrate-limiter	3.7.0	library	pkg:pypi/pyrate-limiter@3.7.0	MIT	
pytablewriter	1.2.0	library	pkg:pypi/pytablewriter@1.2.0	MIT	
pytest-mock	3.14.0	library	pkg:pypi/pytest-mock@3.14.0	MIT	
pytest-subtests	0.14.1	library	pkg:pypi/pytest-subtests@0.14.1	MIT	
python-box	7.3.2	library	pkg:pypi/python-box@7.3.2	MIT	
python-dateutil	2.9.0.post0	library	pkg:pypi/python-dateutil@2.9.0.post0	Apache-2.0	
python-rapidjson	1.20	library	pkg:pypi/python-rapidjson@1.20	MIT	
pytorch-lightning	2.5.2	library	pkg:pypi/pytorch-lightning@2.5.2	Apache-2.0	
pytrec-eval-terrier	0.5.7	library	pkg:pypi/pytrec-eval-terrier@0.5.7	MIT	
pytz	2024.2	library	pkg:pypi/pytz@2024.2	MIT	
pywavelets	1.9.0	library	pkg:pypi/pywavelets@1.9.0		
pyyaml	6.0.2	library	pkg:pypi/pyyaml@6.0.2	MIT	
rasterio	1.4.3	library	pkg:pypi/rasterio@1.4.3	BSD-3-Clause	
redis	5.2.0	library	pkg:pypi/redis@5.2.0	MIT	
referencing	0.35.1	library	pkg:pypi/referencing@0.35.1	MIT	
regex	2024.9.11	library	pkg:pypi/regex@2024.9.11	Apache-2.0	
requests	2.32.3	library	pkg:pypi/requests@2.32.3	Apache-2.0	
responses	0.25.3	library	pkg:pypi/responses@0.25.3	Apache-2.0	
rfc3339-validator	0.1.4	library	pkg:pypi/rfc3339-validator@0.1.4	MIT	
rfc3987	1.3.8	library	pkg:pypi/rfc3987@1.3.8	GPL-3.0-or-later	
rich	13.9.4	library	pkg:pypi/rich@13.9.4	MIT	
rioxarray	0.19.0	library	pkg:pypi/rioxarray@0.19.0	Apache-2.0	
rouge-score	0.1.2	library	pkg:pypi/rouge-score@0.1.2	Apache-2.0	
rpds-py	0.20.1	library	pkg:pypi/rpds-py@0.20.1	MIT	
rsa	4.9.1	library	pkg:pypi/rsa@4.9.1	Apache-2.0	
rtree	1.4.0	library	pkg:pypi/rtree@1.4.0	MIT	
runai-model-streamer-gcs	0.15.3	library	pkg:pypi/runai-model-streamer-gcs@0.15.3	NOASSERTION	
runai-model-streamer-s3	0.15.3	library	pkg:pypi/runai-model-streamer-s3@0.15.3	NOASSERTION	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
s3transfer	0.10.3	library	pkg:pypi/s3transfer@0.10.3	Apache-2.0	
sacrebleu	2.4.3	library	pkg:pypi/sacrebleu@2.4.3	Apache-2.0	
safetensors	0.4.5	library	pkg:pypi/safetensors@0.4.5	Apache-2.0	
scikit-image	0.25.2	library	pkg:pypi/scikit-image@0.25.2	BSD-3-Clause	
scikit-learn	1.5.2	library	pkg:pypi/scikit-learn@1.5.2	BSD-3-Clause	
scipy	1.13.1	library	pkg:pypi/scipy@1.13.1	BSD-3-Clause	
sentence-transformers	5.2.0	library	pkg:pypi/sentence-transformers@5.2.0	Apache-2.0	
sentry-sdk	2.52.0	library	pkg:pypi/sentry-sdk@2.52.0	BSD-3-Clause	
shapely	2.1.1	library	pkg:pypi/shapely@2.1.1	BSD-3-Clause	
shellingham	1.5.4	library	pkg:pypi/shellingham@1.5.4	ISC	
smart-open	7.1.0	library	pkg:pypi/smart-open@7.1.0	MIT	
smmap	5.0.2	library	pkg:pypi/smmap@5.0.2	BSD-3-Clause	
sniffio	1.3.1	library	pkg:pypi/sniffio@1.3.1	Apache-2.0	
sortedcontainers	2.4.0	library	pkg:pypi/sortedcontainers@2.4.0	Apache-2.0	
sqlalchemy	2.0.41	library	pkg:pypi/sqlalchemy@2.0.41	MIT	
sqlitedict	2.1.0	library	pkg:pypi/sqlitedict@2.1.0	Apache-2.0	
starlette	0.50.0	library	pkg:pypi/starlette@0.50.0	BSD-3-Clause	
starlette-testclient	0.4.1	library	pkg:pypi/starlette-testclient@0.4.1	BSD-3-Clause	
statsmodels	0.14.4	library	pkg:pypi/statsmodels@0.14.4	BSD-3-Clause	
structlog	25.4.0	library	pkg:pypi/structlog@25.4.0		
sympy	1.13.3	library	pkg:pypi/sympy@1.13.3	BSD-3-Clause	
tabledata	1.3.3	library	pkg:pypi/tabledata@1.3.3	MIT	
tabulate	0.9.0	library	pkg:pypi/tabulate@0.9.0	MIT	
tacoreader	0.5.6	library	pkg:pypi/tacoreader@0.5.6	MIT	
tcolorpy	0.1.6	library	pkg:pypi/tcolorpy@0.1.6	MIT	
tenacity	9.1.2	library	pkg:pypi/tenacity@9.1.2	Apache-2.0	
tensorboard	2.20.0	library	pkg:pypi/tensorboard@2.20.0	Apache-2.0	
tensorboard-data-server	0.7.2	library	pkg:pypi/tensorboard-data-server@0.7.2	Apache-2.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
tensorboardx	2.6.4	library	pkg:pypi/tensorboardx@2.6.4	MIT	
termcolor	3.1.0	library	pkg:pypi/termcolor@3.1.0	MIT	
threadpoolctl	3.5.0	library	pkg:pypi/threadpoolctl@3.5.0	BSD-3-Clause	
tifffile	2025.3.30	library	pkg:pypi/tifffile@2025.3.30	BSD-3-Clause	
tiktoken	0.12.0	library	pkg:pypi/tiktoken@0.12.0	MIT	
tokenizers	0.22.0	library	pkg:pypi/tokenizers@0.22.0	Apache-2.0	
tomli	2.2.1	library	pkg:pypi/tomli@2.2.1	MIT	
tomli-w	1.2.0	library	pkg:pypi/tomli-w@1.2.0	MIT	
torchmetrics	1.7.4	library	pkg:pypi/torchmetrics@1.7.4	Apache-2.0	
tqdm	4.67.3	library	pkg:pypi/tqdm@4.67.3	MPL-2.0	
transformers-stream-generator	0.0.5	library	pkg:pypi/transformers-stream-generator@0.0.5	Apache-2.0	
tritonclient	2.64.0	library	pkg:pypi/tritonclient@2.64.0	BSD-3-Clause	
typepy	1.3.2	library	pkg:pypi/typepy@1.3.2	MIT	
typer	0.15.2	library	pkg:pypi/typer@0.15.2	MIT	
types-python-dateutil	2.9.0.20241206	library	pkg:pypi/types-python-dateutil@2.9.0.20241206	Apache-2.0	
typeshed-client	2.8.2	library	pkg:pypi/typeshed-client@2.8.2	MIT	
typing-extensions	4.15.0	library	pkg:pypi/typing-extensions@4.15.0	PSF-2.0	
typing-inspection	0.4.2	library	pkg:pypi/typing-inspection@0.4.2	MIT	
tzdata	2024.2	library	pkg:pypi/tzdata@2024.2	Apache-2.0	
uri-template	1.3.0	library	pkg:pypi/uri-template@1.3.0	MIT	
urllib3	2.2.3	library	pkg:pypi/urllib3@2.2.3	MIT	
uvicorn	0.35.0	library	pkg:pypi/uvicorn@0.35.0	BSD-3-Clause	
vector-quantize-pytorch	1.21.2	library	pkg:pypi/vector-quantize-pytorch@1.21.2	MIT	
virtualenv	20.31.2	library	pkg:pypi/virtualenv@20.31.2	MIT	
vocos	0.1.0	library	pkg:pypi/vocos@0.1.0	NOASSERTION	
wandb	0.24.2	library	pkg:pypi/wandb@0.24.2	MIT	
wcwidth	0.2.13	library	pkg:pypi/wcwidth@0.2.13	MIT	
webcolors	24.11.1	library	pkg:pypi/webcolors@24.11.1	BSD-3-Clause	
werkzeug	3.1.3	library	pkg:pypi/werkzeug@3.1.3	BSD-3-Clause	
word2number	1.1	library	pkg:pypi/word2number@1.1	MIT	
wrapt	1.17.2	library	pkg:pypi/wrapt@1.17.2	BSD-3-Clause	
xarray	2025.7.1	library	pkg:pypi/xarray@2025.7.1	Apache-2.0	
xxhash	3.5.0	library	pkg:pypi/xxhash@3.5.0	BSD-3-Clause	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
yarl	1.17.1	library	pkg:pypi/yarl@1.17.1	Apache-2.0	
zipp	3.23.0	library	pkg:pypi/zipp@3.23.0	MIT	
zstandard	0.23.0	library	pkg:pypi/zstandard@0.23.0	BSD-3-Clause	

Dependency graph (top-level refs)

```
root-component
  -> pkg:pypi/six@1.16.0, pkg:pypi/setuptools@77.0.3, pkg:pypi/depyf@0.20.0,
  pkg:pypi/grpcio@1.78.0, pkg:pypi/grpcio-reflection@1.78.0...
pkg:pypi/six@1.16.0
  ->
pkg:pypi/setuptools@77.0.3
  ->
pkg:pypi/depyf@0.20.0
  ->
pkg:pypi/grpcio@1.78.0
  ->
pkg:pypi/grpcio-reflection@1.78.0
  ->
pkg:pypi/grpcio-tools@1.78.0
  ->
pkg:pypi/ray@2.48.0
  ->
pkg:pypi/tensorizer@2.10.1
  ->
pkg:pypi/packaging@24.2
  ->
pkg:pypi/setuptools-scm@8
  ->
pkg:pypi/runai-model-streamer@0.15.3
  ->
pkg:pypi/conch-triton-kernels@1.2.1
  ->
pkg:pypi/timm@1.0.17
  ->
pkg:pypi/torch@2.10.0
  ->
pkg:pypi/torchaudio@2.10.0
  ->
pkg:pypi/torchvision@0.25.0
  ->
pkg:pypi/flashinfer-python@0.6.4
  ->
pkg:pypi/triton@3.6.0
  ->
pkg:pypi/cmake@3.26.1
  ->
pkg:pypi/jinja2@3.1.6
  ->
pkg:pypi/amdsmi@6.4.3
  ->
pkg:pypi/intel-openmp@2024.2.1
```

```
  ->
pkg:pypi/tblib@3.1.0
  ->
pkg:pypi/pytest@8.3.5
  ->
pkg:pypi/pytest-asyncio@0.24.0
  ->
pkg:pypi/pytest-timeout@2.3.1
  ->
pkg:pypi/pytest-cov@6.3.0
  ->
pkg:pypi/pytest-forked@1.6.0
  ->
pkg:pypi/pytest-rerunfailures@14.0
  ->
```

1.12 World Monitor

Path: `world-monitor-main`
CycloneDX: spec 1.5, serial `urn:uuid:78627a84-37df-418f-afa9-97377bdf7e67...`
Generated: 2026-02-28T10:14:59Z
Tool: components

Components

Name	Version	Type	purl	License	Description
aggregation-layers	9.2.6	library	pkg:npm/@deck.gl/aggregation-layers@9.2.6	MIT	
core	9.2.6	library	pkg:npm/@deck.gl/core@9.2.6	MIT	
core	4.3.4	library	pkg:npm/@loaders.gl/core@4.3.4	MIT	
loader-utils	4.3.4	library	pkg:npm/@loaders.gl/loader-utils@4.3.4	MIT	
schema	4.3.4	library	pkg:npm/@loaders.gl/schema@4.3.4	MIT	
geojson	7946.0.16	library	pkg:npm/@types/geojson@7946.0.16	MIT	
worker-utils	4.3.4	library	pkg:npm/@loaders.gl/worker-utils@4.3.4	MIT	
log	4.1.0	library	pkg:npm/@probe.gl/log@4.1.0	MIT	
env	4.1.0	library	pkg:npm/@probe.gl/env@4.1.0	MIT	
stats	4.1.0	library	pkg:npm/@probe.gl/stats@4.1.0	MIT	
images	4.3.4	library	pkg:npm/@loaders.gl/images@4.3.4	MIT	
constants	9.2.6	library	pkg:npm/@luma.gl/constants@9.2.6	MIT	
core	9.2.6	library	pkg:npm/@luma.gl/core@9.2.6	MIT	
types	4.1.0	library	pkg:npm/@math.gl/types@4.1.0	MIT	
offscreencanvas	2019.7.3	library	pkg:npm/@types/offscreencanvas@2019.7.3	MIT	
engine	9.2.6	library	pkg:npm/@luma.gl/engine@9.2.6	MIT	
shadertools	9.2.6	library	pkg:npm/@luma.gl/shadertools@9.2.6	MIT	
core	4.1.0	library	pkg:npm/@math.gl/core@4.1.0	MIT	
wgsl_reflect	1.2.3	library	pkg:npm/wgsl_reflect@1.2.3	MIT	
webgl	9.2.6	library	pkg:npm/@luma.gl/webgl@9.2.6	MIT	
sun	4.1.0	library	pkg:npm/@math.gl/sun@4.1.0	MIT	
web-mercator	4.1.0	library	pkg:npm/@math.gl/web-mercator@4.1.0	MIT	
gl-matrix	3.4.4	library	pkg:npm/gl-matrix@3.4.4	MIT	
mjolnir.js	3.0.0	library	pkg:npm/mjolnir.js@3.0.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
layers	9.2.6	library	pkg:npm/@deck.gl/layers@9.2.6	MIT	
tiny-sdf	2.0.7	library	pkg:npm/@mapbox/tiny-sdf@2.0.7	BSD-2-Clause	
polygon	4.1.0	library	pkg:npm/@math.gl/polygon@4.1.0	MIT	
earcut	2.2.4	library	pkg:npm/earcut@2.2.4	ISC	
d3-hexbin	0.2.2	library	pkg:npm/d3-hexbin@0.2.2	BSD-3-Clause	
geo-layers	9.2.6	library	pkg:npm/@deck.gl/geo-layers@9.2.6	MIT	
extensions	9.2.6	library	pkg:npm/@deck.gl/extensions@9.2.6	MIT	
mesh-layers	9.2.6	library	pkg:npm/@deck.gl/mesh-layers@9.2.6	MIT	
gltf	4.3.4	library	pkg:npm/@loaders.gl/gltf@4.3.4	MIT	
draco	4.3.4	library	pkg:npm/@loaders.gl/draco@4.3.4	MIT	
draco3d	1.5.7	library	pkg:npm/draco3d@1.5.7	Apache-2.0	
textures	4.3.4	library	pkg:npm/@loaders.gl/textures@4.3.4	MIT	
ktx-parse	0.7.1	library	pkg:npm/ktx-parse@0.7.1	MIT	
texture-compressor	1.0.2	library	pkg:npm/texture-compressor@1.0.2	MIT	
argparse	1.0.10	library	pkg:npm/argparse@1.0.10	MIT	
sprintf-js	1.0.3	library	pkg:npm/sprintf-js@1.0.3	BSD-3-Clause	
image-size	0.7.5	library	pkg:npm/image-size@0.7.5	MIT	
gltf	9.2.6	library	pkg:npm/@luma.gl/gltf@9.2.6	MIT	
3d-tiles	4.3.4	library	pkg:npm/@loaders.gl/3d-tiles@4.3.4	MIT	
compression	4.3.4	library	pkg:npm/@loaders.gl/compression@4.3.4	MIT	
brotli	1.3.4	library	pkg:npm/@types/brotli@1.3.4	MIT	
node	25.3.0	library	pkg:npm/@types/node@25.3.0	MIT	
undici-types	7.18.2	library	pkg:npm/undici-types@7.18.2	MIT	
pako	1.0.7	library	pkg:npm/@types/pako@1.0.7	MIT	
fflate	0.7.4	library	pkg:npm/fflate@0.7.4	MIT	
lzo-wasm	0.0.4	library	pkg:npm/lzo-wasm@0.0.4	BSD-2-Clause	
pako	1.0.11	library	pkg:npm/pako@1.0.11		
snappyjs	0.6.1	library	pkg:npm/snappyjs@0.6.1	MIT	
brotli	1.3.3	library	pkg:npm/brotli@1.3.3	MIT	
base64-js	1.5.1	library	pkg:npm/base64-js@1.5.1	MIT	
lz4js	0.2.0	library	pkg:npm/lz4js@0.2.0	ISC	
zstd-codec	0.1.5	library	pkg:npm/zstd-codec@0.1.5	MIT	
crypto	4.3.4	library	pkg:npm/@loaders.gl/crypto@4.3.4	MIT	
crypto-js	4.2.2	library	pkg:npm/@types/crypto-js@4.2.2	MIT	
math	4.3.4	library	pkg:npm/@loaders.gl/math@4.3.4	MIT	
tiles	4.3.4	library	pkg:npm/@loaders.gl/tiles@4.3.4	MIT	
culling	4.1.0	library	pkg:npm/@math.gl/culling@4.1.0	MIT	
geospatial	4.1.0	library	pkg:npm/@math.gl/geospatial@4.1.0	MIT	
zip	4.3.4	library	pkg:npm/@loaders.gl/zip@4.3.4	MIT	
jszip	3.10.1	library	pkg:npm/jszip@3.10.1		
lie	3.3.0	library	pkg:npm/lie@3.3.0	MIT	
immediate	3.0.6	library	pkg:npm/immediate@3.0.6	MIT	
readable-stream	2.3.8	library	pkg:npm/readable-stream@2.3.8	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
core-util-is	1.0.3	library	pkg:npm/core-util-is@1.0.3	MIT	
inherits	2.0.4	library	pkg:npm/inherits@2.0.4	ISC	
isarray	1.0.0	library	pkg:npm/isarray@1.0.0	MIT	
process-nextick-args	2.0.1	library	pkg:npm/process-nextick-args@2.0.1	MIT	
safe-buffer	5.1.2	library	pkg:npm/safe-buffer@5.1.2	MIT	
string_decoder	1.1.1	library	pkg:npm/string_decoder@1.1.1	MIT	
util-deprecate	1.0.2	library	pkg:npm/util-deprecate@1.0.2	MIT	
setimmediate	1.0.5	library	pkg:npm/setimmediate@1.0.5	MIT	
md5	2.3.0	library	pkg:npm/md5@2.3.0	BSD-3-Clause	
charenc	0.0.2	library	pkg:npm/charenc@0.0.2	BSD-3-Clause	
crypt	0.0.2	library	pkg:npm/crypt@0.0.2	BSD-3-Clause	
is-buffer	1.1.6	library	pkg:npm/is-buffer@1.1.6	MIT	
long	5.3.2	library	pkg:npm/long@5.3.2	Apache-2.0	
gis	4.3.4	library	pkg:npm/@loaders.gl/gis@4.3.4	MIT	
vector-tile	1.3.1	library	pkg:npm/@mapbox/vector-tile@1.3.1	BSD-3-Clause	
point-geometry	0.1.0	library	pkg:npm/@mapbox/point-geometry@0.1.0	ISC	
pbf	3.3.0	library	pkg:npm/pbf@3.3.0	BSD-3-Clause	
ieee754	1.2.1	library	pkg:npm/ieee754@1.2.1	BSD-3-Clause	
resolve-protobuf-schema	2.1.0	library	pkg:npm/resolve-protobuf-schema@2.1.0	MIT	
protocol-buffers-schema	3.6.0	library	pkg:npm/protocol-buffers-schema@3.6.0	MIT	
mvt	4.3.4	library	pkg:npm/@loaders.gl/mvt@4.3.4	MIT	
terrain	4.3.4	library	pkg:npm/@loaders.gl/terrain@4.3.4	MIT	
martini	0.2.0	library	pkg:npm/@mapbox/martini@0.2.0	ISC	
wms	4.3.4	library	pkg:npm/@loaders.gl/wms@4.3.4	MIT	
xml	4.3.4	library	pkg:npm/@loaders.gl/xml@4.3.4	MIT	
fast-xml-parser	4.5.3	library	pkg:npm/fast-xml-parser@4.5.3	MIT	
strnum	1.1.2	library	pkg:npm/strnum@1.1.2	MIT	
rewind	5.1.5	library	pkg:npm/@turf/rewind@5.1.5	MIT	
boolean-clockwise	5.1.5	library	pkg:npm/@turf/boolean-clockwise@5.1.5	MIT	
helpers	5.1.5	library	pkg:npm/@turf/helpers@5.1.5	MIT	
invariant	5.2.0	library	pkg:npm/@turf/invariant@5.2.0	MIT	
clone	5.1.5	library	pkg:npm/@turf/clone@5.1.5	MIT	
meta	5.2.0	library	pkg:npm/@turf/meta@5.2.0	MIT	
deep-strict-equal	0.2.0	library	pkg:npm/deep-strict-equal@0.2.0	MIT	
core-assert	0.2.1	library	pkg:npm/core-assert@0.2.1	MIT	
buf-compare	1.0.1	library	pkg:npm/buf-compare@1.0.1	MIT	
is-error	2.2.2	library	pkg:npm/is-error@2.2.2	MIT	
a5-js	0.5.0	library	pkg:npm/a5-js@0.5.0	Apache-2.0	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
h3-js	4.4.0	library	pkg:npm/h3-js@4.4.0	Apache-2.0	
long	3.2.0	library	pkg:npm/long@3.2.0	Apache-2.0	
mapbox	9.2.6	library	pkg:npm/@deck.gl/mapbox@9.2.6	MIT	
browser	10.39.0	library	pkg:npm/@sentry/browser@10.39.0	MIT	
browser-utils	10.39.0	library	pkg:npm/@sentry-internal/browser-utils@10.39.0	MIT	
core	10.39.0	library	pkg:npm/@sentry/core@10.39.0	MIT	
feedback	10.39.0	library	pkg:npm/@sentry-internal/feedback@10.39.0	MIT	
replay	10.39.0	library	pkg:npm/@sentry-internal/replay@10.39.0	MIT	
replay-canvas	10.39.0	library	pkg:npm/@sentry-internal/replay-canvas@10.39.0	MIT	
redis	1.36.1	library	pkg:npm/@upstash/redis@1.36.1	MIT	
uncrypto	0.1.3	library	pkg:npm/uncrypto@0.1.3	MIT	
analytics	1.6.1	library	pkg:npm/@vercel/analytics@1.6.1	MPL-2.0	
react	19.2.3	framework	pkg:npm/react@19.2.3	MIT	
transformers	2.17.2	library	pkg:npm/@xenova/transformers@2.17.2	Apache-2.0	
jinja	0.2.2	library	pkg:npm/@huggingface/jinja@0.2.2	MIT	
onnxruntime-web	1.14.0	library	pkg:npm/onnxruntime-web@1.14.0	MIT	
flatbuffers	1.12.0	library	pkg:npm/flatbuffers@1.12.0		
guid-typescript	1.0.9	library	pkg:npm/guid-typescript@1.0.9	ISC	
long	4.0.0	library	pkg:npm/long@4.0.0	Apache-2.0	
onnx-proto	4.0.4	library	pkg:npm/onnx-proto@4.0.4	MIT	
protobufjs	6.11.4	library	pkg:npm/protobufjs@6.11.4	BSD-3-Clause	
aspromise	1.1.2	framework	pkg:npm/@protobufjs/aspromise@1.1.2	BSD-3-Clause	
base64	1.1.2	framework	pkg:npm/@protobufjs/base64@1.1.2	BSD-3-Clause	
codegen	2.0.4	framework	pkg:npm/@protobufjs/codegen@2.0.4	BSD-3-Clause	
eventemitter	1.1.0	framework	pkg:npm/@protobufjs/eventemitter@1.1.0	BSD-3-Clause	
fetch	1.1.0	framework	pkg:npm/@protobufjs/fetch@1.1.0	BSD-3-Clause	
inquire	1.1.0	framework	pkg:npm/@protobufjs/inquire@1.1.0	BSD-3-Clause	
float	1.0.2	framework	pkg:npm/@protobufjs/float@1.0.2	BSD-3-Clause	
path	1.1.2	framework	pkg:npm/@protobufjs/path@1.1.2	BSD-3-Clause	
pool	1.1.0	framework	pkg:npm/@protobufjs/pool@1.1.0	BSD-3-Clause	
utf8	1.1.0	framework	pkg:npm/@protobufjs/utf8@1.1.0	BSD-3-Clause	
long	4.0.2	library	pkg:npm/@types/long@4.0.2	MIT	
onnxruntime-common	1.14.0	library	pkg:npm/onnxruntime-common@1.14.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
platform	1.3.6	library	pkg:npm/platform@1.3.6	MIT	
sharp	0.32.6	library	pkg:npm/sharp@0.32.6	Apache-2.0	
color	4.2.3	library	pkg:npm/color@4.2.3	MIT	
color-convert	2.0.1	library	pkg:npm/color-convert@2.0.1	MIT	
color-name	1.1.4	library	pkg:npm/color-name@1.1.4	MIT	
color-string	1.9.1	library	pkg:npm/color-string@1.9.1	MIT	
simple-swizzle	0.2.4	library	pkg:npm/simple-swizzle@0.2.4	MIT	
is-arrayish	0.3.4	library	pkg:npm/is-arrayish@0.3.4	MIT	
detect-libc	2.1.2	library	pkg:npm/detect-libc@2.1.2	Apache-2.0	
node-addon-api	6.1.0	library	pkg:npm/node-addon-api@6.1.0	MIT	
prebuild-install	7.1.3	library	pkg:npm/prebuild-install@7.1.3	MIT	
expand-template	2.0.3	library	pkg:npm/expand-template@2.0.3		
github-from-package	0.0.0	library	pkg:npm/github-from-package@0.0.0	MIT	
minimist	1.2.8	library	pkg:npm/minimist@1.2.8	MIT	
mkdirp-classic	0.5.3	library	pkg:npm/mkdirp-classic@0.5.3	MIT	
napi-build-utils	2.0.0	library	pkg:npm/napi-build-utils@2.0.0	MIT	
node-abi	3.87.0	library	pkg:npm/node-abi@3.87.0	MIT	
semver	7.7.3	library	pkg:npm/semver@7.7.3	ISC	
pump	3.0.3	library	pkg:npm/pump@3.0.3	MIT	
end-of-stream	1.4.5	library	pkg:npm/end-of-stream@1.4.5	MIT	
once	1.4.0	library	pkg:npm/once@1.4.0	ISC	
wrappy	1.0.2	library	pkg:npm/wrappy@1.0.2	ISC	
rc	1.2.8	library	pkg:npm/rc@1.2.8		
deep-extend	0.6.0	library	pkg:npm/deep-extend@0.6.0	MIT	
ini	1.3.8	library	pkg:npm/ini@1.3.8	ISC	
strip-json-comments	2.0.1	library	pkg:npm/strip-json-comments@2.0.1	MIT	
simple-get	4.0.1	library	pkg:npm/simple-get@4.0.1	MIT	
decompress-response	6.0.0	library	pkg:npm/decompress-response@6.0.0	MIT	
mimic-response	3.1.0	library	pkg:npm/mimic-response@3.1.0	MIT	
simple-concat	1.0.1	library	pkg:npm/simple-concat@1.0.1	MIT	
tar-fs	2.1.4	library	pkg:npm/tar-fs@2.1.4	MIT	
chownr	1.1.4	library	pkg:npm/chownr@1.1.4	ISC	
tar-stream	2.2.0	library	pkg:npm/tar-stream@2.2.0	MIT	
bl	4.1.0	library	pkg:npm/bl@4.1.0	MIT	
buffer	5.7.1	library	pkg:npm/buffer@5.7.1	MIT	
readable-stream	3.6.2	library	pkg:npm/readable-stream@3.6.2	MIT	
fs-constants	1.0.0	library	pkg:npm/fs-constants@1.0.0	MIT	
tunnel-agent	0.6.0	library	pkg:npm/tunnel-agent@0.6.0	Apache-2.0	
tar-fs	3.1.1	library	pkg:npm/tar-fs@3.1.1	MIT	
tar-stream	3.1.7	library	pkg:npm/tar-stream@3.1.7	MIT	
b4a	1.7.3	library	pkg:npm/b4a@1.7.3	Apache-2.0	
fast-fifo	1.3.2	library	pkg:npm/fast-fifo@1.3.2	MIT	
streamx	2.23.0	library	pkg:npm/streamx@2.23.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
events-universal	1.0.1	library	pkg:npm/events-universal@1.0.1	Apache-2.0	
bare-events	2.8.2	library	pkg:npm/bare-events@2.8.2	Apache-2.0	
text-decoder	1.2.3	library	pkg:npm/text-decoder@1.2.3	Apache-2.0	
bare-fs	4.5.2	library	pkg:npm/bare-fs@4.5.2	Apache-2.0	
bare-path	3.0.0	library	pkg:npm/bare-path@3.0.0	Apache-2.0	
bare-os	3.6.2	library	pkg:npm/bare-os@3.6.2	Apache-2.0	
bare-stream	2.7.0	library	pkg:npm/bare-stream@2.7.0	Apache-2.0	
bare-url	2.3.2	library	pkg:npm/bare-url@2.3.2	Apache-2.0	
onnxruntime-node	1.14.0	library	pkg:npm/onnxruntime-node@1.14.0	MIT	
convex	1.32.0	library	pkg:npm/convex@1.32.0	Apache-2.0	
esbuild	0.27.0	library	pkg:npm/esbuild@0.27.0	MIT	
aix-ppc64	0.27.0	library	pkg:npm/@esbuild/aix-ppc64@0.27.0	MIT	
android-arm	0.27.0	library	pkg:npm/@esbuild/android-arm@0.27.0	MIT	
android-arm64	0.27.0	library	pkg:npm/@esbuild/android-arm64@0.27.0	MIT	
android-x64	0.27.0	library	pkg:npm/@esbuild/android-x64@0.27.0	MIT	
darwin-arm64	0.27.0	library	pkg:npm/@esbuild/darwin-arm64@0.27.0	MIT	
darwin-x64	0.27.0	library	pkg:npm/@esbuild/darwin-x64@0.27.0	MIT	
freebsd-arm64	0.27.0	library	pkg:npm/@esbuild/freebsd-arm64@0.27.0	MIT	
freebsd-x64	0.27.0	library	pkg:npm/@esbuild/freebsd-x64@0.27.0	MIT	
linux-arm	0.27.0	library	pkg:npm/@esbuild/linux-arm@0.27.0	MIT	
linux-arm64	0.27.0	library	pkg:npm/@esbuild/linux-arm64@0.27.0	MIT	
linux-ia32	0.27.0	library	pkg:npm/@esbuild/linux-ia32@0.27.0	MIT	
linux-loong64	0.27.0	library	pkg:npm/@esbuild/linux-loong64@0.27.0	MIT	
linux-mips64el	0.27.0	library	pkg:npm/@esbuild/linux-mips64el@0.27.0	MIT	
linux-ppc64	0.27.0	library	pkg:npm/@esbuild/linux-ppc64@0.27.0	MIT	
linux-riscv64	0.27.0	library	pkg:npm/@esbuild/linux-riscv64@0.27.0	MIT	
linux-s390x	0.27.0	library	pkg:npm/@esbuild/linux-s390x@0.27.0	MIT	
linux-x64	0.27.0	library	pkg:npm/@esbuild/linux-x64@0.27.0	MIT	
netbsd-arm64	0.27.0	library	pkg:npm/@esbuild/netbsd-arm64@0.27.0	MIT	
netbsd-x64	0.27.0	library	pkg:npm/@esbuild/netbsd-x64@0.27.0	MIT	
openbsd-arm64	0.27.0	library	pkg:npm/@esbuild/openbsd-arm64@0.27.0	MIT	
openbsd-x64	0.27.0	library	pkg:npm/@esbuild/openbsd-x64@0.27.0	MIT	
openharmony-arm64	0.27.0	library	pkg:npm/@esbuild/openharmony-arm64@0.27.0	MIT	
sunos-x64	0.27.0	library	pkg:npm/@esbuild/sunos-x64@0.27.0	MIT	
win32-arm64	0.27.0	library	pkg:npm/@esbuild/win32-arm64@0.27.0	MIT	
win32-ia32	0.27.0	library	pkg:npm/@esbuild/win32-ia32@0.27.0	MIT	
win32-x64	0.27.0	library	pkg:npm/@esbuild/win32-x64@0.27.0	MIT	
prettier	3.8.1	library	pkg:npm/prettier@3.8.1	MIT	
ws	8.18.0	library	pkg:npm/ws@8.18.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
d3	7.9.0	library	pkg:npm/d3@7.9.0	ISC	
d3-array	3.2.4	library	pkg:npm/d3-array@3.2.4	ISC	
internmap	2.0.3	library	pkg:npm/internmap@2.0.3	ISC	
d3-axis	3.0.0	library	pkg:npm/d3-axis@3.0.0	ISC	
d3-brush	3.0.0	library	pkg:npm/d3-brush@3.0.0	ISC	
d3-dispatch	3.0.1	library	pkg:npm/d3-dispatch@3.0.1	ISC	
d3-drag	3.0.0	library	pkg:npm/d3-drag@3.0.0	ISC	
d3-selection	3.0.0	library	pkg:npm/d3-selection@3.0.0	ISC	
d3-interpolate	3.0.1	library	pkg:npm/d3-interpolate@3.0.1	ISC	
d3-color	3.1.0	library	pkg:npm/d3-color@3.1.0	ISC	
d3-transition	3.0.1	library	pkg:npm/d3-transition@3.0.1	ISC	
d3-ease	3.0.1	library	pkg:npm/d3-ease@3.0.1	BSD-3-Clause	
d3-timer	3.0.1	library	pkg:npm/d3-timer@3.0.1	ISC	
d3-chord	3.0.1	library	pkg:npm/d3-chord@3.0.1	ISC	
d3-path	3.1.0	library	pkg:npm/d3-path@3.1.0	ISC	
d3-contour	4.0.2	library	pkg:npm/d3-contour@4.0.2	ISC	
d3-delaunay	6.0.4	library	pkg:npm/d3-delaunay@6.0.4	ISC	
delaunator	5.0.1	library	pkg:npm/delaunator@5.0.1	ISC	
robust-predicates	3.0.2	library	pkg:npm/robust-predicates@3.0.2	Unlicense	
d3-dsv	3.0.1	library	pkg:npm/d3-dsv@3.0.1	ISC	
commander	7.2.0	library	pkg:npm/commander@7.2.0	MIT	
iconv-lite	0.6.3	library	pkg:npm/iconv-lite@0.6.3	MIT	
safer-buffer	2.1.2	library	pkg:npm/safer-buffer@2.1.2	MIT	
rw	1.3.3	library	pkg:npm/rw@1.3.3	BSD-3-Clause	
d3-fetch	3.0.1	library	pkg:npm/d3-fetch@3.0.1	ISC	
d3-force	3.0.0	library	pkg:npm/d3-force@3.0.0	ISC	
d3-quadtree	3.0.1	library	pkg:npm/d3-quadtree@3.0.1	ISC	
d3-format	3.1.0	library	pkg:npm/d3-format@3.1.0	ISC	
d3-geo	3.1.1	library	pkg:npm/d3-geo@3.1.1	ISC	
d3-hierarchy	3.1.2	library	pkg:npm/d3-hierarchy@3.1.2	ISC	
d3-polygon	3.0.1	library	pkg:npm/d3-polygon@3.0.1	ISC	
d3-random	3.0.1	library	pkg:npm/d3-random@3.0.1	ISC	
d3-scale	4.0.2	library	pkg:npm/d3-scale@4.0.2	ISC	
d3-time	3.1.0	library	pkg:npm/d3-time@3.1.0	ISC	
d3-time-format	4.1.0	library	pkg:npm/d3-time-format@4.1.0	ISC	
d3-scale-chromatic	3.1.0	library	pkg:npm/d3-scale-chromatic@3.1.0	ISC	
d3-shape	3.2.0	library	pkg:npm/d3-shape@3.2.0	ISC	
d3-zoom	3.0.0	library	pkg:npm/d3-zoom@3.0.0	ISC	
deck.gl	9.2.6	library	pkg:npm/deck.gl@9.2.6	MIT	
core	4.34.8	library	pkg:npm/@arcgis/core@4.34.8		
amcharts5	5.14.4	library	pkg:npm/@amcharts/amcharts5@5.14.4		
d3	7.4.3	library	pkg:npm/@types/d3@7.4.3	MIT	
d3-array	3.2.2	library	pkg:npm/@types/d3-array@3.2.2	MIT	
d3-axis	3.0.6	library	pkg:npm/@types/d3-axis@3.0.6	MIT	
d3-selection	3.0.11	library	pkg:npm/@types/d3-selection@3.0.11	MIT	
d3-brush	3.0.6	library	pkg:npm/@types/d3-brush@3.0.6	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
d3-chord	3.0.6	library	pkg:npm/@types/d3-chord@3.0.6	MIT	
d3-color	3.1.3	library	pkg:npm/@types/d3-color@3.1.3	MIT	
d3-contour	3.0.6	library	pkg:npm/@types/d3-contour@3.0.6	MIT	
d3-delaunay	6.0.4	library	pkg:npm/@types/d3-delaunay@6.0.4	MIT	
d3-dispatch	3.0.7	library	pkg:npm/@types/d3-dispatch@3.0.7	MIT	
d3-drag	3.0.7	library	pkg:npm/@types/d3-drag@3.0.7	MIT	
d3-dsv	3.0.7	library	pkg:npm/@types/d3-dsv@3.0.7	MIT	
d3-ease	3.0.2	library	pkg:npm/@types/d3-ease@3.0.2	MIT	
d3-fetch	3.0.7	library	pkg:npm/@types/d3-fetch@3.0.7	MIT	
d3-force	3.0.10	library	pkg:npm/@types/d3-force@3.0.10	MIT	
d3-format	3.0.4	library	pkg:npm/@types/d3-format@3.0.4	MIT	
d3-geo	3.1.0	library	pkg:npm/@types/d3-geo@3.1.0	MIT	
d3-hierarchy	3.1.7	library	pkg:npm/@types/d3-hierarchy@3.1.7	MIT	
d3-interpolate	3.0.4	library	pkg:npm/@types/d3-interpolate@3.0.4	MIT	
d3-path	3.1.1	library	pkg:npm/@types/d3-path@3.1.1	MIT	
d3-polygon	3.0.2	library	pkg:npm/@types/d3-polygon@3.0.2	MIT	
d3-quadtree	3.0.6	library	pkg:npm/@types/d3-quadtree@3.0.6	MIT	
d3-random	3.0.3	library	pkg:npm/@types/d3-random@3.0.3	MIT	
d3-scale	4.0.9	library	pkg:npm/@types/d3-scale@4.0.9	MIT	
d3-time	3.0.4	library	pkg:npm/@types/d3-time@3.0.4	MIT	
d3-scale-chromatic	3.1.0	library	pkg:npm/@types/d3-scale-chromatic@3.1.0	MIT	
d3-shape	3.1.7	library	pkg:npm/@types/d3-shape@3.1.7	MIT	
d3-time-format	4.0.3	library	pkg:npm/@types/d3-time-format@4.0.3	MIT	
d3-timer	3.0.2	library	pkg:npm/@types/d3-timer@3.0.2	MIT	
d3-transition	3.0.9	library	pkg:npm/@types/d3-transition@3.0.9	MIT	
d3-zoom	3.0.8	library	pkg:npm/@types/d3-zoom@3.0.8	MIT	
d3-hierarchy	3.1.1	library	pkg:npm/@types/d3-hierarchy@3.1.1	MIT	
d3-sankey	0.11.2	library	pkg:npm/@types/d3-sankey@0.11.2	MIT	
d3-shape	1.3.12	library	pkg:npm/@types/d3-shape@1.3.12	MIT	
d3-path	1.0.11	library	pkg:npm/@types/d3-path@1.0.11	MIT	
polylabel	1.1.3	library	pkg:npm/@types/polylabel@1.1.3	MIT	
svg-arc-to-cubic-bezier	3.2.3	library	pkg:npm/@types/svg-arc-to-cubic-bezier@3.2.3	MIT	
d3-sankey	0.12.3	library	pkg:npm/d3-sankey@0.12.3	BSD-3-Clause	
d3-array	2.12.1	library	pkg:npm/d3-array@2.12.1	BSD-3-Clause	
internmap	1.0.1	library	pkg:npm/internmap@1.0.1	ISC	
d3-shape	1.3.7	library	pkg:npm/d3-shape@1.3.7	BSD-3-Clause	
d3-path	1.0.9	library	pkg:npm/d3-path@1.0.9	BSD-3-Clause	
d3-voronoi-treemap	1.1.2	library	pkg:npm/d3-voronoi-treemap@1.1.2	BSD-3-Clause	
d3-voronoi-map	2.1.1	library	pkg:npm/d3-voronoi-map@2.1.1	BSD-3-Clause	
d3-dispatch	2.0.0	library	pkg:npm/d3-dispatch@2.0.0	BSD-3-Clause	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
d3-polygon	2.0.0	library	pkg:npm/d3-polygon@2.0.0	BSD-3-Clause	
d3-timer	2.0.0	library	pkg:npm/d3-timer@2.0.0	BSD-3-Clause	
d3-weighted-voronoi	1.1.3	library	pkg:npm/d3-weighted-voronoi@1.1.3	BSD-3-Clause	
flatpickr	4.6.13	library	pkg:npm/flatpickr@4.6.13	MIT	
markerjs2	2.32.7	library	pkg:npm/markerjs2@2.32.7		
pdfmake	0.2.23	library	pkg:npm/pdfmake@0.2.23	MIT	
linebreak	1.1.2	library	pkg:npm/@foliojs-fork/linebreak@1.1.2	MIT	
base64-js	1.3.1	library	pkg:npm/base64-js@1.3.1	MIT	
unicode-trie	2.0.0	library	pkg:npm/unicode-trie@2.0.0	MIT	
pako	0.2.9	library	pkg:npm/pako@0.2.9	MIT	
tiny-inflate	1.0.3	library	pkg:npm/tiny-inflate@1.0.3	MIT	
pdfkit	0.15.3	library	pkg:npm/@foliojs-fork/pdfkit@0.15.3	MIT	
fontkit	1.9.2	library	pkg:npm/@foliojs-fork/fontkit@1.9.2	MIT	
restructure	2.0.2	library	pkg:npm/@foliojs-fork/restructure@2.0.2	MIT	
clone	1.0.4	library	pkg:npm/clone@1.0.4	MIT	
deep-equal	1.1.2	library	pkg:npm/deep-equal@1.1.2	MIT	
is-arguments	1.2.0	library	pkg:npm/is-arguments@1.2.0	MIT	
call-bound	1.0.4	library	pkg:npm/call-bound@1.0.4	MIT	
call-bind-apply-helpers	1.0.2	library	pkg:npm/call-bind-apply-helpers@1.0.2	MIT	
es-errors	1.3.0	library	pkg:npm/es-errors@1.3.0	MIT	
function-bind	1.1.2	library	pkg:npm/function-bind@1.1.2	MIT	
get-intrinsic	1.3.0	library	pkg:npm/get-intrinsic@1.3.0	MIT	
es-define-property	1.0.1	library	pkg:npm/es-define-property@1.0.1	MIT	
es-object-atoms	1.1.1	library	pkg:npm/es-object-atoms@1.1.1	MIT	
get-proto	1.0.1	library	pkg:npm/get-proto@1.0.1	MIT	
dunder-proto	1.0.1	library	pkg:npm/dunder-proto@1.0.1	MIT	
gopd	1.2.0	library	pkg:npm/gopd@1.2.0	MIT	
has-symbols	1.1.0	library	pkg:npm/has-symbols@1.1.0	MIT	
hasown	2.0.2	library	pkg:npm/hasown@2.0.2	MIT	
math-intrinsics	1.1.0	library	pkg:npm/math-intrinsics@1.1.0	MIT	
has-tostringtag	1.0.2	library	pkg:npm/has-tostringtag@1.0.2	MIT	
is-date-object	1.1.0	library	pkg:npm/is-date-object@1.1.0	MIT	
is-regex	1.2.1	library	pkg:npm/is-regex@1.2.1	MIT	
object-is	1.1.6	library	pkg:npm/object-is@1.1.6	MIT	
call-bind	1.0.8	library	pkg:npm/call-bind@1.0.8	MIT	
set-function-length	1.2.2	library	pkg:npm/set-function-length@1.2.2	MIT	
define-data-property	1.1.4	library	pkg:npm/define-data-property@1.1.4	MIT	
has-property-descriptors	1.0.2	library	pkg:npm/has-property-descriptors@1.0.2	MIT	
define-properties	1.2.1	library	pkg:npm/define-properties@1.2.1	MIT	
object-keys	1.1.1	library	pkg:npm/object-keys@1.1.1	MIT	
regexp.prototype.flags	1.5.4	library	pkg:npm/regexp.prototype.flags@1.5.4	MIT	
set-function-name	2.0.2	library	pkg:npm/set-function-name@2.0.2	MIT	
functions-have-names	1.2.3	library	pkg:npm/functions-have-names@1.2.3	MIT	
dfa	1.2.0	library	pkg:npm/dfa@1.2.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
unicode-properties	1.4.1	library	pkg:npm/unicode-properties@1.4.1	MIT	
crypto-js	4.2.0	library	pkg:npm/crypto-js@4.2.0	MIT	
jpeg-exif	1.1.4	library	pkg:npm/jpeg-exif@1.1.4	MIT	
png-js	1.0.0	library	pkg:npm/png-js@1.0.0	NOASSERTION	
iconv-lite	0.7.2	library	pkg:npm/iconv-lite@0.7.2	MIT	
xmldoc	2.0.3	library	pkg:npm/xmldoc@2.0.3	MIT	
sax	1.4.4	framework	pkg:npm/sax@1.4.4	BlueOak-1.0.0	
polylabel	1.1.0	library	pkg:npm/polylabel@1.1.0	ISC	
tinyqueue	2.0.3	library	pkg:npm/tinyqueue@2.0.3	ISC	
seedrandom	3.0.5	library	pkg:npm/seedrandom@3.0.5	MIT	
svg-arc-to-cubic-bezier	3.2.0	library	pkg:npm/svg-arc-to-cubic-bezier@3.2.0	ISC	
tslib	2.8.1	library	pkg:npm/tslib@2.8.1	0BSD	
toolkit	4.34.9	library	pkg:npm/@arcgis/toolkit@4.34.9		
arcgis-html-sanitizer	4.1.0	library	pkg:npm/@esri/arcgis-html-sanitizer@4.1.0	Apache-2.0	
xss	1.0.13	library	pkg:npm/xss@1.0.13	MIT	
commander	2.20.3	library	pkg:npm/commander@2.20.3	MIT	
cssfilter	0.0.10	library	pkg:npm/cssfilter@0.0.10	MIT	
calcite-components	3.3.3	library	pkg:npm/@esri/calcite-components@3.3.3		
lumina	4.34.9	library	pkg:npm/@arcgis/lumina@4.34.9		
lit	3.3.2	library	pkg:npm/lit@3.3.2	BSD-3-Clause	
reactive-element	2.1.2	library	pkg:npm/@lit/reactive-element@2.1.2	BSD-3-Clause	
ssr-dom-shim	1.5.1	library	pkg:npm/@lit-labs/ssr-dom-shim@1.5.1	BSD-3-Clause	
lit-element	4.2.2	library	pkg:npm/lit-element@4.2.2	BSD-3-Clause	
lit-html	3.3.2	library	pkg:npm/lit-html@3.3.2	BSD-3-Clause	
trusted-types	2.0.7	library	pkg:npm/@types/trusted-types@2.0.7	MIT	
csstype	3.2.3	library	pkg:npm/csstype@3.2.3	MIT	
calcite-ui-icons	4.3.0	library	pkg:npm/@esri/calcite-ui-icons@4.3.0		
dom	1.7.4	library	pkg:npm/@floating-ui/dom@1.7.4	MIT	
core	1.7.3	library	pkg:npm/@floating-ui/core@1.7.3	MIT	
utils	0.2.10	library	pkg:npm/@floating-ui/utils@0.2.10	MIT	
sortablejs	1.15.9	library	pkg:npm/@types/sortablejs@1.15.9	MIT	
color	5.0.3	library	pkg:npm/color@5.0.3	MIT	
color-convert	3.1.3	library	pkg:npm/color-convert@3.1.3	MIT	
color-name	2.1.0	library	pkg:npm/color-name@2.1.0	MIT	
color-string	2.1.4	library	pkg:npm/color-string@2.1.4	MIT	
composed-offset-position	0.0.6	library	pkg:npm/composed-offset-position@0.0.6	MIT	
es-toolkit	1.44.0	library	pkg:npm/es-toolkit@1.44.0	MIT	
focus-trap	7.8.0	library	pkg:npm/focus-trap@7.8.0	MIT	
tabbable	6.4.0	library	pkg:npm/tabbable@6.4.0	MIT	
interactjs	1.10.27	library	pkg:npm/interactjs@1.10.27	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
types	1.10.27	library	pkg:npm/@interactjs/types@1.10.27	MIT	
sortablejs	1.15.6	library	pkg:npm/sortablejs@1.15.6	MIT	
timezone-groups	0.10.4	library	pkg:npm/timezone-groups@0.10.4	MIT	
type-fest	4.41.0	library	pkg:npm/type-fest@4.41.0		
grid	24.9.10	framework	pkg:npm/@vaadin/grid@24.9.10	Apache-2.0	
dedupe-mixin	1.4.0	library	pkg:npm/@open-wc/dedupe-mixin@1.4.0	MIT	
polymer	3.5.2	library	pkg:npm/@polymer/polymer@3.5.2	BSD-3-Clause	
shadycss	1.11.2	library	pkg:npm/@webcomponents/shadycss@1.11.2	BSD-3-Clause	
a11y-base	24.9.10	framework	pkg:npm/@vaadin/a11y-base@24.9.10	Apache-2.0	
component-base	24.9.10	framework	pkg:npm/@vaadin/component-base@24.9.10	Apache-2.0	
vaadin-development-mode-detector	2.0.7	framework	pkg:npm/@vaadin/vaadin-development-mode-detector@2.0.7	Apache-2.0	
vaadin-usage-statistics	2.1.3	framework	pkg:npm/@vaadin/vaadin-usage-statistics@2.1.3	Apache-2.0	
checkbox	24.9.10	framework	pkg:npm/@vaadin/checkbox@24.9.10	Apache-2.0	
field-base	24.9.10	framework	pkg:npm/@vaadin/field-base@24.9.10	Apache-2.0	
vaadin-lumo-styles	24.9.10	framework	pkg:npm/@vaadin/vaadin-lumo-styles@24.9.10	Apache-2.0	
icon	24.9.10	framework	pkg:npm/@vaadin/icon@24.9.10	Apache-2.0	
vaadin-themable-mixin	24.9.10	framework	pkg:npm/@vaadin/vaadin-themable-mixin@24.9.10	Apache-2.0	
style-observer	0.0.8	library	pkg:npm/style-observer@0.0.8	MIT	
vaadin-material-styles	24.9.10	framework	pkg:npm/@vaadin/vaadin-material-styles@24.9.10	Apache-2.0	
lit-renderer	24.9.10	framework	pkg:npm/@vaadin/lit-renderer@24.9.10	Apache-2.0	
text-field	24.9.10	framework	pkg:npm/@vaadin/text-field@24.9.10	Apache-2.0	
input-container	24.9.10	framework	pkg:npm/@vaadin/input-container@24.9.10	Apache-2.0	
zip.js	2.8.15	library	pkg:npm/@zip.js/zip.js@2.8.15	BSD-3-Clause	
luxon	3.7.2	library	pkg:npm/luxon@3.7.2	MIT	
marked	16.3.0	library	pkg:npm/marked@16.3.0	MIT	
react-dom	19.2.3	framework	pkg:npm/react-dom@19.2.3	MIT	
scheduler	0.27.0	library	pkg:npm/scheduler@0.27.0	MIT	
arcgis	9.2.6	library	pkg:npm/@deck.gl/arcgis@9.2.6	MIT	
esri-loader	3.7.0	library	pkg:npm/esri-loader@3.7.0	Apache-2.0	
carto	9.2.6	library	pkg:npm/@deck.gl/carto@9.2.6	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
api-client	0.5.24	library	pkg:npm/@carto/api-client@0.5.24	MIT	
jsep	1.4.0	library	pkg:npm/jsep@1.4.0	MIT	
quadbin	0.4.2	library	pkg:npm/quadbin@0.4.2	MIT	
d3-color	1.4.5	library	pkg:npm/@types/d3-color@1.4.5	MIT	
d3-scale	3.3.5	library	pkg:npm/@types/d3-scale@3.3.5	MIT	
d3-time	2.1.4	library	pkg:npm/@types/d3-time@2.1.4	MIT	
cartocolor	5.0.2	library	pkg:npm/cartocolor@5.0.2	CC-BY-4.0	
colorbrewer	1.5.6	library	pkg:npm/colorbrewer@1.5.6		
moment-timezone	0.5.48	library	pkg:npm/moment-timezone@0.5.48	MIT	
moment	2.30.1	library	pkg:npm/moment@2.30.1	MIT	
google-maps	9.2.6	library	pkg:npm/@deck.gl/google-maps@9.2.6	MIT	
google.maps	3.58.1	library	pkg:npm/@types/google.maps@3.58.1	MIT	
json	9.2.6	library	pkg:npm/@deck.gl/json@9.2.6	MIT	
jsep	0.3.5	library	pkg:npm/jsep@0.3.5	MIT	
react	9.2.6	library	pkg:npm/@deck.gl/react@9.2.6	MIT	
widgets	9.2.6	library	pkg:npm/@deck.gl/widgets@9.2.6	MIT	
preact	10.28.2	library	pkg:npm/preact@10.28.2	MIT	
fast-xml-parser	5.3.7	library	pkg:npm/fast-xml-parser@5.3.7	MIT	
strnum	2.1.2	library	pkg:npm/strnum@2.1.2	MIT	
i18next	25.8.10	library	pkg:npm/i18next@25.8.10	MIT	
typescript	5.9.3	library	pkg:npm/typescript@5.9.3	Apache-2.0	
runtime	7.28.6	library	pkg:npm/@babel/runtime@7.28.6	MIT	
i18next-browser-languagedetector	8.2.1	library	pkg:npm/i18next-browser-languagedetector@8.2.1	MIT	
maplibre-gl	5.16.0	library	pkg:npm/maplibre-gl@5.16.0	BSD-3-Clause	
geojson-rewind	0.5.2	library	pkg:npm/@mapbox/geojson-rewind@0.5.2	ISC	
get-stream	6.0.1	library	pkg:npm/get-stream@6.0.1	MIT	
jsonlint-lines-primitives	2.0.2	library	pkg:npm/@mapbox/jsonlint-lines-primitives@2.0.2	NOASSERTION	
point-geometry	1.1.0	library	pkg:npm/@mapbox/point-geometry@1.1.0	ISC	
unitbezier	0.0.1	library	pkg:npm/@mapbox/unitbezier@0.0.1	BSD-2-Clause	
vector-tile	2.0.4	library	pkg:npm/@mapbox/vector-tile@2.0.4	BSD-3-Clause	
pbf	4.0.1	library	pkg:npm/pbf@4.0.1	BSD-3-Clause	
whoots-js	3.1.0	library	pkg:npm/@mapbox/whoots-js@3.1.0	ISC	
maplibre-gl-style-spec	24.4.1	library	pkg:npm/@maplibre/maplibre-gl-style-spec@24.4.1	ISC	
json-stringify-pretty-compact	4.0.0	library	pkg:npm/json-stringify-pretty-compact@4.0.0	MIT	
quickselect	3.0.0	library	pkg:npm/quickselect@3.0.0	ISC	
tinyqueue	3.0.0	library	pkg:npm/tinyqueue@3.0.0	ISC	
mlt	1.1.2	library	pkg:npm/@maplibre/mlt@1.1.2		
vt-pbf	4.2.1	library	pkg:npm/@maplibre/vt-pbf@4.2.1	MIT	
geojson-vt	5.0.4	library	pkg:npm/@maplibre/geojson-vt@5.0.4	ISC	
supercluster	7.1.3	library	pkg:npm/@types/supercluster@7.1.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
supercluster	8.0.1	library	pkg:npm/supercluster@8.0.1	ISC	
kdbush	4.0.2	library	pkg:npm/kdbush@4.0.2	ISC	
geojson-vt	3.2.5	library	pkg:npm/@types/geojson-vt@3.2.5	MIT	
earcut	3.0.2	library	pkg:npm/earcut@3.0.2	ISC	
geojson-vt	4.0.2	library	pkg:npm/geojson-vt@4.0.2	ISC	
murmurhash-js	1.0.0	library	pkg:npm/murmurhash-js@1.0.0	MIT	
potpack	2.1.0	library	pkg:npm/potpack@2.1.0	ISC	
onnxruntime-web	1.23.2	library	pkg:npm/onnxruntime-web@1.23.2	MIT	
flatbuffers	25.9.23	library	pkg:npm/flatbuffers@25.9.23	Apache-2.0	
onnxruntime-common	1.23.2	library	pkg:npm/onnxruntime-common@1.23.2	MIT	
protobufjs	7.5.4	library	pkg:npm/protobufjs@7.5.4	BSD-3-Clause	
posthog-js	1.352.0	library	pkg:npm/posthog-js@1.352.0		
api	1.9.0	library	pkg:npm/@opentelemetry/api@1.9.0	Apache-2.0	
api-logs	0.208.0	library	pkg:npm/@opentelemetry/api-logs@0.208.0	Apache-2.0	
exporter-logs-otlp-http	0.208.0	library	pkg:npm/@opentelemetry/exporter-logs-otlp-http@0.208.0	Apache-2.0	
core	2.2.0	library	pkg:npm/@opentelemetry/core@2.2.0	Apache-2.0	
semantic-conventions	1.39.0	library	pkg:npm/@opentelemetry/semantic-conventions@1.39.0	Apache-2.0	
otlp-exporter-base	0.208.0	library	pkg:npm/@opentelemetry/otlp-exporter-base@0.208.0	Apache-2.0	
otlp-transformer	0.208.0	library	pkg:npm/@opentelemetry/otlp-transformer@0.208.0	Apache-2.0	
resources	2.2.0	library	pkg:npm/@opentelemetry/resources@2.2.0	Apache-2.0	
sdk-logs	0.208.0	library	pkg:npm/@opentelemetry/sdk-logs@0.208.0	Apache-2.0	
sdk-metrics	2.2.0	library	pkg:npm/@opentelemetry/sdk-metrics@2.2.0	Apache-2.0	
sdk-trace-base	2.2.0	library	pkg:npm/@opentelemetry/sdk-trace-base@2.2.0	Apache-2.0	
resources	2.5.1	library	pkg:npm/@opentelemetry/resources@2.5.1	Apache-2.0	
core	2.5.1	library	pkg:npm/@opentelemetry/core@2.5.1	Apache-2.0	
core	1.23.1	library	pkg:npm/@posthog/core@1.23.1	MIT	
cross-spawn	7.0.6	library	pkg:npm/cross-spawn@7.0.6	MIT	
path-key	3.1.1	library	pkg:npm/path-key@3.1.1	MIT	
shebang-command	2.0.0	library	pkg:npm/shebang-command@2.0.0	MIT	
shebang-regex	3.0.0	library	pkg:npm/shebang-regex@3.0.0	MIT	
which	2.0.2	library	pkg:npm/which@2.0.2	ISC	
isexe	2.0.0	library	pkg:npm/isexe@2.0.0	ISC	
types	1.352.0	library	pkg:npm/@posthog/types@1.352.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
core-js	3.48.0	library	pkg:npm/core-js@3.48.0	MIT	
dompurify	3.3.1	library	pkg:npm/dompurify@3.3.1		
fflate	0.4.8	library	pkg:npm/fflate@0.4.8	MIT	
query-selector-shadow-dom	1.0.1	library	pkg:npm/query-selector-shadow-dom@1.0.1	MIT	
web-vitals	5.1.0	library	pkg:npm/web-vitals@5.1.0	Apache-2.0	
topojson-client	3.1.0	library	pkg:npm/topojson-client@3.1.0	ISC	
youtubei.js	16.0.1	library	pkg:npm/youtubei.js@16.0.1	MIT	
protobuf	2.11.0	library	pkg:npm/@bufbuild/protobuf@2.11.0		
meriyah	6.1.4	library	pkg:npm/meriyah@6.1.4	ISC	
test	1.58.2	framework	pkg:npm/@playwright/test@1.58.2	Apache-2.0	
playwright	1.58.2	framework	pkg:npm/playwright@1.58.2	Apache-2.0	
playwright-core	1.58.2	framework	pkg:npm/playwright-core@1.58.2	Apache-2.0	
fsevents	2.3.2	library	pkg:npm/fsevents@2.3.2	MIT	
cli	2.10.0	library	pkg:npm/@tauri-apps/cli@2.10.0		
cli-darwin-arm64	2.10.0	library	pkg:npm/@tauri-apps/cli-darwin-arm64@2.10.0		
cli-darwin-x64	2.10.0	library	pkg:npm/@tauri-apps/cli-darwin-x64@2.10.0		
cli-linux-arm-gnueabihf	2.10.0	library	pkg:npm/@tauri-apps/cli-linux-arm-gnueabihf@2.10.0		
cli-linux-arm64-gnu	2.10.0	library	pkg:npm/@tauri-apps/cli-linux-arm64-gnu@2.10.0		
cli-linux-arm64-musl	2.10.0	library	pkg:npm/@tauri-apps/cli-linux-arm64-musl@2.10.0		
cli-linux-riscv64-gnu	2.10.0	library	pkg:npm/@tauri-apps/cli-linux-riscv64-gnu@2.10.0		
cli-linux-x64-gnu	2.10.0	library	pkg:npm/@tauri-apps/cli-linux-x64-gnu@2.10.0		
cli-linux-x64-musl	2.10.0	library	pkg:npm/@tauri-apps/cli-linux-x64-musl@2.10.0		
cli-win32-arm64-msvc	2.10.0	library	pkg:npm/@tauri-apps/cli-win32-arm64-msvc@2.10.0		
cli-win32-ia32-msvc	2.10.0	library	pkg:npm/@tauri-apps/cli-win32-ia32-msvc@2.10.0		
cli-win32-x64-msvc	2.10.0	library	pkg:npm/@tauri-apps/cli-win32-x64-msvc@2.10.0		
maplibre-gl	1.13.2	library	pkg:npm/@types/maplibre-gl@1.13.2	MIT	
topojson-client	3.1.5	library	pkg:npm/@types/topojson-client@3.1.5	MIT	
topojson-specification	1.0.5	library	pkg:npm/@types/topojson-specification@1.0.5	MIT	
esbuild	0.27.3	library	pkg:npm/esbuild@0.27.3	MIT	
aix-ppc64	0.27.3	library	pkg:npm/@esbuild/aix-ppc64@0.27.3	MIT	
android-arm	0.27.3	library	pkg:npm/@esbuild/android-arm@0.27.3	MIT	
android-arm64	0.27.3	library	pkg:npm/@esbuild/android-arm64@0.27.3	MIT	
android-x64	0.27.3	library	pkg:npm/@esbuild/android-x64@0.27.3	MIT	
darwin-arm64	0.27.3	library	pkg:npm/@esbuild/darwin-arm64@0.27.3	MIT	
darwin-x64	0.27.3	library	pkg:npm/@esbuild/darwin-x64@0.27.3	MIT	
freebsd-arm64	0.27.3	library	pkg:npm/@esbuild/freebsd-arm64@0.27.3	MIT	
freebsd-x64	0.27.3	library	pkg:npm/@esbuild/freebsd-x64@0.27.3	MIT	
linux-arm	0.27.3	library	pkg:npm/@esbuild/linux-arm@0.27.3	MIT	
linux-arm64	0.27.3	library	pkg:npm/@esbuild/linux-arm64@0.27.3	MIT	
linux-ia32	0.27.3	library	pkg:npm/@esbuild/linux-ia32@0.27.3	MIT	
linux-loong64	0.27.3	library	pkg:npm/@esbuild/linux-loong64@0.27.3	MIT	
linux-mips64el	0.27.3	library	pkg:npm/@esbuild/linux-mips64el@0.27.3	MIT	
linux-ppc64	0.27.3	library	pkg:npm/@esbuild/linux-ppc64@0.27.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
linux-riscv64	0.27.3	library	pkg:npm/@esbuild/linux-riscv64@0.27.3	MIT	
linux-s390x	0.27.3	library	pkg:npm/@esbuild/linux-s390x@0.27.3	MIT	
linux-x64	0.27.3	library	pkg:npm/@esbuild/linux-x64@0.27.3	MIT	
netbsd-arm64	0.27.3	library	pkg:npm/@esbuild/netbsd-arm64@0.27.3	MIT	
netbsd-x64	0.27.3	library	pkg:npm/@esbuild/netbsd-x64@0.27.3	MIT	
openbsd-arm64	0.27.3	library	pkg:npm/@esbuild/openbsd-arm64@0.27.3	MIT	
openbsd-x64	0.27.3	library	pkg:npm/@esbuild/openbsd-x64@0.27.3	MIT	
openharmony-arm64	0.27.3	library	pkg:npm/@esbuild/openharmony-arm64@0.27.3	MIT	
sunos-x64	0.27.3	library	pkg:npm/@esbuild/sunos-x64@0.27.3	MIT	
win32-arm64	0.27.3	library	pkg:npm/@esbuild/win32-arm64@0.27.3	MIT	
win32-ia32	0.27.3	library	pkg:npm/@esbuild/win32-ia32@0.27.3	MIT	
win32-x64	0.27.3	library	pkg:npm/@esbuild/win32-x64@0.27.3	MIT	
markdownlint-cli2	0.20.0	library	pkg:npm/markdownlint-cli2@0.20.0	MIT	
globby	15.0.0	library	pkg:npm/globby@15.0.0	MIT	
merge-streams	4.0.0	library	pkg:npm/@sindresorhus/merge-streams@4.0.0	MIT	
fast-glob	3.3.3	library	pkg:npm/fast-glob@3.3.3	MIT	
fs.stat	2.0.5	library	pkg:npm/@nodelib/fs.stat@2.0.5	MIT	
fs.walk	1.2.8	library	pkg:npm/@nodelib/fs.walk@1.2.8	MIT	
fs.scandir	2.1.5	library	pkg:npm/@nodelib/fs.scandir@2.1.5	MIT	
run-parallel	1.2.0	library	pkg:npm/run-parallel@1.2.0	MIT	
queue-microtask	1.2.3	library	pkg:npm/queue-microtask@1.2.3	MIT	
fastq	1.20.1	library	pkg:npm/fastq@1.20.1	ISC	
reusify	1.1.0	library	pkg:npm/reusify@1.1.0	MIT	
glob-parent	5.1.2	library	pkg:npm/glob-parent@5.1.2	ISC	
is-glob	4.0.3	library	pkg:npm/is-glob@4.0.3	MIT	
is-extglob	2.1.1	library	pkg:npm/is-extglob@2.1.1	MIT	
merge2	1.4.1	library	pkg:npm/merge2@1.4.1	MIT	
micromatch	4.0.8	library	pkg:npm/micromatch@4.0.8	MIT	
braces	3.0.3	library	pkg:npm/braces@3.0.3	MIT	
fill-range	7.1.1	library	pkg:npm/fill-range@7.1.1	MIT	
to-regex-range	5.0.1	library	pkg:npm/to-regex-range@5.0.1	MIT	
is-number	7.0.0	library	pkg:npm/is-number@7.0.0	MIT	
picomatch	2.3.1	library	pkg:npm/picomatch@2.3.1	MIT	
ignore	7.0.5	library	pkg:npm/ignore@7.0.5	MIT	
path-type	6.0.0	library	pkg:npm/path-type@6.0.0	MIT	
slash	5.1.0	library	pkg:npm/slash@5.1.0	MIT	
unicorn-magic	0.3.0	library	pkg:npm/unicorn-magic@0.3.0	MIT	
js-yaml	4.1.1	library	pkg:npm/js-yaml@4.1.1	MIT	
argparse	2.0.1	library	pkg:npm/argparse@2.0.1	Python-2.0	
jsonc-parser	3.3.1	library	pkg:npm/jsonc-parser@3.3.1	MIT	
markdown-it	14.1.0	library	pkg:npm/markdown-it@14.1.0	MIT	
entities	4.5.0	library	pkg:npm/entities@4.5.0	BSD-2-Clause	
linkify-it	5.0.0	library	pkg:npm/linkify-it@5.0.0	MIT	
uc.micro	2.1.0	library	pkg:npm/uc.micro@2.1.0	MIT	
mdurl	2.0.0	library	pkg:npm/mdurl@2.0.0	MIT	
punycode.js	2.3.1	library	pkg:npm/punycode.js@2.3.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
markdownlint	0.40.0	library	pkg:npm/markdownlint@0.40.0	MIT	
micromark	4.0.2	library	pkg:npm/micromark@4.0.2	MIT	
debug	4.1.12	library	pkg:npm/@types/debug@4.1.12	MIT	
ms	2.1.0	library	pkg:npm/@types/ms@2.1.0	MIT	
debug	4.4.3	library	pkg:npm/debug@4.4.3	MIT	
ms	2.1.3	library	pkg:npm/ms@2.1.3	MIT	
decode-named-character-reference	1.3.0	library	pkg:npm/decode-named-character-reference@1.3.0	MIT	
character-entities	2.0.2	library	pkg:npm/character-entities@2.0.2	MIT	
devlop	1.1.0	library	pkg:npm/devlop@1.1.0	MIT	
dequal	2.0.3	library	pkg:npm/dequal@2.0.3	MIT	
micromark-core-commonmark	2.0.3	library	pkg:npm/micromark-core-commonmark@2.0.3	MIT	
micromark-factory-destination	2.0.1	library	pkg:npm/micromark-factory-destination@2.0.1	MIT	
micromark-util-character	2.1.1	library	pkg:npm/micromark-util-character@2.1.1	MIT	
micromark-util-symbol	2.0.1	library	pkg:npm/micromark-util-symbol@2.0.1	MIT	
micromark-util-types	2.0.2	library	pkg:npm/micromark-util-types@2.0.2	MIT	
micromark-factory-label	2.0.1	library	pkg:npm/micromark-factory-label@2.0.1	MIT	
micromark-factory-space	2.0.1	library	pkg:npm/micromark-factory-space@2.0.1	MIT	
micromark-factory-title	2.0.1	library	pkg:npm/micromark-factory-title@2.0.1	MIT	
micromark-factory-whitespace	2.0.1	library	pkg:npm/micromark-factory-whitespace@2.0.1	MIT	
micromark-util-chunked	2.0.1	library	pkg:npm/micromark-util-chunked@2.0.1	MIT	
micromark-util-classify-character	2.0.1	library	pkg:npm/micromark-util-classify-character@2.0.1	MIT	
micromark-util-html-tag-name	2.0.1	library	pkg:npm/micromark-util-html-tag-name@2.0.1	MIT	
micromark-util-normalize-identifier	2.0.1	library	pkg:npm/micromark-util-normalize-identifier@2.0.1	MIT	
micromark-util-resolve-all	2.0.1	library	pkg:npm/micromark-util-resolve-all@2.0.1	MIT	
micromark-util-subtokenize	2.1.0	library	pkg:npm/micromark-util-subtokenize@2.1.0	MIT	
micromark-util-combine-extensions	2.0.1	library	pkg:npm/micromark-util-combine-extensions@2.0.1	MIT	
micromark-util-decode-numeric-character-reference	2.0.2	library	pkg:npm/micromark-util-decode-numeric-character-refere	MIT	
micromark-util-encode	2.0.1	library	pkg:npm/micromark-util-encode@2.0.1	MIT	
micromark-util-sanitize-uri	2.0.1	library	pkg:npm/micromark-util-sanitize-uri@2.0.1	MIT	
micromark-extension-directive	4.0.0	library	pkg:npm/micromark-extension-directive@4.0.0	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
parse-entities	4.0.2	library	pkg:npm/parse-entities@4.0.2	MIT	
unist	2.0.11	library	pkg:npm/@types/unist@2.0.11	MIT	
character-entities-legacy	3.0.0	library	pkg:npm/character-entities-legacy@3.0.0	MIT	
character-reference-invalid	2.0.1	library	pkg:npm/character-reference-invalid@2.0.1	MIT	
is-alphanumerical	2.0.1	library	pkg:npm/is-alphanumerical@2.0.1	MIT	
is-alphabetical	2.0.1	library	pkg:npm/is-alphabetical@2.0.1	MIT	
is-decimal	2.0.1	library	pkg:npm/is-decimal@2.0.1	MIT	
is-hexadecimal	2.0.1	library	pkg:npm/is-hexadecimal@2.0.1	MIT	
micromark-extension-gfm-autolink-literal	2.1.0	library	pkg:npm/micromark-extension-gfm-autolink-literal@2.1.0	MIT	
micromark-extension-gfm-footnote	2.1.0	library	pkg:npm/micromark-extension-gfm-footnote@2.1.0	MIT	
micromark-extension-gfm-table	2.1.1	library	pkg:npm/micromark-extension-gfm-table@2.1.1	MIT	
micromark-extension-math	3.1.0	library	pkg:npm/micromark-extension-math@3.1.0	MIT	
katex	0.16.8	library	pkg:npm/@types/katex@0.16.8	MIT	
katex	0.16.28	library	pkg:npm/katex@0.16.28	MIT	
commander	8.3.0	library	pkg:npm/commander@8.3.0	MIT	
string-width	8.1.0	library	pkg:npm/string-width@8.1.0	MIT	
get-east-asian-width	1.4.0	library	pkg:npm/get-east-asian-width@1.4.0	MIT	
strip-ansi	7.1.2	library	pkg:npm/strip-ansi@7.1.2	MIT	
ansi-regex	6.2.2	library	pkg:npm/ansi-regex@6.2.2	MIT	
markdownlint-cli2-formatter-default	0.0.6	library	pkg:npm/markdownlint-cli2-formatter-default@0.0.6	MIT	
vite	6.4.1	library	pkg:npm/vite@6.4.1	MIT	
terser	5.46.0	library	pkg:npm/terser@5.46.0	BSD-2-Clause	
source-map	0.3.11	library	pkg:npm/@jridgewell/source-map@0.3.11	MIT	
gen-mapping	0.3.13	library	pkg:npm/@jridgewell/gen-mapping@0.3.13	MIT	
sourcemap-codec	1.5.5	library	pkg:npm/@jridgewell/sourcemap-codec@1.5.5	MIT	
trace-mapping	0.3.31	library	pkg:npm/@jridgewell/trace-mapping@0.3.31	MIT	
resolve-uri	3.1.2	library	pkg:npm/@jridgewell/resolve-uri@3.1.2	MIT	
acorn	8.15.0	library	pkg:npm/acorn@8.15.0	MIT	
source-map-support	0.5.21	library	pkg:npm/source-map-support@0.5.21	MIT	
buffer-from	1.1.2	library	pkg:npm/buffer-from@1.1.2	MIT	
source-map	0.6.1	library	pkg:npm/source-map@0.6.1	BSD-3-Clause	
esbuild	0.25.12	library	pkg:npm/esbuild@0.25.12	MIT	
aix-ppc64	0.25.12	library	pkg:npm/@esbuild/aix-ppc64@0.25.12	MIT	
android-arm	0.25.12	library	pkg:npm/@esbuild/android-arm@0.25.12	MIT	
android-arm64	0.25.12	library	pkg:npm/@esbuild/android-arm64@0.25.12	MIT	
android-x64	0.25.12	library	pkg:npm/@esbuild/android-x64@0.25.12	MIT	
darwin-arm64	0.25.12	library	pkg:npm/@esbuild/darwin-arm64@0.25.12	MIT	
darwin-x64	0.25.12	library	pkg:npm/@esbuild/darwin-x64@0.25.12	MIT	
freebsd-arm64	0.25.12	library	pkg:npm/@esbuild/freebsd-arm64@0.25.12	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
freebsd-x64	0.25.12	library	pkg:npm/@esbuild/freebsd-x64@0.25.12	MIT	
linux-arm	0.25.12	library	pkg:npm/@esbuild/linux-arm@0.25.12	MIT	
linux-arm64	0.25.12	library	pkg:npm/@esbuild/linux-arm64@0.25.12	MIT	
linux-ia32	0.25.12	library	pkg:npm/@esbuild/linux-ia32@0.25.12	MIT	
linux-loong64	0.25.12	library	pkg:npm/@esbuild/linux-loong64@0.25.12	MIT	
linux-mips64el	0.25.12	library	pkg:npm/@esbuild/linux-mips64el@0.25.12	MIT	
linux-ppc64	0.25.12	library	pkg:npm/@esbuild/linux-ppc64@0.25.12	MIT	
linux-riscv64	0.25.12	library	pkg:npm/@esbuild/linux-riscv64@0.25.12	MIT	
linux-s390x	0.25.12	library	pkg:npm/@esbuild/linux-s390x@0.25.12	MIT	
linux-x64	0.25.12	library	pkg:npm/@esbuild/linux-x64@0.25.12	MIT	
netbsd-arm64	0.25.12	library	pkg:npm/@esbuild/netbsd-arm64@0.25.12	MIT	
netbsd-x64	0.25.12	library	pkg:npm/@esbuild/netbsd-x64@0.25.12	MIT	
openbsd-arm64	0.25.12	library	pkg:npm/@esbuild/openbsd-arm64@0.25.12	MIT	
openbsd-x64	0.25.12	library	pkg:npm/@esbuild/openbsd-x64@0.25.12	MIT	
openharmony-arm64	0.25.12	library	pkg:npm/@esbuild/openharmony-arm64@0.25.12	MIT	
sunos-x64	0.25.12	library	pkg:npm/@esbuild/sunos-x64@0.25.12	MIT	
win32-arm64	0.25.12	library	pkg:npm/@esbuild/win32-arm64@0.25.12	MIT	
win32-ia32	0.25.12	library	pkg:npm/@esbuild/win32-ia32@0.25.12	MIT	
win32-x64	0.25.12	library	pkg:npm/@esbuild/win32-x64@0.25.12	MIT	
fdir	6.5.0	library	pkg:npm/fdir@6.5.0	MIT	
picomatch	4.0.3	library	pkg:npm/picomatch@4.0.3	MIT	
postcss	8.5.6	library	pkg:npm/postcss@8.5.6	MIT	
nanoid	3.3.11	library	pkg:npm/nanoid@3.3.11	MIT	
picocolors	1.1.1	library	pkg:npm/picocolors@1.1.1	ISC	
source-map-js	1.2.1	library	pkg:npm/source-map-js@1.2.1	BSD-3-Clause	
rollup	4.55.1	library	pkg:npm/rollup@4.55.1	MIT	
estree	1.0.8	library	pkg:npm/@types/estree@1.0.8	MIT	
rollup-android-arm-eabi	4.55.1	library	pkg:npm/@rollup/rollup-android-arm-eabi@4.55.1	MIT	
rollup-android-arm64	4.55.1	library	pkg:npm/@rollup/rollup-android-arm64@4.55.1	MIT	
rollup-darwin-arm64	4.55.1	library	pkg:npm/@rollup/rollup-darwin-arm64@4.55.1	MIT	
rollup-darwin-x64	4.55.1	library	pkg:npm/@rollup/rollup-darwin-x64@4.55.1	MIT	
rollup-freebsd-arm64	4.55.1	library	pkg:npm/@rollup/rollup-freebsd-arm64@4.55.1	MIT	
rollup-freebsd-x64	4.55.1	library	pkg:npm/@rollup/rollup-freebsd-x64@4.55.1	MIT	
rollup-linux-arm-gnueabihf	4.55.1	library	pkg:npm/@rollup/rollup-linux-arm-gnueabihf@4.55.1	MIT	
rollup-linux-arm-musleabihf	4.55.1	library	pkg:npm/@rollup/rollup-linux-arm-musleabihf@4.55.1	MIT	
rollup-linux-arm64-gnu	4.55.1	library	pkg:npm/@rollup/rollup-linux-arm64-gnu@4.55.1	MIT	
rollup-linux-arm64-musl	4.55.1	library	pkg:npm/@rollup/rollup-linux-arm64-musl@4.55.1	MIT	
rollup-linux-loong64-gnu	4.55.1	library	pkg:npm/@rollup/rollup-linux-loong64-gnu@4.55.1	MIT	
rollup-linux-loong64-musl	4.55.1	library	pkg:npm/@rollup/rollup-linux-loong64-musl@4.55.1	MIT	
rollup-linux-ppc64-gnu	4.55.1	library	pkg:npm/@rollup/rollup-linux-ppc64-gnu@4.55.1	MIT	
rollup-linux-ppc64-musl	4.55.1	library	pkg:npm/@rollup/rollup-linux-ppc64-musl@4.55.1	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
rollup-linux-riscv64-gnu	4.55.1	library	pkg:npm/@rollup/rollup-linux-riscv64-gnu@4.55.1	MIT	
rollup-linux-riscv64-musl	4.55.1	library	pkg:npm/@rollup/rollup-linux-riscv64-musl@4.55.1	MIT	
rollup-linux-s390x-gnu	4.55.1	library	pkg:npm/@rollup/rollup-linux-s390x-gnu@4.55.1	MIT	
rollup-linux-x64-gnu	4.55.1	library	pkg:npm/@rollup/rollup-linux-x64-gnu@4.55.1	MIT	
rollup-linux-x64-musl	4.55.1	library	pkg:npm/@rollup/rollup-linux-x64-musl@4.55.1	MIT	
rollup-openbsd-x64	4.55.1	library	pkg:npm/@rollup/rollup-openbsd-x64@4.55.1	MIT	
rollup-openharmony-arm64	4.55.1	library	pkg:npm/@rollup/rollup-openharmony-arm64@4.55.1	MIT	
rollup-win32-arm64-msvc	4.55.1	library	pkg:npm/@rollup/rollup-win32-arm64-msvc@4.55.1	MIT	
rollup-win32-ia32-msvc	4.55.1	library	pkg:npm/@rollup/rollup-win32-ia32-msvc@4.55.1	MIT	
rollup-win32-x64-gnu	4.55.1	library	pkg:npm/@rollup/rollup-win32-x64-gnu@4.55.1	MIT	
rollup-win32-x64-msvc	4.55.1	library	pkg:npm/@rollup/rollup-win32-x64-msvc@4.55.1	MIT	
fsevents	2.3.3	library	pkg:npm/fsevents@2.3.3	MIT	
tinyglobby	0.2.15	library	pkg:npm/tinyglobby@0.2.15	MIT	
vite-plugin-pwa	1.2.0	library	pkg:npm/vite-plugin-pwa@1.2.0	MIT	
pretty-bytes	6.1.1	library	pkg:npm/pretty-bytes@6.1.1	MIT	
workbox-build	7.4.0	library	pkg:npm/workbox-build@7.4.0	MIT	
better-ajv-errors	0.3.6	library	pkg:npm/@apideck/better-ajv-errors@0.3.6	MIT	
ajv	8.17.1	library	pkg:npm/ajv@8.17.1	MIT	
fast-deep-equal	3.1.3	library	pkg:npm/fast-deep-equal@3.1.3	MIT	
fast-uri	3.1.0	library	pkg:npm/fast-uri@3.1.0	BSD-3-Clause	
json-schema-traverse	1.0.0	library	pkg:npm/json-schema-traverse@1.0.0	MIT	
require-from-string	2.0.2	library	pkg:npm/require-from-string@2.0.2	MIT	
json-schema	0.4.0	library	pkg:npm/json-schema@0.4.0		
jsonpointer	5.0.1	library	pkg:npm/jsonpointer@5.0.1	MIT	
leven	3.1.0	library	pkg:npm/leven@3.1.0	MIT	
core	7.29.0	library	pkg:npm/@babel/core@7.29.0	MIT	
code-frame	7.29.0	library	pkg:npm/@babel/code-frame@7.29.0	MIT	
helper-validator-identifier	7.28.5	library	pkg:npm/@babel/helper-validator-identifier@7.28.5	MIT	
js-tokens	4.0.0	library	pkg:npm/js-tokens@4.0.0	MIT	
generator	7.29.1	library	pkg:npm/@babel/generator@7.29.1	MIT	
parser	7.29.0	library	pkg:npm/@babel/parser@7.29.0	MIT	
types	7.29.0	library	pkg:npm/@babel/types@7.29.0	MIT	
helper-string-parser	7.27.1	library	pkg:npm/@babel/helper-string-parser@7.27.1	MIT	
jsesc	3.1.0	library	pkg:npm/jsesc@3.1.0	MIT	
helper-compilation-targets	7.28.6	library	pkg:npm/@babel/helper-compilation-targets@7.28.6	MIT	
compat-data	7.29.0	library	pkg:npm/@babel/compat-data@7.29.0	MIT	
helper-validator-option	7.27.1	library	pkg:npm/@babel/helper-validator-option@7.27.1	MIT	
browserslist	4.28.1	library	pkg:npm/browserslist@4.28.1	MIT	
baseline-browser-mapping	2.9.19	library	pkg:npm/baseline-browser-mapping@2.9.19	Apache-2.0	
caniuse-lite	1.0.30001769	library	pkg:npm/caniuse-lite@1.0.30001769	CC-BY-4.0	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
electron-to-chromium	1.5.286	library	pkg:npm/electron-to-chromium@1.5.286	ISC	
node-releases	2.0.27	library	pkg:npm/node-releases@2.0.27	MIT	
update-browserslist-db	1.2.3	library	pkg:npm/update-browserslist-db@1.2.3	MIT	
escalade	3.2.0	library	pkg:npm/escalade@3.2.0	MIT	
lru-cache	5.1.1	library	pkg:npm/lru-cache@5.1.1	ISC	
yallist	3.1.1	library	pkg:npm/yallist@3.1.1	ISC	
semver	6.3.1	library	pkg:npm/semver@6.3.1	ISC	
helper-module-transforms	7.28.6	library	pkg:npm/@babel/helper-module-transforms@7.28.6	MIT	
helper-module-imports	7.28.6	library	pkg:npm/@babel/helper-module-imports@7.28.6	MIT	
traverse	7.29.0	library	pkg:npm/@babel/traverse@7.29.0	MIT	
helper-globals	7.28.0	library	pkg:npm/@babel/helper-globals@7.28.0	MIT	
template	7.28.6	library	pkg:npm/@babel/template@7.28.6	MIT	
helpers	7.28.6	library	pkg:npm/@babel/helpers@7.28.6	MIT	
remapping	2.3.5	library	pkg:npm/@jridgewell/remapping@2.3.5	MIT	
convert-source-map	2.0.0	library	pkg:npm/convert-source-map@2.0.0	MIT	
gensync	1.0.0-beta.2	library	pkg:npm/gensync@1.0.0-beta.2	MIT	
json5	2.2.3	library	pkg:npm/json5@2.2.3	MIT	
preset-env	7.29.0	library	pkg:npm/@babel/preset-env@7.29.0	MIT	
helper-plugin-utils	7.28.6	library	pkg:npm/@babel/helper-plugin-utils@7.28.6	MIT	
plugin-bugfix-firefox-class-in-computed-class-key	7.28.5	library	pkg:npm/@babel/plugin-bugfix-firefox-class-in-computed	MIT	
plugin-bugfix-safari-class-field-initializer-scope	7.27.1	library	pkg:npm/@babel/plugin-bugfix-safari-class-field-initia	MIT	
plugin-bugfix-safari-id-destructuring-collision-in-function-expression	7.27.1	library	pkg:npm/@babel/plugin-bugfix-safari-id-destructuring-c	MIT	
plugin-bugfix-v8-spread-parameters-in-optional-chaining	7.27.1	library	pkg:npm/@babel/plugin-bugfix-v8-spread-parameters-in-c	MIT	
helper-skip-transparent-expression-wrappers	7.27.1	library	pkg:npm/@babel/helper-skip-transparent-expression-wrap	MIT	
plugin-transform-optional-chaining	7.28.6	library	pkg:npm/@babel/plugin-transform-optional-chaining@7.28	MIT	
plugin-bugfix-v8-static-class-fields-redefine-readonly	7.28.6	library	pkg:npm/@babel/plugin-bugfix-v8-static-class-fields-re	MIT	
plugin-proposal-private-property-in-object	7.21.0-placeholder-for-preset-env.2	library	pkg:npm/@babel/plugin-proposal-private-property-in-obj	MIT	
plugin-syntax-import-assertions	7.28.6	library	pkg:npm/@babel/plugin-syntax-import-assertions@7.28.6	MIT	
plugin-syntax-import-attributes	7.28.6	library	pkg:npm/@babel/plugin-syntax-import-attributes@7.28.6	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-syntax-unicode-sets-regex	7.18.6	library	pkg:npm/@babel/plugin-syntax-unicode-sets-regex@7.18.6	MIT	
helper-create-regexp-features-plugin	7.28.5	library	pkg:npm/@babel/helper-create-regexp-features-plugin@7.	MIT	
helper-annotate-as-pure	7.27.3	library	pkg:npm/@babel/helper-annotate-as-pure@7.27.3	MIT	
regexpu-core	6.4.0	library	pkg:npm/regexpu-core@6.4.0	MIT	
regenerate	1.4.2	library	pkg:npm/regenerate@1.4.2	MIT	
regenerate-unicode-properties	10.2.2	library	pkg:npm/regenerate-unicode-properties@10.2.2	MIT	
regjsgen	0.8.0	library	pkg:npm/regjsgen@0.8.0	MIT	
regjsparser	0.13.0	library	pkg:npm/regjsparser@0.13.0	BSD-2-Clause	
unicode-match-property-ecmascript	2.0.0	library	pkg:npm/unicode-match-property-ecmascript@2.0.0	MIT	
unicode-canonical-property-names-ecmascript	2.0.1	library	pkg:npm/unicode-canonical-property-names-ecmascript@2.	MIT	
unicode-property-aliases-ecmascript	2.2.0	library	pkg:npm/unicode-property-aliases-ecmascript@2.2.0	MIT	
unicode-match-property-value-ecmascript	2.2.1	library	pkg:npm/unicode-match-property-value-ecmascript@2.2.1	MIT	
plugin-transform-arrow-functions	7.27.1	library	pkg:npm/@babel/plugin-transform-arrow-functions@7.27.1	MIT	
plugin-transform-async-generator-functions	7.29.0	library	pkg:npm/@babel/plugin-transform-async-generator-functi	MIT	
helper-remap-async-to-generator	7.27.1	library	pkg:npm/@babel/helper-remap-async-to-generator@7.27.1	MIT	
helper-wrap-function	7.28.6	library	pkg:npm/@babel/helper-wrap-function@7.28.6	MIT	
plugin-transform-async-to-generator	7.28.6	library	pkg:npm/@babel/plugin-transform-async-to-generator@7.2	MIT	
plugin-transform-block-scoped-functions	7.27.1	library	pkg:npm/@babel/plugin-transform-block-scoped-functions	MIT	
plugin-transform-block-scoping	7.28.6	library	pkg:npm/@babel/plugin-transform-block-scoping@7.28.6	MIT	
plugin-transform-class-properties	7.28.6	library	pkg:npm/@babel/plugin-transform-class-properties@7.28.	MIT	
helper-create-class-features-plugin	7.28.6	library	pkg:npm/@babel/helper-create-class-features-plugin@7.2	MIT	
helper-member-expression-to-functions	7.28.5	library	pkg:npm/@babel/helper-member-expression-to-functions@7	MIT	
helper-optimise-call-expression	7.27.1	library	pkg:npm/@babel/helper-optimise-call-expression@7.27.1	MIT	
helper-replace-supers	7.28.6	library	pkg:npm/@babel/helper-replace-supers@7.28.6	MIT	
plugin-transform-class-static-block	7.28.6	library	pkg:npm/@babel/plugin-transform-class-static-block@7.2	MIT	
plugin-transform-classes	7.28.6	library	pkg:npm/@babel/plugin-transform-classes@7.28.6	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-transform-computed-properties	7.28.6	library	pkg:npm/@babel/plugin-transform-computed-properties@7.	MIT	
plugin-transform-destructuring	7.28.5	library	pkg:npm/@babel/plugin-transform-destructuring@7.28.5	MIT	
plugin-transform-dotall-regex	7.28.6	library	pkg:npm/@babel/plugin-transform-dotall-regex@7.28.6	MIT	
plugin-transform-duplicate-keys	7.27.1	library	pkg:npm/@babel/plugin-transform-duplicate-keys@7.27.1	MIT	
plugin-transform-duplicate-named-capturing-groups-regex	7.29.0	library	pkg:npm/@babel/plugin-transform-duplicate-named-captur	MIT	
plugin-transform-dynamic-import	7.27.1	library	pkg:npm/@babel/plugin-transform-dynamic-import@7.27.1	MIT	
plugin-transform-explicit-resource-management	7.28.6	library	pkg:npm/@babel/plugin-transform-explicit-resource-mana	MIT	
plugin-transform-exponentiation-operator	7.28.6	library	pkg:npm/@babel/plugin-transform-exponentiation-operato	MIT	
plugin-transform-export-namespace-from	7.27.1	library	pkg:npm/@babel/plugin-transform-export-namespace-from@	MIT	
plugin-transform-for-of	7.27.1	library	pkg:npm/@babel/plugin-transform-for-of@7.27.1	MIT	
plugin-transform-function-name	7.27.1	library	pkg:npm/@babel/plugin-transform-function-name@7.27.1	MIT	
plugin-transform-json-strings	7.28.6	library	pkg:npm/@babel/plugin-transform-json-strings@7.28.6	MIT	
plugin-transform-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-literals@7.27.1	MIT	
plugin-transform-logical-assignment-operators	7.28.6	library	pkg:npm/@babel/plugin-transform-logical-assignment-ope	MIT	
plugin-transform-member-expression-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-member-expression-lite	MIT	
plugin-transform-modules-amd	7.27.1	library	pkg:npm/@babel/plugin-transform-modules-amd@7.27.1	MIT	
plugin-transform-modules-commonjs	7.28.6	library	pkg:npm/@babel/plugin-transform-modules-commonjs@7.28.	MIT	
plugin-transform-modules-systemjs	7.29.0	library	pkg:npm/@babel/plugin-transform-modules-systemjs@7.29.	MIT	
plugin-transform-modules-umd	7.27.1	library	pkg:npm/@babel/plugin-transform-modules-umd@7.27.1	MIT	
plugin-transform-named-capturing-groups-regex	7.29.0	library	pkg:npm/@babel/plugin-transform-named-capturing-groups	MIT	
plugin-transform-new-target	7.27.1	library	pkg:npm/@babel/plugin-transform-new-target@7.27.1	MIT	

(continued on nex

(continued from previous page)

Name	Version	Type	purl	License	Description
plugin-transform-nullish-coalescing-operator	7.28.6	library	pkg:npm/@babel/plugin-transform-nullish-coalescing-ope	MIT	
plugin-transform-numeric-separator	7.28.6	library	pkg:npm/@babel/plugin-transform-numeric-separator@7.28	MIT	
plugin-transform-object-rest-spread	7.28.6	library	pkg:npm/@babel/plugin-transform-object-rest-spread@7.2	MIT	
plugin-transform-parameters	7.27.7	library	pkg:npm/@babel/plugin-transform-parameters@7.27.7	MIT	
plugin-transform-object-super	7.27.1	library	pkg:npm/@babel/plugin-transform-object-super@7.27.1	MIT	
plugin-transform-optional-catch-binding	7.28.6	library	pkg:npm/@babel/plugin-transform-optional-catch-binding	MIT	
plugin-transform-private-methods	7.28.6	library	pkg:npm/@babel/plugin-transform-private-methods@7.28.6	MIT	
plugin-transform-private-property-in-object	7.28.6	library	pkg:npm/@babel/plugin-transform-private-property-in-ob	MIT	
plugin-transform-property-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-property-literals@7.27	MIT	
plugin-transform-regenerator	7.29.0	library	pkg:npm/@babel/plugin-transform-regenerator@7.29.0	MIT	
plugin-transform-regexp-modifiers	7.28.6	library	pkg:npm/@babel/plugin-transform-regexp-modifiers@7.28.	MIT	
plugin-transform-reserved-words	7.27.1	library	pkg:npm/@babel/plugin-transform-reserved-words@7.27.1	MIT	
plugin-transform-shorthand-properties	7.27.1	library	pkg:npm/@babel/plugin-transform-shorthand-properties@7	MIT	
plugin-transform-spread	7.28.6	library	pkg:npm/@babel/plugin-transform-spread@7.28.6	MIT	
plugin-transform-sticky-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-sticky-regex@7.27.1	MIT	
plugin-transform-template-literals	7.27.1	library	pkg:npm/@babel/plugin-transform-template-literals@7.27	MIT	
plugin-transform-typeof-symbol	7.27.1	library	pkg:npm/@babel/plugin-transform-typeof-symbol@7.27.1	MIT	
plugin-transform-unicode-escapes	7.27.1	library	pkg:npm/@babel/plugin-transform-unicode-escapes@7.27.1	MIT	
plugin-transform-unicode-property-regex	7.28.6	library	pkg:npm/@babel/plugin-transform-unicode-property-regex	MIT	
plugin-transform-unicode-regex	7.27.1	library	pkg:npm/@babel/plugin-transform-unicode-regex@7.27.1	MIT	
plugin-transform-unicode-sets-regex	7.28.6	library	pkg:npm/@babel/plugin-transform-unicode-sets-regex@7.2	MIT	
preset-modules	0.1.6-no-external-plugins	library	pkg:npm/@babel/preset-modules@0.1.6-no-external-plugin	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
esutils	2.0.3	library	pkg:npm/esutils@2.0.3	BSD-2-Clause	
babel-plugin-polyfill-corejs2	0.4.15	library	pkg:npm/babel-plugin-polyfill-corejs2@0.4.15	MIT	
helper-define-polyfill-provider	0.6.6	library	pkg:npm/@babel/helper-define-polyfill-provider@0.6.6	MIT	
lodash.debounce	4.0.8	library	pkg:npm/lodash.debounce@4.0.8	MIT	
resolve	1.22.11	library	pkg:npm/resolve@1.22.11	MIT	
is-core-module	2.16.1	library	pkg:npm/is-core-module@2.16.1	MIT	
path-parse	1.0.7	library	pkg:npm/path-parse@1.0.7	MIT	
supports-preserve-symlinks-flag	1.0.0	library	pkg:npm/supports-preserve-symlinks-flag@1.0.0	MIT	
babel-plugin-polyfill-corejs3	0.14.0	library	pkg:npm/babel-plugin-polyfill-corejs3@0.14.0	MIT	
core-js-compat	3.48.0	library	pkg:npm/core-js-compat@3.48.0	MIT	
babel-plugin-polyfill-regenerator	0.6.6	library	pkg:npm/babel-plugin-polyfill-regenerator@0.6.6	MIT	
plugin-babel	5.3.1	library	pkg:npm/@rollup/plugin-babel@5.3.1	MIT	
rollup	2.79.2	library	pkg:npm/rollup@2.79.2	MIT	
pluginutils	3.1.0	library	pkg:npm/@rollup/pluginutils@3.1.0	MIT	
estree	0.0.39	library	pkg:npm/@types/estree@0.0.39	MIT	
estree-walker	1.0.1	library	pkg:npm/estree-walker@1.0.1	MIT	
plugin-node-resolve	15.3.1	library	pkg:npm/@rollup/plugin-node-resolve@15.3.1	MIT	
pluginutils	5.3.0	library	pkg:npm/@rollup/pluginutils@5.3.0	MIT	
estree-walker	2.0.2	library	pkg:npm/estree-walker@2.0.2	MIT	
resolve	1.20.2	library	pkg:npm/@types/resolve@1.20.2	MIT	
deepmerge	4.3.1	library	pkg:npm/deepmerge@4.3.1	MIT	
is-module	1.0.0	library	pkg:npm/is-module@1.0.0	MIT	
plugin-replace	2.4.2	library	pkg:npm/@rollup/plugin-replace@2.4.2	MIT	
magic-string	0.25.9	library	pkg:npm/magic-string@0.25.9	MIT	
sourcemap-codec	1.4.8	library	pkg:npm/sourcemap-codec@1.4.8	MIT	
plugin-terser	0.4.4	library	pkg:npm/@rollup/plugin-terser@0.4.4	MIT	
serialize-javascript	6.0.2	library	pkg:npm/serialize-javascript@6.0.2	BSD-3-Clause	
randombytes	2.1.0	library	pkg:npm/randombytes@2.1.0	MIT	
smob	1.6.1	library	pkg:npm/smob@1.6.1	MIT	
rollup-plugin-off-main-thread	2.2.3	library	pkg:npm/@surma/rollup-plugin-off-main-thread@2.2.3	Apache-2.0	
ejs	3.1.10	library	pkg:npm/ejs@3.1.10	Apache-2.0	
jake	10.9.4	library	pkg:npm/jake@10.9.4	Apache-2.0	
async	3.2.6	library	pkg:npm/async@3.2.6	MIT	
filelist	1.0.4	library	pkg:npm/filelist@1.0.4	Apache-2.0	
minimatch	5.1.6	library	pkg:npm/minimatch@5.1.6	ISC	
brace-expansion	2.0.2	library	pkg:npm/brace-expansion@2.0.2	MIT	
balanced-match	1.0.2	library	pkg:npm/balanced-match@1.0.2	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
string.prototype.matchall	4.0.12	library	pkg:npm/string.prototype.matchall@4.0.12	MIT	
es-abstract	1.24.1	library	pkg:npm/es-abstract@1.24.1	MIT	
array-buffer-byte-length	1.0.2	library	pkg:npm/array-buffer-byte-length@1.0.2	MIT	
is-array-buffer	3.0.5	library	pkg:npm/is-array-buffer@3.0.5	MIT	
arraybuffer.prototype.slice	1.0.4	library	pkg:npm/arraybuffer.prototype.slice@1.0.4	MIT	
available-typed-arrays	1.0.7	library	pkg:npm/available-typed-arrays@1.0.7	MIT	
possible-typed-array-names	1.1.0	library	pkg:npm/possible-typed-array-names@1.1.0	MIT	
data-view-buffer	1.0.2	library	pkg:npm/data-view-buffer@1.0.2	MIT	
is-data-view	1.0.2	library	pkg:npm/is-data-view@1.0.2	MIT	
is-typed-array	1.1.15	library	pkg:npm/is-typed-array@1.1.15	MIT	
which-typed-array	1.1.20	library	pkg:npm/which-typed-array@1.1.20	MIT	
for-each	0.3.5	library	pkg:npm/for-each@0.3.5	MIT	
is-callable	1.2.7	library	pkg:npm/is-callable@1.2.7	MIT	
data-view-byte-length	1.0.2	library	pkg:npm/data-view-byte-length@1.0.2	MIT	
data-view-byte-offset	1.0.1	library	pkg:npm/data-view-byte-offset@1.0.1	MIT	
es-set-tostringtag	2.1.0	library	pkg:npm/es-set-tostringtag@2.1.0	MIT	
es-to-primitive	1.3.0	library	pkg:npm/es-to-primitive@1.3.0	MIT	
is-symbol	1.1.1	library	pkg:npm/is-symbol@1.1.1	MIT	
safe-regex-test	1.1.0	library	pkg:npm/safe-regex-test@1.1.0	MIT	
function.prototype.name	1.1.8	library	pkg:npm/function.prototype.name@1.1.8	MIT	
get-symbol-description	1.1.0	library	pkg:npm/get-symbol-description@1.1.0	MIT	
globalthis	1.0.4	library	pkg:npm/globalthis@1.0.4	MIT	
has-proto	1.2.0	library	pkg:npm/has-proto@1.2.0	MIT	
internal-slot	1.1.0	library	pkg:npm/internal-slot@1.1.0	MIT	
side-channel	1.1.0	library	pkg:npm/side-channel@1.1.0	MIT	
object-inspect	1.13.4	library	pkg:npm/object-inspect@1.13.4	MIT	
side-channel-list	1.0.0	library	pkg:npm/side-channel-list@1.0.0	MIT	
side-channel-map	1.0.1	library	pkg:npm/side-channel-map@1.0.1	MIT	
side-channel-weakmap	1.0.2	library	pkg:npm/side-channel-weakmap@1.0.2	MIT	
is-negative-zero	2.0.3	library	pkg:npm/is-negative-zero@2.0.3	MIT	
is-set	2.0.3	library	pkg:npm/is-set@2.0.3	MIT	
is-shared-array-buffer	1.0.4	library	pkg:npm/is-shared-array-buffer@1.0.4	MIT	
is-string	1.1.1	library	pkg:npm/is-string@1.1.1	MIT	
is-weakref	1.1.1	library	pkg:npm/is-weakref@1.1.1	MIT	
object.assign	4.1.7	library	pkg:npm/object.assign@4.1.7	MIT	
own-keys	1.0.1	library	pkg:npm/own-keys@1.0.1	MIT	
safe-push-apply	1.0.0	library	pkg:npm/safe-push-apply@1.0.0	MIT	
isarray	2.0.5	library	pkg:npm/isarray@2.0.5	MIT	
safe-array-concat	1.1.3	library	pkg:npm/safe-array-concat@1.1.3	MIT	
set-proto	1.0.0	library	pkg:npm/set-proto@1.0.0	MIT	
stop-iteration-iterator	1.1.0	library	pkg:npm/stop-iteration-iterator@1.1.0	MIT	
string.prototype.trim	1.2.10	library	pkg:npm/string.prototype.trim@1.2.10	MIT	
string.prototype.trimend	1.0.9	library	pkg:npm/string.prototype.trimend@1.0.9	MIT	
string.prototype.trimstart	1.0.8	library	pkg:npm/string.prototype.trimstart@1.0.8	MIT	
typed-array-buffer	1.0.3	library	pkg:npm/typed-array-buffer@1.0.3	MIT	
typed-array-byte-length	1.0.3	library	pkg:npm/typed-array-byte-length@1.0.3	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
typed-array-byte-offset	1.0.4	library	pkg:npm/typed-array-byte-offset@1.0.4	MIT	
reflect.getprototypeof	1.0.10	library	pkg:npm/reflect.getprototypeof@1.0.10	MIT	
which-builtin-type	1.2.1	library	pkg:npm/which-builtin-type@1.2.1	MIT	
is-async-function	2.1.1	library	pkg:npm/is-async-function@2.1.1	MIT	
async-function	1.0.0	library	pkg:npm/async-function@1.0.0	MIT	
is-finalizationregistry	1.1.1	library	pkg:npm/is-finalizationregistry@1.1.1	MIT	
is-generator-function	1.1.2	library	pkg:npm/is-generator-function@1.1.2	MIT	
generator-function	2.0.1	library	pkg:npm/generator-function@2.0.1	MIT	
which-boxed-primitive	1.1.1	library	pkg:npm/which-boxed-primitive@1.1.1	MIT	
is-bigint	1.1.0	library	pkg:npm/is-bigint@1.1.0	MIT	
has-bigints	1.1.0	library	pkg:npm/has-bigints@1.1.0	MIT	
is-boolean-object	1.2.2	library	pkg:npm/is-boolean-object@1.2.2	MIT	
is-number-object	1.1.1	library	pkg:npm/is-number-object@1.1.1	MIT	
which-collection	1.0.2	library	pkg:npm/which-collection@1.0.2	MIT	
is-map	2.0.3	library	pkg:npm/is-map@2.0.3	MIT	
is-weakmap	2.0.2	library	pkg:npm/is-weakmap@2.0.2	MIT	
is-weakset	2.0.4	library	pkg:npm/is-weakset@2.0.4	MIT	
typed-array-length	1.0.7	library	pkg:npm/typed-array-length@1.0.7	MIT	
unbox-primitive	1.1.0	library	pkg:npm/unbox-primitive@1.1.0	MIT	
common-tags	1.8.2	library	pkg:npm/common-tags@1.8.2	MIT	
fast-json-stable-stringify	2.1.0	library	pkg:npm/fast-json-stable-stringify@2.1.0	MIT	
fs-extra	9.1.0	library	pkg:npm/fs-extra@9.1.0	MIT	
at-least-node	1.0.0	library	pkg:npm/at-least-node@1.0.0	ISC	
graceful-fs	4.2.11	library	pkg:npm/graceful-fs@4.2.11	ISC	
jsonfile	6.2.0	library	pkg:npm/jsonfile@6.2.0	MIT	
universalify	2.0.1	library	pkg:npm/universalify@2.0.1	MIT	
glob	11.1.0	library	pkg:npm/glob@11.1.0	BlueOak-1.0.0	
foreground-child	3.3.1	library	pkg:npm/foreground-child@3.3.1	ISC	
signal-exit	4.1.0	library	pkg:npm/signal-exit@4.1.0	ISC	
jackspeak	4.2.3	library	pkg:npm/jackspeak@4.2.3	BlueOak-1.0.0	
cliui	9.0.0	library	pkg:npm/@isaacs/cliui@9.0.0	BlueOak-1.0.0	
minimatch	10.2.0	library	pkg:npm/minimatch@10.2.0	BlueOak-1.0.0	
brace-expansion	5.0.2	library	pkg:npm/brace-expansion@5.0.2	MIT	
balanced-match	4.0.2	library	pkg:npm/balanced-match@4.0.2	MIT	
minipass	7.1.2	library	pkg:npm/minipass@7.1.2	ISC	
package-json-from-dist	1.0.1	library	pkg:npm/package-json-from-dist@1.0.1	BlueOak-1.0.0	
path-scurry	2.0.1	library	pkg:npm/path-scurry@2.0.1	BlueOak-1.0.0	
lru-cache	11.2.6	library	pkg:npm/lru-cache@11.2.6	BlueOak-1.0.0	
lodash	4.17.23	library	pkg:npm/lodash@4.17.23	MIT	
pretty-bytes	5.6.0	library	pkg:npm/pretty-bytes@5.6.0	MIT	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
source-map	0.8.0-beta.0	library	pkg:npm/source-map@0.8.0-beta.0	BSD-3-Clause	
whatwg-url	7.1.0	library	pkg:npm/whatwg-url@7.1.0	MIT	
lodash.sortby	4.7.0	library	pkg:npm/lodash.sortby@4.7.0	MIT	
tr46	1.0.1	library	pkg:npm/tr46@1.0.1	MIT	
punycode	2.3.1	library	pkg:npm/punycode@2.3.1	MIT	
webidl-conversions	4.0.2	library	pkg:npm/webidl-conversions@4.0.2	BSD-2-Clause	
stringify-object	3.3.0	library	pkg:npm/stringify-object@3.3.0	BSD-2-Clause	
get-own-enumerable-property-symbols	3.0.2	library	pkg:npm/get-own-enumerable-property-symbols@3.0.2	ISC	
is-obj	1.0.1	library	pkg:npm/is-obj@1.0.1	MIT	
is-regexp	1.0.0	library	pkg:npm/is-regexp@1.0.0	MIT	
strip-comments	2.0.1	library	pkg:npm/strip-comments@2.0.1	MIT	
tempy	0.6.0	library	pkg:npm/tempy@0.6.0	MIT	
is-stream	2.0.1	library	pkg:npm/is-stream@2.0.1	MIT	
temp-dir	2.0.0	library	pkg:npm/temp-dir@2.0.0	MIT	
type-fest	0.16.0	library	pkg:npm/type-fest@0.16.0		
unique-string	2.0.0	library	pkg:npm/unique-string@2.0.0	MIT	
crypto-random-string	2.0.0	library	pkg:npm/crypto-random-string@2.0.0	MIT	
upath	1.2.0	library	pkg:npm/upath@1.2.0	MIT	
workbox-background-sync	7.4.0	library	pkg:npm/workbox-background-sync@7.4.0	MIT	
idb	7.1.1	library	pkg:npm/idb@7.1.1	ISC	
workbox-core	7.4.0	library	pkg:npm/workbox-core@7.4.0	MIT	
workbox-broadcast-update	7.4.0	library	pkg:npm/workbox-broadcast-update@7.4.0	MIT	
workbox-cacheable-response	7.4.0	library	pkg:npm/workbox-cacheable-response@7.4.0	MIT	
workbox-expiration	7.4.0	library	pkg:npm/workbox-expiration@7.4.0	MIT	
workbox-google-analytics	7.4.0	library	pkg:npm/workbox-google-analytics@7.4.0	MIT	
workbox-routing	7.4.0	library	pkg:npm/workbox-routing@7.4.0	MIT	
workbox-strategies	7.4.0	library	pkg:npm/workbox-strategies@7.4.0	MIT	
workbox-navigation-preload	7.4.0	library	pkg:npm/workbox-navigation-preload@7.4.0	MIT	
workbox-precaching	7.4.0	library	pkg:npm/workbox-precaching@7.4.0	MIT	
workbox-range-requests	7.4.0	library	pkg:npm/workbox-range-requests@7.4.0	MIT	
workbox-recipes	7.4.0	library	pkg:npm/workbox-recipes@7.4.0	MIT	
workbox-streams	7.4.0	library	pkg:npm/workbox-streams@7.4.0	MIT	
workbox-sw	7.4.0	library	pkg:npm/workbox-sw@7.4.0	MIT	
workbox-window	7.4.0	library	pkg:npm/workbox-window@7.4.0	MIT	
ws	8.19.0	library	pkg:npm/ws@8.19.0	MIT	
world-monitor	2.5.4	library	pkg:cargo/world-monitor@2.5.4	NOASSERTION	
tauri	2	library	pkg:cargo/tauri@2	NOASSERTION	
serde	1	library	pkg:cargo/serde@1	NOASSERTION	
serde_json	1	library	pkg:cargo/serde_json@1	NOASSERTION	

(continued on next

(continued from previous page)

Name	Version	Type	purl	License	Description
keyring	3	library	pkg:cargo/keyring@3	NOASSERTION	
reqwest	0.12	library	pkg:cargo/reqwest@0.12	NOASSERTION	
cmake-bare	0	library	pkg:generic/cmake-bare@0	Apache-2.0	
cmake-fetch	0	library	pkg:generic/cmake-fetch@0	Apache-2.0	
bare_url	0	library	pkg:generic/bare_url@0	Apache-2.0	
bare_os	0	library	pkg:generic/bare_os@0	Apache-2.0	
bare_fs	0	library	pkg:generic/bare_fs@0	Apache-2.0	
nixpkgs	6b1057b	library	pkg:nix/nixpkgs@6b1057b	MIT	Nix flake depen nixpkgs
utils	3982c99	library	pkg:nix/utils@3982c99	MIT	Nix flake depen utils

Dependency graph (top-level refs)

```
pkg:npm/@types/geojson@7946.0.16
  ->
pkg:npm/@loaders.gl/schema@4.3.4
  -> pkg:npm/@loaders.gl/core@4.3.4, pkg:npm/@types/geojson@7946.0.16
pkg:npm/@loaders.gl/worker-utils@4.3.4
  -> pkg:npm/@loaders.gl/core@4.3.4
pkg:npm/@probe.gl/env@4.1.0
  ->
pkg:npm/@probe.gl/log@4.1.0
  -> pkg:npm/@probe.gl/env@4.1.0
pkg:npm/@probe.gl/stats@4.1.0
  ->
pkg:npm/@loaders.gl/loader-utils@4.3.4
  -> pkg:npm/@loaders.gl/core@4.3.4, pkg:npm/@loaders.gl/schema@4.3.4,
  pkg:npm/@loaders.gl/worker-utils@4.3.4, pkg:npm/@probe.gl/log@4.1.0,
  pkg:npm/@probe.gl/stats@4.1.0
pkg:npm/@loaders.gl/core@4.3.4
  -> pkg:npm/@loaders.gl/loader-utils@4.3.4, pkg:npm/@loaders.gl/schema@4.3.4,
  pkg:npm/@loaders.gl/worker-utils@4.3.4, pkg:npm/@probe.gl/log@4.1.0
pkg:npm/@loaders.gl/images@4.3.4
  -> pkg:npm/@loaders.gl/core@4.3.4, pkg:npm/@loaders.gl/loader-utils@4.3.4
pkg:npm/@luma.gl/constants@9.2.6
  ->
pkg:npm/@math.gl/types@4.1.0
  ->
pkg:npm/@types/offscreencanvas@2019.7.3
  ->
pkg:npm/@luma.gl/core@9.2.6
  -> pkg:npm/@math.gl/types@4.1.0, pkg:npm/@probe.gl/env@4.1.0,
  pkg:npm/@probe.gl/log@4.1.0, pkg:npm/@probe.gl/stats@4.1.0,
  pkg:npm/@types/offscreencanvas@2019.7.3
pkg:npm/@math.gl/core@4.1.0
  -> pkg:npm/@math.gl/types@4.1.0
pkg:npm/wgsl_reflect@1.2.3
```

```
  ->
pkg:npm/@luma.gl/shadertools@9.2.6
  -> pkg:npm/@luma.gl/core@9.2.6, pkg:npm/@math.gl/core@4.1.0,
  pkg:npm/@math.gl/types@4.1.0, pkg:npm/wgsl_reflect@1.2.3
pkg:npm/@luma.gl/engine@9.2.6
  -> pkg:npm/@luma.gl/core@9.2.6, pkg:npm/@luma.gl/shadertools@9.2.6,
  pkg:npm/@math.gl/core@4.1.0, pkg:npm/@math.gl/types@4.1.0,
  pkg:npm/@probe.gl/log@4.1.0...
pkg:npm/@luma.gl/webgl@9.2.6
  -> pkg:npm/@luma.gl/constants@9.2.6, pkg:npm/@luma.gl/core@9.2.6,
  pkg:npm/@math.gl/types@4.1.0, pkg:npm/@probe.gl/env@4.1.0
pkg:npm/@math.gl/sun@4.1.0
  ->
pkg:npm/@math.gl/web-mercator@4.1.0
  -> pkg:npm/@math.gl/core@4.1.0
pkg:npm/gl-matrix@3.4.4
  ->
pkg:npm/mjolnir.js@3.0.0
  ->
pkg:npm/@deck.gl/core@9.2.6
  -> pkg:npm/@loaders.gl/core@4.3.4, pkg:npm/@loaders.gl/images@4.3.4,
  pkg:npm/@luma.gl/constants@9.2.6, pkg:npm/@luma.gl/core@9.2.6,
  pkg:npm/@luma.gl/engine@9.2.6...
pkg:npm/@mapbox/tiny-sdf@2.0.7
  ->
pkg:npm/@math.gl/polygon@4.1.0
  -> pkg:npm/@math.gl/core@4.1.0
pkg:npm/earcut@2.2.4
  ->
pkg:npm/@deck.gl/layers@9.2.6
  -> pkg:npm/@deck.gl/core@9.2.6, pkg:npm/@loaders.gl/core@4.3.4,
  pkg:npm/@loaders.gl/images@4.3.4, pkg:npm/@loaders.gl/schema@4.3.4,
  pkg:npm/@luma.gl/core@9.2.6...
pkg:npm/d3-hexbin@0.2.2
  ->
pkg:npm/@deck.gl/aggregation-layers@9.2.6
  -> pkg:npm/@deck.gl/core@9.2.6, pkg:npm/@deck.gl/layers@9.2.6,
  pkg:npm/@luma.gl/constants@9.2.6, pkg:npm/@luma.gl/core@9.2.6,
  pkg:npm/@luma.gl/engine@9.2.6...
pkg:npm/@deck.gl/extensions@9.2.6
  -> pkg:npm/@deck.gl/core@9.2.6, pkg:npm/@luma.gl/constants@9.2.6,
  pkg:npm/@luma.gl/core@9.2.6, pkg:npm/@luma.gl/engine@9.2.6,
  pkg:npm/@luma.gl/shadertools@9.2.6...
```

2 Change Lineage from Original Software

2.1 Data Cleaning Copilot

Path: `src/generativeUI/training-webcomponents-ngx`

Changes (from git history):

Hash	Date	Author	Subject
445d04e83eae	2026-04-13 11:11:13 +0800	plturrell	feat(generativeUI): workspace readiness, gateway BTP, API hardening
432dfd233aa9	2026-04-13 09:08:21 +0800	plturrell	feat(generativeUI): HANA persistence, notifications API, and local aut
52df72b7cc92	2026-04-13 08:47:05 +0800	plturrell	docs: update READMEs with correct versions, routes, and add missing do
c3edc3c574ef	2026-04-13 08:42:27 +0800	plturrell	test: add theme-utils spec, extend quick-access search and training sh
6cfe444e4dae	2026-04-13 08:41:27 +0800	plturrell	style(training): refine nav-island animations, spacing, and design tok
efc97d0758a8	2026-04-10 12:20:56 +0800	plturrell	fix(mode): align types, config, and helpers with spec
3dbd97a3b4d8	2026-04-10 08:30:41 +0800	plturrell	Sync all changes to GitHub main remote
d28635642970	2026-04-10 08:21:38 +0800	plturrell	feat(nav): add modeRelevance metadata to all route definitions
bf263823b2e4	2026-04-10 08:21:36 +0800	plturrell	feat(cowork): add CoworkPlanComponent with approve/edit/reject flow
0995bb7356b7	2026-04-10 08:04:23 +0800	plturrell	feat(shell): integrate mode switcher, route highlighting, and mode the
944bcbb95f06	2026-04-10 08:01:46 +0800	plturrell	feat(mode): add ModeSwitcherComponent with keyboard navigation
e119fce76d8a	2026-04-10 07:53:34 +0800	plturrell	feat(store): add activeMode signal with computed capabilities and pers
ef331739787a	2026-04-08 17:50:53 +0800	plturrell	fix: forensic sweep 13 security/config fixes across ui5-webcomponent
82a8c12d8ed6	2026-04-08 17:31:45 +0800	plturrell	refactor: WWDC sweep type safety, shared config, specs, i18n
41131e10033e	2026-04-08 17:11:08 +0800	plturrell	feat: WWDC-grade Data Product Manager release polish
ed451e9e7a16	2026-04-08 11:50:20 +0800	plturrell	chore: final cleanup and metadata sync post-Python migration
728465a0a511	2026-04-08 11:49:39 +0800	plturrell	feat: 100% Python migration & Horizon Cinematic refactor
e9aafb4ce965	2026-04-08 07:59:31 +0800	plturrell	feat(i18n): elevate all 7 languages to full parity sync keys, genera
f798c5ce9a95	2026-04-08 00:50:39 +0800	plturrell	feat(i18n): internationalize hardcoded strings in shell, dashboard, pi

Hash	Date	Author	Subject
7c6714da38c7	2026-04-08 00:42:43 +0800	plturrell	polish: 9/10 WWDC-grade refinements accessibility, architecture, cod
cd8802f7c1cd	2026-04-08 00:37:36 +0800	plturrell	fix: WWDC keynote-grade polish bugs, accessibility, and code quality
f3b42f023f54	2026-04-08 00:25:20 +0800	plturrell	feat(pipeline): sync pipeline state to global AppStore for atmospheric
8012141447b3	2026-04-08 00:23:41 +0800	plturrell	feat(dashboard): wire live platform narrative and atmospheric aura tri
cfd62a293935	2026-04-08 00:16:53 +0800	plturrell	polish(ui): WWDC-caliber accessibility and design system refinements
fab1b69652b8	2026-04-08 00:03:34 +0800	plturrell	feat: comprehensive UI enhancements and cross-app integration
7b9ac2e9671e	2026-04-07 23:39:57 +0800	plturrell	chore: cleanup hidden cache directories
a79f388d629f	2026-04-07 23:30:18 +0800	plturrell	chore: final cleanup and sync remaining changes
31560a833127	2026-04-07 23:28:45 +0800	plturrell	chore: sync remaining component changes
9f5fd86dddc1	2026-04-07 23:28:09 +0800	plturrell	chore: cleanup junk files and temporary artifacts
4dc368f65652	2026-04-07 22:09:43 +0800	plturrell	chore: force sync mcp service changes
a96867091979	2026-04-07 22:09:25 +0800	plturrell	chore: final sync of mcp service
52a993372344	2026-04-07 22:09:10 +0800	plturrell	chore: finalize mcp service sync
65931c9e65a6	2026-04-07 22:08:54 +0800	plturrell	chore: sync remaining mcp service changes
bd0093e34a77	2026-04-07 22:08:39 +0800	plturrell	chore: sync environment configuration changes
301b67e7689f	2026-04-07 22:08:17 +0800	plturrell	chore: archive vllm-main and migrate to vllm-turboquant
8bcfd30f1965	2026-04-07 21:56:56 +0800	plturrell	chore: sync remaining environment file changes
0c73a40495ba	2026-04-07 21:53:19 +0800	plturrell	feat: add comprehensive UX improvements for AI Fabric
e379ba0bd27b	2026-04-07 16:04:28 +0800	turrellcraigjohn-alt	fix: resolve all pre-existing build errors in AI Fabric and Training (
bde06a8056f7	2026-04-07 15:15:36 +0800	turrellcraigjohn-alt	a11y: add ARIA landmarks, roles, and labels across all three apps (#56
577c4b389393	2026-04-07 14:45:48 +0800	turrellcraigjohn-alt	feat: medium-priority audit enhancements across all apps (#55)
ebcec175e367	2026-04-07 13:54:38 +0800	turrellcraigjohn-alt	fix: reconcile shell navigation across all apps (#54)
13906b57b151	2026-04-07 12:14:40 +0800	turrellcraigjohn-alt	feat: high-priority UI audit improvements (#53)
041279beef83	2026-04-07 11:52:09 +0800	turrellcraigjohn-alt	feat: add team collaboration features and bypass auth for dev (#52)
af865c99188a	2026-04-06 15:05:34 +0800	turrellcraigjohn-alt	fix: eliminate all visible UI errors for demo (#50)

Hash	Date	Author	Subject
8cf39b664a66	2026-04-06 14:23:02 +0800	turrellcraigjohn-alt	fix: OCR build, i18n APP_INITIALIZER, test fixes (#48)
16e2f964f26e	2026-04-06 14:12:18 +0800	turrellcraigjohn-alt	fix: OCR build + i18n APP_INITIALIZER for OnPush rendering (#47)
20ef2ff47878	2026-04-06 11:55:01 +0800	turrellcraigjohn-alt	fix: remove duplicate dismissDemoTour method (#46)
dcd86d1b2022	2026-04-06 10:44:12 +0800	turrellcraigjohn-alt	demo perfection: shell i18n fix, UI5 build fix, aifabric Arabic i18n,
d44192c1b147	2026-04-06 10:08:09 +0800	turrellcraigjohn-alt	forensic audit & SAP Sapphire/WWDC demo polish (#44)
cea2f4461fb3	2026-04-06 09:44:30 +0800	plturrell	feat: audit fixes + HANA handler wiring (Option B)

... and 30 more.

Full: `git log -follow - src/generativeUI/training-webcomponents-ngx`

2.2 AI Core PAL (MCP / HANA PAL)

Path: `src/intelligence/ai-core-pal`

Changes (from git history):

Hash	Date	Author	Subject
41131e10033e	2026-04-08 17:11:08 +0800	plturrell	feat: WWDC-grade Data Product Manager release polish
728465a0a511	2026-04-08 11:49:39 +0800	plturrell	feat: 100% Python migration & Horizon Cinematic refactor
176fb51806cf	2026-04-07 13:28:01 +0800	Karthikeyan	feat: update AI-Core-PAL MCP server and aifabric webcomponents
79176110c66a	2026-04-02 12:45:32 +0800	Karthikeyan	docs(ai-core-pal): add ENDPOINTS.md with live MCP URLs and usage sampl
5dd5ef8db0fa	2026-04-02 12:04:09 +0800	plturrell	chore: rebrand generativeUI project names and references
3a247c5f5500	2026-04-01 11:01:52 +0800	Karthikeyan	feat(ai-core-pal): add production MCP server with PAL tools
dc7da5b8090e	2026-03-31 09:05:14 +0800	plturrell	chore: consolidate training console and remove deprecated data cleanin
d39c7e0d891e	2026-03-16 11:40:00 +0800	plturrell	feat: merge mangle-query-service into elasticsearch-main
32388add5791	2026-03-10 14:21:29 +0800	plturrell	chore: sync all repo changes across monorepo projects
5b429809ef3c	2026-03-09 11:51:22 +0800	plturrell	Sync: Reorganize SBOM files, add technical assessments, add SAC compon
54f39f71b643	2026-03-07 11:55:00 +0800	plturrell	Add SAP AI Experience service map with 4-sentence descriptions, input

Hash	Date	Author	Subject
`0ea145b23002`	2026-03-07 10:43:57 +0800	plturrell	Sync all changes; add .gitignore for node_modules, models, large data

Full: `git log -follow - src/intelligence/ai-core-pal`