

Three-gate simulation combined adjudication


Scientific conclusion: the information geometry is robust enough for a scoped theorem-native illustration. Formal conclusion: R0 remains HOLD because one secondary frozen threshold narrowly failed.

Diagnostic	Result	Interpretation
Jeffreys s exponent	5.9355	sixth order
Paired bootstrap CI	5.9249 to 5.9468	stable
Maximum curve spread	0.0243	passes 0.04
Median curve spread	0.0167	misses 0.015
Equal-coefficient residual	6.82e-16	invariant
Post-hoc h exponent	1.9431	quadratic
Stress-grid s range	5.759 to 5.960	9/9 pass
Order-14 quadrature exponent	5.9342	confirms MC

Formal status

Confirmatory R0: **HOLD_NUMERICAL_EVIDENCE**
Post-hoc interpretation: **R0_HOLD_BUT_GEOMETRY_ROBUST**
Recommendation: **ADD THEOREM-NATIVE ILLUSTRATION WITH SCOPE LIMITS**

Manuscript-candidate numerical figure




Panel (a) uses analytic Gaussian affinities. Panel (b) uses the exact 32-component mixture with paired Monte Carlo and an anchored s^6 reference. Panel (c) uses the exact product law of the estimated one-observation affinity. The figure demonstrates information geometry, not the output of the confidence correspondence.


Permitted manuscript statement

In the $q=4$ Bernoulli-Gaussian hard core, exact-mixture calculations exhibit the predicted sixth-order orientation information and an approximate product-experiment collapse against Ns^6 . Equal coefficients leave the test mean invariant; amplitude contrast opens the prescribed task secant.

Supplementary task and robustness diagnostics



The equal-coefficient residual stays at machine precision; nonzero contrast matches the closed-form profiled secant.



Post-hoc checks cannot convert R0 into a pass. They show that h^2 scaling and the s exponent persist across the frozen p/ν stress grid.

Integration and claim boundaries

Recommended placement

Use the three-panel figure in a short numerical-illustration section. Put the task-invariance panel, p/nu stress grid, complete protocol, and code details in the supplement. Because the current manuscript already ends at numbered line 697, compress an equal amount of proof-idea or discussion text rather than appending beyond the SIMODS limit.

Do not claim

The experiment does not validate the conservative moment-profile correspondence, conditional coverage, a scalable solver, high-dimensional performance, localization transfer, or a deployed decision rule. Parent/support quantities are simple-pair diagnostics; dictionary affinity is a product-experiment information diagnostic.

Why the internal HOLD is retained

The median transition-band dispersion was 0.01670 against a frozen 0.015 threshold. The maximum dispersion was only 0.02433 and passed its 0.04 threshold. Retaining the HOLD records the preregistered near-miss; the manuscript need not discuss this private audit threshold, but the authors should avoid describing the curves as exact finite-s collapse.