UNION AND UNION ALL

1.
```
SELECT      account_id,
            account_holder,
            city
FROM        branch_sandton_accounts
UNION
SELECT      account_id,
            account_holder,
            city
FROM        branch_rosebank_accounts;
```

account_id	account_holder	city
A001	Nomvula Dlamini	Sandton
A002	David Mokoena	Sandton
A003	Lerato Sithole	Rosebank
A004	Peter Nkosi	Sandton
A005	Zanele Khumalo	Rosebank
A006	Thabo Mothra	Rosebank

2.
```
SELECT      product_code,
            product_name,
            'savings' AS product_type
FROM        savings_products
UNION
SELECT      product_code,
            product_name,
            'current' AS product_type
FROM        current_products;
```

product_code	product_name	product_type
SV01	Basic savings	Savings
SV02	Premium savings	Savings
SV03	Youth savings	Savings
SV04	Business savings	Savings
CR01	Standard current	current
CR02	Gold current	current
CR03	Business current	current

3. SELECT staff_id,
staff_name,
email
FROM retail_banking_staff
UNION
SELECT staff_id,
staff_name,
email
FROM corporate_banking_staff;

staff_id	staff_name	email
S001	Mpho Radebe	
S002	Brian Tshabalala	
S003	Aisha Patel	
S004	Kabelo Moabelo	
S005	Nandi Dube	
S006	Sipho Khumalo	

4. SELECT city_code,
city_name,
region
FROM mobile_branch_cities
UNION
SELECT city_code,
city_name,
region
FROM digital_branch_cities;

city_code	city_name	region
C01	Johannesburg	
C02	Pretoria	
C03	Capetown	
C04	Durban	
C05	Polokwane	
C06	Port Elizabeth	

5. SELECT customer_id,
customer_name,
segment
FROM push_notification_targets
UNION
SELECT customer_id,
customer_name,
segment
FROM inapp_banner_targets;

customer_id	customer_name	segment
C1001	Nomed 2rane	
C1002	Anchile Buthelezi	
C1003	Fatima Mohamed	
C1004	Ryno van Zyl	
C1005	Thandeka Cele	
C1006	Samuel Nkosi	

6.
```
SELECT  transaction_id,
        account_id,
        amount,
        transaction_date
FROM    atm01_transactions
UNION ALL
SELECT  transaction_id,
        account_id,
        amount,
        transaction_date
FROM atm02_transactions;
```

transaction_id	account_id	amount	trans_date
T1001	A001	500	
T1002	A002	1200	
T1003	A001	300	
T1004	A003	750	
T1003	A001	300	
T1005	A004	900	
T1006	A002	450	
T1007	A005	150	

7 SELECT application_id,
customer_id,
loan_type,
amount_requested
FROM gauteng_loan_applications
UNION ALL
SELECT application_id,
customer_id,
loan_type,
amount_requested
FROM western_cape_loan_applications;

application_id	customer_id	loan_type	amount_requested
LA001	C1001	Home loan	
LA002	C1002	Vehicle loan	
LA003	C1003	Personal	
LA004	C1004	Home loan	
LA005	C1005	Personal loan	
LA006	C1006	Vehicle loan	
LA007	C1007	Business	
		Home loan	

8. SELECT complaint_id,
customer_id,
category,
logged_date
FROM email_complaints
UNION ALL
SELECT complaint_id,
customer_id,
category,

```
        logged_date
FROM    app_complaints ;
```

Complaint_id	Customer_id	Category	logged_date
EC001	C2001		
EC002	C2002		
EC003	C2003		
EC004	C2004		
AC001	C2005		
AC002	C2001		
AC003	C2006		
AC004	C2007		

9. SELECT payment_id,
account_id,
amount,
payment_date
FROM april_payments
UNION ALL
SELECT payment_id,
account_id,
amount,
payment_date
FROM may_payments ;

payment_id	account_id	amount	payment_date
PAY001	A001	12500	
PAY002	A002	4800	
PAY003	A003	9200	
PAY004	A004	3300	
PAY005	A001	12500	
PAY006	A005	7600	
PAY007	A002	5100	
PAY008	A006	2500	

10.
```
SELECT  entry_id,
        account_id,
        entry_type,
        amount,
        entry_date
FROM    debit_entries
UNION ALL
SELECT  entry_id,
        account_id,
        entry_type,
        amount,
        entry_date
FROM    credit_entries;
```

entry_id	account_id	entry_type	amount	entry_date
DR001	A001	Debit		
DR002	A002	Debit		
DR003	A003	Debit		
DR004	A004	Debit		
CR001	A001	Credit		
CR002	A005	Credit		
CR003	A002	Credit		
CR004	A006	Credit		

11. The fraud analyst would use UNION because it does not return duplicates

12. The auditing team would use UNION ALL because they want to count every individual transaction that passed through the bank.

13. The query would fail because one can not UNION a 2-column query to/with a 3 column query.