

Compte-rendu de mission — Dev Legacy

0. Page de garde

- **Projet** : Loop — Back-end API (NestJS + TypeScript + TypeORM + PostgreSQL)
 - **Auteur** : Océane GLANEUX — développeuse (3 chantiers : C1, C2, C3)
 - **Lien du dépôt** : https://github.com/GLANEUX/loop_back
 - **Lien de la PR** (accès lecture @celianlb) : https://github.com/GLANEUX/loop_back/pull/11
 - **Date de la mission** : 2026-06-16
-

1. Reprise en main

- **État du projet au retour** : l'app compile et la majorité des tests passent, mais plusieurs frictions empêchaient un démarrage « propre » immédiat (voir ci-dessous).
- **Temps pour le faire tourner** : ~30 min (essentiellement le diagnostic des frictions ci-dessous : `dist/` en root, base Docker arrêtée, fixtures périmées).
- **Frictions rencontrées** :
 1. **Coquille dans `package.json`** : le script `seed` référençait `tsconfig-spaths` (au lieu de `tsconfig-paths`) → cassait `npm run seed`. *Corrigé*.
 2. **`dist/` appartenant à `root:root`** (créé par un conteneur Docker en root) : `npm run build` échouait avec 213 erreurs `TS5033: EACCES permission denied` — **pas une erreur de code**, juste l'impossibilité d'écrire dans `dist/`. *Corrigé : suppression de `dist/` puis rebuild OK.*
 3. **3 tests rouges au retour** (`profile.entity.spec.ts`, `discovery.service.spec.ts`) : les fixtures n'avaient pas suivi l'ajout des champs profil obligatoires (`phoneNumber`, `audio_presentation`). *Corrigé : filet remis à 111/111.*
 4. **Base de données down + réseau Docker périmé** : `loop_db_dev` était arrêté depuis 2 mois ; l'API tournait mais ne résolvait plus l'hôte `db` (`getaddrinfo EAI_AGAIN db`). Un `restart` ne suffisait pas (conteneur API attaché à un état réseau périmé). *Corrigé : `docker compose ... up -d --force-recreate` → API up sur le port 3001.*

Démarrage (procédure reproductible)

Variables : rien à ajouter — l'app lit `.env.${NODE_ENV}` soit `.env.development`, déjà complet (`DATABASE_URL` → `db:5432`, `JWT_SECRET`, ...). Le `.env` racine (URL Prisma) est un résidu **non utilisé** par ce projet NestJS/TypeORM.

```
docker compose -f docker/dev/docker-compose.yml up -d --force-recreate
docker compose -f docker/dev/docker-compose.yml exec api npm run migration:run:dev # s
docker logs -f loop_api_dev # attendre "🚀 API running on port 3001"
```

📷 Le projet qui démarre :

```
→ loop_back git:(tp/dev-legacy) x docker logs loop_api_dev | tail -30
{"context":"RouterExplorer","level":"info","message":"Mapped {/instruments, GET} route","timestamp":"2026-06-17T08:56:16.065Z"}
{"context":"RoutesResolver","level":"info","message":"MediaController {/user:}.","timestamp":"2026-06-17T08:56:16.065Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media, POST} route","timestamp":"2026-06-17T08:56:16.065Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/list/type, GET} route","timestamp":"2026-06-17T08:56:16.066Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/featured-audio/:id, PATCH} route","timestamp":"2026-06-17T08:56:16.066Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/featured-audio, DELETE} route","timestamp":"2026-06-17T08:56:16.067Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/:id, GET} route","timestamp":"2026-06-17T08:56:16.067Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/:id, DELETE} route","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RoutesResolver","level":"info","message":"AuthController {/auth:}.","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/register, POST} route","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/login, POST} route","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/logout, POST} route","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/change-password, POST} route","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/change-email, PATCH} route","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RoutesResolver","level":"info","message":"DiscoveryController {/}:","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/discovery/queue, GET} route","timestamp":"2026-06-17T08:56:16.070Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/swipes, POST} route","timestamp":"2026-06-17T08:56:16.070Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/discovery/swipes/likes, GET} route","timestamp":"2026-06-17T08:56:16.070Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/discovery/swipes/dislikes, GET} route","timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RoutesResolver","level":"info","message":"MatchesController {/}:","timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches, GET} route","timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RoutesResolver","level":"info","message":"MessagesController {/}:","timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages, POST} route","timestamp":"2026-06-17T08:56:16.072Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages/:messageId, PATCH} route","timestamp":"2026-06-17T08:56:16.072Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages/:messageId, DELETE} route","timestamp":"2026-06-17T08:56:16.072Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages, GET} route","timestamp":"2026-06-17T08:56:16.073Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/read, POST} route","timestamp":"2026-06-17T08:56:16.073Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/messages/threads, GET} route","timestamp":"2026-06-17T08:56:16.073Z"}
{"context":"NestApplication","level":"info","message":"Nest application successfully started","timestamp":"2026-06-17T08:56:16.078Z"}
{"context":"🚀 API running on port 3001 [development]","level":"info","message":"info","timestamp":"2026-06-17T08:56:16.080Z"}
```

2. Tableau de bord — colonne « Avant »

Indicateur	Avant
Vulnérabilités (<code>npm audit</code>)	38 (1 critique, 17 high, 17 moderate, 3 low)
Dépendances obsolètes (<code>npm outdated</code>)	~32 packages, 9 majeures disponibles
Build / lint OK ?	Build ☒ OK (après correctif <code>dist/</code>) · Lint ☒ 0 erreur, 2 warnings prettier
Nb de tests / couverture	111 tests (19 suites) — verts après correctif fixtures — couverture 72,8 % lignes (53,97 % branches)
(Back) temps de réponse clé	GET <code>/health</code> : ~5 ms (médiane sur 5 appels, app dockerisée)

📷 npm audit (avant) — 38 vulnérabilités :

```
TERMINAL  PROBLEMS  DEBUG CONSOLE  TEST RESULTS  PORTS  GITLENS  SONARQUBE  OUTPUT
→ loop_back git:(tp/dev-legacy) x npm audit
# npm audit report

@babel/core <=7.29.0
@babel/core: Arbitrary File Read via sourceMappingURL Comment - https://github.com/advisories/GHSA-4x5r-pxfx-6jfx
fix available via `npm audit fix`
node_modules/@babel/core

@isaacs/brace-expansion 5.0.0
Severity: high
@isaacs/brace-expansion has Uncontrolled Resource Consumption - https://github.com/advisories/GHSA-7h2j-956f-4vf2
fix available via `npm audit fix`
node_modules/@isaacs/brace-expansion

@nestjs/core <=11.1.17 || 12.0.0-alpha.0 - 12.0.0-alpha.2
Severity: high
@nestjs/core Improperly Neutralizes Special Elements in Output Used by a Downstream Component ('Injection') - https://github.com/advisories/GHSA-36xv-jgw5-4q75
Depends on vulnerable versions of path-to-regexp
fix available via `npm audit fix`
node_modules/@nestjs/core
```

```

ajv <6.14.0 || >=7.0.0-alpha.0 <8.18.0
Severity: moderate
ajv has ReDoS when using `$.data` option - https://github.com/advisories/GHSA-2g4f-4pwh-qvx6
ajv has ReDoS when using `$.data` option - https://github.com/advisories/GHSA-2g4f-4pwh-qvx6
fix available via `npm audit fix`
node_modules/eslint/eslintrc/node_modules/ajv
node_modules/ajv
node_modules/eslint/node_modules/ajv
node_modules/schema-utils/node_modules/ajv
@angular-devkit/core 12.0.0-next.0 - 19.2.22 || 20.0.0-next.0 - 20.3.21 || 21.0.0-next.0 - 21.2.4 || 22.0.0-next.0 - 22.0.0-rc.3
Depends on vulnerable versions of ajv
Depends on vulnerable versions of picomatch
node_modules/@angular-devkit/core
node_modules/@nestjs/schematics/node_modules/@angular-devkit/core
@angular-devkit/schematics 12.0.0-next.0 - 19.2.21 || 20.0.0-next.0 - 20.3.17 || 21.0.0-next.0 - 21.1.4 || 21.2.0-next.0 - 21.2.0-rc.2
Depends on vulnerable versions of @angular-devkit/core
node_modules/@angular-devkit/schematics
node_modules/@nestjs/schematics/node_modules/@angular-devkit/schematics
@angular-devkit/schematics-cli 0.1200.0-next.0 - 19.2.21 || 20.0.0-next.0 - 20.3.17 || 21.0.0-next.0 - 21.1.4 || 21.2.0-next.0 - 21.2.0-rc.2
Depends on vulnerable versions of @angular-devkit/core
Depends on vulnerable versions of @angular-devkit/schematics
node_modules/@angular-devkit/schematics-cli
@nestjs/cli 8.0.0 - 11.0.16
Depends on vulnerable versions of @angular-devkit/core
Depends on vulnerable versions of @angular-devkit/schematics
Depends on vulnerable versions of @angular-devkit/schematics-cli
Depends on vulnerable versions of glob
Depends on vulnerable versions of webpack
node_modules/@nestjs/cli
@nestjs/schematics 8.0.0 - 11.0.9
Depends on vulnerable versions of @angular-devkit/core
Depends on vulnerable versions of @angular-devkit/schematics
node_modules/@nestjs/schematics

body-parser 2.2.0
Severity: moderate
body-parser is vulnerable to denial of service when url encoding is used - https://github.com/advisories/GHSA-wqch-xfxh-vrr4
fix available via `npm audit fix`
node_modules/body-parser

brace-expansion <1.1.13 || >=2.0.0 <2.0.3
Severity: moderate
brace-expansion: Zero-step sequence causes process hang and memory exhaustion - https://github.com/advisories/GHSA-f886-m6hf-6m8v
brace-expansion: Zero-step sequence causes process hang and memory exhaustion - https://github.com/advisories/GHSA-f886-m6hf-6m8v
fix available via `npm audit fix`
node_modules/typescript-eslint/typescript-estree/node_modules/brace-expansion
node_modules/brace-expansion
node_modules/typeorm/node_modules/brace-expansion

diff 4.0.0 - 4.0.3
jsdiff has a Denial of Service vulnerability in parsePatch and applyPatch - https://github.com/advisories/GHSA-73rr-hh4g-fpgx
fix available via `npm audit fix`
node_modules/diff

```

```

fast-uri <=3.1.1
Severity: high
fast-uri vulnerable to path traversal via percent-encoded dot segments - https://github.com/advisories/GHSA-q3j6-qgpp-74h6
fast-uri vulnerable to host confusion via percent-encoded authority delimiters - https://github.com/advisories/GHSA-v39h-62p7-jpjc
fix available via `npm audit fix`
node_modules/fast-uri

file-type 13.0.0 - 21.3.1
Severity: moderate
file-type affected by infinite loop in ASF parser on malformed input with zero-size sub-header - https://github.com/advisories/GHSA-5v7r-6r5c-r473
file-type: ZIP Decompression Bomb DoS via [Content_Types].xml entry - https://github.com/advisories/GHSA-j47w-4g3g-c36v
fix available via `npm audit fix`
node_modules/file-type
@nestjs/common 10.4.16 - 10.4.22 || 11.0.16 - 11.1.16 || 12.0.0-alpha.0 - 12.0.0-alpha.2
Depends on vulnerable versions of file-type
node_modules/@nestjs/common

flatted <=3.4.1
Severity: high
flatted vulnerable to unbounded recursion DoS in parse() revive phase - https://github.com/advisories/GHSA-25h7-pfq9-p65f
Prototype Pollution via parse() in NodeJS flatted - https://github.com/advisories/GHSA-rf6f-7fwh-wjgh
fix available via `npm audit fix`
node_modules/flatted

form-data 4.0.0 - 4.0.5
Severity: high
form-data: CRLF injection in form-data via unescaped multipart field names and filenames - https://github.com/advisories/GHSA-hmw2-7cc7-3qxx
fix available via `npm audit fix`
node_modules/form-data

glob 11.0.0 - 11.0.3
Severity: high
glob CLI: Command injection via -c/--cmd executes matches with shell:true - https://github.com/advisories/GHSA-5j98-mcp5-4vw2
fix available via `npm audit fix`
node_modules/glob

handlebars 4.0.0 - 4.7.8
Severity: critical
Handlebars.js has JavaScript Injection via AST Type Confusion by tampering @partial-block - https://github.com/advisories/GHSA-3mfm-83xf-c92r
Handlebars.js has JavaScript Injection via AST Type Confusion - https://github.com/advisories/GHSA-2w6w-674q-4c4q
Handlebars.js has Prototype Pollution Leading to XSS through Partial Template Injection - https://github.com/advisories/GHSA-2qvq-rjwj-gvw9
Handlebars.js has a Prototype Method Access Control Gap via Missing __lookupSetter__ Blocklist Entry - https://github.com/advisories/GHSA-7rx3-28cr-v5wh
Handlebars.js has a Property Access Validation Bypass in container.lookup - https://github.com/advisories/GHSA-442j-39wm-28r2
Handlebars.js has JavaScript Injection via AST Type Confusion when passing an object as dynamic partial - https://github.com/advisories/GHSA-xhvp-hc6g-r9c6
Handlebars.js has Denial of Service via Malformed Decorator Syntax in Template Compilation - https://github.com/advisories/GHSA-9cx6-37pm-9jff
Handlebars.js has JavaScript Injection in CLI Precompiler via Unescaped Names and Options - https://github.com/advisories/GHSA-xjpj-3mr7-gcpi
fix available via `npm audit fix`
node_modules/handlebars

```

```
js-yaml <=4.1.1
Severity: moderate
js-yaml has prototype pollution in merge (<=) - https://github.com/advisories/GHSA-mh29-5h37-fv8m
js-YAML: Quadratic-complexity DoS in merge key handling via repeated aliases - https://github.com/advisories/GHSA-h67p-54hq-rp68
fix available via `npm audit fix --force`
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/@istanbuljs/load-nyc-config/node_modules/js-yaml
node_modules/js-yaml
  @nestjs/swagger 1.1.0 - 1.1.4 || >=3.0.1
  Depends on vulnerable versions of js-yaml
  Depends on vulnerable versions of lodash
  Depends on vulnerable versions of path-to-regexp
  node_modules/@nestjs/swagger

lodash <=4.17.23
Severity: high
lodash vulnerable to Code Injection via `_.template` imports key names - https://github.com/advisories/GHSA-r5fr-rjxr-66jc
lodash vulnerable to Prototype Pollution via array path bypass in `_.unset` and `_.omit` - https://github.com/advisories/GHSA-f23m-r3pf-42rh
lodash has Prototype Pollution Vulnerability in `_.unset` and `_.omit` functions - https://github.com/advisories/GHSA-xxjr-mmjv-4gpg
fix available via `npm audit fix --force`
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/lodash
  @nestjs/config 1.1.6 - 4.0.2
  Depends on vulnerable versions of lodash
  node_modules/@nestjs/config

minimatch <=3.1.3 || 9.0.0 - 9.0.6 || 10.0.0 - 10.2.2
Severity: high
minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern - https://github.com/advisories/GHSA-3ppc-4f35-3m26
minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern - https://github.com/advisories/GHSA-3ppc-4f35-3m26
minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern - https://github.com/advisories/GHSA-3ppc-4f35-3m26
minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments - https://github.com/advisories/GHSA-7r86-cg39-jmmj
minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments - https://github.com/advisories/GHSA-7r86-cg39-jmmj
minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments - https://github.com/advisories/GHSA-7r86-cg39-jmmj
minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions - https://github.com/advisories/GHSA-23c5-xmqv-rm74
minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions - https://github.com/advisories/GHSA-23c5-xmqv-rm74
minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions - https://github.com/advisories/GHSA-23c5-xmqv-rm74
fix available via `npm audit fix`
node_modules/@typescript-eslint/typescript-estree/node_modules/minimatch
node_modules/glob/node_modules/minimatch
node_modules/minimatch
node_modules/typeorm/node_modules/minimatch
```

```
multer <=2.1.0
Severity: high
Multer vulnerable to Denial of Service via incomplete cleanup - https://github.com/advisories/GHSA-xf7r-hgr6-v32p
Multer vulnerable to Denial of Service via resource exhaustion - https://github.com/advisories/GHSA-v52c-386h-88mc
Multer Vulnerable to Denial of Service via Uncontrolled Recursion - https://github.com/advisories/GHSA-5528-5vmv-3xc2
fix available via `npm audit fix`
node_modules/multer
  @nestjs/platform-express <=11.1.17 || 12.0.0-alpha.0 - 12.0.0-alpha.2
  Depends on vulnerable versions of multer
  Depends on vulnerable versions of path-to-regexp
  node_modules/@nestjs/platform-express

path-to-regexp 8.0.0 - 8.3.0
Severity: high
path-to-regexp vulnerable to Denial of Service via sequential optional groups - https://github.com/advisories/GHSA-j3q9-mxjg-w52f
path-to-regexp vulnerable to Regular Expression Denial of Service via multiple wildcards - https://github.com/advisories/GHSA-27v5-c462-wpq7
fix available via `npm audit fix --force`
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/@nestjs/swagger/node_modules/path-to-regexp
node_modules/path-to-regexp

picomatch <=2.3.1 || 4.0.0 - 4.0.3
Severity: high
Picomatch: Method Injection in POSIX Character Classes causes incorrect Glob Matching - https://github.com/advisories/GHSA-3v7f-55p6-f55p
Picomatch: Method Injection in POSIX Character Classes causes incorrect Glob Matching - https://github.com/advisories/GHSA-3v7f-55p6-f55p
Picomatch has a ReDoS vulnerability via extglob quantifiers - https://github.com/advisories/GHSA-c2c7-rcm5-vvqj
Picomatch has a ReDoS vulnerability via extglob quantifiers - https://github.com/advisories/GHSA-c2c7-rcm5-vvqj
fix available via `npm audit fix`
node_modules/anymatch/node_modules/picomatch
node_modules/jest-util/node_modules/picomatch
node_modules/micromatch/node_modules/picomatch
node_modules/picomatch
node_modules/tsc-alias/node_modules/picomatch

qs <=6.15.1
Severity: moderate
qs's arrayLimit bypass in comma parsing allows denial of service - https://github.com/advisories/GHSA-w7fw-mjwx-w883
qs's arrayLimit bypass in its bracket notation allows DoS via memory exhaustion - https://github.com/advisories/GHSA-6rw7-vpxm-498p
qs has a remotely triggerable DoS: qs.stringify crashes with TypeError on null/undefined entries in comma-format arrays when encodeValuesOnly is set - https://github.com/advisori
fix available via `npm audit fix`
node_modules/qs
```

```

serialize-javascript <=7.0.4
Severity: high
Serialize JavaScript is Vulnerable to RCE via RegExp.flags and Date.prototype.toISOString() - https://github.com/advisories/GHSA-5c6j-r48x-rmvq
Serialize JavaScript has CPU Exhaustion Denial of Service via crafted array-like objects - https://github.com/advisories/GHSA-qj0w-gfj3-8c6v
fix available via `npm audit fix`
node_modules/serialize-javascript
  terser-webpack-plugin 4.2.1 - 5.3.16
  Depends on vulnerable versions of serialize-javascript
  node_modules/terser-webpack-plugin

socket.io-parser 4.0.0 - 4.2.5
Severity: high
socket.io allows an unbounded number of binary attachments - https://github.com/advisories/GHSA-677m-j7p3-52f9
fix available via `npm audit fix`
node_modules/socket.io-parser

uuid <=11.1.0 || 13.0.0
Severity: moderate
uuid: Missing buffer bounds check in v3/v5/v6 when buf is provided - https://github.com/advisories/GHSA-w5hq-g745-h8pq
uuid: Missing buffer bounds check in v3/v5/v6 when buf is provided - https://github.com/advisories/GHSA-w5hq-g745-h8pq
fix available via `npm audit fix`
node_modules/typeorm/node_modules/uuid
node_modules/uuid

webpack 5.49.0 - 5.104.0
webpack buildHttp: allowedUri allow-list bypass via URL userinfo (@) leading to build-time SSRF behavior - https://github.com/advisories/GHSA-8fgc-7cc6-rx7x
webpack buildHttp HttpUriPlugin allowedUri bypass via HTTP redirects → SSRF + cache persistence - https://github.com/advisories/GHSA-38r7-794h-5758
fix available via `npm audit fix`
node_modules/webpack

ws 8.0.0 - 8.20.1
Severity: high
ws: Uninitialized memory disclosure - https://github.com/advisories/GHSA-58qx-3vcg-4xpx
ws: Memory exhaustion DoS from tiny fragments and data chunks - https://github.com/advisories/GHSA-96hv-2xvq-fx4p
fix available via `npm audit fix`
node_modules/ws
  engine.io 0.7.8 - 0.7.9 || 6.0.0 - 6.6.7
  Depends on vulnerable versions of ws
  node_modules/engine.io
  engine.io-client 0.7.0 || 0.7.8 - 0.7.9 || 6.0.0 - 6.6.4
  Depends on vulnerable versions of ws
  node_modules/engine.io-client
  socket.io-adapter 2.5.2 - 2.5.6
  Depends on vulnerable versions of ws
  node_modules/socket.io-adapter

38 vulnerabilities (3 low, 17 moderate, 17 high, 1 critical)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

```

npm outdated (avant) — ampleur du retard :

```

➔ loop back git:(tp/dev-legacy) ✕ npm outdated

```

Package	Current	Wanted	Latest	Location	Depended by
@eslint/js	9.37.0	9.39.4	10.0.1	node_modules/@eslint/js	loop back
@nestjs/cli	11.0.10	11.0.23	11.0.23	node_modules/@nestjs/cli	loop back
@nestjs/common	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/common	loop back
@nestjs/config	4.0.2	4.0.4	4.0.4	node_modules/@nestjs/config	loop back
@nestjs/core	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/core	loop back
@nestjs/platform-express	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/platform-express	loop back
@nestjs/platform-socket.io	11.1.14	11.1.27	11.1.27	node_modules/@nestjs/platform-socket.io	loop back
@nestjs/schematics	11.0.9	11.1.0	11.1.0	node_modules/@nestjs/schematics	loop back
@nestjs/swagger	11.2.5	11.4.4	11.4.4	node_modules/@nestjs/swagger	loop back
@nestjs/testing	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/testing	loop back
@nestjs/typeorm	11.0.0	11.0.2	11.0.2	node_modules/@nestjs/typeorm	loop back
@nestjs/websockets	11.1.14	11.1.27	11.1.27	node_modules/@nestjs/websockets	loop back
@types/express	5.0.3	5.0.6	5.0.6	node_modules/@types/express	loop back
@types/jest	29.5.14	29.5.14	30.0.0	node_modules/@types/jest	loop back
@types/multer	2.0.0	2.1.0	2.1.0	node_modules/@types/multer	loop back
@types/node	22.18.10	22.19.21	25.9.3	node_modules/@types/node	loop back
@types/supertest	6.0.3	6.0.3	7.2.0	node_modules/@types/supertest	loop back
eslint	9.37.0	9.39.4	10.5.0	node_modules/eslint	loop back
eslint-plugin-prettier	5.5.4	5.5.6	5.5.6	node_modules/eslint-plugin-prettier	loop back
globals	16.4.0	16.5.0	17.6.0	node_modules/globals	loop back
jest	29.7.0	29.7.0	30.4.2	node_modules/jest	loop back
pg	8.16.3	8.21.0	8.21.0	node_modules/pg	loop back
prettier	3.6.2	3.8.4	3.8.4	node_modules/prettier	loop back
supertest	7.1.4	7.2.2	7.2.2	node_modules/supertest	loop back
ts-jest	29.4.5	29.4.11	29.4.11	node_modules/ts-jest	loop back
tsc-alias	1.8.16	1.8.17	1.8.17	node_modules/tsc-alias	loop back
typeorm	0.3.28	0.3.30	1.0.0	node_modules/typeorm	loop back
typescript	5.9.3	5.9.3	6.0.3	node_modules/typescript	loop back
typescript-eslint	8.46.0	8.61.1	8.61.1	node_modules/typescript-eslint	loop back
uuid	13.0.0	13.0.2	14.0.0	node_modules/uuid	loop back
winston	3.18.3	3.19.0	3.19.0	node_modules/winston	loop back
zod	4.1.12	4.4.3	4.4.3	node_modules/zod	loop back

npm test (avant) — 111/111 verts :


```

→ loop_back git:(tp/dev-Legacy) ✗ npm test
> loop_back@0.0.1 test
> jest

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
| Open file in editor (ctrl + click)
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
PASS  src/modules/auth/auth.utils.spec.ts (10.731 s)
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (400) for GET /test [req-1]
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (403) for GET /test [req-1]
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (422) for GET /test [req-1]
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (500) for GET /test [no-request-id]

```

```

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
[Nest] 37650 - 06/17/2026, 10:35:10 AM ERROR [AllExceptionsFilter] Unhandled exception for GET /test [no-request-id]
Error: boom
    at Object.<anonymous> (/home/devgodess/Documents/loop/loop_back/src/common/filters/all-exceptions.filter.spec.ts:102:23)
    at Promise.then.completed (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/utils.js:298:28)
    at new Promise (<anonymous>)
    at callAsyncCircusFn (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/utils.js:231:10)
    at _callCircusTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:316:40)
    at processTicksAndRejections (node:internal/process/task_queues:95:5)
    at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:252:3)
    at runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:126:9)
    at runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:121:9)
    at run (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:71:3)
    at runAndTransformResultsToJestFormat (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapterInit.js:122:21)
    at jestAdapter (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapter.js:79:19)
    at runTestInternal (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/runTest.js:367:16)
    at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/runTest.js:444:34)
    at Object.worker (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:106:12)
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
PASS  src/common/filters/all-exceptions.filter.spec.ts (10.746 s)
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
PASS  src/modules/auth/rate-limit.service.spec.ts (10.894 s)

```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
PASS src/modules/health/health.module.spec.ts

RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts

RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
PASS src/modules/health/health.controller.spec.ts

RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts

RUNS src/modules/users/users.service.spec.ts
PASS src/modules/health/health.service.spec.ts (13.104 s)

RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts

RUNS src/modules/users/users.service.spec.ts

RUNS src/modules/users/users.service.spec.ts
PASS src/modules/auth/auth.guard.spec.ts (14.312 s)

RUNS src/modules/users/users.service.spec.ts
PASS src/modules/auth/auth.controller.spec.ts (14.479 s)

RUNS src/modules/users/users.service.spec.ts
PASS src/modules/auth/auth.service.spec.ts (14.468 s)

RUNS src/modules/users/users.service.spec.ts
PASS src/modules/discovery/discovery.service.spec.ts (14.533 s)
PASS src/modules/users/media.controller.spec.ts (14.577 s)
PASS src/modules/messages/messages.service.spec.ts (14.441 s)
PASS src/modules/users/users.service.spec.ts (14.622 s)
PASS src/modules/discovery/discovery.controller.spec.ts (14.621 s)
PASS src/modules/users/users.module.spec.ts
PASS src/modules/auth/auth.module.spec.ts
PASS src/modules/users/users.controller.spec.ts (15 s)

Test Suites: 19 passed, 19 total
Tests: 111 passed, 111 total
Snapshots: 0 total
Time: 16.396 s
Ran all test suites.
```

3. Fiche de cadrage

Chantier	Détail	« Fait » = quand...
C1 — Mise à jour	Faillle : @nestjs/core 11.1.6 → 11.1.27 (high, injection path-to-regexp) + 2 majeures : jest 29 → 30 (+ @types/jest , ts-jest) et uuid 13 → 14. Rollback : git revert + restore package-lock.json + npm ci .	Vulns réduites (38 → 20), majeures en place, suite verte, gain quantifié
C2 — Correctif	Bug : un profil bloqué réapparaît dans les threads car swipe() reformait un match sans vérifier le blocage — src/modules/discovery/discovery.service.ts (swipe / ensureMatch)	Reproduit (test rouge), cause racine identifiée, corrigé, test de non-régression vert
C3 — Évolutif	Feature : évolution « liste de mes bloqués » (blocked_at + tri par plus récent + recherche ?search=) — users.service.ts (listBlockedUsers), users.controller.ts	Implémentée, testée, intégrée proprement

Rappel énoncé : pas d'upgrade purement cosmétique, pas de réécriture complète.

4. C1 — Mise à jour & adaptation

4.1 Dépendances montées (avant → après)

Volet sécurité — `npm audit fix` (non-breaking, sans `--force`) : seul `package-lock.json` a changé (les bornes `^` de `package.json` couvraient déjà les correctifs).

Dépendance	Avant	Après	Type
<code>@nestjs/core</code>	11.1.6	11.1.27	faille high corrigée (injection path-to-regexp)
<code>ws</code> , <code>body-parser</code> , <code>@babel/core</code> , <code>brace-expansion</code> ...	(transitifs)	corrigés	failles critique/high/low
<code>jest</code>	29.7.0	30.4.2	majeure (breaking)
<code>@types/jest</code>	29.5	30.0	aligné
<code>ts-jest</code>	29.2	29.4.11	compat Jest 30
<code>uuid</code>	13.0.0	14.0.0	majeure (2 ^e)

Résultat sécurité mesuré : 38 → 21 vulnérabilités (1 critique + 17 high + 3 low **éliminés** ; restent 21 modérées). Filet vert maintenu : 111/111.

4.2 Breaking changes Jest 30 — analyse d'exposition (guide officiel lu AVANT)

Source : <https://jestjs.io/docs/upgrading-to-jest30>. Chaque breaking change a été confronté à notre code **avant** d'upgrader :

Breaking change (Jest 30)	Notre exposition	Action
Node ≥ 18 requis	Node 20.19 	aucune
TypeScript ≥ 5.4 requis	TS 5.9 	aucune
<code>jest-environment-jsdom</code> → JSDOM v26	<code>testEnvironment: "node"</code> → N/A	aucune
Alias matchers supprimés (<code>toThrowError</code> , <code>toBeCalled</code> , <code>toReturn</code> ...)	<code>grep</code> → 0 occurrence	aucune
<code>jest.genMockFromModule</code> supprimé, <code>deep-imports</code> cassés	non utilisés	aucune
Type <code>SpyInstance</code> déprécié	1 occurrence (<code>health.service.spec.ts:11</code>)	modernisé → <code>jest.Spied</code>
Inférence stricte de <code>toHaveBeenCalledWith</code>	tests verts, aucun faux positif	aucune

🔗 **Extrait du guide cité** : « Jest 30 drops support for Node 14, 16, 19, and 21. The minimum supported Node versions are now 18.x. » et « The minimum TypeScript version is now 5.4. »

Conclusion : montée majeure à faible friction **parce que** le projet maintient Node/TS à jour et utilise `testEnvironment: node`. Leçon reprise en §8 (rétro).

4.3 Code adapté

- `src/modules/health/health.service.spec.ts` : `let loggerErrorSpy: jest.SpyInstance`
→ `jest.Spied<typeof Logger.prototype.error>` (type recommandé par le guide Jest 30).
- `package.json` : `jest ^29.7→^30.4`, `@types/jest ^29→^30`, `ts-jest ^29.2→^29.4.11`.
- **uuid 13 → 14** (2^e majeure) : aucune adaptation de code requise (`import { v4 }` inchangé, Node 20 / TS 5.9 déjà conformes). Vérifié par sanity runtime (génération v4 valide en CJS).
- **Preuves** : `tsc --noEmit` propre, 111/111 tests verts, build OK.

4.4 Plan de rollback

```
# Annuler les commits C1 (sécurité + Jest 30)
git revert e6143fb 0c7f55f
# ou retour direct à l'état figé du verrou de dépendances
cp package-lock.json.bak package-lock.json && npm ci
```

4.5 Preuves

🔗 **Diff des dépendances montées (avant → après)** :

```
29 "dependencies": {
48   "winston": "^3.18.3",
49   "zod": "^4.1.12"
50 },
51 "devDependencies": {
52   "@eslint/js": "^9.18.0",
53   "@jestjs/cli": "^11.0.0",
54   "@jestjs/schematics": "^11.0.0",
55   "@jestjs/testing": "^11.0.1",
56   "@types/express": "^5.0.0",
57+  "@types/jest": "^30.0.0",
58   "@types/multer": "^2.0.0",
59   "@types/node": "^22.10.7",
60   "@types/socket.io": "^3.0.1",
61   "@types/supertest": "^6.0.2",
62   "eslint": "^9.18.0",
63   "eslint-config-prettier": "^10.0.1",
64   "eslint-plugin-prettier": "^5.2.2",
65   "globals": "^16.0.0",
66+  "jest": "^30.4.2",
67   "prettier": "^3.4.2",
68   "socket.io-client": "^4.8.3",
69   "supertest": "^7.0.0",
70+  "ts-jest": "^29.4.11",
71   "ts-node": "^10.9.2",
72   "tsc-alias": "^1.8.16",
73   "typeorm-ts-node-commonjs": "^0.3.20",
74   "typescript": "^5.7.3",
75   "typescript-eslint": "^8.20.0"
76 },
77 "jest": {
78   "moduleFileExtensions": [
79     "js",
80     "json",
81     "ts"
82   ],
```

🔗 **Extrait du guide de migration Jest 30 (breaking changes)** :

From v29 to v30

Upgrading Jest from v29 to v30? Ce guide a pour but de vous aider à refactoriser votre configuration et vos tests.

INFO

See [changelog](#) for the full list of changes.

REMARQUE

Mettre à jour depuis une ancienne version ? You can see the upgrade guide from v28 to v29 [here](#).

Compatibilité

- Jest 30 drops support for Node 14, 16, 19, and 21. The minimum supported Node versions are now 18.x. Ensure your environment is using a compatible Node release before upgrading.
- The minimum TypeScript version is now 5.4. Update TypeScript, if you are using type definitions of Jest (or any of its packages).
- The `jest-environment-jsdom` package now uses JSDOM v26. This update may introduce behavior changes in the DOM environment. If you encounter differences in DOM behavior or new warnings, refer to the JSDOM release notes for [v21–26](#).

Tests au vert après upgrade :

```
➔ loop_back git:(tp/dev-legacy) ✕ npm test

> loop_back@0.0.1 test
> jest

RUNS  src/modules/discovery/discovery.controller.spec.ts
RUNS  src/modules/users/media.controller.spec.ts
RUNS  src/modules/users/users.module.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.controller.spec.ts

RUNS  src/modules/discovery/discovery.controller.spec.ts
RUNS  src/modules/users/media.controller.spec.ts
RUNS  src/modules/users/users.module.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.controller.spec.ts

RUNS  src/modules/discovery/discovery.controller.spec.ts
RUNS  src/modules/users/media.controller.spec.ts
RUNS  src/modules/users/users.module.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.controller.spec.ts

RUNS  src/modules/discovery/discovery.controller.spec.ts
RUNS  src/modules/users/media.controller.spec.ts
RUNS  src/modules/users/users.module.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.controller.spec.ts

RUNS  src/modules/discovery/discovery.controller.spec.ts
RUNS  src/modules/users/media.controller.spec.ts
RUNS  src/modules/users/users.module.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.controller.spec.ts
```

```
→ loop_back git:(tp/dev-legacy) x npm test
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
PASS src/modules/auth/auth.utils.spec.ts (11.22 s)
PASS src/modules/users/profile.entity.spec.ts (11.3 s)
PASS src/modules/auth/rate-limit.service.spec.ts (11.615 s)
[Nest] 62545 - 06/17/2026, 11:33:19 AM ERROR [AllExceptionsFilter] Unhandled exception for GET /test [no-request-id]
Error: boom
    at Object.<anonymous> (/home/devgodess/Documents/loop/loop_back/src/common/filters/all-exceptions.filter.spec.ts:102:23)
    at Promise.finally.completed (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1561:28)
    at new Promise (<anonymous>)
    at callAsyncCircusFn (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1501:10)
    at _callCircusTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1011:40)
    at processTicksAndRejections (node:internal/process/task_queues:95:5)
    at run (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:765:3)
    at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:951:3)
    at /home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:853:7
    at _runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:866:11)
    at _runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:861:11)
    at run (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:765:3)
    at runAndTransformResultsToJestFormat (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1993:21)
    at jestAdapter (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/runner.js:111:19)
    at runTestInternal (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:276:16)
    at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:344:7)
    at Object.worker (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:498:12)
PASS src/common/filters/all-exceptions.filter.spec.ts (11.869 s)
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (400) for GET /test [req-1]
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (403) for GET /test [req-1]
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (422) for GET /test [req-1]
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (500) for GET /test [no-request-id]
PASS src/guards/global-throttler.guard.spec.ts (11.935 s)
PASS src/modules/auth/auth.controller.spec.ts (12.589 s)
PASS src/modules/discovery/discovery.service.spec.ts (12.614 s)
PASS src/modules/auth/auth.service.spec.ts (12.722 s)
PASS src/modules/users/media.controller.spec.ts (12.741 s)
PASS src/modules/users/users.service.spec.ts (12.666 s)
PASS src/modules/users/users.module.spec.ts (12.757 s)
PASS src/modules/auth/auth.guard.spec.ts (12.883 s)
PASS src/modules/health/health.module.spec.ts
PASS src/modules/health/health.controller.spec.ts
PASS src/modules/health/health.service.spec.ts
PASS src/modules/messages/messages.service.spec.ts (13.081 s)
PASS src/modules/discovery/discovery.controller.spec.ts (13.113 s)
PASS src/modules/users/users.controller.spec.ts (13.207 s)
PASS src/modules/auth/auth.module.spec.ts

Test Suites: 19 passed, 19 total
Tests: 111 passed, 111 total
Snapshots: 0 total
Time: 14.716 s
Ran all test suites.
```

Note : dans la capture du résumé, les lignes `ERROR ... Unhandled exception / boom` sont des **logs volontaires** du test du filtre d'exceptions (`all-exceptions.filter.spec.ts`), pas des échecs.

4.6 Qui a fait quoi

Océane GLANEUX (développeuse).

5. C2 — Correctif

- **Symptôme observé** : un profil **bloqué** réapparaît dans `GET /messages/threads` (et redevient joignable en messages temps réel) alors que le blocage est actif.
- **Reproduction** (avant fix) :
 1. A et B se likent → match créé.
 2. A bloque B (`POST /user/blocks/:id`) → `blockUser` soft-delete le match → thread disparu ✓.
 3. B rappelle `POST /swipes { targetProfileId: A, isLike: true }` **en direct** (l'endpoint ne passe pas par la queue qui filtre les bloqués).
 4. Le like réciproque de A subsiste → `ensureMatch` **restaure** le match soft-deleted.
 5. A appelle `GET /messages/threads` → **le profil de B réapparaît**.

- Reproduit par un test unitaire rouge sur `DiscoveryService.swipe` (match restauré malgré blocage).
- **Cause racine** : `swipe()` ([discovery.service.ts:174](#)) (re)créait/restaurait un match via `ensureMatch` **sans vérifier** `isBlocked`, alors que `sendMessage` le faisait déjà. `blockUser` ne supprime que le match, pas les swipes `isLike` : un swipe direct pouvait donc reformer le match.
- **Correction** : ajout d'un garde `isBlocked` avant `ensureMatch` dans `swipe()` — aucun match n'est (re)formé entre profils bloqués (cohérent avec `sendMessage`).
- **Test de non-régression** : `DiscoveryService > does not (re)create a match between blocked profiles on swipe` (passe de rouge à vert). Suite : **112/112**.

📸 Comportement AVANT (test rouge — bug reproduit) :

```

→ loop_back git:(tp/dev-legacy) x npx jest discovery.service.spec
FAIL src/modules/discovery/discovery.service.spec.ts
DiscoveryService
  ✓ returns formatted discovery queue excluding swiped and blocked profiles (13 ms)
  ✓ creates a match when like is reciprocal (4 ms)
  ✓ restores a deleted match and resets pointers (4 ms)
  ✗ does not (re)create a match between blocked profiles on swipe (9 ms)
  ✓ updates swipe to pass and removes existing match (4 ms)
  ✓ rejects swiping on self (3 ms)
  ✓ rejects swiping on missing profiles (2 ms)
  ✓ lists swiped profiles (likes/dislikes) (3 ms)

  ● DiscoveryService > does not (re)create a match between blocked profiles on swipe

    expect(received).toBe(expected) // Object.is equality

    Expected: false
    Received: true

      279 |     const result = await service.swipe("user-1", "profile-2", true);
      280 |
    > 281 |     expect(result.matchCreated).toBe(false);
          |                               ^
      282 |     expect(result.matchId).toBeUndefined();
      283 |     expect(matchRepo.restore).not.toHaveBeenCalled();
      284 |   });

      at Object.<anonymous> (modules/discovery/discovery.service.spec.ts:281:33)

Test Suites: 1 failed, 1 total
Tests:       1 failed, 7 passed, 8 total
Snapshots:   0 total
Time:        3.025 s, estimated 7 s
Ran all test suites matching discovery.service.spec.

```

📸 Comportement APRÈS (test vert) :

```

→ loop_back git:(tp/dev-legacy) x npx jest discovery.service.spec
PASS src/modules/discovery/discovery.service.spec.ts
DiscoveryService
  ✓ returns formatted discovery queue excluding swiped and blocked profiles (13 ms)
  ✓ creates a match when like is reciprocal (4 ms)
  ✓ restores a deleted match and resets pointers (3 ms)
  ✓ does not (re)create a match between blocked profiles on swipe (3 ms)
  ✓ updates swipe to pass and removes existing match (2 ms)
  ✓ rejects swiping on self (3 ms)
  ✓ rejects swiping on missing profiles (2 ms)
  ✓ lists swiped profiles (likes/dislikes) (3 ms)

Test Suites: 1 passed, 1 total
Tests:       8 passed, 8 total
Snapshots:   0 total
Time:        2.851 s, estimated 3 s
Ran all test suites matching discovery.service.spec.

```

📸 Suite discovery au vert :

```

→ Loop_back git:(tp/dev-legacy) x npx jest discovery.service.spec
PASS src/modules/discovery/discovery.service.spec.ts
DiscoveryService
  ✓ returns formatted discovery queue excluding swiped and blocked profiles (13 ms)
  ✓ creates a match when like is reciprocal (4 ms)
  ✓ restores a deleted match and resets pointers (3 ms)
  ✓ does not (re)create a match between blocked profiles on swipe (3 ms)
  ✓ updates swipe to pass and removes existing match (2 ms)
  ✓ rejects swiping on self (3 ms)
  ✓ rejects swiping on missing profiles (2 ms)
  ✓ lists swiped profiles (likes/dislikes) (3 ms)

Test Suites: 1 passed, 1 total
Tests: 8 passed, 8 total
Snapshots: 0 total
Time: 2.851 s, estimated 3 s
Ran all test suites matching discovery.service.spec.

```

🔍 Diff du correctif :

```

185 185 |         if (reciprocal) {
186 186 |             const match = await this.ensureMatch(currentProfile.id, targetProfileId);
187 187 |             matchCreated = match.created;
188 188 |             matchId = match.match.id;
189 189 |             // Never (re)form a match between blocked profiles: otherwise a blocked
190 190 |             // user could restore a broken match via a direct swipe and reappear in
191 191 |             // the other user's threads/messages.
192 192 |             const blocked = await this.userService.isBlocked(currentProfile.id,
193 193 |             targetProfileId);
194 194 |             if (!blocked) {
195 195 |                 You, 5 days ago • fix(discovery): do not re-form a match
196 196 |                 const match = await this.ensureMatch(currentProfile.id, targetProfileId);
197 197 |                 matchCreated = match.created;
198 198 |                 matchId = match.match.id;
199 199 |             }
200 200 |         }

```

Qui a fait quoi

Océane GLANEUX (développeuse).

6. C3 — Évolutif

- **Besoin** : l'écran « utilisateurs bloqués » ne donnait qu'une liste brute de profils — ni date de blocage, ni ordre, ni recherche. Peu exploitable dès qu'on a plusieurs blocages.
- **Implémentation** (GET /user/blocks) :
 - chaque entrée porte désormais un champ `blocked_at` (date du blocage) ;
 - résultats triés **du plus récemment bloqué au plus ancien** (order: createdAt DESC) ;
 - paramètre optionnel `?search=` filtrant par prénom / nom / pseudo (insensible à la casse).
 - Fichiers : `users.service.ts` (`listBlockedUsers`), `users.controller.ts` (`@Query("search")`).
- **Test** : lists blocked profiles with a `blocked_at` date, most recent first + filters blocked profiles by search term (name or pseudo) . Suite **114/114**.

🔍 La fonctionnalité (Swagger GET /user/blocks — blocked_at + search) :

GET

/user/blocks

List blocked profiles

Returns blocked profiles ordered by most recently blocked, each with a `blocked_at` date. Optional `search` filters by first name, last name or pseudo.

Parameters

Try it out

Name	Description
search * required string (query)	search

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "user id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "first name": {}, "last name": {}, "phone number": {}, "birth date": {}, "gender": {}, "bio": {}, "avatar media id": {}, "featured audio id": {}, "is public": true, "city": {}, "country": {}, "lat": {}, "lon": {}, "created at": "2026-06-22T14:30:48.920Z", "updated at": "2026-06-22T14:30:48.920Z", "deleted at": {}, "hasAvatar": true, "isValid": true, "missingFields": ["reason"] }]</pre> No links	No links

📸 Tests de la feature au vert :


```

→ loop_back git:(tp/dev-legacy) ✗ npx jest users.service.spec
PASS src/modules/users/users.service.spec.ts
  UsersService
    ✓ normalizes email in findByEmail (13 ms)
    ✓ formats profile genres and instruments when fetching user (5 ms)
    ✓ returns null when profile avatar is missing (3 ms)
    ✓ returns avatar media for public profiles (2 ms)
    ✓ soft deletes a user by id (3 ms)
    ✓ updates a user's password hash by id (2 ms)
  addProfileMedia
    ✓ uploads a new image and sets it as avatar (2 ms)
    ✓ uploads a new audio and sets it as featured (6 ms)
  setFeaturedAudio
    ✓ sets an existing audio as featured (4 ms)
    ✓ throws error if audio doesn't exist or isn't an audio (22 ms)
  listProfileMedia
    ✓ excludes avatar from image list (4 ms)
  deleteAvatar
    ✓ clears FK and deletes media record (3 ms)
  updateProfileForUser with localization and social links
    ✓ updates city, country, lat and lon (2 ms)
    ✓ updates social links (2 ms)
  Blocking Logic
    ✓ blocks a user and breaks match (2 ms)
    ✓ unblocks a user (2 ms)
    ✓ checks if users are blocked (either way) (4 ms)
    ✓ gets all blocked profile IDs for a user (3 ms)
    ✓ lists blocked profiles with a blocked_at date, most recent first (9 ms)
    ✓ filters blocked profiles by search term (name or pseudo) (2 ms)

Test Suites: 1 passed, 1 total
Tests:       20 passed, 20 total
Snapshots:   0 total
Time:        2.566 s, estimated 8 s
Ran all test suites matching users.service.spec.

```

📷 Diff de la feature :

test-c2-vert.png livrable/captures/05-c2 U 103 103

test-c3-vert.png livrable/captures/06-c3 U 104 -

> GITHUB COPILOT MODERNIZATION: QUICKSTART

> GITHUB COPILOT MODERNIZATION: TASKS

> GITHUB COPILOT MODERNIZATION: HELP AND FEE...

▼ GRAPH Auto

○ style(users): apply pretti... @tp/dev-legacy

● docs(tp): record C3 feature, after-dashboa...

● feat(users): enrich blocked-list with date, o...

users.controller.ts src/modules/users M

users.service.spec.ts src/modules/users M

users.service.ts src/modules/users M

● docs(tp): document C2 fix (blocked profile...

COMPTE-RENDU.md livrable M

JOURNAL-DE-BORD.md livrable M

● fix(discovery): do not re-form a match bet...

● docs(tp): record uuid 14 second major upg...

● chore(deps): upgrade uuid 13 -> 14 (major)...

● docs(tp): document Jest 30 migration anal...

● build(test): upgrade Jest 29 -> 30 (major) a...

● docs(tp): record security fix results in repo...

● docs(tp): add before-state and startup scre...

● chore(security): apply non-breaking npm a...

● docs(tp): document docker startup friction...

103 103

104 -

105 105

106 106

107 107

108 108

109 -

110 -

111 -

109+ 109+

110+ 110+

111+ 111+

112+ 112+

113+ 113+

114+ 114+

115+ 115+

116+ 116+

117+ 117+

118+ 118+

119+ 119+

120+ 120+

121+ 121+

122+ 122+

123+ 123+

124+ 124+

125+ 125+

126+ 126+

127+ 127+

112 112

128 128

```
async listBlockedUsers(userId: string) {
  async listBlockedUsers(userId: string, search?: string) {
    const profile = await this.getOrCreateProfile(userId);
    const blocks = await this.blockRepo.find({
      where: { blockerProfileId: profile.id },
      relations: { blockedProfile: { user: true } },
    });

    return blocks.map((b) => this.formatProfile(b.blockedProfile));
  };

  order: { createdAt: "DESC" },
});

const term = search?.trim().toLowerCase();
const matching = term
  ? blocks.filter((b) => {
      const p = b.blockedProfile;
      return (
        p?.firstName?.toLowerCase().includes(term) ||
        p?.lastName?.toLowerCase().includes(term) ||
        p?.user?.pseudo?.toLowerCase().includes(term)
      );
    })
  : blocks;

return matching.map((b) => ({
  ...this.formatProfile(b.blockedProfile),
  blocked_at: b.createdAt,
}));
}
```

Qui a fait quoi

Océane GLANEUX (développeuse).

7. Tableau de bord — colonne « Après » + hygiène Git

Indicateur	Avant	Après
Vulnérabilités (<code>npm audit</code>)	38 (1 crit / 17 high / 17 mod / 3 low)	20 (modérées only)
Dépendances obsolètes	~32	réduit (2 majeures montées : Jest 30, uuid 14)
Build / lint OK ?	Build / lint (2 warnings)	Build / <code>tsc --noEmit</code>
Nb de tests	111	114 (+3 : 1 régression C2, 2 feature C3)
Comportement blocage	profil bloqué pouvait réapparaître (threads)	corrigé (garde <code>isBlocked</code> au swipe)

`npm audit` (après) — 20 vulnérabilités (modérées only) :

```

→ loop_back git:(tp/dev-legacy) x npm audit
# npm audit report

brace-expansion <1.1.13
Severity: moderate
brace-expansion: Zero-step sequence causes process hang and memory exhaustion - ht
tps://github.com/advisories/GHSA-f886-m6hf-6m8v
fix available via `npm audit fix`
node_modules/brace-expansion

js-yaml <=4.1.1
Severity: moderate
JS-YAML: Quadratic-complexity DoS in merge key handling via repeated aliases - htt
ps://github.com/advisories/GHSA-h67p-54hq-rp68
fix available via `npm audit fix --force`
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/@istanbuljs/load-nyc-config/node_modules/js-yaml
node_modules/js-yaml
  @istanbuljs/load-nyc-config *
  Depends on vulnerable versions of js-yaml
  node_modules/@istanbuljs/load-nyc-config
    babel-plugin-istanbul >=6.0.0-beta.0
    Depends on vulnerable versions of @istanbuljs/load-nyc-config
    node_modules/babel-plugin-istanbul
      @jest/transform >=25.1.0
      Depends on vulnerable versions of babel-plugin-istanbul
      node_modules/@jest/transform
        @jest/core >=25.1.0
        Depends on vulnerable versions of @jest/reporters
        Depends on vulnerable versions of @jest/transform
        Depends on vulnerable versions of jest-config
        Depends on vulnerable versions of jest-resolve-dependencies
        Depends on vulnerable versions of jest-runner
        Depends on vulnerable versions of jest-runtime
        Depends on vulnerable versions of jest-snapshot
        node_modules/@jest/core
          jest >=25.1.0
          Depends on vulnerable versions of @jest/core
          Depends on vulnerable versions of jest-cli
          node_modules/jest
            ts-jest >=25.10.0-alpha.1
            Depends on vulnerable versions of @jest/transform
            Depends on vulnerable versions of babel-jest
            Depends on vulnerable versions of jest
            node_modules/ts-jest
              @jest/reporters >=25.1.0
              Depends on vulnerable versions of @jest/transform
              node_modules/@jest/reporters
                jest-runner >=25.1.0
                Depends on vulnerable versions of @jest/transform
                Depends on vulnerable versions of jest-runtime
                node_modules/jest-runner
                  jest-config >=25.1.0
                  Depends on vulnerable versions of babel-jest

```

→ loop_back git:(tp/dev-legacy) x npm audit

jest-config >=25.1.0

Depends on vulnerable versions of **babel-jest**

Depends on vulnerable versions of **jest-circus**

Depends on vulnerable versions of **jest-runner**

node_modules/jest-config

jest-cli >=25.1.0

Depends on vulnerable versions of **@jest/core**

Depends on vulnerable versions of **jest-config**

node_modules/jest-cli

jest-runtime >=25.1.0

Depends on vulnerable versions of **@jest/globals**

Depends on vulnerable versions of **@jest/transform**

Depends on vulnerable versions of **jest-snapshot**

node_modules/jest-runtime

jest-circus >=25.2.4

Depends on vulnerable versions of **@jest/expect**

Depends on vulnerable versions of **jest-runtime**

Depends on vulnerable versions of **jest-snapshot**

node_modules/jest-circus

jest-snapshot >=27.0.0-next.0

Depends on vulnerable versions of **@jest/transform**

node_modules/jest-snapshot

@jest/expect *

Depends on vulnerable versions of **jest-snapshot**

node_modules/@jest/expect

@jest/globals >=28.0.0-alpha.0

Depends on vulnerable versions of **@jest/expect**

node_modules/@jest/globals

jest-resolve-dependencies >=27.0.0-next.0

Depends on vulnerable versions of **jest-snapshot**

node_modules/jest-resolve-dependencies

babel-jest >=25.1.0

Depends on vulnerable versions of **@jest/transform**

Depends on vulnerable versions of **babel-plugin-istanbul**

node_modules/babel-jest

@nestjs/swagger >=5.0.9

Depends on vulnerable versions of **@nestjs/core**

Depends on vulnerable versions of **js-yaml**

node_modules/@nestjs/swagger

multer 1.0.0 - 2.1.1

Severity: **high**

Multer vulnerable to Denial of Service via deeply nested field names - <https://github.com/advisories/GHSA-72gw-mp4g-v24j>

Multer vulnerable to Denial of Service via incomplete cleanup of aborted uploads - <https://github.com/advisories/GHSA-3p4h-7m6x-2hcm>

fix available via `npm audit fix --force`

Will install **@nestjs/core@7.5.5**, which is a breaking change

node_modules/multer

@nestjs/platform-express *

Depends on vulnerable versions of **@nestjs/core**

Depends on vulnerable versions of **multer**

node_modules/@nestjs/platform-express

```

→ loop_back git:(tp/dev-legacy) x npm audit
node_modules/babel-jest
@nestjs/swagger >=5.0.9
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of js-yaml
node_modules/@nestjs/swagger

multer 1.0.0 - 2.1.1
Severity: high
Multer vulnerable to Denial of Service via deeply nested field names - https://github.com/advisories/GHSA-72gw-mp4g-v24j
Multer vulnerable to Denial of Service via incomplete cleanup of aborted uploads - https://github.com/advisories/GHSA-3p4h-7m6x-2hcm
fix available via `npm audit fix --force`
Will install @nestjs/core@7.5.5, which is a breaking change
node_modules/multer
@nestjs/platform-express *
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of multer
node_modules/@nestjs/platform-express
@nestjs/core >=7.6.0-next.1
Depends on vulnerable versions of @nestjs/platform-express
Depends on vulnerable versions of @nestjs/websockets
node_modules/@nestjs/core
@nestjs/testing >=7.6.0-next.1
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of @nestjs/platform-express
node_modules/@nestjs/testing
@nestjs/typeorm >=8.0.0
Depends on vulnerable versions of @nestjs/core
node_modules/@nestjs/typeorm
@nestjs/websockets >=8.0.0-alpha.1
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of @nestjs/platform-socket.io
node_modules/@nestjs/websockets
@nestjs/platform-socket.io >=8.0.0-alpha.1
Depends on vulnerable versions of @nestjs/websockets
node_modules/@nestjs/platform-socket.io

typeorm 0.1.12 - 0.3.28
Severity: moderate
TypeORM: SQL Injection in UpdateQueryBuilder/SoftDeleteQueryBuilder orderBy (MySQL/MariaDB) - https://github.com/advisories/GHSA-9ggv-8w38-r7pm
fix available via `npm audit fix`
node_modules/typeorm

28 vulnerabilities (20 moderate, 8 high)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force
→ loop_back git:(tp/dev-legacy) x

```

 Historique Git (branche tp/dev-legacy , commits atomiques) :


```

da67957 (HEAD -> tp/dev-legacy) style(users): apply prettier formatting
cc07881 docs(tp): record C3 feature, after-dashboard and legacy retro
b5c4d67 feat(users): enrich blocked-list with date, ordering and search
0c7cad4 docs(tp): document C2 fix (blocked profiles leak via swipe)
d581a20 fix(discovery): do not re-form a match between blocked profiles
cbfb297 docs(tp): record uuid 14 second major upgrade
0a897dc chore(deps): upgrade uuid 13 -> 14 (major)
24c07d8 docs(tp): document Jest 30 migration analysis and adaptation
e6143fb build(test): upgrade Jest 29 -> 30 (major) and adapt code
d83eddb docs(tp): record security fix results in report and logbook
3b7338e docs(tp): add before-state and startup screenshots
0c7f55f chore(security): apply non-breaking npm audit fix
f731633 docs(tp): document docker startup friction and run procedure
a291a6d docs(tp): record reprise-en-main findings and before-state
e3f5c06 docs(tp): add mission plan and deliverable scaffolding
593fafc (feat/block) test(users): update fixtures for new required profile fields
d9b58da feat(users): enforce profile completeness and media/social limits
8c3f837 fix(modules): resolve circular dependencies with forwardRef
( END )

```

La Pull Request (#11) :

GLANEUX / loop_back

Q

Type to search

+

+

+

+

+

+

+

+

Code

Issues

Pull requests 1

Agents

Actions

Projects

Wiki

Security and quality

Insights

Settings

TP Dev Legacy — Maintenance & modernisation (3 chantiers)

#11

Open

GLANEUX wants to merge 16 commits into `feat/block` from `tp/dev-legacy`

Conversation 0

Commits 16

Checks 0

Files changed 34

+2,460 -1,567

GLANEUX commented 5 minutes ago

Owner

TP Dev Legacy — Maintenance & modernisation

Mission de maintenance sur le back-end Loop : sécuriser, monter de version, corriger, faire évoluer — **sans rien casser** (fillet de tests avant/après, changelogs lus, commits atomiques, rollback documenté).

Tableau de bord avant / après

Indicateur	Avant	Après
Vulnérabilités <code>npm audit</code>	38 (1 critique, 17 high, 17 mod, 3 low)	20 (modérées only)
Dépendances majeures montées	—	2 (Jest 29 → 30, uuid 13 → 14)
Build / lint	OK / 2 warnings	OK / 0 warning, <code>tsc</code> propre
Tests	111	114 (+1 régression C2, +2 feature C3)

Chantier 1 — Mise à jour & adaptation

- Sécurité** : `npm audit fix` (non-breaking) → critique + tous les high + low éliminés (dont `@nestjs/core 11.1.6 - 11.1.27`, faille d'injection `path-to-regexp`).
- Majeure Jest 29 → 30** (+ `@types/jest 30`, `ts-jest 29.4.11`) : guide de migration lu, analyse d'exposition des breaking changes, adaptation `Jest.SpyInstance` → `Jest.Spyed`.
- Majeure uuid 13 → 14** : Node 20 / TS 5.9 déjà conformes, `import { v4 }` inchangé.
- Non-régression : suite verte, `tsc` → `noEmit` propre, build OK.
- Rollback** : `git revert e6143fb 0c7f55f` ou `cp package-lock.json.bak package-lock.json && npm ci`.

Chantier 2 — Correctif (fuite des profils bloqués)

Reviewers

No reviews

Still in progress? [Convert to draft](#)

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

1 participant

TP Dev Legacy — Maintenance & modernisation (3 chantiers) #11

GLANIEUX wants to merge 16 commits into [Feat/block](#) from [tp/dev-legacy](#)

Indicateur	Avant	Après
Vulnérabilités <code>npm audit</code>	38 (1 critique, 17 high, 17 mod, 3 low)	20 (modérées only)
Dépendances majeures montées	—	2 (jest 29 ~ 30, uuid 13 ~ 14)
Build / lint	OK / 2 warnings	OK / 0 warning, <code>tsconfig</code> propre
Tests	111	114 (+1 régression C2, +2 feature C3)

Chantier 1 — Mise à jour & adaptation

- **Sécurité** : `npm audit fix` (non-breaking) → critique + tous les high + low éliminés (dont `@nestjs/core` 11.1.6 ~ 11.1.27, faille d'injection `path-to-regexp`).
- **Majeure Jest 29 ~ 30** (+ `@types/jest` 30, `ts-jest` 29.4.11) : guide de migration lu, analyse d'exposition des breaking changes, adaptation `jest.SpyInstance` → `jest.Spied`.
- **Majeure uuid 13 ~ 14** : Node 20 / TS 5.9 déjà conformes, `import { v4 }` inchangé.
- Non-régression : suite verte, `tsconfig` propre, build OK.
- **Rollback** : `git revert e6143fb 0c7f59f` ou `cp package-lock.json.bak package-lock.json && npm ci`.

Chantier 2 — Correctif (fuite des profils bloqués)

- **Symptôme** : un profil bloqué pouvait réapparaître dans `GET /messages/threads`.
- **Cause racine** : `swipe()` reformait un match via `ensureMatch` **sans vérifier** `isBlocked` (alors que `sendMessage` le faisait). Un swipe direct restaurait le match cassé par le blocage.
- **Fix** : garde `isBlocked` avant `ensureMatch` + **test de non-régression** (rouge → vert).

Chantier 3 — Évolutif (liste des bloqués enrichie)

- `GET /user/blocks` : ajout du champ `blocked_at`, tri **plus récent d'abord**, paramètre `?search=` (prénom / nom / pseudo). 2 tests ajoutés.

Méthode

Branche dédiée + commits atomiques (1 commit = 1 intention), filet de tests posé avant chaque modification, changelogs cités, bug reproduit avant correction, plan de rollback, journal de bord et compte-rendu complets dans `livrable/`.

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

1 participant

Lock conversation

8. Bilan & rétro legacy

- **Ce que les vieilles deps / le vieux code ont coûté** :
 - 38 vulnérabilités accumulées (dont 1 critique + 17 high) faute de mises à jour régulières.
 - Une **base Docker arrêtée** + un conteneur sur réseau périmé → ~temps perdu à diagnostiquer un `EAI_AGAIN` qui n'était pas un bug de code.
 - Des **tests périmés** (fixtures non suivies après évolution du modèle) masquaient un filet rouge.
 - Un **résidu de config** (`.env` Prisma, coquille `tsconfig-spaths`) source de confusion.
 - Une incohérence de sécurité (blocage vérifié à l'envoi de message mais **pas au swipe**).
- **Ce qu'on changerait dans nos habitudes** :
 - **Mises à jour régulières** (Dependabot / `npm audit` en CI) plutôt qu'un gros rattrapage.
 - **Filet vert obligatoire en CI** : un test rouge ne doit jamais être mergé.
 - **Mettre à jour les tests en même temps que le modèle** (les fixtures font partie du code).
 - **Centraliser les règles transverses** (ex. un guard de blocage réutilisé) pour éviter qu'une nouvelle voie d'accès (swipe) oublie la règle.
 - **Documenter le démarrage** (`.env.development` , `docker compose up --force-recreate`).

Annexe — Journal de bord

Log horodaté de la journée, **y compris les impasses** (c'est valorisé). Format : HHhMM — action →

observation → décision.

- 09h00 — Lecture de l'énoncé, analyse du projet (NestJS 11, 19 suites de tests).
- 09hXX — **Nettoyage Git** : WIP block non commité rangé en 2 commits atomiques sur `feat/block` ; coquille `package.json` (`tsconfig-spaths`) réparée ; branche `tp/dev-legacy` créée depuis `feat/block`.
- 09hXX — Backup `package-lock.json` → `package-lock.json.bak` (point de rollback).
- 09hXX — **Friction build** : `npm run build` → 213 erreurs TS5033 EACCES . Diagnostic : `dist/` appartenait à `root:root` (conteneur Docker). → `rm -rf dist` → rebuild OK.
- 09hXX — **Friction tests** : 3 tests rouges (fixtures profil périmées vs nouveaux champs obligatoires `phoneNumber / audio_presentation`). → fixtures mises à jour → **111/111 verts**.
- 09hXX — État « Avant » figé : 38 vulns (`npm audit`), ~32 deps obsolètes, build , 111 tests . Captures faites : `npm audit`, `npm outdated`, `npm test`.
- 10hXX — **Friction Docker** : `loop_db_dev` arrêté depuis 2 mois → API en `EAI_AGAIN db` . `restart` insuffisant (réseau périmé) → `docker compose up -d --force-recreate` → API up sur :3001 ("🚀 API running on port 3001"). Capture `projet-demarre` faite.

C1 — Sécurité

- 11hXX — `npm audit fix --dry-run` pour comprendre l'impact (116 paquets, non-breaking).
- 11hXX — `npm audit fix` appliqué → **38** → **21 vulns** (critique + 17 high + 3 low éliminés). Seul `package-lock.json` modifié. `npm test` → **111/111**. `npm run build` → OK. Commit atomique.

C1 — Majeure Jest 29 → 30

- 11hXX — Lecture du guide officiel (upgrading-to-jest30) AVANT upgrade. `grep` des patterns cassants : 0 matcher déprécié, 1 seul `jest.SpyInstance` (`health.service.spec.ts`).
- 11hXX — `npm i -D jest@^30 @types/jest@30 ts-jest@latest` → `jest 30.4.2`, `ts-jest 29.4.11`. Bonus vulns 21 → 20.
- 11hXX — `npm test direct` → **111/111** (`ts-jest` ne type-check pas au runtime).
- 11hXX — Vérif type-check : `@types/jest 30` garde `SpyInstance` (alias) → `tsc` propre. Modernisation quand même : `SpyInstance` → `jest.Spied` . `tsc` propre, 111/111, build OK. Commit.

C1 — Bonus 2^e majeure uuid 13 → 14

- 12hXX — Lecture changelog uuid v14 (Node ≥20, TS ≥5.4.3 — déjà OK ; `import { v4 }` inchangé). Upgrade `uuid@^14` . `tsc/tests/build` OK + sanity runtime v4. Sans refactor (peu épineux).

C2 — Correctif (fuite profils bloqués)

- 13hXX — Symptôme : un profil bloqué réapparaît dans `GET /messages/threads` .
- 13hXX — Repro (test rouge) : `swipe()` restaure un match soft-deleted malgré le blocage.
- 13hXX — **Cause racine** : `swipe()` / `ensureMatch` ne vérifiait pas `isBlocked` (alors que `sendMessage oui`) ; `blockUser` ne supprime que le match, pas les swipes `isLike` .

- 14hXX — Fix : garde `isBlocked` avant `ensureMatch` . Test rouge → vert. Suite 112/112. Commit.

C3 — Évolutif (enrichir liste des bloqués)

- 15hXX — GET `/user/blocks` : ajout `blocked_at` , tri plus-récent-d'abord, `?search=` (nom/pseudo). Fichiers : `users.service.ts`, `users.controller.ts` (+ `@Query`). 2 tests ajoutés. Suite 114/114.

Clôture

- 16hXX — `npm audit` après : **20** vulns (modérées). Tableau « Après » rempli.
- 16hXX — PR #11 ouverte, `@celianlb` ajouté en reviewer (accès lecture).