

Compte-rendu de mission — Dev Legacy

Rendu final attendu en PDF (exporter ce document). Captures incluses depuis `livrable/captures/`. Secrets / clés / mots de passe masqués dans toutes les captures.

0. Page de garde

- **Projet** : Loop — Back-end API (NestJS + TypeScript + TypeORM + PostgreSQL)
 - **Auteur** : Océane GLANEUX — développeuse (3 chantiers : C1, C2, C3)
 - **Lien du dépôt** : https://github.com/GLANEUX/loop_back
 - **Lien de la PR** (accès lecture @celianlb) : https://github.com/GLANEUX/loop_back/pull/11
 - **Date de la mission** : 2026-06-16
-

1. Reprise en main

- **État du projet au retour** : l'app compile et la majorité des tests passent, mais plusieurs frictions empêchaient un démarrage « propre » immédiat (voir ci-dessous).
- **Temps pour le faire tourner** : ~30 min (essentiellement le diagnostic des frictions ci-dessous : `dist/` en root, base Docker arrêtée, fixtures périmées).
- **Frictions rencontrées** :
 1. **Coquille dans `package.json`** : le script `seed` référençait `tsconfig-spaths` (au lieu de `tsconfig-paths`) → cassait `npm run seed`. *Corrigé*.
 2. **`dist/` appartenant à `root:root`** (créé par un conteneur Docker en root) : `npm run build` échouait avec 213 erreurs `TS5033: EACCES permission denied` — **pas une erreur de code**, juste l'impossibilité d'écrire dans `dist/`. *Corrigé : suppression de `dist/` puis rebuild OK.*
 3. **3 tests rouges au retour** (`profile.entity.spec.ts`, `discovery.service.spec.ts`) : les fixtures n'avaient pas suivi l'ajout des champs profil obligatoires (`phoneNumber`, `audio_presentation`). *Corrigé : filet remis à 111/111.*
 4. **Base de données down + réseau Docker périmé** : `loop_db_dev` était arrêté depuis 2 mois ; l'API tournait mais ne résolvait plus l'hôte `db` (`getaddrinfo EAI_AGAIN db`). Un `restart` ne suffisait pas (conteneur API attaché à un état réseau périmé). *Corrigé : `docker compose ... up -d --force-recreate` → API up sur le port 3001.*

Démarrage (procédure reproductible)

Variables : rien à ajouter — l'app lit `.env.${NODE_ENV}` soit `.env.development`, déjà complet (`DATABASE_URL` → `db:5432`, `JWT_SECRET`, ...). Le `.env` racine (URL Prisma) est un résidu **non**

utilisé par ce projet NestJS/TypeORM.

```
docker compose -f docker/dev/docker-compose.yml up -d --force-recreate
docker compose -f docker/dev/docker-compose.yml exec api npm run migration:run:dev # s
docker logs -f loop_api_dev # attendre "🚀 API running on port 3001"
```

📺 Le projet qui démarre :

```
+ loop_back git:(tp/dev-Legacy) x docker logs loop_api_dev | tail -30
{"context":"RouterExplorer","level":"info","message":"Mapped {/instruments, GET} route","timestamp":"2026-06-17T08:56:16.065Z"}
{"context":"RoutesResolver","level":"info","message":"MediaController {/user:}", "timestamp":"2026-06-17T08:56:16.065Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media, POST} route","timestamp":"2026-06-17T08:56:16.065Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/list/:type, GET} route","timestamp":"2026-06-17T08:56:16.066Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/featured-audio/:id, PATCH} route","timestamp":"2026-06-17T08:56:16.066Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/featured-audio, DELETE} route","timestamp":"2026-06-17T08:56:16.067Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/:id, GET} route","timestamp":"2026-06-17T08:56:16.067Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/user/media/:id, DELETE} route","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RoutesResolver","level":"info","message":"AuthController {/auth:}", "timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/register, POST} route","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/login, POST} route","timestamp":"2026-06-17T08:56:16.068Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/logout, POST} route","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/change-password, POST} route","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/auth/change-email, PATCH} route","timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RoutesResolver","level":"info","message":"DiscoveryController {/}:", "timestamp":"2026-06-17T08:56:16.069Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/discovery/queue, GET} route","timestamp":"2026-06-17T08:56:16.070Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/swipes, POST} route","timestamp":"2026-06-17T08:56:16.070Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/discovery/swipes/likes, GET} route","timestamp":"2026-06-17T08:56:16.070Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/discovery/swipes/dislikes, GET} route","timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RoutesResolver","level":"info","message":"MatchesController {/}:", "timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches, GET} route","timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RoutesResolver","level":"info","message":"MessagesController {/}:", "timestamp":"2026-06-17T08:56:16.071Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages, POST} route","timestamp":"2026-06-17T08:56:16.072Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages/:messageId, PATCH} route","timestamp":"2026-06-17T08:56:16.072Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages/:messageId, DELETE} route","timestamp":"2026-06-17T08:56:16.072Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/messages, GET} route","timestamp":"2026-06-17T08:56:16.073Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/matches/:matchId/read, POST} route","timestamp":"2026-06-17T08:56:16.073Z"}
{"context":"RouterExplorer","level":"info","message":"Mapped {/messages/threads, GET} route","timestamp":"2026-06-17T08:56:16.073Z"}
{"context":"NestApplication","level":"info","message":"Nest application successfully started","timestamp":"2026-06-17T08:56:16.078Z"}
{"context":"🚀 API running on port 3001 [development]","level":"info","message":"info","timestamp":"2026-06-17T08:56:16.080Z"}
```

2. Tableau de bord — colonne « Avant »

Indicateur	Avant
Vulnérabilités (<code>npm audit</code>)	38 (1 critique, 17 high, 17 moderate, 3 low)
Dépendances obsolètes (<code>npm outdated</code>)	~32 packages, 9 majeures disponibles
Build / lint OK ?	Build ☒ OK (après correctif <code>dist/</code>) · Lint ☒ 0 erreur, 2 warnings prettier
Nb de tests / couverture	111 tests (19 suites) — verts après correctif fixtures — couverture 72,8 % lignes (53,97 % branches)
(Back) temps de réponse clé	GET <code>/health</code> : ~5 ms (médiane sur 5 appels, app dockerisée)

📺 npm audit (avant) — 38 vulnérabilités :

TERMINAL PROBLEMS DEBUG CONSOLE TEST RESULTS PORTS GITLINS SONARQUBE OUTPUT

```
⊙ + loop_back git:(tp/dev-legacy) x npm audit
# npm audit report

@babel/core <=7.29.0
@babel/core: Arbitrary File Read via sourceMappingURL Comment - https://github.com/advisories/GHSA-4x5r-pxfx-6jfb
fix available via `npm audit fix`
node_modules/@babel/core

@isaacs/brace-expansion 5.0.0
Severity: high
@isaacs/brace-expansion has Uncontrolled Resource Consumption - https://github.com/advisories/GHSA-7h2j-956f-4vf2
fix available via `npm audit fix`
node_modules/@isaacs/brace-expansion

@nestjs/core <=11.1.17 || 12.0.0-alpha.0 - 12.0.0-alpha.2
Severity: high
@nestjs/core Improperly Neutralizes Special Elements in Output Used by a Downstream Component ('Injection') - https://github.com/advisories/GHSA-36xv-jgw5-4q75
Depends on vulnerable versions of path-to-regexp
fix available via `npm audit fix`
node_modules/@nestjs/core
```

```
ajv <6.14.0 || >=7.0.0-alpha.0 <8.18.0
Severity: moderate
ajv has ReDoS when using '$data' option - https://github.com/advisories/GHSA-2g4f-4pwh-qvx6
ajv has ReDoS when using '$data' option - https://github.com/advisories/GHSA-2g4f-4pwh-qvx6
fix available via `npm audit fix`
node_modules/eslint/eslintrc/node_modules/ajv
node_modules/ajv
node_modules/eslint/node_modules/ajv
node_modules/schema-utils/node_modules/ajv
@angular-devkit/core 12.0.0-next.0 - 19.2.22 || 20.0.0-next.0 - 20.3.21 || 21.0.0-next.0 - 21.2.4 || 22.0.0-next.0 - 22.0.0-rc.3
Depends on vulnerable versions of ajv
Depends on vulnerable versions of picomatch
node_modules/@angular-devkit/core
node_modules/@nestjs/schematics/node_modules/@angular-devkit/core
@angular-devkit/schematics 12.0.0-next.0 - 19.2.21 || 20.0.0-next.0 - 20.3.17 || 21.0.0-next.0 - 21.1.4 || 21.2.0-next.0 - 21.2.0-rc.2
Depends on vulnerable versions of @angular-devkit/core
node_modules/@angular-devkit/schematics
node_modules/@nestjs/schematics/node_modules/@angular-devkit/schematics
@angular-devkit/schematics-cli 0.1200.0-next.0 - 19.2.21 || 20.0.0-next.0 - 20.3.17 || 21.0.0-next.0 - 21.1.4 || 21.2.0-next.0 - 21.2.0-rc.2
Depends on vulnerable versions of @angular-devkit/core
Depends on vulnerable versions of @angular-devkit/schematics
node_modules/@angular-devkit/schematics-cli
@nestjs/cli 8.0.0 - 11.0.16
Depends on vulnerable versions of @angular-devkit/core
Depends on vulnerable versions of @angular-devkit/schematics
Depends on vulnerable versions of @angular-devkit/schematics-cli
Depends on vulnerable versions of glob
Depends on vulnerable versions of webpack
node_modules/@nestjs/cli
@nestjs/schematics 8.0.0 - 11.0.9
Depends on vulnerable versions of @angular-devkit/core
Depends on vulnerable versions of @angular-devkit/schematics
node_modules/@nestjs/schematics

body-parser 2.2.0
Severity: moderate
body-parser is vulnerable to denial of service when url encoding is used - https://github.com/advisories/GHSA-wqch-xfxh-vrr4
fix available via `npm audit fix`
node_modules/body-parser

brace-expansion <1.1.13 || >=2.0.0 <2.0.3
Severity: moderate
brace-expansion: Zero-step sequence causes process hang and memory exhaustion - https://github.com/advisories/GHSA-f886-m6hf-6m8v
brace-expansion: Zero-step sequence causes process hang and memory exhaustion - https://github.com/advisories/GHSA-f886-m6hf-6m8v
fix available via `npm audit fix`
node_modules/@typescript-eslint/typescript-estree/node_modules/brace-expansion
node_modules/brace-expansion
node_modules/typeorm/node_modules/brace-expansion

diff 4.0.0 - 4.0.3
jsdiff has a Denial of Service vulnerability in parsePatch and applyPatch - https://github.com/advisories/GHSA-73rr-hh4g-fpgx
fix available via `npm audit fix`
node_modules/diff
```

```
fast-uri <=3.1.1
Severity: high
fast-uri vulnerable to path traversal via percent-encoded dot segments - https://github.com/advisories/GHSA-q3j6-qgpj-74h6
fast-uri vulnerable to host confusion via percent-encoded authority delimiters - https://github.com/advisories/GHSA-v39h-62p7-jpjc
fix available via 'npm audit fix'
node_modules/fast-uri

file-type 13.0.0 - 21.3.1
Severity: moderate
file-type affected by infinite loop in ASF parser on malformed input with zero-size sub-header - https://github.com/advisories/GHSA-5v7r-6r5c-r473
file-type: ZIP Decompression Bomb DoS via [Content_Types].xml entry - https://github.com/advisories/GHSA-j47w-4g3g-c36v
fix available via 'npm audit fix'
node_modules/file-type
  @nestjs/common 10.4.16 - 10.4.22 || 11.0.16 - 11.1.16 || 12.0.0-alpha.0 - 12.0.0-alpha.2
  Depends on vulnerable versions of file-type
  node_modules/@nestjs/common

flatted <=3.4.1
Severity: high
flatted vulnerable to unbounded recursion DoS in parse() revive phase - https://github.com/advisories/GHSA-25h7-pfq9-p65f
Prototype Pollution via parse() in NodeJS flatted - https://github.com/advisories/GHSA-rf6f-7fwh-wjgh
fix available via 'npm audit fix'
node_modules/flatted

form-data 4.0.0 - 4.0.5
Severity: high
form-data: CRLF injection in form-data via unescaped multipart field names and filenames - https://github.com/advisories/GHSA-hmw2-7cc7-3qxx
fix available via 'npm audit fix'
node_modules/form-data

glob 11.0.0 - 11.0.3
Severity: high
glob CLI: Command injection via -c/--cmd executes matches with shell:true - https://github.com/advisories/GHSA-5j98-mcp5-4vw2
fix available via 'npm audit fix'
node_modules/glob

handlebars 4.0.0 - 4.7.8
Severity: critical
Handlebars.js has JavaScript Injection via AST Type Confusion by tampering @partial-block - https://github.com/advisories/GHSA-3mfM-83xf-c92r
Handlebars.js has JavaScript Injection via AST Type Confusion - https://github.com/advisories/GHSA-2w6w-674q-4c4q
Handlebars.js has Prototype Pollution Leading to XSS through Partial Template Injection - https://github.com/advisories/GHSA-2qvq-rjwj-gvw9
Handlebars.js has a Prototype Method Access Control Gap via Missing __lookupSetter__ Blocklist Entry - https://github.com/advisories/GHSA-7rx3-28cr-v5wh
Handlebars.js has a Property Access Validation Bypass in container.lookup - https://github.com/advisories/GHSA-442j-39wm-28r2
Handlebars.js has JavaScript Injection via AST Type Confusion when passing an object as dynamic partial - https://github.com/advisories/GHSA-xhvp-hc6g-r9c6
Handlebars.js has Denial of Service via Malformed Decorator Syntax in Template Compilation - https://github.com/advisories/GHSA-9cx6-37pm-9jff
Handlebars.js has JavaScript Injection in CLI Precompiler via Unescaped Names and Options - https://github.com/advisories/GHSA-xjpj-3mr7-gcpf
fix available via 'npm audit fix'
node_modules/handlebars
```

```
js-yaml <=4.1.1
Severity: moderate
js-yaml has prototype pollution in merge (<=) - https://github.com/advisories/GHSA-mh29-5h37-fv8m
JS-YAML: Quadratic-complexity DoS in merge key handling via repeated aliases - https://github.com/advisories/GHSA-h67p-54hq-rp68
fix available via 'npm audit fix --force'
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/@istanbuljs/load-nyc-config/node_modules/js-yaml
node_modules/js-yaml
  @nestjs/swagger 1.1.0 - 1.1.4 || >=3.0.1
  Depends on vulnerable versions of js-yaml
  Depends on vulnerable versions of lodash
  Depends on vulnerable versions of path-to-regexp
  node_modules/@nestjs/swagger

lodash <=4.17.23
Severity: high
lodash vulnerable to Code Injection via `_.template` imports key names - https://github.com/advisories/GHSA-r5fr-rjxr-66jc
lodash vulnerable to Prototype Pollution via array path bypass in `_.unset` and `_.omit` - https://github.com/advisories/GHSA-f23m-r3pf-42rh
lodash has Prototype Pollution Vulnerability in `_.unset` and `_.omit` functions - https://github.com/advisories/GHSA-xxjr-mmjv-4gpg
fix available via 'npm audit fix --force'
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/lodash
  @nestjs/config 1.1.6 - 4.0.2
  Depends on vulnerable versions of lodash
  node_modules/@nestjs/config

minimatch <=3.1.3 || 9.0.0 - 9.0.6 || 10.0.0 - 10.2.2
Severity: high
minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern - https://github.com/advisories/GHSA-3ppc-4f35-3m26
minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern - https://github.com/advisories/GHSA-3ppc-4f35-3m26
minimatch has a ReDoS via repeated wildcards with non-matching literal in pattern - https://github.com/advisories/GHSA-3ppc-4f35-3m26
minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments - https://github.com/advisories/GHSA-7r86-cg39-jmmj
minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments - https://github.com/advisories/GHSA-7r86-cg39-jmmj
minimatch has ReDoS: matchOne() combinatorial backtracking via multiple non-adjacent GLOBSTAR segments - https://github.com/advisories/GHSA-7r86-cg39-jmmj
minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions - https://github.com/advisories/GHSA-23c5-xmqv-rm74
minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions - https://github.com/advisories/GHSA-23c5-xmqv-rm74
minimatch ReDoS: nested *() extglobs generate catastrophically backtracking regular expressions - https://github.com/advisories/GHSA-23c5-xmqv-rm74
fix available via 'npm audit fix'
node_modules/@typescript-eslint/typescript-estree/node_modules/minimatch
node_modules/glob/node_modules/minimatch
node_modules/minimatch
node_modules/typeorm/node_modules/minimatch
```

```

multer <=2.1.0
Severity: high
Multer vulnerable to Denial of Service via incomplete cleanup - https://github.com/advisories/GHSA-xf7r-hgr6-v32p
Multer vulnerable to Denial of Service via resource exhaustion - https://github.com/advisories/GHSA-v52c-386h-88mc
Multer vulnerable to Denial of Service via Uncontrolled Recursion - https://github.com/advisories/GHSA-5528-5vmv-3xc2
fix available via `npm audit fix`
node_modules/multer
  @nestjsjs/platform-express <=11.1.17 || 12.0.0-alpha.0 - 12.0.0-alpha.2
    Depends on vulnerable versions of multer
    Depends on vulnerable versions of path-to-regexp
    node_modules/@nestjsjs/platform-express

path-to-regexp 8.0.0 - 8.3.0
Severity: high
path-to-regexp vulnerable to Denial of Service via sequential optional groups - https://github.com/advisories/GHSA-j3q9-mxjg-w52f
path-to-regexp vulnerable to Regular Expression Denial of Service via multiple wildcards - https://github.com/advisories/GHSA-27v5-c462-wpq7
fix available via `npm audit fix --force`
Will install @nestjsjs/swagger@5.2.1, which is a breaking change
node_modules/@nestjsjs/swagger/node_modules/path-to-regexp
node_modules/path-to-regexp

picomatch <=2.3.1 || 4.0.0 - 4.0.3
Severity: high
Picomatch: Method Injection in POSIX Character Classes causes incorrect Glob Matching - https://github.com/advisories/GHSA-3v7f-55p6-f55p
Picomatch: Method Injection in POSIX Character Classes causes incorrect Glob Matching - https://github.com/advisories/GHSA-3v7f-55p6-f55p
Picomatch has a ReDoS vulnerability via extglob quantifiers - https://github.com/advisories/GHSA-c2c7-rcm5-vvqj
Picomatch has a ReDoS vulnerability via extglob quantifiers - https://github.com/advisories/GHSA-c2c7-rcm5-vvqj
fix available via `npm audit fix`
node_modules/anymatch/node_modules/picomatch
node_modules/jest-util/node_modules/picomatch
node_modules/micromatch/node_modules/picomatch
node_modules/picomatch
node_modules/tsc-alias/node_modules/picomatch

qs <=6.15.1
Severity: moderate
qs's arrayLimit bypass in comma parsing allows denial of service - https://github.com/advisories/GHSA-w7fw-mjwx-w883
qs's arrayLimit bypass in its bracket notation allows DoS via memory exhaustion - https://github.com/advisories/GHSA-6rw7-vpxm-498p
qs has a remotely triggerable DoS: qs.stringify crashes with TypeError on null/undefined entries in comma-format arrays when encodeValuesOnly is set - https://github.com/advisories/GHSA-6rw7-vpxm-498p
fix available via `npm audit fix`
node_modules/qs

```

```

serialize-javascript <=7.0.4
Severity: high
Serialize JavaScript is Vulnerable to RCE via RegExp.flags and Date.prototype.toISOString() - https://github.com/advisories/GHSA-5c6j-r48x-rmqv
Serialize JavaScript has CPU Exhaustion Denial of Service via crafted array-like objects - https://github.com/advisories/GHSA-qj8w-gfj5-8c6v
fix available via `npm audit fix`
node_modules/serialize-javascript
  terser-webpack-plugin 4.2.1 - 5.3.16
    Depends on vulnerable versions of serialize-javascript
    node_modules/terser-webpack-plugin

socket.io-parser 4.0.0 - 4.2.5
Severity: high
socket.io allows an unbounded number of binary attachments - https://github.com/advisories/GHSA-677m-j7p3-52f9
fix available via `npm audit fix`
node_modules/socket.io-parser

uuid <=11.1.0 || 13.0.0
Severity: moderate
uuid: Missing buffer bounds check in v3/v5/v6 when buf is provided - https://github.com/advisories/GHSA-w5hq-g745-h8pq
uuid: Missing buffer bounds check in v3/v5/v6 when buf is provided - https://github.com/advisories/GHSA-w5hq-g745-h8pq
fix available via `npm audit fix`
node_modules/typeorm/node_modules/uuid
node_modules/uuid

webpack 5.49.0 - 5.104.0
webpack buildhttp: allowedUri allow-list bypass via URL userinfo (@) leading to build-time SSRF behavior - https://github.com/advisories/GHSA-8fgc-7cc6-rx7x
webpack buildhttp HttpUriPlugin allowedUri bypass via HTTP redirects → SSRF + cache persistence - https://github.com/advisories/GHSA-38r7-794h-5758
fix available via `npm audit fix`
node_modules/webpack

ws 8.0.0 - 8.20.1
Severity: high
ws: Uninitialized memory disclosure - https://github.com/advisories/GHSA-58qx-3vcg-4xpx
ws: Memory exhaustion DoS from tiny fragments and data chunks - https://github.com/advisories/GHSA-96hv-2xvq-fx4p
fix available via `npm audit fix`
node_modules/ws
  engine.io 0.7.8 - 0.7.9 || 6.0.0 - 6.6.7
    Depends on vulnerable versions of ws
    node_modules/engine.io
  engine.io-client 0.7.0 || 0.7.8 - 0.7.9 || 6.0.0 - 6.6.4
    Depends on vulnerable versions of ws
    node_modules/engine.io-client
  socket.io-adapter 2.5.2 - 2.5.6
    Depends on vulnerable versions of ws
    node_modules/socket.io-adapter

38 vulnerabilities (3 low, 17 moderate, 17 high, 1 critical)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

```



npm outdated (avant) — ampleur du retard :

```
→ loop_back git:(tp/dev-legacy) x npm outdated
```

Package	Current	Wanted	Latest	Location	Depended by
@eslint/js	9.37.0	9.39.4	10.0.1	node_modules/@eslint/js	loop_back
@nestjs/cli	11.0.10	11.0.23	11.0.23	node_modules/@nestjs/cli	loop_back
@nestjs/common	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/common	loop_back
@nestjs/config	4.0.2	4.0.4	4.0.4	node_modules/@nestjs/config	loop_back
@nestjs/core	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/core	loop_back
@nestjs/platform-express	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/platform-express	loop_back
@nestjs/platform-socket.io	11.1.14	11.1.27	11.1.27	node_modules/@nestjs/platform-socket.io	loop_back
@nestjs/schematics	11.0.9	11.1.0	11.1.0	node_modules/@nestjs/schematics	loop_back
@nestjs/swagger	11.2.5	11.4.4	11.4.4	node_modules/@nestjs/swagger	loop_back
@nestjs/testing	11.1.6	11.1.27	11.1.27	node_modules/@nestjs/testing	loop_back
@nestjs/typeorm	11.0.0	11.0.2	11.0.2	node_modules/@nestjs/typeorm	loop_back
@nestjs/websockets	11.1.14	11.1.27	11.1.27	node_modules/@nestjs/websockets	loop_back
@types/express	5.0.3	5.0.6	5.0.6	node_modules/@types/express	loop_back
@types/jest	29.5.14	29.5.14	30.0.0	node_modules/@types/jest	loop_back
@types/multer	2.0.0	2.1.0	2.1.0	node_modules/@types/multer	loop_back
@types/node	22.18.10	22.19.21	25.9.3	node_modules/@types/node	loop_back
@types/supertest	6.0.3	6.0.3	7.2.0	node_modules/@types/supertest	loop_back
eslint	9.37.0	9.39.4	10.5.0	node_modules/eslint	loop_back
eslint-plugin-prettier	5.5.4	5.5.6	5.5.6	node_modules/eslint-plugin-prettier	loop_back
globals	16.4.0	16.5.0	17.6.0	node_modules/globals	loop_back
jest	29.7.0	29.7.0	30.4.2	node_modules/jest	loop_back
pg	8.16.3	8.21.0	8.21.0	node_modules/pg	loop_back
prettier	3.6.2	3.8.4	3.8.4	node_modules/prettier	loop_back
supertest	7.1.4	7.2.2	7.2.2	node_modules/supertest	loop_back
ts-jest	29.4.5	29.4.11	29.4.11	node_modules/ts-jest	loop_back
tsc-alias	1.8.16	1.8.17	1.8.17	node_modules/tsc-alias	loop_back
typeorm	0.3.28	0.3.30	1.0.0	node_modules/typeorm	loop_back
typescript	5.9.3	5.9.3	6.0.3	node_modules/typescript	loop_back
typescript-eslint	8.46.0	8.61.1	8.61.1	node_modules/typescript-eslint	loop_back
uuid	13.0.0	13.0.2	14.0.0	node_modules/uuid	loop_back
winston	3.18.3	3.19.0	3.19.0	node_modules/winston	loop_back
zod	4.1.12	4.4.3	4.4.3	node_modules/zod	loop_back

npm test (avant) — 111/111 verts :

```
→ loop_back git:(tp/dev-legacy) x npm test

> loop_back@0.0.1 test
> jest

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
PASS  src/modules/auth/auth.utils.spec.ts (10.731 s)

RUNS  src/modules/users/users.service.spec.ts
RUNS  src/modules/messages/messages.service.spec.ts
RUNS  src/modules/discovery/discovery.service.spec.ts
RUNS  src/modules/users/users.controller.spec.ts
RUNS  src/modules/auth/auth.service.spec.ts
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (400) for GET /test [req-1]
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (403) for GET /test [req-1]
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (422) for GET /test [req-1]
[Nest] 37650 - 06/17/2026, 10:35:10 AM DEBUG [AllExceptionsFilter] Handled exception (500) for GET /test [no-request-id]
```



```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.service.spec.ts
[West] 37658 - 06/17/2026, 10:35:10 AM ERROR [AllExceptionsFilter] Unhandled exception for GET /test [no-request-id]
Error: boom
    at Object.<anonymous> (/home/devgodess/Documents/loop/loop_back/src/common/filters/all-exceptions.filter.spec.ts:102:23)
    at Promise.then.completed (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/utils.js:298:28)
    at new Promise (<anonymous>)
    at callAsyncCircusFn (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/utils.js:231:10)
    at _callCircusTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:316:40)
    at processTicksAndRejections (node:internal/process/task_queues:95:5)
    at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:252:3)
    at _runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:126:9)
    at _runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:121:9)
    at run (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/run.js:71:3)
    at runAndTransformResultsToJestFormat (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapterInit.js:122:21)
    at jestAdapter (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/legacy-code-todo-rewrite/jestAdapter.js:79:19)
    at runTestInternal (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/runTest.js:367:16)
    at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/runTest.js:444:34)
    at Object.worker (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:106:12)
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.service.spec.ts
PASS src/common/filters/all-exceptions.filter.spec.ts (10.746 s)
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.service.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.service.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.service.spec.ts
PASS src/modules/auth/rate-limit.service.spec.ts (10.894 s)
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
PASS src/modules/health/health.module.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
PASS src/modules/health/health.controller.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/discovery/discovery.service.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
PASS src/modules/health/health.service.spec.ts (13.104 s)
```

```
RUNS src/modules/users/users.service.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
```

```
RUNS src/modules/users/users.service.spec.ts
PASS src/modules/auth/auth.guard.spec.ts (14.312 s)
```

```
RUNS src/modules/users/users.service.spec.ts
PASS src/modules/auth/auth.controller.spec.ts (14.479 s)
```

```
RUNS src/modules/users/users.service.spec.ts
PASS src/modules/auth/auth.service.spec.ts (14.468 s)
```

```
RUNS src/modules/users/users.service.spec.ts
PASS src/modules/discovery/discovery.service.spec.ts (14.533 s)
PASS src/modules/users/media.controller.spec.ts (14.577 s)
PASS src/modules/messages/messages.service.spec.ts (14.441 s)
PASS src/modules/users/users.service.spec.ts (14.622 s)
PASS src/modules/discovery/discovery.controller.spec.ts (14.821 s)
PASS src/modules/users/users.module.spec.ts
PASS src/modules/auth/auth.module.spec.ts
PASS src/modules/users/users.controller.spec.ts (15 s)
```

```
Test Suites: 19 passed, 19 total
Tests: 111 passed, 111 total
Snapshots: 0 total
Time: 16.396 s
Ran all test suites.
```

3. Fiche de cadrage

Chantier	Détail	« Fait » = quand...
C1 — Mise à jour	Faillle : <code>@nestjs/core 11.1.6 → 11.1.27</code> (high, injection path-to-regexp) + 2 majeures : <code>jest 29 → 30</code> (+ <code>@types/jest</code> , <code>ts-jest</code>) et <code>uuid 13 → 14</code> . Rollback : <code>git revert</code> + <code>restore package-lock.json</code> + <code>npm ci</code> .	Vulns réduites (38 → 20), majeures en place, suite verte, gain quantifié
C2 — Correctif	Bug : un profil bloqué réapparaît dans les threads car <code>swipe()</code> reformait un match sans vérifier le blocage — <code>src/modules/discovery/discovery.service.ts</code> (<code>swipe / ensureMatch</code>)	Reproduit (test rouge), cause racine identifiée, corrigé, test de non-régression vert
C3 — Évolutif	Feature : évolution « liste de mes bloqués » (<code>blocked_at</code> + tri par plus récent + recherche <code>?search=</code>) — <code>users.service.ts</code> (<code>listBlockedUsers</code>), <code>users.controller.ts</code>	Implémentée, testée, intégrée proprement

Rappel énoncé : pas d'upgrade purement cosmétique, pas de réécriture complète.

4. C1 — Mise à jour & adaptation

4.1 Dépendances montées (avant → après)

Volet sécurité — `npm audit fix` (non-breaking, sans `--force`) : seul `package-lock.json` a changé (les bornes `^` de `package.json` couvraient déjà les correctifs).

Dépendance	Avant	Après	Type
<code>@nestjs/core</code>	11.1.6	11.1.27	faillie high corrigée (injection path-to-regexp)
<code>ws</code> , <code>body-parser</code> , <code>@babel/core</code> , <code>brace-expansion</code> ...	(transitifs)	corrigés	failles critique/high/low
<code>jest</code>	29.7.0	30.4.2	majeure (breaking)
<code>@types/jest</code>	29.5	30.0	aligné
<code>ts-jest</code>	29.2	29.4.11	compat Jest 30
<code>uuid</code>	13.0.0	14.0.0	majeure (2 ^e)

Résultat sécurité mesuré : 38 → 21 vulnérabilités (1 critique + 17 high + 3 low **éliminés** ; restent 21 modérées). Filet vert maintenu : 111/111.

4.2 Breaking changes Jest 30 — analyse d'exposition (guide officiel lu AVANT)

Source : <https://jestjs.io/docs/upgrading-to-jest30>. Chaque breaking change a été confronté à notre code **avant** d'upgrader :

Breaking change (Jest 30)	Notre exposition	Action
Node $\geq$ 18 requis	Node 20.19 ✓	aucune
TypeScript $\geq$ 5.4 requis	TS 5.9 ✓	aucune
<code>jest-environment-jsdom</code> → JSDOM v26	<code>testEnvironment: "node"</code> → N/A	aucune
Alias matchers supprimés (<code>toThrowError</code> , <code>toBeCalled</code> , <code>toReturn</code> ...)	<code>grep</code> → 0 occurrence	aucune
<code>jest.genMockFromModule</code> supprimé, <code>deep-imports</code> cassés	non utilisés	aucune
Type <code>SpyInstance</code> déprécié	1 occurrence (<code>health.service.spec.ts:11</code>)	modernisé → <code>jest.Spied</code>
Inférence stricte de <code>toHaveBeenCalled</code>	tests verts, aucun faux positif	aucune

 **Extrait du guide cité** : « *Jest 30 drops support for Node 14, 16, 19, and 21. The minimum supported Node versions are now 18.x.* » et « *The minimum TypeScript version is now 5.4.* »

Conclusion : montée majeure à faible friction **parce que** le projet maintient Node/TS à jour et utilise `testEnvironment: node`. Leçon reprise en §8 (rétro).

4.3 Code adapté


- `src/modules/health/health.service.spec.ts` : `let loggerErrorSpy: jest.SpyInstance` → `jest.Spied<typeof Logger.prototype.error>` (type recommandé par le guide Jest 30).
- `package.json` : `jest ^29.7→^30.4` , `@types/jest ^29→^30` , `ts-jest ^29.2→^29.4.11` .
- uuid 13** → **14** (2^e majeure) : aucune adaptation de code requise (`import { v4 }` inchangé, Node 20 / TS 5.9 déjà conformes). Vérifié par sanity runtime (génération v4 valide en CJS).
- Preuves** : `tsc --noEmit` propre, 111/111 tests verts, build OK.

4.4 Plan de rollback

```
# Annuler les commits C1 (sécurité + Jest 30)
git revert e6143fb 0c7f55f
# ou retour direct à l'état figé du verrou de dépendances
cp package-lock.json.bak package-lock.json && npm ci
```

4.5 Preuves

 Diff des dépendances montées (avant → après) :



```
29 "dependencies": {
48   "winston": "^3.18.3",
49   "zod": "^4.1.12"
50 },
51 "devDependencies": {
52   "@eslint/js": "^9.18.0",
53   "@nestjs/cli": "^11.0.0",
54   "@nestjs/schematics": "^11.0.0",
55   "@nestjs/testing": "^11.0.1",
56   "@types/express": "^5.0.0",
57-  "@types/jest": "^29.5.14",
58   "@types/multer": "^2.0.0",
59   "@types/node": "^22.10.7",
60   "@types/socket.io": "^3.0.1",
61   "@types/supertest": "^6.0.2",
62   "eslint": "^9.18.0",
63   "eslint-config-prettier": "^10.0.1",
64   "eslint-plugin-prettier": "^5.2.2",
65   "globals": "^16.0.0",
66-  "jest": "^29.7.0",
67   "prettier": "^3.4.2",
68   "socket.io-client": "^4.8.3",
69   "supertest": "^7.0.0",
70-  "ts-jest": "^29.2.5",
71   "ts-node": "^10.9.2",
72   "tsconfig": "^1.0.16",
73   "typeorm-ts-node-commonjs": "^0.3.20",
74   "typescript": "^5.7.3",
75   "typescript-eslint": "^8.20.0"
76 },
77 "jest": {
78   "moduleFileExtensions": [
79     "js",
80     "json",
81     "ts"
82   ],
83 }
```

 Extrait du guide de migration Jest 30 (breaking changes) :

Version : 30.4

From v29 to v30

Upgrading Jest from v29 to v30? Ce guide a pour but de vous aider à refactoriser votre configuration et vos tests.

 INFO

See [changelog](#) for the full list of changes.

 REMARQUE

Mettre à jour depuis une ancienne version ? You can see the upgrade guide from v28 to v29 [here](#).

Compatibilité

- Jest 30 drops support for Node 14, 16, 19, and 21. The minimum supported Node versions are now 18.x. Ensure your environment is using a compatible Node release before upgrading.
- The minimum TypeScript version is now 5.4. Update TypeScript, if you are using type definitions of Jest (or any of its packages).
- The `jest-environment-jsdom` package now uses JSDOM v26. This update may introduce behavior changes in the DOM environment. If you encounter differences in DOM behavior or new warnings, refer to the JSDOM release notes for [v21–26](#).

 Tests au vert après upgrade :

```
➔ loop_back git:(tp/dev-legacy) ✕ npm test
```

```
> loop_back@0.0.1 test
> jest
```

```
RUNS src/modules/discovery/discovery.controller.spec.ts
RUNS src/modules/users/media.controller.spec.ts
RUNS src/modules/users/users.module.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
```

```
RUNS src/modules/discovery/discovery.controller.spec.ts
RUNS src/modules/users/media.controller.spec.ts
RUNS src/modules/users/users.module.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
```

```
RUNS src/modules/discovery/discovery.controller.spec.ts
RUNS src/modules/users/media.controller.spec.ts
RUNS src/modules/users/users.module.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
```

```
RUNS src/modules/discovery/discovery.controller.spec.ts
RUNS src/modules/users/media.controller.spec.ts
RUNS src/modules/users/users.module.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
```

```
RUNS src/modules/discovery/discovery.controller.spec.ts
RUNS src/modules/users/media.controller.spec.ts
RUNS src/modules/users/users.module.spec.ts
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
```

```
➔ loop_back git:(tp/dev-legacy) ✕ npm test
```

```
RUNS src/modules/messages/messages.service.spec.ts
RUNS src/modules/users/users.controller.spec.ts
RUNS src/modules/auth/auth.controller.spec.ts
```

```
PASS src/modules/auth/auth.utils.spec.ts (11.22 s)
PASS src/modules/users/profile.entity.spec.ts (11.3 s)
PASS src/modules/auth/rate-limit.service.spec.ts (11.615 s)
```

```
[Nest] 62545 - 06/17/2026, 11:33:19 AM ERROR [AllExceptionsFilter] Unhandled exception for GET /test [no-request-id]
```

```
Error: boom
```

```
at Object.<anonymous> (/home/devgodess/Documents/loop/loop_back/src/common/filters/all-exceptions.filter.spec.ts:102:23)
at Promise.finally.completed (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1561:28)
at new Promise (<anonymous>)
at callAsyncCircusFn (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1501:10)
at _callCircusTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1011:40)
at processTicksAndRejections (node:internal/process/task_queues:95:5)
at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:951:3)
at /home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:853:7
at _runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:866:11)
at _runTestsForDescribeBlock (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:861:11)
at run (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:765:3)
at runAndTransformResultsToJestFormat (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/jestAdapterInit.js:1993:21)
at jestAdapter (/home/devgodess/Documents/loop/loop_back/node_modules/jest-circus/build/runner.js:111:19)
at runTestInternal (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:276:16)
at runTest (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:344:7)
at Object.worker (/home/devgodess/Documents/loop/loop_back/node_modules/jest-runner/build/testWorker.js:498:12)
```

```
PASS src/common/filters/all-exceptions.filter.spec.ts (11.869 s)
```

```
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (400) for GET /test [req-1]
```

```
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (403) for GET /test [req-1]
```

```
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (422) for GET /test [req-1]
```

```
[Nest] 62545 - 06/17/2026, 11:33:19 AM DEBUG [AllExceptionsFilter] Handled exception (500) for GET /test [no-request-id]
```

```
PASS src/guards/global-throttler.guard.spec.ts (11.935 s)
```

```
PASS src/modules/auth/auth.controller.spec.ts (12.589 s)
```

```
PASS src/modules/discovery/discovery.service.spec.ts (12.614 s)
```

```
PASS src/modules/auth/auth.service.spec.ts (12.722 s)
```

```
PASS src/modules/users/media.controller.spec.ts (12.741 s)
```

```
PASS src/modules/users/users.service.spec.ts (12.666 s)
```

```
PASS src/modules/users/users.module.spec.ts (12.757 s)
```

```
PASS src/modules/auth/auth.guard.spec.ts (12.883 s)
```

```
PASS src/modules/health/health.module.spec.ts
```

```
PASS src/modules/health/health.controller.spec.ts
```

```
PASS src/modules/health/health.service.spec.ts
```

```
PASS src/modules/messages/messages.service.spec.ts (13.081 s)
```

```
PASS src/modules/discovery/discovery.controller.spec.ts (13.113 s)
```

```
PASS src/modules/users/users.controller.spec.ts (13.207 s)
```

```
PASS src/modules/auth/auth.module.spec.ts
```

```
Test Suites: 19 passed, 19 total
```

```
Tests: 111 passed, 111 total
```

```
Snapshots: 0 total
```

```
Time: 14.716 s
```

```
Ran all test suites.
```

Note : dans la capture du résumé, les lignes `ERROR ... Unhandled exception / boom` sont des **logs volontaires** du test du filtre d'exceptions (`all-exceptions.filter.spec.ts`), pas des échecs.

4.6 Qui a fait quoi

Océane GLANEUX (développeuse).

5. C2 — Correctif

- **Symptôme observé** : un profil **bloqué** réapparaît dans `GET /messages/threads` (et redevient joignable en messages temps réel) alors que le blocage est actif.
- **Reproduction** (avant fix) :
 1. A et B se likent → match créé.
 2. A bloque B (`POST /user/blocks/:id`) → `blockUser` soft-delete le match → thread disparu ✓.
 3. B rappelle `POST /swipes { targetProfileId: A, isLike: true }` **en direct** (l'endpoint ne passe pas par la queue qui filtre les bloqués).
 4. Le like réciproque de A subsiste → `ensureMatch` restaure le match soft-deleted.
 5. A appelle `GET /messages/threads` → **le profil de B réapparaît**.
 - Reproduit par un test unitaire rouge sur `DiscoveryService.swipe` (match restauré malgré blocage).
- **Cause racine** : `swipe()` ([discovery.service.ts:174](#)) (re)créait/restaurait un match via `ensureMatch` **sans vérifier** `isBlocked`, alors que `sendMessage` le faisait déjà. `blockUser` ne supprime que le match, pas les swipes `isLike` : un swipe direct pouvait donc reformer le match.
- **Correction** : ajout d'un garde `isBlocked` avant `ensureMatch` dans `swipe()` — aucun match n'est (re)formé entre profils bloqués (cohérent avec `sendMessage`).
- **Test de non-régression** : `DiscoveryService > does not (re)create a match between blocked profiles on swipe` (passe de rouge à vert). Suite : **112/112**.

📸 **Comportement AVANT (test rouge — bug reproduit) :**

```
➤ loop_back git:(tp/dev-legacy) ✗ npx jest discovery.service.spec
FAIL src/modules/discovery/discovery.service.spec.ts
DiscoveryService
  ✓ returns formatted discovery queue excluding swiped and blocked profiles (13 ms)
  ✓ creates a match when like is reciprocal (4 ms)
  ✓ restores a deleted match and resets pointers (4 ms)
  ✗ does not (re)create a match between blocked profiles on swipe (9 ms)
  ✓ updates swipe to pass and removes existing match (4 ms)
  ✓ rejects swiping on self (3 ms)
  ✓ rejects swiping on missing profiles (2 ms)
  ✓ lists swiped profiles (likes/dislikes) (3 ms)

● DiscoveryService > does not (re)create a match between blocked profiles on swipe

expect(received).toBe(expected) // Object.is equality

Expected: false
Received: true

   279 |     const result = await service.swipe("user-1", "profile-2", true);
   280 |
>  281 |     expect(result.matchCreated).toBe(false);
      |                                     ^
   282 |     expect(result.matchId).toBeUndefined();
   283 |     expect(matchRepo.restore).not.toHaveBeenCalled();
   284 |   });

      at Object.<anonymous> (modules/discovery/discovery.service.spec.ts:281:33)

Test Suites: 1 failed, 1 total
Tests:       1 failed, 7 passed, 8 total
Snapshots:   0 total
Time:        3.025 s, estimated 7 s
Ran all test suites matching discovery.service.spec.
```

Comportement APRÈS (test vert) :

```
→ Loop_back git:(tp/dev-legacy) x npx jest discovery.service.spec
PASS src/modules/discovery/discovery.service.spec.ts
DiscoveryService
  ✓ returns formatted discovery queue excluding swiped and blocked profiles (13 ms)
  ✓ creates a match when like is reciprocal (4 ms)
  ✓ restores a deleted match and resets pointers (3 ms)
  ✓ does not (re)create a match between blocked profiles on swipe (3 ms)
  ✓ updates swipe to pass and removes existing match (2 ms)
  ✓ rejects swiping on self (3 ms)
  ✓ rejects swiping on missing profiles (2 ms)
  ✓ lists swiped profiles (likes/dislikes) (3 ms)


Test Suites: 1 passed, 1 total
Tests: 8 passed, 8 total
Snapshots: 0 total
Time: 2.851 s, estimated 3 s
Ran all test suites matching discovery.service.spec.
```

Suite discovery au vert :

```
→ Loop_back git:(tp/dev-legacy) x npx jest discovery.service.spec
PASS src/modules/discovery/discovery.service.spec.ts
DiscoveryService
  ✓ returns formatted discovery queue excluding swiped and blocked profiles (13 ms)
  ✓ creates a match when like is reciprocal (4 ms)
  ✓ restores a deleted match and resets pointers (3 ms)
  ✓ does not (re)create a match between blocked profiles on swipe (3 ms)
  ✓ updates swipe to pass and removes existing match (2 ms)
  ✓ rejects swiping on self (3 ms)
  ✓ rejects swiping on missing profiles (2 ms)
  ✓ lists swiped profiles (likes/dislikes) (3 ms)

Test Suites: 1 passed, 1 total
Tests: 8 passed, 8 total
Snapshots: 0 total
Time: 2.851 s, estimated 3 s
Ran all test suites matching discovery.service.spec.
```

Diff du correctif :



```
183 183
184 184
185 185
186 186
187 187
188+
189+
190+
191+
192+
193+
194 194
195 195
196 196
197 197
198 198
199 199
200 200
201 201
202 202
203 203
204 204
205 205
206 206
207 207
208 208
209 209
210 210
211 211
212 212
213 213
214 214
215 215
216 216
217 217
218 218
219 219
220 220
221 221
222 222
223 223
224 224
225 225
226 226
227 227
228 228
229 229
230 230
231 231
232 232
233 233
234 234
235 235
236 236
237 237
238 238
239 239
240 240
241 241
242 242
243 243
244 244
245 245
246 246
247 247
248 248
249 249
250 250
251 251
252 252
253 253
254 254
255 255
256 256
257 257
258 258
259 259
260 260
261 261
262 262
263 263
264 264
265 265
266 266
267 267
268 268
269 269
270 270
271 271
272 272
273 273
274 274
275 275
276 276
277 277
278 278
279 279
280 280
281 281
282 282
283 283
284 284
285 285
286 286
287 287
288 288
289 289
290 290
291 291
292 292
293 293
294 294
295 295
296 296
297 297
298 298
299 299
300 300
301 301
302 302
303 303
304 304
305 305
306 306
307 307
308 308
309 309
310 310
311 311
312 312
313 313
314 314
315 315
316 316
317 317
318 318
319 319
320 320
321 321
322 322
323 323
324 324
325 325
326 326
327 327
328 328
329 329
330 330
331 331
332 332
333 333
334 334
335 335
336 336
337 337
338 338
339 339
340 340
341 341
342 342
343 343
344 344
345 345
346 346
347 347
348 348
349 349
350 350
351 351
352 352
353 353
354 354
355 355
356 356
357 357
358 358
359 359
360 360
361 361
362 362
363 363
364 364
365 365
366 366
367 367
368 368
369 369
370 370
371 371
372 372
373 373
374 374
375 375
376 376
377 377
378 378
379 379
380 380
381 381
382 382
383 383
384 384
385 385
386 386
387 387
388 388
389 389
390 390
391 391
392 392
393 393
394 394
395 395
396 396
397 397
398 398
399 399
400 400
401 401
402 402
403 403
404 404
405 405
406 406
407 407
408 408
409 409
410 410
411 411
412 412
413 413
414 414
415 415
416 416
417 417
418 418
419 419
420 420
421 421
422 422
423 423
424 424
425 425
426 426
427 427
428 428
429 429
430 430
431 431
432 432
433 433
434 434
435 435
436 436
437 437
438 438
439 439
440 440
441 441
442 442
443 443
444 444
445 445
446 446
447 447
448 448
449 449
450 450
451 451
452 452
453 453
454 454
455 455
456 456
457 457
458 458
459 459
460 460
461 461
462 462
463 463
464 464
465 465
466 466
467 467
468 468
469 469
470 470
471 471
472 472
473 473
474 474
475 475
476 476
477 477
478 478
479 479
480 480
481 481
482 482
483 483
484 484
485 485
486 486
487 487
488 488
489 489
490 490
491 491
492 492
493 493
494 494
495 495
496 496
497 497
498 498
499 499
500 500
501 501
502 502
503 503
504 504
505 505
506 506
507 507
508 508
509 509
510 510
511 511
512 512
513 513
514 514
515 515
516 516
517 517
518 518
519 519
520 520
521 521
522 522
523 523
524 524
525 525
526 526
527 527
528 528
529 529
530 530
531 531
532 532
533 533
534 534
535 535
536 536
537 537
538 538
539 539
540 540
541 541
542 542
543 543
544 544
545 545
546 546
547 547
548 548
549 549
550 550
551 551
552 552
553 553
554 554
555 555
556 556
557 557
558 558
559 559
560 560
561 561
562 562
563 563
564 564
565 565
566 566
567 567
568 568
569 569
570 570
571 571
572 572
573 573
574 574
575 575
576 576
577 577
578 578
579 579
580 580
581 581
582 582
583 583
584 584
585 585
586 586
587 587
588 588
589 589
590 590
591 591
592 592
593 593
594 594
595 595
596 596
597 597
598 598
599 599
600 600
601 601
602 602
603 603
604 604
605 605
606 606
607 607
608 608
609 609
610 610
611 611
612 612
613 613
614 614
615 615
616 616
617 617
618 618
619 619
620 620
621 621
622 622
623 623
624 624
625 625
626 626
627 627
628 628
629 629
630 630
631 631
632 632
633 633
634 634
635 635
636 636
637 637
638 638
639 639
640 640
641 641
642 642
643 643
644 644
645 645
646 646
647 647
648 648
649 649
650 650
651 651
652 652
653 653
654 654
655 655
656 656
657 657
658 658
659 659
660 660
661 661
662 662
663 663
664 664
665 665
666 666
667 667
668 668
669 669
670 670
671 671
672 672
673 673
674 674
675 675
676 676
677 677
678 678
679 679
680 680
681 681
682 682
683 683
684 684
685 685
686 686
687 687
688 688
689 689
690 690
691 691
692 692
693 693
694 694
695 695
696 696
697 697
698 698
699 699
700 700
701 701
702 702
703 703
704 704
705 705
706 706
707 707
708 708
709 709
710 710
711 711
712 712
713 713
714 714
715 715
716 716
717 717
718 718
719 719
720 720
721 721
722 722
723 723
724 724
725 725
726 726
727 727
728 728
729 729
730 730
731 731
732 732
733 733
734 734
735 735
736 736
737 737
738 738
739 739
740 740
741 741
742 742
743 743
744 744
745 745
746 746
747 747
748 748
749 749
750 750
751 751
752 752
753 753
754 754
755 755
756 756
757 757
758 758
759 759
760 760
761 761
762 762
763 763
764 764
765 765
766 766
767 767
768 768
769 769
770 770
771 771
772 772
773 773
774 774
775 775
776 776
777 777
778 778
779 779
780 780
781 781
782 782
783 783
784 784
785 785
786 786
787 787
788 788
789 789
790 790
791 791
792 792
793 793
794 794
795 795
796 796
797 797
798 798
799 799
800 800
801 801
802 802
803 803
804 804
805 805
806 806
807 807
808 808
809 809
810 810
811 811
812 812
813 813
814 814
815 815
816 816
817 817
818 818
819 819
820 820
821 821
822 822
823 823
824 824
825 825
826 826
827 827
828 828
829 829
830 830
831 831
832 832
833 833
834 834
835 835
836 836
837 837
838 838
839 839
840 840
841 841
842 842
843 843
844 844
845 845
846 846
847 847
848 848
849 849
850 850
851 851
852 852
853 853
854 854
855 855
856 856
857 857
858 858
859 859
860 860
861 861
862 862
863 863
864 864
865 865
866 866
867 867
868 868
869 869
870 870
871 871
872 872
873 873
874 874
875 875
876 876
877 877
878 878
879 879
880 880
881 881
882 882
883 883
884 884
885 885
886 886
887 887
888 888
889 889
890 890
891 891
892 892
893 893
894 894
895 895
896 896
897 897
898 898
899 899
900 900
901 901
902 902
903 903
904 904
905 905
906 906
907 907
908 908
909 909
910 910
911 911
912 912
913 913
914 914
915 915
916 916
917 917
918 918
919 919
920 920
921 921
922 922
923 923
924 924
925 925
926 926
927 927
928 928
929 929
930 930
931 931
932 932
933 933
934 934
935 935
936 936
937 937
938 938
939 939
940 940
941 941
942 942
943 943
944 944
945 945
946 946
947 947
948 948
949 949
950 950
951 951
952 952
953 953
954 954
955 955
956 956
957 957
958 958
959 959
960 960
961 961
962 962
963 963
964 964
965 965
966 966
967 967
968 968
969 969
970 970
971 971
972 972
973 973
974 974
975 975
976 976
977 977
978 978
979 979
980 980
981 981
982 982
983 983
984 984
985 985
986 986
987 987
988 988
989 989
990 990
991 991
992 992
993 993
994 994
995 995
996 996
997 997
998 998
999 999
1000 1000
```


Qui a fait quoi

Océane GLANEUX (développeuse).

6. C3 — Évolutif

- **Besoin** : l'écran « utilisateurs bloqués » ne donnait qu'une liste brute de profils — ni date de blocage, ni ordre, ni recherche. Peu exploitable dès qu'on a plusieurs blocages.
- **Implémentation** (GET /user/blocks) :
 - chaque entrée porte désormais un champ **blocked_at** (date du blocage) ;
 - résultats triés **du plus récemment bloqué au plus ancien** (order: createdAt DESC) ;
 - paramètre optionnel **?search=** filtrant par prénom / nom / pseudo (insensible à la casse).
 - Fichiers : `users.service.ts` (`listBlockedUsers`), `users.controller.ts` (`@Query("search")`).
- **Test** : `lists blocked profiles with a blocked_at date, most recent first + filters blocked profiles by search term (name or pseudo)` . Suite **114/114**.

 **La fonctionnalité (Swagger GET /user/blocks — blocked_at + search) :**



The image shows the Swagger UI for the endpoint `GET /user/blocks`. The title is "List blocked profiles". The description states: "Returns blocked profiles ordered by most recently blocked, each with a `blocked_at` date. Optional `search` filters by first name, last name or pseudo."

Parameters

Name	Description
<code>search</code> * required string (query)	search

Responses

Code	Description	Links
200	Media type: <code>application/json</code> Controls Accept header. Example Value Schema <pre>[{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "user_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "first_name": {}, "last_name": {}, "phone_number": {}, "birth_date": {}, "gender": {}, "bio": {}, "avatar_media_id": {}, "featured_audio_id": {}, "is_public": true, "city": {}, "country": {}, "lat": {}, "lon": {}, "created_at": "2026-06-22T14:30:48.920Z", "updated_at": "2026-06-22T14:30:48.920Z", "deleted_at": {}, "hasAvatar": true, "isValid": true, "missingFields": [</pre>	No links

 **Tests de la feature au vert :**


```

→ loop_back git:(tp/dev-legacy) ✗ npx jest users.service.spec
PASS src/modules/users/users.service.spec.ts
  UsersService
    ✓ normalizes email in findByEmail (13 ms)
    ✓ formats profile genres and instruments when fetching user (5 ms)
    ✓ returns null when profile avatar is missing (3 ms)
    ✓ returns avatar media for public profiles (2 ms)
    ✓ soft deletes a user by id (3 ms)
    ✓ updates a user's password hash by id (2 ms)
  addProfileMedia
    ✓ uploads a new image and sets it as avatar (2 ms)
    ✓ uploads a new audio and sets it as featured (6 ms)
  setFeaturedAudio
    ✓ sets an existing audio as featured (4 ms)
    ✓ throws error if audio doesn't exist or isn't an audio (22 ms)
  listProfileMedia
    ✓ excludes avatar from image list (4 ms)
  deleteAvatar
    ✓ clears FK and deletes media record (3 ms)
  updateProfileForUser with localization and social links
    ✓ updates city, country, lat and lon (2 ms)
    ✓ updates social links (2 ms)
  Blocking Logic
    ✓ blocks a user and breaks match (2 ms)
    ✓ unblocks a user (2 ms)
    ✓ checks if users are blocked (either way) (4 ms)
    ✓ gets all blocked profile IDs for a user (3 ms)
    ✓ lists blocked profiles with a blocked_at date, most recent first (9 ms)
    ✓ filters blocked profiles by search term (name or pseudo) (2 ms)

Test Suites: 1 passed, 1 total
Tests:       20 passed, 20 total
Snapshots:   0 total
Time:        2.566 s, estimated 8 s
Ran all test suites matching users.service.spec.

```

📷 Diff de la feature :

test-c2-vert.png livrable/captures/05-c2 U 103 103

test-c3-vert.png livrable/captures/06-c3 U 104 -

> GITHUB COPILOT MODERNIZATION: QUICKSTART

> GITHUB COPILOT MODERNIZATION: TASKS

> GITHUB COPILOT MODERNIZATION: HELP AND FEE...

> GRAPH

style(users): apply pretti... @tp/dev-legacy

docs(tp): record C3 feature, after-dashboa...

feat(users): enrich blocked-list with date, o...

users.controller.ts src/modules/users M

users.service.spec.ts src/modules/users M

users.service.ts src/modules/users M

docs(tp): document C2 fix (blocked profile...

COMPTE-RENDU.md livrable M

JOURNAL-DE-BORD.md livrable M

fix(discovery): do not re-form a match bet...

docs(tp): record uuid 14 second major upg...

chore(deps): upgrade uuid 13 -> 14 (major)...

docs(tp): document Jest 30 migration anal...

build(test): upgrade Jest 29 -> 30 (major) a...

docs(tp): record security fix results in repo...

docs(tp): add before-state and startup scre...

chore(security): apply non-breaking npm a...

docs(tp): document docker startup friction...

103 103

104 -

105 105

106 106

107 107

108 108

109 -

110 -

111 -

109+ 109+

110+ 110+

111+ 111+

112+ 112+

113+ 113+

114+ 114+

115+ 115+

116+ 116+

117+ 117+

118+ 118+

119+ 119+

120+ 120+

121+ 121+

122+ 122+

123+ 123+

124+ 124+

125+ 125+

126+ 126+

127+ 127+

112 112

128 128

async listBlockedUsers(userId: string) {

async listBlockedUsers(userId: string, search?: string) { You, 5 days ago

const profile = await this.getOrCreateProfile(userId);

const blocks = await this.blockRepo.find({

where: { blockerProfileId: profile.id },

relations: { blockedProfile: { user: true } },

});

return blocks.map((b) => this.formatProfile(b.blockedProfile));

order: { createdAt: "DESC" },

});

const term = search?.trim().toLowerCase();

const matching = term

? blocks.filter((b) => {

const p = b.blockedProfile;

return (

p?.firstName?.toLowerCase().includes(term) ||

p?.lastName?.toLowerCase().includes(term) ||

p?.user?.pseudo?.toLowerCase().includes(term)

);

);

blocks;

return matching.map((b) => ({

...this.formatProfile(b.blockedProfile),

blocked_at: b.createdAt,

}));

}

Qui a fait quoi

Océane GLANEUX (développeuse).

7. Tableau de bord — colonne « Après » + hygiène Git

Indicateur	Avant	Après
Vulnérabilités (npm audit)	38 (1 crit / 17 high / 17 mod / 3 low)	20 (modérées only)
Dépendances obsolètes	~32	réduit (2 majeures montées : Jest 30, uuid 14)
Build / lint OK ?	Build  / lint  (2 warnings)	Build  / tsc --noEmit 
Nb de tests	111	114 (+3 : 1 régression C2, 2 feature C3)
Comportement blocage	profil bloqué pouvait réapparaître (threads)	corrigé (garde isBlocked au swipe)

 npm audit (après) — 20 vulnérabilités (modérées only) :

```

→ loop_back git:(tp/dev-legacy) x npm audit
# npm audit report

brace-expansion <1.1.13
Severity: moderate
brace-expansion: Zero-step sequence causes process hang and memory exhaustion - ht
tps://github.com/advisories/GHSA-f886-m6hf-6m8v
fix available via `npm audit fix`
node_modules/brace-expansion

js-yaml <=4.1.1
Severity: moderate
JS-YAML: Quadratic-complexity DoS in merge key handling via repeated aliases - htt
ps://github.com/advisories/GHSA-h67p-54hq-rp68
fix available via `npm audit fix --force`
Will install @nestjs/swagger@5.2.1, which is a breaking change
node_modules/@istanbuljs/load-nyc-config/node_modules/js-yaml
node_modules/js-yaml
  @istanbuljs/load-nyc-config *
  Depends on vulnerable versions of js-yaml
  node_modules/@istanbuljs/load-nyc-config
    babel-plugin-istanbul >=6.0.0-beta.0
    Depends on vulnerable versions of @istanbuljs/load-nyc-config
    node_modules/babel-plugin-istanbul
      @jest/transform >=25.1.0
      Depends on vulnerable versions of babel-plugin-istanbul
      node_modules/@jest/transform
        @jest/core >=25.1.0
        Depends on vulnerable versions of @jest/reporters
        Depends on vulnerable versions of @jest/transform
        Depends on vulnerable versions of jest-config
        Depends on vulnerable versions of jest-resolve-dependencies
        Depends on vulnerable versions of jest-runner
        Depends on vulnerable versions of jest-runtime
        Depends on vulnerable versions of jest-snapshot
        node_modules/@jest/core
          jest >=25.1.0
          Depends on vulnerable versions of @jest/core
          Depends on vulnerable versions of jest-cli
          node_modules/jest
            ts-jest >=25.10.0-alpha.1
            Depends on vulnerable versions of @jest/transform
            Depends on vulnerable versions of babel-jest
            Depends on vulnerable versions of jest
            node_modules/ts-jest
              @jest/reporters >=25.1.0
              Depends on vulnerable versions of @jest/transform
              node_modules/@jest/reporters
                jest-runner >=25.1.0
                Depends on vulnerable versions of @jest/transform
                Depends on vulnerable versions of jest-runtime
                node_modules/jest-runner
                  jest-config >=25.1.0
                  Depends on vulnerable versions of babel-jest

```

→ loop_back git:(tp/dev-legacy) x npm audit

jest-config >=25.1.0

Depends on vulnerable versions of **babel-jest**

Depends on vulnerable versions of **jest-circus**

Depends on vulnerable versions of **jest-runner**

node_modules/jest-config

jest-cli >=25.1.0

Depends on vulnerable versions of **@jest/core**

Depends on vulnerable versions of **jest-config**

node_modules/jest-cli

jest-runtime >=25.1.0

Depends on vulnerable versions of **@jest/globals**

Depends on vulnerable versions of **@jest/transform**

Depends on vulnerable versions of **jest-snapshot**

node_modules/jest-runtime

jest-circus >=25.2.4

Depends on vulnerable versions of **@jest/expect**

Depends on vulnerable versions of **jest-runtime**

Depends on vulnerable versions of **jest-snapshot**

node_modules/jest-circus

jest-snapshot >=27.0.0-next.0

Depends on vulnerable versions of **@jest/transform**

node_modules/jest-snapshot

@jest/expect *

Depends on vulnerable versions of **jest-snapshot**

node_modules/@jest/expect

@jest/globals >=28.0.0-alpha.0

Depends on vulnerable versions of **@jest/expect**

node_modules/@jest/globals

jest-resolve-dependencies >=27.0.0-next.0

Depends on vulnerable versions of **jest-snapshot**

node_modules/jest-resolve-dependencies

babel-jest >=25.1.0

Depends on vulnerable versions of **@jest/transform**

Depends on vulnerable versions of **babel-plugin-istanbul**

node_modules/babel-jest

@nestjs/swagger >=5.0.9

Depends on vulnerable versions of **@nestjs/core**

Depends on vulnerable versions of **js-yaml**

node_modules/@nestjs/swagger

multer 1.0.0 - 2.1.1

Severity: **high**

Multer vulnerable to Denial of Service via deeply nested field names - <https://github.com/advisories/GHSA-72gw-mp4g-v24j>

Multer vulnerable to Denial of Service via incomplete cleanup of aborted uploads - <https://github.com/advisories/GHSA-3p4h-7m6x-2hcm>

fix available via `npm audit fix --force`

Will install **@nestjs/core@7.5.5**, which is a breaking change

node_modules/multer

@nestjs/platform-express *

Depends on vulnerable versions of **@nestjs/core**

Depends on vulnerable versions of **multer**

node_modules/@nestjs/platform-express

```

→ loop_back git:(tp/dev-legacy) x npm audit
node_modules/babel-jest
@nestjs/swagger >=5.0.9
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of js-yaml
node_modules/@nestjs/swagger

multer 1.0.0 - 2.1.1
Severity: high
Multer vulnerable to Denial of Service via deeply nested field names - https://github.com/advisories/GHSA-72gw-mp4g-v24j
Multer vulnerable to Denial of Service via incomplete cleanup of aborted uploads - https://github.com/advisories/GHSA-3p4h-7m6x-2hcm
fix available via `npm audit fix --force`
Will install @nestjs/core@7.5.5, which is a breaking change
node_modules/multer
@nestjs/platform-express *
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of multer
node_modules/@nestjs/platform-express
@nestjs/core >=7.6.0-next.1
Depends on vulnerable versions of @nestjs/platform-express
Depends on vulnerable versions of @nestjs/websockets
node_modules/@nestjs/core
@nestjs/testing >=7.6.0-next.1
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of @nestjs/platform-express
node_modules/@nestjs/testing
@nestjs/typeorm >=8.0.0
Depends on vulnerable versions of @nestjs/core
node_modules/@nestjs/typeorm
@nestjs/websockets >=8.0.0-alpha.1
Depends on vulnerable versions of @nestjs/core
Depends on vulnerable versions of @nestjs/platform-socket.io
node_modules/@nestjs/websockets
@nestjs/platform-socket.io >=8.0.0-alpha.1
Depends on vulnerable versions of @nestjs/websockets
node_modules/@nestjs/platform-socket.io

typeorm 0.1.12 - 0.3.28
Severity: moderate
TypeORM: SQL Injection in UpdateQueryBuilder/SoftDeleteQueryBuilder orderBy (MySQL/MariaDB) - https://github.com/advisories/GHSA-9ggv-8w38-r7pm
fix available via `npm audit fix`
node_modules/typeorm

28 vulnerabilities (20 moderate, 8 high)

To address issues that do not require attention, run:
npm audit fix

To address all issues (including breaking changes), run:
npm audit fix --force
→ loop_back git:(tp/dev-legacy) x

```

 Historique Git (branche tp/dev-legacy , commits atomiques) :


```
da67957 (HEAD -> tp/dev-legacy) style(users): apply prettier formatting
cc07881 docs(tp): record C3 feature, after-dashboard and legacy retro
b5c4d67 feat(users): enrich blocked-list with date, ordering and search
0c7cad4 docs(tp): document C2 fix (blocked profiles leak via swipe)
d581a20 fix(discovery): do not re-form a match between blocked profiles
cbfb297 docs(tp): record uuid 14 second major upgrade
0a897dc chore(deps): upgrade uuid 13 -> 14 (major)
24c07d8 docs(tp): document Jest 30 migration analysis and adaptation
e6143fb build(test): upgrade Jest 29 -> 30 (major) and adapt code
d83eddb docs(tp): record security fix results in report and logbook
3b7338e docs(tp): add before-state and startup screenshots
0c7f55f chore(security): apply non-breaking npm audit fix
f731633 docs(tp): document docker startup friction and run procedure
a291a6d docs(tp): record reprise-en-main findings and before-state
e3f5c06 docs(tp): add mission plan and deliverable scaffolding
593fafc (feat/block) test(users): update fixtures for new required profile fields
d9b58da feat(users): enforce profile completeness and media/social limits
8c3f837 fix(modules): resolve circular dependencies with forwardRef
(END)
```

La Pull Request (#11) :

GLANEUX / loop_back

Q Type to search

Code Issues Pull requests 1 Agents Actions Projects Wiki Security and quality Insights Settings

TP Dev Legacy — Maintenance & modernisation (3 chantiers)
#11

Ready to merge Code

Open GLANEUX wants to merge 16 commits into feat/block from tp/dev-legacy

Conversation Commits 16 Checks 0 Files changed 34 +2,460 -1,567

GLANEUX commented 5 minutes ago Owner

TP Dev Legacy — Maintenance & modernisation

Mission de maintenance sur le back-end Loop : sécuriser, monter de version, corriger, faire évoluer — **sans rien casser** (fillet de tests avant/après, changelogs lus, commits atomiques, rollback documenté).

Tableau de bord avant / après

Indicateur	Avant	Après
Vulnérabilités npm audit	38 (1 critique, 17 high, 17 mod, 3 low)	20 (modérées only)
Dépendances majeures montées	—	2 (Jest 29 → 30, uuid 13 → 14)
Build / lint	OK / 2 warnings	OK / 0 warning, tsc: propre
Tests	111	114 (+1 régression C2, +2 feature C3)

Chantier 1 — Mise à jour & adaptation

- Sécurité : npm audit fix (non-breaking) → critique + tous les high + low éliminés (dont @nestjs/core 11.1.6 → 11.1.27, faille d'injection path-to-regexp).
- Majeure Jest 29 → 30 (+ @types/jest 30, ts-jest 29.4.11) : guide de migration lu, analyse d'exposition des breaking changes, adaptation jest.SpyInstance → jest.Spyed.
- Majeure uuid 13 → 14 : Node 20 / TS 5.9 déjà conformes, import { v4 } inchangé.
- Non-régression : suite verte, tsc --noEmit: propre, build OK.
- Rollback : git revert e6143fb 0c7f55f ou cp package-lock.json.bak package-lock.json && npm ci.

Chantier 2 — Correctif (fuite des profils bloqués)

Reviewers

No reviews

Still in progress? Convert to draft

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

1 participant

TP Dev Legacy — Maintenance & modernisation (3 chantiers) #11

GLANEUX wants to merge 16 commits into [Feat/block](#) from [tp/dev-legacy](#)

Indicateur	Avant	Après
Vulnérabilités <code>npm audit</code>	38 (1 critique, 17 high, 17 mod, 3 low)	20 (modérées only)
Dépendances majeures montées	—	2 (jest 29 ~ 30, uuid 13 ~ 14)
Build / lint	OK / 2 warnings	OK / 0 warning, <code>tsconfig</code> propre
Tests	111	114 (+1 régression C2, +2 feature C3)

Chantier 1 — Mise à jour & adaptation

- **Sécurité** : `npm audit fix` (non-breaking) → critique + tous les high + low éliminés (dont `@nestjs/core` 11.1.6 ~ 11.1.27, faille d'injection `path-to-regexp`).
- **Majeure Jest 29 ~ 30** (+ `@types/jest` 30, `ts-jest` 29.4.11) : guide de migration lu, analyse d'exposition des breaking changes, adaptation `jest.SpyInstance` → `jest.Spied`.
- **Majeure uuid 13 ~ 14** : Node 20 / TS 5.9 déjà conformes, `import { v4 }` inchangé.
- Non-régression : suite verte, `tsconfig` propre, build OK.
- **Rollback** : `git revert e6143fb 0c7f59f` ou `cp package-lock.json.bak package-lock.json && npm ci`.

Chantier 2 — Correctif (fuite des profils bloqués)

- **Symptôme** : un profil bloqué pouvait réapparaître dans `GET /messages/threads`.
- **Cause racine** : `swipe()` reformait un match via `ensureMatch` **sans vérifier** `isBlocked` (alors que `sendMessage` le faisait). Un swipe direct restaurait le match cassé par le blocage.
- **Fix** : garde `isBlocked` avant `ensureMatch` + **test de non-régression** (rouge → vert).

Chantier 3 — Évolutif (liste des bloqués enrichie)

- `GET /user/blocks` : ajout du champ `blocked_at`, tri **plus récent d'abord**, paramètre `?search=` (prénom / nom / pseudo). 2 tests ajoutés.

Méthode

Branche dédiée + commits atomiques (1 commit = 1 intention), filet de tests posé avant chaque modification, changelogs cités, bug reproduit avant correction, plan de rollback, journal de bord et compte-rendu complets dans `livrable/`.

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

1 participant

Lock conversation

8. Bilan & rétro legacy

- **Ce que les vieilles deps / le vieux code ont coûté** :
 - 38 vulnérabilités accumulées (dont 1 critique + 17 high) faute de mises à jour régulières.
 - Une **base Docker arrêtée** + un conteneur sur réseau périmé → ~temps perdu à diagnostiquer un `EAI_AGAIN` qui n'était pas un bug de code.
 - Des **tests périmés** (fixtures non suivies après évolution du modèle) masquaient un filet rouge.
 - Un **résidu de config** (`.env` Prisma, coquille `tsconfig-spaths`) source de confusion.
 - Une incohérence de sécurité (blocage vérifié à l'envoi de message mais **pas au swipe**).
- **Ce qu'on changerait dans nos habitudes** :
 - **Mises à jour régulières** (Dependabot / `npm audit` en CI) plutôt qu'un gros rattrapage.
 - **Filet vert obligatoire en CI** : un test rouge ne doit jamais être mergé.
 - **Mettre à jour les tests en même temps que le modèle** (les fixtures font partie du code).
 - **Centraliser les règles transverses** (ex. un guard de blocage réutilisé) pour éviter qu'une nouvelle voie d'accès (swipe) oublie la règle.
 - **Documenter le démarrage** (`.env.development` , `docker compose up --force-recreate`).

Annexe — Journal de bord

Voir [JOURNAL-DE-BORD.md](#) .