

Cyber Defence Final Report

MySQL Ransom Compromise and Unauthorized Windows Administrator Authentication

Host: datafiles-corp-s01 (Cyber Range honeypot lab)

Report prepared by	Grace Agosto, SOC Analyst (Capstone Exercise)
Classification	Confidential — Training / Lab Environment
Incident ID	CDF-DATAFILES-CORP-S01 (recommend assigning formal ticket #)
Workspace	LAW-Cyber-Range (Microsoft Sentinel / Defender for Endpoint)
Report date	September 3, 2026

1. Executive Summary

Between September 1–2, 2026, an internet-exposed MySQL 8.0 server on host datafiles-corp-s01 was compromised by an automated ransom/wiper script. The attacker authenticated as root using weak or blank credentials, enumerated and read four databases (including a table named credentials), then dropped all four databases, replaced them with a ransom note demanding 0.0109 BTC, revoked its own privileges, purged binary logs, and shut down the MySQL service — the full sequence took under a minute. The same pattern of drive-by root logons and repeat ransom-note drops continued from at least eleven other source IPs through the following day, consistent with an opportunistic, internet-wide scanning campaign rather than a targeted actor. Separately, on September 2 at 08:31 EDT the local Windows "administrator" account authenticated successfully over the network from external IP 223.83.21.51 following a burst of scan-like connection attempts; no confirmed post-logon activity (process execution, file changes, persistence) was found for that account in the available telemetry. This host is a purpose-built, intentionally exposed Cyber Range honeypot (per the "Cyber Range Capstone" build checklist), so no production data or business function was affected.

2. Incident Details

Detection window (data available)	2026-09-01 15:32:42 UTC – 2026-09-03 02:16:28 UTC (exposure to isolation, per analyst-recorded timestamps)
First confirmed malicious activity	2026-09-01 20:27:29 UTC (16:27:29 local EDT) — first attacker-driven MySQL query activity
Reporter / detected by	Lab analyst monitoring MDE/Sentinel Advanced Hunting queries against MySQLAudit_CL and DeviceLogonEvents (per Phase 6 of the build checklist); not an automated Sentinel analytics-rule alert confirmed in the provided data — Not determined from available logs whether a formal alert/incident fired versus manual detection
Classification — type	Database compromise / extortion (ransom-note wipe) on MySQL; secondary unauthorized authentication event on the Windows host
Classification — severity	High (data availability loss, credential exposure risk) for the lab asset; no production impact — this is an intentionally exposed training host
Affected systems	datafiles-corp-s01 (Windows 11 VM; MDE truncates the device name to "datafiles-corp-" in some log tables) and its local MySQL 8.0 Server instance (port 3306)
Affected data	MySQL schemas: world, sakila, cr_corp_01 (contains a table named credentials), recover_your_data (attacker-created)

Suggested hunt — confirm exposure and device baseline

DeviceInfo
| where DeviceName has "datafiles-corp"
| project TimeGenerated, DeviceName, OSPlatform, PublicIP, OnboardingStatus
| order by TimeGenerated desc

1 DeviceInfo
2 | where DeviceName has "datafiles-corp"
3 | project TimeGenerated, DeviceName, OSPlatform, PublicIP, OnboardingStatus
4 | order by TimeGenerated desc
5

Results Query history Getting started

Timeline visualization

Line Group by: None

Date	Events
Aug 25	16
Aug 26	10
Aug 27	16
Aug 28	18
Aug 29	20
Aug 30	22
Aug 31	24
Sep 01	26
Sep 02	32
Sep 03	10

Export Show empty columns 131 items Search 00:01.57 Low

Filters: Add filter

☐	TimeGenerated	☐	DeviceName	☐	OSPlatform	☐	PublicIP	☐	OnboardingStatus
☐	> Sep 3, 2026 3:08:3...	☐	datafiles-corp-		Windows11	☐	20.119.253.14		Onboarded
☐	> Sep 3, 2026 3:08:3...	☐	datafiles-corp-		Windows11	☐	20.119.253.14		Onboarded
☐	> Sep 3, 2026 3:08:3...	☐	datafiles-corp-		Windows11	☐	20.119.253.14		Onboarded

3. Impact Assessment

Confidentiality: databases world, sakila, and cr_corp_01 were fully enumerated (SHOW TABLES, SELECT * FROM every table, including a table named credentials in cr_corp_01) before deletion. The query log confirms the data was read by the attacker's session; whether it was exfiltrated off-host cannot be confirmed from MySQLAudit_CL query text alone, since it does not log response size or destination — flagged as Not determined from available logs. Recommend treating the cr_corp_01.credentials contents as compromised and rotating any real-world credentials that database may have mirrored.

Integrity: a new database/table (RECOVER_YOUR_DATA) was created and used to insert the extortion note; binary logs were purged and the master log position reset (PURGE BINARY LOGS, RESET MASTER), which removes the server's own point-in-time recovery trail.

Availability: all four databases were dropped, the root account's privileges were revoked (REVOKE ALL PRIVILEGES, GRANT OPTION FROM root@'%'), and the MySQL service was shut down via a SHUTDOWN query — complete denial of database service until manual recovery. This ransom/wipe/revoke/shutdown chain executed in roughly 49 seconds (20:27:29–20:28:18 UTC), which is far faster than manual keyboard-driven operation and indicates a scripted/automated tool.

Windows host: a successful network authentication as the local administrator account occurred from an external IP. Scope of impact from that logon (files touched, commands run, persistence installed) is Not determined from available logs — no DeviceProcessEvents, DeviceFileEvents, or DeviceRegistryEvents entries in the provided exports are attributed to the administrator account.

Business impact: none — datafiles-corp-s01 is a Cyber Range Capstone honeypot lab VM, deliberately built and exposed for this exercise. No customer or production data was involved.

Suggested hunt — data-destruction and privilege-abuse commands in the query log

```
let Start = datetime(2026-09-01T15:32:42.722089Z);
let End   = datetime(2026-09-03T02:16:28.169935Z);
MySQLAudit_CL
| where TimeGenerated between (Start .. End)
| where RawData has "Query"
| where RawData has_any ("DROP DATABASE", "CREATE DATABASE", "REVOKE", "GRANT", "SHUTDOWN", "RESET MASTER", "PURGE BINARY LOGS", "RECOVER_YOUR_DATA")
| project TimeGenerated, RawData
| order by TimeGenerated asc
```

The screenshot displays a query interface with a query editor at the top and a results table below. The query is as follows:

```
let Start = datetime(2026-09-01T15:32:42.722089Z);
let End   = datetime(2026-09-03T02:16:28.169935Z);
MySQLAudit_CL
| where TimeGenerated between (Start .. End)
| where RawData has "Query"
| where RawData has_any ("DROP DATABASE", "CREATE DATABASE", "REVOKE", "GRANT", "SHUTDOWN", "RESET MASTER", "PURGE BINARY LOGS", "RECOVER_YOUR_DATA")
| project TimeGenerated, RawData
| order by TimeGenerated asc
```

The results table shows 123 items. The first few rows are:

TimeGenerated	RawData
2026-09-01T20:27:38.954868Z	34 Query USE RECOVER_YOUR_DATA
2026-09-01T20:27:39.461168Z	34 Query INSERT INTO RECOVER_YOUR_DATA (text) VALUES (for more information visit http://spoo[.]me/mysql) After payment send mail to ak+2fow1@onionmail.org and we will provide a link for you to download your data. Your DATAID is: 2FOW1)
2026-09-01T20:27:39.140054Z	34 Query CREATE TABLE IF NOT EXISTS RECOVER_YOUR_DATA (text VARCHAR(255))
2026-09-01T20:27:39.367631Z	34 Query INSERT INTO RECOVER_YOUR_DATA (text) VALUES (All your data was backed up by us. You must pay 0.0109 bitcoin to bc1q07hr5v220f5qlqjhjhg4p3jjqfkgudazzjnlkw or in 48 hours, your data will be publicly disclosed and deleted.)
2026-09-01T20:27:40.478053Z	36 Query GRANT CREATE, DROP ON *.* TO 'root'@'%'
2026-09-01T20:27:46.477358Z	45 Query USE 'recover_your_data'
2026-09-01T20:27:46.379780Z	45 Query SELECT SUM(data_length + index_length) FROM information_schema.tables WHERE table_schema = 'recover_your_data'
2026-09-01T20:27:47.213022Z	46 Query SELECT * FROM 'recover_your_data'
2026-09-01T20:28:13.492099Z	76 Query DROP DATABASE 'sakila'
2026-09-01T20:28:13.035604Z	76 Query DROP DATABASE 'or_corp_01'
2026-09-01T20:28:13.284134Z	76 Query DROP DATABASE 'recover_your_data'
2026-09-01T20:28:14.754844Z	77 Query USE RECOVER_YOUR_DATA
2026-09-01T20:28:14.561278Z	77 Query CREATE DATABASE IF NOT EXISTS RECOVER_YOUR_DATA
2026-09-01T20:28:13.955839Z	76 Query DROP DATABASE 'world'
2026-09-01T20:28:15.253704Z	77 Query INSERT INTO RECOVER_YOUR_DATA (text) VALUES (for more information visit http://spoo[.]me/mysql) After payment send mail to ak+2fow1@onionmail.org and we will provide a link for you to download your data. Your DATAID is: 2FOW1)
2026-09-01T20:28:15.822907Z	78 Query RESET MASTER
2026-09-01T20:28:15.160060Z	77 Query INSERT INTO RECOVER_YOUR_DATA (text) VALUES (All your data was backed up by us. You must pay 0.0109 bitcoin to bc1q07hr5v220f5qlqjhjhg4p3jjqfkgudazzjnlkw or in 48 hours, your data will be publicly disclosed and deleted.)
2026-09-01T20:28:14.942893Z	77 Query CREATE TABLE IF NOT EXISTS RECOVER_YOUR_DATA (text VARCHAR(255))
2026-09-01T20:28:16.419597Z	79 Query PURGE BINARY LOGS TO 'both-mde-lab-bin-000001'
2026-09-01T20:28:16.915591Z	80 Query REVOKE ALL PRIVILEGES, GRANT OPTION FROM 'root'@'%'
2026-09-01T20:28:17.383990Z	81 Query GRANT SHUTDOWN ON *.* TO 'root'@'%'
2026-09-01T20:28:17.932902Z	82 Query SHUTDOWN

4. Indicators of Compromise

Type	Value	Source
BTC wallet (ransom demand)	bc1q0l7hr5v220f5qlqjhjhg4p3jjqfkgudazzjnlkw (0.0109 BTC)	MySQLAudit_CL query log
Contact email	ak+2fow1@onionmail.org	MySQLAudit_CL query log
Reference URL	hxxp://spoo[.]me/mysql	MySQLAudit_CL query log
DATAID	2FOW1	MySQLAudit_CL query log
Attacker artifact	Database/table: RECOVER_YOUR_DATA	MySQLAudit_CL query log
MySQL attack source IP (initial wipe)	64.89.163.166	MySQLAudit_CL auth log
MySQL repeat-offender source IPs	64.89.163.139, 64.89.163.141, 64.89.163.145, 64.89.163.154, 77.90.185.21, 77.90.185.30, 213.209.159.115, 34.156.149.204, 35.205.193.184, 136.144.19.189, 34.76.237.68	MySQLAudit_CL auth log
Windows admin-account source IP	223.83.21.51	DeviceLogonEvents / DeviceNetworkEvents (NetworkSignatureInspected burst on high ephemeral ports)

5. Timeline

All times UTC unless noted. Local lab time is EDT (UTC-4).

Time (UTC)	Event	Source
2026-08-31 14:51	Baseline: interactive build-session logon ("mac" account) — pre-incident lab setup, not attacker activity	DeviceLogonEvents (VM_Logons_Audit_9.1.csv)
2026-09-01 15:32:42	Recorded exposure timestamp — start of incident window per analyst checklist	Analyst log / build checklist
2026-09-01 15:53:53	Baseline: root@localhost login over SSL/TLS (legitimate admin setup)	MySQLAudit_CL (auth)
2026-09-01 15:54:04	MySQL root account created network-wide with GRANT OPTION (CREATE USER, GRANT ALL PRIVILEGES ON *.*) — exposure step, not attacker	MySQLAudit_CL (query)
2026-09-01 15:57:11	Windows Firewall disabled on all profiles (Domain/Standard/Public) — exposure step, not attacker	DeviceRegistryEvents (VM_Registtry_Audit_Logs)
2026-09-01 20:27:29 – 20:27:45	Multiple successful root logons from 64.89.163.166; enumeration of world, sakila, cr_corp_01 (incl. credentials table), recover_your_data schemas	MySQLAudit_CL (auth + query)
2026-09-01 20:27:39 – 20:27:40	GRANT CREATE, DROP ON *.* TO root@'%'; first RECOVER_YOUR_DATA table created; ransom note + contact note inserted	MySQLAudit_CL (query)
2026-09-01 20:28:13 – 20:28:14	DROP DATABASE sakila, cr_corp_01, recover_your_data, world	MySQLAudit_CL (query)
2026-09-01 20:28:14 – 20:28:15	RECOVER_YOUR_DATA recreated; ransom note re-inserted a second time	MySQLAudit_CL (query)
2026-09-01 20:28:16 – 20:28:17	REVOKE ALL PRIVILEGES, GRANT OPTION FROM root@'%'; GRANT SHUTDOWN ON *.* TO root@'%'; PURGE BINARY LOGS; RESET MASTER	MySQLAudit_CL (query)
2026-09-01 20:28:18	SHUTDOWN query issued — MySQL service stopped	MySQLAudit_CL (query)
2026-09-01 21:00 – 2026-09-02 08:11	Repeated brute-force/root-logon sweeps and RECOVER_YOUR_DATA recreation attempts from 10+ additional external IPs (service restarts between sweeps implied by renewed connections)	MySQLAudit_CL (auth + query)
2026-09-02 12:31:29 – 12:37:24	Burst of ~90 ConnectionAttempt / NetworkSignatureInspected events from 223.83.21.51 against high ephemeral ports on the VM	DeviceNetworkEvents
2026-09-02 12:31:37	Successful network logon as local "administrator" account from 223.83.21.51 (LogonType = Network)	DeviceLogonEvents
2026-09-03 02:16:28	Device isolated in Microsoft Defender for Endpoint; recorded isolation timestamp	Analyst action / Defender Investigation Package (collected 2026-09-03 01:49–02:16 UTC)

Suggested hunt — full VM + MySQL logon timeline for the device

```

let MyDevice = "datafiles-corp-"; // MDE truncates the device name in this table
let Start = datetime(2026-09-01T15:32:42.722089Z);
let End = datetime(2026-09-03T02:16:28.169935Z);
DeviceLogonEvents
| where TimeGenerated between (Start .. End)
| where DeviceName startswith MyDevice
| project TimeGenerated, RemoteIP, AccountName, ActionType, LogonType
| order by TimeGenerated asc

```

Query Run query Create summary rule Create detection rule 100,000 (Default) Set in query

```

1 let MyDevice = "datafiles-corp-"; // MDE truncates the device name in this table
2 let Start = datetime(2026-09-01T15:32:42.722089Z);
3 let End = datetime(2026-09-03T02:16:28.169935Z);
4 DeviceLogonEvents
5 | where TimeGenerated between (Start .. End)
6 | where DeviceName startswith MyDevice
7 | project TimeGenerated, RemoteIP, AccountName, ActionType, LogonType
8 | order by TimeGenerated asc
9
10

```

Results Query history Getting started

Export Show empty columns 230 items Search 00:02.407 Low Grid Table Full Screen

☐	TimeGenerated	RemoteIP	AccountName	ActionType	LogonType
☐	> Sep 2, 2026 2:53:50 AM	163.223.18.58	administrator	LogonFailed	Network
☐	> Sep 2, 2026 2:54:50 AM	163.223.18.58	admin	LogonFailed	Network
☐	> Sep 2, 2026 2:55:52 AM	163.223.18.58	user	LogonFailed	Network
☐	> Sep 2, 2026 2:55:54 AM	103.212.182.194	administrator	LogonFailed	Network
☐	> Sep 2, 2026 2:56:48 AM	163.223.18.58	office	LogonFailed	Network
☐	> Sep 2, 2026 2:57:46 AM	163.223.18.58	info	LogonFailed	Network
☐	> Sep 2, 2026 2:58:22 AM	103.212.182.194	admin	LogonFailed	Network
☐	> Sep 2, 2026 2:58:43 AM	163.223.18.58	service	LogonFailed	Network
☐	> Sep 2, 2026 2:59:43 AM	103.212.182.194	administrator	LogonFailed	Network
☐	> Sep 2, 2026 2:59:45 AM	163.223.18.58	remote	LogonFailed	Network
☐	> Sep 2, 2026 3:00:20 AM	91.124.19.250	administrator	LogonFailed	Network
☐	> Sep 2, 2026 3:00:39 AM	163.223.18.58	pc	LogonFailed	Network
☐	> Sep 2, 2026 3:00:51 AM	103.212.182.194	user	LogonFailed	Network

6. Root Cause / Attack Vector

MySQL: the server was deliberately exposed to the internet on TCP/3306 with a root account that accepts network connections and a weak/blank password (per the lab's own build checklist, Phase 5). Public internet-scanning bots found and authenticated to it within roughly 20 hours of exposure. The command sequence (schema dump → ransom-note table → DROP DATABASE → REVOKE/PURGE/RESET → SHUTDOWN, completed in under a minute, repeated near-identically from many unrelated IPs) matches publicly known opportunistic "MySQL ransom" wiper campaigns that mass-scan for exposed instances with default or blank credentials — this is not evidence of a targeted, hands-on-keyboard actor.

Windows: RDP was intentionally opened and the local administrator/Guest accounts intentionally weakened per the same build checklist. A successful network authentication as administrator from 223.83.21.51 followed a scan-like burst of connection attempts, consistent with credential brute-forcing or use of a leaked/guessed weak password. Not determined from available logs: the specific technique (e.g., password spray vs. brute force vs. credential reuse), and whether this is the same actor/infrastructure as the MySQL attacker (different, unrelated source IP; no session-linking evidence in the provided exports).

Suggested hunt — brute-force pattern preceding successful authentication (both vectors)

```
// MySQL side
MySQLAudit_CL
| where RawData has "Access denied"
| extend DeviceName = tostring(split(_ResourceId, "/")[-1])
| summarize FailedAttempts = count() by bin(TimeGenerated, 1h)
| order by TimeGenerated asc

// Windows/RDP side
DeviceNetworkEvents
| where RemoteIP == "223.83.21.51"
| where ActionType in ("ConnectionAttempt","ConnectionFailed","NetworkSignatureInspected")
| summarize Attempts = count() by bin(TimeGenerated, 5m), RemotePort
| order by TimeGenerated asc
```

Query Run query

```
1 // MySQL side
2 MySQLAudit_CL
3 | where RawData has "Access denied"
4 | extend DeviceName = tostring(split(_ResourceId, "/")[-1])
5 | summarize FailedAttempts = count() by bin(TimeGenerated, 1h)
6 | order by TimeGenerated asc
7
8 // Windows/RDP side
9 DeviceNetworkEvents
10 | where RemoteIP == "223.83.21.51"
```

Results Query history Getting started

Export Show empty columns 149 ite

	TimeGenerated	FailedAttempts
>	Aug 31, 2026 5:00:00...	9
>	Aug 31, 2026 6:00:00...	110
>	Aug 31, 2026 7:00:00...	13
>	Aug 31, 2026 8:00:00...	14
>	Aug 31, 2026 9:00:00...	13
>	Aug 31, 2026 10:00:00...	95
>	Aug 31, 2026 11:00:00...	9
>	Sep 1, 2026 12:00:00...	117
>	Sep 1, 2026 1:00:00...	11
>	Sep 1, 2026 2:00:00...	20
>	Sep 1, 2026 3:00:00...	17
>	Sep 1, 2026 5:00:00...	1
>	Sep 1, 2026 8:00:00...	3

```
1 // MySQL side
2 MySQLAudit_CL
3 | where RawData has "Access denied"
4 | extend DeviceName = tostring(split(_ResourceId, "/")[-1])
5 | summarize FailedAttempts = count() by bin(TimeGenerated, 1h)
6 | order by TimeGenerated asc
7
8 // Windows/RDP side
9 DeviceNetworkEvents
10 | where RemoteIP == "223.83.21.51"
```

Results Query history Getting started

Export 1 of 699 selected Search 00:01.724 Low

filters Add filter

	TimeGenerated	RemotePort	Attempts
>	Sep 2, 2026 8:25:00 AM	14793	1
>	Sep 2, 2026 8:25:00 AM	15167	1
>	Sep 2, 2026 8:25:00 AM	14736	1
>	Sep 2, 2026 8:25:00 AM	14576	1
>	Sep 2, 2026 8:25:00 AM	15266	1
>	Sep 2, 2026 8:25:00 AM	14372	1
>	Sep 2, 2026 8:25:00 AM	14718	1

7. Response Actions

Containment

- **Done:** host isolated in Microsoft Defender for Endpoint (isolation timestamp 2026-09-03T02:16:28Z); an Investigation Package was captured at the same time for forensics.
- **Recommended:** block/deny the identified MySQL attacker source IPs and 223.83.21.51 at the NSG/firewall level; re-enable "deny all inbound" on the NSG for this host outside of controlled testing windows.

Eradication


- **Recommended:** re-harden the VM — enable the Windows Firewall, remove or disable the local "administrator" account (or set a strong unique password), disable the Guest account, remove blank/weak MySQL credentials, and do not expose MySQL directly to the internet.
- **Recommended:** run a full Defender AV/EDR scan on the host before returning it to service; review the captured Investigation Package (Prefetch, Processes.csv, Security.evtx) for anything beyond what MDE's live tables captured.

Recovery

- **Recommended:** rebuild the MySQL databases from a known-good backup rather than trusting anything on the compromised instance, since binary logs were purged and cannot be used to validate integrity.
- **Recommended:** rotate any credentials that were stored in the cr_corp_01.credentials table, even though this is a lab asset, as a matter of practice.

Suggested hunt — confirm containment held (no further outbound/inbound after isolation)

```
let MyDevice = "datafiles-corp-"; // MDE truncates the device name in this table
let IsolationTime = datetime(2026-09-03T02:16:28.169935Z);
DeviceNetworkEvents
| where DeviceName startswith MyDevice
| where TimeGenerated > IsolationTime
| project TimeGenerated, ActionType, RemoteIP, RemotePort
| order by TimeGenerated asc
```



8. Evidence

Log sources and artifacts referenced in this report:

- MySQLAudit_CL — parsed authentication events (connect/access-denied) for datafiles-corp-s01, 2026-09-01 through 2026-09-02 (multiple export batches).
- MySQLAudit_CL — parsed query events (Query action, RawData containing DDL/DCL statements) for the same window.
- DeviceLogonEvents — VM logon activity (limited export; see gap note below).
- DeviceNetworkEvents — connection attempts/inspections for the VM, 2026-08-31 through 2026-09-02.
- DeviceProcessEvents — process execution telemetry for the VM (2,050 rows reviewed; all attributable to system/local service/network service/"mac" accounts).
- DeviceRegistryEvents — registry activity for the VM (2,053 rows reviewed; routine Defender/service telemetry plus the firewall-disable change noted in the timeline).
- DeviceFileEvents — file activity for the VM (587 rows reviewed; no attacker-attributed file activity found).
- NTANetAnalytics export — timestamps only in the supplied file (no flow detail columns present); usable only to corroborate activity timing, not content.
- Defender for Endpoint Investigation Package, collected at isolation (2026-09-03 ~01:49–02:16 UTC): Users and Groups (LocalGroups.txt, QueryUser.txt), Network Connections (ActiveNetConnections.txt, FirewallExecutionLog.txt), Processes.csv, Prefetch, Security.evtx, and related system-state files.
- "Cyber Range Capstone — Live-Exposed Honeypot Lab" build checklist (source of the recorded exposure/isolation timestamps and the intended lab hardening baseline).

9. Lessons Learned / Recommendations

- **1 (Critical). Never expose a database service directly to the internet with default or blank credentials, even in a lab — this MySQL instance was compromised within about 20 hours of exposure by opportunistic scanning alone, before any targeted attacker was involved.**
- **2 (High).** Enable MySQL binary logging protections (e.g., ship logs off-box in near-real-time) so a PURGE BINARY LOGS / RESET MASTER by an attacker cannot erase the server's own evidence trail; the SIEM copy (MySQLAudit_CL) is what preserved visibility here.
- **3 (High).** Get a complete DeviceLogonEvents / DeviceProcessEvents export scoped to the full incident window before closing an incident — the current process/registry/file exports show no administrator-attributed activity, but that may reflect an export gap rather than genuine absence of attacker action on the host.
- **4 (Medium).** Restrict Remote Desktop Protocol exposure and disable or rename default local admin accounts; require MFA or a jump-host for any RDP access that must remain.
- **5 (Medium).** Build a Sentinel analytics rule (not just an ad-hoc hunting query) for the MySQLAudit_CL DROP DATABASE / SHUTDOWN / REVOKE pattern so this class of event pages someone in near-real-time instead of being found by later hunting.
- **6 (Low).** Standardize on UTC (or one consistently-labeled timezone) across all exported CSVs and screenshots for this capstone — several exports mix local-time display columns with UTC RawData timestamps, which cost real time to reconcile while building this report.