Exp. Name: Write a Java program to Display Default values of all Primitive data types

## Aim:

Write a **java** program to display the default values of all primitive data types.

```
Write a class PrimitiveTypes with main(String[] args) method.
```

Write code to produce the below output:

```
byte default value = 0
short default value = 0
int default value = 0
long default value = 0
boolean default value = false
double default value = 0.0
float default value = 0.0
```

Note: Please don't change the package name.

## **Source Code:**

```
q10815/PrimitiveTypes.java
```

```
package q10815;
public class PrimitiveTypes{
      static byte b;
      static short s;
      static int i;
      static long 1;
      static boolean boo;
      static double d;
      static float f;
      public static void main(String[] args){
      System.out.println("byte default value = "+b);
      System.out.println("short default value = "+s);
      System.out.println("int default value = "+i);
      System.out.println("long default value = "+1);
      System.out.println("boolean default value = "+boo);
      System.out.println("double default value = "+d);
      System.out.println("float default value = "+f);
    }
}
```

## Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
byte default value = 0
short default value = 0
int default value = 0
```

7
9
ge l
)ać

ID: 22K61A4227

2022-2026-CSE-AIML

long default value = 0
boolean default value = false
double default value = 0.0
float default value = 0.0