

BENCHMARK:actionMessageBenchmark

run ID:

LJ461

Timestamp:

11/29/19 10:17:36

HELICS version:

2.3.1

generator:

Visual Studio 16 2019

system:

Windows

system version:

10.0.18362

platform:

C++ compiler:

MSVC

C++ compiler version:

19.23.28106.4

compiler string:

/DWIN32 /D_WINDOWS /W3 /GR /EHsc /MD /O2 /Ob2 /DNDEBUG /machine:x64 /EHsc;/std:c++14

host name:

SIRIUS

host processor:


AMD64

CPU core count:


32

processor speed (MHz):


3394




run_id LJ461 messageLookup, core_type=inproc, fed_ct=2: interface_count vs real_




run_id LJ461 messageLookup, core_type=inproc, fed_ct=64: interface_count vs real_t




run_id LJ461 messageLookup, core_type=inproc, fed_ct=8: interface_count vs real_tim




run_id LJ461 messageSend, core_type=singleCore: message_size vs real_time




run_id LJ461 messageSend, msg_ct=1: message_size vs real_time



run_id LJ461 messageSend, msg_sz=1: message_count vs real_time



run_id LJ461 pholdBenchmark: federate_count vs real_time



run_id LJ461 ringBenchmark: federate_count vs real_time

