




BENCHMARK: actionMessageBenchmark


run ID: LJ461  
Timestamp: 11/29/19 10:17:36  
HELICS version: 2.3.1  
generator: Visual Studio 16 2019  
system: Windows  
system version: 10.0.18362  
platform:  
C++ compiler: MSVC  
C++ compiler version: 19.23.28106.4  
compiler string: /DWIN32 /D\_WINDOWS /W3 /GR /EHsc /MD /O2 /Ob2 /DNDEBUG /machine:x64 /EHsc;/std:c++14  
host name: SIRIUS  
host processor: AMD64  
CPU core count: 32  
processor speed (MHz): 3394




run\_id LJ461 messageLookup, core\_type=inproc, fed\_ct=2: interface\_count vs real\_




run\_id LJ461 messageLookup, core\_type=inproc, fed\_ct=64: interface\_count vs real\_t




run\_id LJ461 messageLookup, core\_type=inproc, fed\_ct=8: interface\_count vs real\_tim




run\_id LJ461 messageSend, core\_type=singleCore: message\_size vs real\_time




run\_id LJ461 messageSend, msg\_ct=1: message\_size vs real\_time



run\_id LJ461 messageSend, msg\_sz=1: message\_count vs real\_time



run\_id LJ461 pholdBenchmark: federate\_count vs real\_time



run\_id LJ461 ringBenchmark: federate\_count vs real\_time

