```
BENCHMARK:              actionMessageBenchmark

run ID:                 6b9dk
Timestamp:              2019-11-30 10:24:27
HELICS version:         2.3.1
generator:              Unix Makefiles
system:                 Linux
system version:         5.2.15-200.fc30.x86_64:
platform:
C++ compiler:           GNU
C++ compiler version:   9.2.1
compiler string:         -O2 -DNDEBUG  $<$<COMPILE_LANGUAGE:CXX>:-std=c++14>
host name:              localhost.localdomain
host processor:         x86_64
CPU core count:         4
processor speed (MHz):  4000
```


run_id 6b9dk echoBenchmark: federate_count vs real_time

run_id 6b9dk echoMessageBenchmark: federate_count vs real_time

run_id 6b9dk messageLookup, core_type=inproc, fed_ct=2: interface_count vs real_time

run_id 6b9dk messageLookup, core_type=inproc, fed_ct=64: interface_count vs real_time

run_id 6b9dk messageLookup, core_type=inproc, fed_ct=8: interface_count vs real_time

run_id 6b9dk messageSend, core_type=singleCore: message_size vs real_time

run_id 6b9dk messageSend, msg_ct=1: message_size vs real_time

run_id 6b9dk messageSend, msg_sz=1: message_count vs real_time

run_id 6b9dk pholdBenchmark: federate_count vs EvCount_per_second

core_type

inproc — ipc — singleCore — tcp — tcpss — udp — zmq — zmqss

run_id 6b9dk ringBenchmark: federate_count vs real_time

core_type

inproc — ipc — tcp — tcpss — udp — zmq — zmqss