

BENCHMARK:actionMessageBenchmark

run ID: LJ461

Timestamp: 11/29/19 10:17:36

HELICS version: 2.3.1

generator: Visual Studio 16 2019

system: Windows

system version: 10.0.18362

platform:

C++ compiler: MSVC

C++ compiler version: 19.23.28106.4


compiler string: /DWIN32 /D_WINDOWS /W3 /GR /EHsc /MD /O2 /Ob2 /DNDEBUG /machine:x64 /EHsc;/std:c++14

host name: SIRIUS


host processor: AMD64

CPU core count: 32


processor speed (MHz): 3394




run_id LJ461 messageLookup, core_type=inproc, fed_ct=2: interface_count vs real_




run_id LJ461 messageLookup, core_type=inproc, fed_ct=64: interface_count vs real_t




run_id LJ461 messageLookup, core_type=inproc, fed_ct=8: interface_count vs real_tim




run_id LJ461 messageSend, core_type=singleCore: message_size vs real_time




run_id LJ461 messageSend, msg_ct=1: message_size vs real_time



run_id LJ461 messageSend, msg_sz=1: message_count vs real_time



run_id LJ461 pholdBenchmark: federate_count vs real_time



run_id LJ461 ringBenchmark: federate_count vs real_time

