```
D:\Programs\kafka_2.12-2.2.0\bin\windows>zookeeper-server-start.bat ..\..\config\zookeeper.properties
```

D:\Programs\kafka_2.12-2.2.0\bin\windows>zkserver

D:\Programs\kafka_2.12-2.2.0>.\bin\windows\kafka-server-start.bat .\config\server.properties

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-topics.bat --list --zookeeper localhost:1281

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-topics.bat --list

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-topics.bat --create --bootstrap-server localhost:9092 --replication-factor 1 --partitions 1 --topic my-topic

kafka-topics.bat --create --bootstrap-server localhost:9092 --replication-factor 1 --partitions 1 --topic events

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-topics.bat --list --bootstrap-server localhost:9092

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-topics.bat --describe --bootstrap-server localhost:9092 --topic events

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-console-producer.bat --broker-list localhost:9092 -- topic events

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-console-producer.bat --broker-list localhost:9092 -- topic events –sync

D:\Programs\kafka 2.12-2.2.0\bin\windows>cd D:\Programs\kafka 2.12-2.2.0\bin\windows

D:\Programs\kafka_2.12-2.2.0\bin\windows>kafka-console-consumer.bat --bootstrap-server localhost:9092 --topic events --from-beginning

Replicated topic

```
copy config\server.properties config\server-1.properties
```

copy config\server.properties config\server-2.properties

```
config/server-1.properties:
    broker.id=1
    listeners=PLAINTEXT://:9093
    log.dirs=D:\\CourseKafka\\kafka_2.12-2.2.1\\kafka-logs-1

config/server-2.properties:
    broker.id=2
```

listeners=PLAINTEXT://:9094 log.dirs=D:\\CourseKafka\\kafka_2.12-2.2.1\\kafka-logs-2

```
bin\windows\kafka-server-start config\server-1.properties
bin\windows\kafka-server-start config\server-2.properties
kafka-topics --describe --bootstrap-server localhost:9092 --topic my-replicated-topic
wmic process where "caption = 'java.exe' and commandline like '%server-1.properties%'" get processed
```

Kafka Connect

connect-standalone config\connect-standalone.properties config\connect-filesource.properties config\connect-file-sink.properties

connect-standalone .\src\main\resources\connect-standalone.properties
.\src\main\resources\connect-file-source.properties .\src\main
\resources\connect-file-sink.properties