Enter your NAME and SID number

NAME: MALA, GROTTEY

Student ID Number:

```
import React, { useState, useEffect } from 'react';
  import { sendGetRequest, sendPostRequest } from './AJAX.jsx';
  import './App.css';
  function MovieList() {
          const [movies, setMovies] = useState([]);
6
          const [trailer, setTrailer] = useState(false);
7
8
          function initialize() {
9
                  (async function() {
10
                         let newMovies = await sendGetRequest('query/getList');
11
                          setMovies(newMovies);
12
                  3)();
13
14
          useEffect(initialize, []);
15
16
           async function fetchTrailer(movie) {
17
                              ) > 3 Set Movies (Imgvie]);
18
19
20
21
            iet aurs = movies. url;
22
23
24
25
                Src = Eurs3
26
27
28
29
30
31
32
33
34
35
           let itemElems = [];
 36
           for (let i = 0; i < movies.length; i++) {
 37
                   itemElems.push(
                           38
 39
                                  {movies[i]}
 40
                           );
 41
 42
```

```
1
             if (trailer != false) {
 2
                       return (
 3
                                <div>
 4
                                          {itemElems} 
 5
                                         (Trailer />
                                         11 Step 1 trailer uldute= Etwaler 3/>
 6
                                </div>
                       ):
9
             } else {
10
                       return (
11
                                <div>
12
                                          {itemElems} 
13
                                </div>
14
                       ):
15
             3
16
    3
17
                                                     1/ cull trailer with trailer
Properties
1/ get un of trailer
    function Trailer(props) {
18
19
    // Step 2
     let traver (Polate = Props. UV);
function dismiss Batton() &
set Traver (fa 1se);
20
21
22
23
24
25
26
27
28
29
                Lbatton on Click = $lismiss Bitton>dismiss//batton>

Lais & item Elems 3 </ai>
30
31
32
   export default MovieList; (/div)
33
34
35
```

Server Programming Problem (15 pts)

The Oxford English Dictionary has an API. As an example, if you want to look up the meaning of the word "profligate", you could send the GET request

https://od-api.oxforddictionaries.com/api/v2/entries/en-gb/profligate

get back JSON data that begins like this:

Enter your NAME and SID number

NAME: Mohn, Geoffrey

Student ID Number: 912 368 748

Here is a very minimal Node/Express Web Server. It needs to answer dictionary lookup queries. For example, when it gets a POST request to the url /lookup containing the JSON { word: "profligate"}, it should return a JSON definition: "Recklessly extravagant or wasteful in the use of resources.". Add some code to the Server to do this using the Oxford API. Indicate at which line or lines your new code should be added to the Server.

Name Mann, Greatfrey	Version 🕭 🗷 🖸 🛈 🗈									
ID 9/2568/48	Other									
Section	Marking Instructions Be sure to completely fill in the ap-									
Date 6/8/22	propriate bubble.									

V		A	В	C	D	E		A	В	c	D	E			Α	В	C	D	E		A	В	C	D	E	4	
	1	A	(8)		(D)	E	26	(A)	B	(C)	0	(E)		51	(A)	(B)	(0)	(D)	(E)	76					E		
	2	(A)	(8)	(c)	(D)		27	(A)	(B)	(c)	(D)	(E)		52	(A)	(B)	(c)	(D)	(E)						(E)		
	3	(A)	B	0	0	E	28	(A)	(8)	C	0	(E)					©				(A)						
	4	1	(B)	(c)	(D)	(E)				(c)							(c)						-		(E)		
	5	A	B		0	E				(C)							(0)				(A)						
	6	•	B	(0)	0	E	31	(A)	(B)	(c)	0	(E)		56	(A)	(B)	(c)	0	E	81	(4)	(B)	(c)	(D)	(E)		
	7	0	B	©	0	E	32	(A)	(B)	(c)	0	E					(c)				(A)						
	8	9	(B)	(0)	(D)	(E)	33	(A)	B	(0)	0	(E)					(c)				(A)						
	9		(8)	(C)	(D)	E	34	(A)	B	(0)	0	(E)					(c)				(A)						
	10	(A)	0	(c)	0	(E)	35	(A)	(B)	(c)	0	(E)	1				(0)				(1)						
																									~		
	11	(A)	(B)	9	(D)	(E)	36	(A)	(B)	(c)	(D)	(E)		61	(A)	(B)	(c)	(D)	(E)	86	(A)	(B)	(c)	(D)	(E)		
	12	0	B	©	0	E	37	A	B	(c)	0	(E)					0				<u>(A)</u>						
\Diamond	13									(c)							(c)								(E)	\Diamond	
	14	0	B	0	0	E				(C)	-						(c)				0					•	
	15	((B)	©		E				(c)							<u>c</u>				<u>O</u>						
	16	(A)	(B)	©	0	E	41	(A)	(B)	©	(D).	(E)		66	(A)	(B)	(0)	(D)	(E)	91	(A)	(B)	(0)	(D)	(E)		
	17	(A)	B	(0)	0	E				(c)							<u>(c)</u>				OO						
	18	(A)	B	(c)	0	E				©							<u>©</u>				A						
	19	(A)	(B)	(c)	(D)	E				(c)							<u>(c)</u>				<u>(A)</u>						
	28	(A)	B	(c)	0	E	45	(A)	B	©	0	(E)					(0)				<u>A</u>						
	21	(A)	B	©	D	E	46	(A)	(B)	C	0	(E)		71	(A)	(B)	©	0	(E)	96	(A)	(B)	(0)	(D)	(E)		
	22	(A)	(B)	()	(D)	E				(c)				72							A						
		(A)				-				(0)				73							O						
	24	(A)	B	(c)	0	E	49							74							A						
Δ	25	(A)	(8)	©	(D)	E				©				75											(3)	1	