


Assignment-3

1. Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. Write html code to displaying all the 5 images.






```
HTML code to display images
<html>
  <head>
     <title>Images from Object Storage</title>
     <style>
       img{
          width: 100px;
         height: 100px;
     </style>
  </head>
  <body>
     <div style="display: flex;width: 100vh;height: 100vh;justify-content: space-between;">
       <div>
          <img src="https://bucketcloudstorage1.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/image%201.jpg">
       </div>
       <div>
          <img src="https://bucketcloudstorage1.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/image%202.jpg">
       </div>
       <div>
          <img src="https://bucketcloudstorage1.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/image%203.jpg">
       </div>
       <div>
          <img src="https://bucketcloudstorage1.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/image%204.jpg">
       </div>
       <div>
          <img src="https://bucketcloudstorage1.s3.jp-tok.cloud-object-</pre>
storage.appdomain.cloud/image%205.png">
```

```
</div>
</div>
</body>
</html>
```

3.Upload a css page to the object storage and use the same page in your HTML code.



<title>Images from Object Storage</title>

k rel="stylesheet" href="https://bucketcloudstorage1.s3.jp-tok.cloud-objectstorage.appdomain.cloud/style.css">

</head>

</html>

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

URL

https://web-

 $\frac{chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-950fd1b3-40bf-4731-8b4a-86ac2b7bf1e8%3A%3A3e761e15-c9e8-49e5-86d4-eadae3a9038d&integrationID=9b447555-dbe2-4a99-968c-e2d4e1f5d6ce®ion=au-syd&serviceInstanceID=950fd1b3-40bf-4731-8b4a-86ac2b7bf1e8$

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTMLpage.



Html code:

```
<!DOCTYPE html>
<html><head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Chatbot </title>
<link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
k rel="stylesheet" href="{{url_for('static',filename='styles.css')}}" type="text/css">
k rel="preconnect" href="https://fonts.googleapis.com"> k rel="preconnect"
href="https://fonts.gstatic.com" crossorigin>
<script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>
link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300"
&display=swap" rel="stylesheet"></head>
<br/><body style="background:rgba(128,0,128,0.2"> <h1 style="font-weight: bolder; margin:
12%; font-size: xxx-large;">Building Chatbot For Hospital</h1>
<script> window.watsonAssistantChatOptions = { integrationID: "cba0c163-9f9a-42ce-b6e9-
979ac6318cc0", // The ID of this integration. region: "au-syd", // The region your integration
is hosted in. serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of
your service instance. onLoad: function(instance) { instance.render(); }};
setTimeout(function(){ const t=document.createElement('script'); t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js"; document.head.appendChild(t); });
</script>
</body>
</html>
```