## 19 June 2025

## Session 1

```
0: 🔲 🖿 🖽
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            JS populate.js X ▷ 🎚
                                                                                                                                                                                                                                       Connect to Local Mongood 
ingoose.connect("mongodb://127.0.0.1:27017/gfgData", {
useNewIrlParser: true,
useUnifiedTopology: true,
                                                                                                                                                                                                                async function main() {
  try {
     // Only for testing - create a user and a post if not already p
    let user = await user.findone({ name: "Test User" });
     if (luser) {
        user = await User.create({ name: "Test User", age: 22 });
        const post = await Post.create({
            title: "This is my first post",
            author: user.id,
        ));
        user.posts.push(post._id);
        await user.save();
    }
}
ď
                                                                                                                                                                                                                                         connect to Local Newgare
ggoose.connect("mongodb://127.0.0.1:27017/gfgData", {
    useNewdn:Parser: true,
    useUnifiedTopology: true,
                                                                                                                                                                                                                       (OKCIP\mu-node-app-mongoose) node populate.js
13000) [POMACODO DKTURE] liarning: useleadurlParser is a deprecated option: useleadurlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next manned to the control of t
                                                                                                                                                                                                title: 'This is my first post',
author: {
   id: new objectId('6853bb84065af5710a3cc485'),
                                                                                                                                                                                                          age: 22,
posts: [ new ObjectId('6853bb84065af5710a3cc487') ],
```

```
| Take | Coff | Selection | View | Go | Run | Terminal | Help | Coff | Participation | Partici
```

```
| The fail Selection View | Go Run | Terminal | Relp | C | Paramonic representation | Related |
```

## **SESSION 2**

```
File Edit Selection View Go Run Terminal Help

∠ mu-node-app-mongoose

                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       & ×
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      0: 🔲 🖿 🖽
Ð
                               DPTOPER

OPEN EDITORS

JS main.js

JS virtual.js

JS main.2 js

JS ESGClasses.js

JS query.js

JS schema.js

JS document.js

JS schemaDocum

JS queries is
                                                                                                                                                  // Connect to MongoDB
mongoose.connect('mongodb://localhost:27017/GFG', {
    useNewInParser: true,
    useUnifiedTopology: true
                                 JS queries.js

× JS populate.js

JS model.js

MU-NODE-APP-MON
                            > node_modules
o .env
JS app.js
JS document.js
JS ESGClasses.js
ŀ
                                 JS main2.js
JS model.js
{} package-lock.json
                                                                                                                                             const populatedPros.


console.log("Post with user:", populatedPros.

someonection.close(); // close connection

mongoose.connection.close(); // close connection

research

rese
                               () package.json
JS populate.js
JS queries.js
JS query.js
                                 JS schema.js
JS schemaDoc
JS server.js
JS server2.js
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              ≥ powershell + ∨ □ · · · · · ×
                                                                                                                                                                _id: new ObjectId('6853f29768968af1be36e80f'),
username: 'varsh'
email: 'varsh@example.com',
__v: 0
},
__v: 0
             __V: 0
} > OUTLINE
} > TIMELINE
95 E:\GMCIP\mu-node-app-mongoose> [
gg'g' Launchpad ⊗ 0 ∆ 0 g' Live Share
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       Ln 14, Col 42 Spaces: 4 UTF-8 CRLF () JavaScript 😵 Signed out 🖸 🖗 Go Live 👁 Qu
```



```
0: • • • •
        File Edit Selection View Go Run Terminal Help
                                                             (Use 'node --trace-warmings ...' to show where the warming was created)

(node-9148) [NOMCKOO DRIVER] Warming: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the ne connected to Mangoos

∠ mu-node-app-mongoose

                                                                                                                                                                                                                                                                                                        & ·
Ð
            DPHORRS

**OPEN EDITORS

**S mainz is

**S virtually

**S mainz is

**S virtually

**S teSGClasses is

**S tegGclasses is

**S query is

**S schema js

**S schema js

**S schema Document js

**S schema Document js

**S populate js

**S populate js

**S populate js

**S model js

**MUN NOOK APP-MONO

**D node modules

**Do node modules
                                                            ✓ MU-NODE-APP-MONE

> node_modules

○ .env

15 app.js

15 document.js

15 ES6Classes.js

15 main.js

15 main.js

15 model.js


(1) package-lock.json

(1) package.json
Json
ŀ
            () package-lock.j.
() package-json

JS populate.js

JS queries.js

JS query.js
              15 query.js
15 schema.js
15 schemaDocument.js
15 server.js
15 server.2.js
15 virtual.js
15 virtualpopulated.js
> OUTLINE
> TIMELINE
> ੴ Launchpad ⊗ 0 △ 0 ੴ Live Share
                                                                                                                                                                                                                                                           Ln 17, Col 2 Spaces: 4 UTF-8 CRLF ( ) JavaScript 😵 Signed out 🗵 🖗 Go Live 👁 Quokka
```



```
08 🔲 🗎 🔲 — 🗇
        File Edit Selection View Go Run Terminal Help

∠ mu-node-app-mongoose

                                                                                                                                                                                                                                                                                                     & ~
                                                                                                                                                                                                                                                                                                                                                                            JS populate.js X ▷ 🎚
Ð
             DOPLOPER

OPEN EDITORS

JS main.js

JS virtual.js

JS main.2.js

JS ESGClasses.js

JS query.js

JS schema.js

JS document.js


JS schemaDocum

JS queries.js
                                                               // Creating schemos
const userschema = new mongoose.schema({
    username: String,
    email: String
}
              JS queries.js

X JS populate.js

JS model.js

MU-NODE-APP-MONGO
           ∨ MU-NODE-APP-MONG
> node_modules
○ .env
15 app.js
15 document.js
15 ES6Classes.js
15 main;s
15 main;s
15 main;c
17 package-lock.json
(1) package-json
Json
ŀ
             () package.json
JS populate.js
JS queries.js
JS query.js
                                                             xt major version
Connected to MongoDB
              JS schema.js
JS schemaDocume
JS server.js
JS server2.js
                                                                    id: new ObjectId('6853f29768960af1be36ea11'),
title: 'hy first post',
postedgy: (
_id: new ObjectId('6853f29768960af1be36ea0f'),
username: 'varsh',
cmail: 'varsh@ocample.com',
__v: 0
     > OUTLINE
> TIMELINE
몇성 Launchpad ⊗0△0 중Live
                                                                                                                                                                                                                                                         Ln 36, Col 2 Spaces: 4 UTF-8 CRLF () JavaScript 😵 Signed out 🗵 🖗 Go Live 👁 Que
```



```
08 🔳 🗎 📗 —
                File Edit Selection View Go Run Terminal Help
                                                                                                                                                                                                                                                                                                                               88
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               E powershell + ∨ □ 🛍 ··· ∨ ×
 c<sub>1</sub>
                        id: new ObjectId("6853f8e8948465e28c699e41"),
title: 'My Book Title',
author: (
_id: new ObjectId("6853f8e8948465e28c699e3f"),
first: 'John',
last: 'Doe'
                                                                                                             Inst: "Doe"

); not objectId('6853f8e8948465e28c699e41'),
title: Ny Book Title',
author: {
    id: nev objectId('6853f8e8948465e28c699e3f'),
    first: 'John',
    last: 'Doe'
},

→ wirtuapopulat

→ MU-NOC APP MONO

> node modules

O env

5 app;

5 document;

5 ES6Classes;

5 main;

5 main;

5 model;

() package-lock;

50 queries;

5 queries;

5 queries;

5 schemaDocument;

5 schemaDocument;

5 server;

5 server;

5 server;

5 server;

5 virtual;

5 virtual;


5 virtual;


5 virtual;

5 virtual;

6 virtualpopulated;


5 virtualpopulated;
  Json
                                                                                                            },
first: 'John',
last: 'Doe'
  ŀ
                                                                                                       __v: 0
}
Title: My Book Title
Author: John Doe
PS E:\GNCIP\mu-node-app-mongoose> [
> OUTLINE
> TIMELINE
> ☆ ☆ ☆ Launchpad ⊗ 0 △ 0 卷 Live Share
                                                                                                                                                                                                                                                                                                                                                                                                                                    Ln 29, Col 4 Spaces: 4 UTF-8 CRLF () JavaScript 😵 Signed out 🕟 🜳 Go Live 👁 Quo
```








Mongoose Schema API




```
© (acilhost-5000/Findewercises)

Pretty-print □

{
    "_id*; "6854026772f94ab7b3ccab73",
    "name": "Cycling",
    "description": "Cycling",
    "description": "30,
    "_uv*: 10,
    "_uv*: 10,
```





```
© 16 to 16
```