





Threat Assessment Report

Executive summary for model robustness under adversarial attack

Model: google/efficientnet-b0

Attack Type: FGSM

Images Evaluated: 10



Threat Level Assessment

HIGH RISK


The FGSM attack altered model predictions on 90.0% of the evaluated images. Average confidence shifted from 26.77% to 19.82%, indicating the current robustness posture is high risk.

Assessment Narrative


Successfully executed FGSM attack on model google/efficientnet-b0 using 10 test images. Attack success rate: 90.0%. Average original accuracy: 26.77%, Average adversarial accuracy: 19.82%. The attack successfully fooled the model in 9 out of 10 cases.

Detailed Analysis


Accuracy Comparison



Attack Success Distribution



Model Robustness Impact



Confidence Comparison (Sample)




Image Evidence and Predictions

Images 1-4 of 10




Attack Successful

Original image: scuba_diver.JPEG
Adversarial image: scuba_diver.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: African chameleon, Chamaeleo chamaeleon
Original confidence: 6.80%
After attack predicted as: jellyfish
Adversarial confidence: 5.64%



Attack Successful

Original image: buckle.JPEG
Adversarial image: buckle.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: buckle
Original confidence: 16.39%
After attack predicted as: doormat, welcome mat
Adversarial confidence: 30.95%



Attack Blocked

Original image: proboscis_monkey.JPEG
Adversarial image: proboscis_monkey.JPEG (attacked)
Outcome: Attack Blocked
Model predicted as: baboon
Original confidence: 59.62%
After attack predicted as: baboon
Adversarial confidence: 16.04%



Attack Successful

Original image: West_Highland_white_terrier.JPEG
Adversarial image: West_Highland_white_terrier.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: fur coat
Original confidence: 8.58%
After attack predicted as: mosquito net
Adversarial confidence: 11.79%

Image Evidence and Predictions

Images 5-8 of 10



Attack Successful

Original image: cock.JPEG
Adversarial image: cock.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: peacock
Original confidence: 45.34%
After attack predicted as: goose
Adversarial confidence: 23.44%



Attack Successful

Original image: loggerhead.JPEG
Adversarial image: loggerhead.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: gar, garfish, garpike, billfish, Lepisosteus osseus
Original confidence: 59.99%
After attack predicted as: hammerhead, hammerhead shark
Adversarial confidence: 42.42%



Attack Successful

Original image: espresso.JPEG
Adversarial image: espresso.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: backpack, back pack, knapsack, packsack, rucksack, haversack
Original confidence: 19.62%
After attack predicted as: shower curtain
Adversarial confidence: 11.10%



Attack Successful

Original image: power_drill.JPEG
Adversarial image: power_drill.JPEG (attacked)
Outcome: Attack Successful
Model predicted as: pencil sharpener
Original confidence: 27.65%
After attack predicted as: mousetrap
Adversarial confidence: 7.35%

Image Evidence and Predictions

Images 9-10 of 10



Attack Successful

Original image: bakery.JPEG

Adversarial image: bakery.JPEG
(attacked)

Outcome: Attack Successful

Model predicted as: fire screen,
fireguard

Original confidence: 7.33%

After attack predicted as: bath towel

Adversarial confidence: 25.31%



Attack Successful

Original image: gondola.JPEG

Adversarial image: gondola.JPEG
(attacked)

Outcome: Attack Successful

Model predicted as: gondola

Original confidence: 16.35%

After attack predicted as: bassinet

Adversarial confidence: 24.43%

Recommendations

Security actions based on observed threat exposure

Assessment Summary

Successfully executed FGSM attack on model google/efficientnet-b0 using 10 test images. Attack success rate: 90.0%. Average original accuracy: 26.77%, Average adversarial accuracy: 19.82%. The attack successfully fooled the model in 9 out of 10 cases.

Security Recommendations

1. Implement Adversarial Training

- Retrain your model with adversarial examples to improve robustness
- Use techniques like FGSM, PGD during training phase

2. Add Input Validation & Preprocessing

- Implement input sanitization and anomaly detection
- Use defensive distillation or feature squeezing

3. Deploy Ensemble Methods

- Use multiple models with different architectures
- Implement voting mechanisms for predictions

4. Continuous Monitoring

- Set up real-time performance monitoring
- Detect and alert on unusual prediction patterns

5. Regular Security Audits

- Conduct periodic threat assessments
- Stay updated with latest attack techniques