


Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Admin_Controller	5.984 s	2	1	1	0	6	5	1	0
Contact_Controller	5.094 s	6	5	1	0	18	17	1	0
US05_DeanSilme	0.766 s	1	1	0	0	2	2	0	0
Admin Dean ekleyebilmeli	0.930 s	1	1	0	0	2	2	0	0
US02_Guest_User	0.541 s	1	1	0	0	2	2	0	0
Get_Teacher	1.007 s	2	1	1	0	6	4	1	1
GuestUser_Controller	1.119 s	2	1	1	0	6	5	1	0
Admin teacher ekleyebilmeli	0.555 s	1	0	1	0	2	0	0	2
Add_Student_info	1.190 s	4	0	4	0	8	0	0	8


Tag		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@team11Cucumber	20	11	9	0	9	3	6	0
@admin	10	6	4	0	7	3	4	0
@team11Smoke	5	3	2	0	3	1	2	0
@team11Regression	9	8	1	0	4	2	2	0
@DeanSilmeGetAll	1	1	0	0	1	1	0	0
@Dean_ControllerPostGetAll	1	1	0	0	1	1	0	0
@DeanPutGetId	1	1	0	0	1	1	0	0
@ApiGetTeacher	2	1	1	0	1	0	1	0
@mehmet	1	0	1	0	1	0	1	0
@gokselAPI	2	1	1	0	1	0	1	0
@teacher	5	0	5	0	2	0	2	0
@emin	1	0	1	0	1	0	1	0
@smoke	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4 --




#	Feature Name	T	P	F	S	Duration
1	Admin_Controller	2	1	1	0	5.984 s
2	Contact_Controller	6	5	1	0	5.094 s
3	<u>US05_DeanSilme</u>	1	1	0	0	0.766 s
4	Admin Dean ekleyebilmeli	1	1	0	0	0.930 s
5	<u>US02_Guest_User</u>	1	1	0	0	0.541 s
6	<u>Get_Teacher</u>	2	1	1	0	1.007 s
7	<u>GuestUser_Controller</u>	2	1	1	0	1.119 s
8	Admin teacher ekleyebilmeli	1	0	1	0	0.555 s
9	Add_Student_info	4	0	4	0	1.190 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Admin_Controller	TC02_Validate_Admin_GetAll	2	2	0	0	5.322 s
2	Admin_Controller	TC03_Validate_Admin_Delete	4	3	1	0	0.496 s
3	Contact_Controller	US03_TC01 Post Message Positive Testing	2	2	0	0	0.610 s
4	Contact_Controller	US07_TC01 Contact Message Get All	3	3	0	0	1.641 s
5	Contact_Controller	US07_TC02 Contact Message Get_searchByEmail	3	3	0	0	0.570 s
6	Contact_Controller	US07_TC03 Contact Message Get_searchBySubject	3	3	0	0	0.503 s
7	Contact_Controller	US22_TC01 Admin Controller Save Admin	4	3	1	0	0.748 s
8	Contact_Controller	US22_TC02 Admin Controller Get All	3	3	0	0	0.514 s
9	<u>US05_DeanSilme</u>	US05 AC02 TC01 Admin Guest User List bilgilerini silebilir (Api Test)	2	2	0	0	0.766 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Admin Dean ekleyebilmeli	US04_AC01_TC01 Oluşan Dean'i doğrula (Api)	2	2	0	0	0.930 s
11	<u>US02_Guest_User</u>	US05 AC01 TC01 Admin Guest User List, Name, Phone Number, SSN, User Name bilgilerini görebilmeli	2	2	0	0	0.541 s
12	Get_Teacher	TC01_Validate_Teacher	2	2	0	0	0.666 s
13	Get_Teacher	TC01_Validate_Teacher_Post	4	2	1	1	0.297 s
14	GuestUser_Controller	TC02_Validate_GuestUser_GetAll	2	2	0	0	0.590 s
15	GuestUser_Controller	TC02_Validate_GuestUser_Delete	4	3	1	0	0.452 s
16	Admin teacher ekleyebilmeli	US20_olusan teacher`i dogrula	2	0	0	2	0.555 s
17	Add_Student_info	TC17_Add_Student_info_POST	2	0	0	2	0.279 s
18	Add_Student_info	TC17_Add_Student_info_PUT	2	0	0	2	0.268 s
19	Add_Student_info	TC17_Add_Student_info_DELETE	2	0	0	2	0.280 s

SCENARIOS SUMMARY -- 7




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	Add_Student_info	TC17_Add_Student_info_GET	2	0	0	2	0.256 s

DETAILED SECTION -- 8 --

### Admin\_Controller


FAILED	DURATION - 5.984 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 7:22:52.899 PM // 7	7:22:58.883 PM /	Pass - 1	2	Pass - 5	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

#### TC02\_Validate\_Admin\_GetAll



#	Step / Hook Details	Status	Duration
1	Given Send Adminn_GetAll request by id "45"	PASSED	0.316 s
2	Then Admin_GetAll body should be: username="Mustafa" ssn="188-11-9380" name="Atatürk" surname="Kemal"	PASSED	0.977 s
	birthDay="1881-05-05" birthPlace="selanik" phoneNumber="938-938-3838" gender="MALE" built_in="false"		


### TC03\_Validate\_Admin\_Delete




DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
1	Given Set the url Admin_Delete	PASSED	0.001 s
2	When Set the expected data Admin_Delete	PASSED	0.001 s
3	And Send the request and get the response Admin_Delete	PASSED	0.167 s
4	Then Do assertion Admin_Delete	FAILED	0.011 s
	java.lang.AssertionError: expected:<200> but was:<500> at org.testng.AssertJUnit.fail(AssertJUnit.java:65) at org.testng.AssertJUnit.failNotEquals(AssertJUnit.java:467) at org.testng.AssertJUnit.assertEquals(AssertJUnit.java:88) at org.testng.AssertJUnit.assertEquals(AssertJUnit.java:318) at org.testng.AssertJUnit.assertEquals(AssertJUnit.java:328) at stepdefinitions.Api_Test.admin_controller.TC03_Admin_Controller_DeleteStepDefs. do_assertion_admin_delete(TC03_Admin_Controller_DeleteStepDefs.java:46) at ?.Do assertion Admin_Delete(file:///C:/Users/Public/team11/./src/test/resources/features/ApiFeatures/Admin_Controller.feature:26) * Not displayable characters are replaced by '?'.		

### Contact\_Controller



## **US03\_TC01** Post Message Positive Testing



#	Step / Hook Details	Status	Duration
1	Given Set the Url post message	PASSED	0.607 s

DETAILED SECTION -- 10 --


#	Sten / Hook Details	Status	Duration
2	And Set the expected data post message	PASSED	0.002 s

## **US07\_TC01 Contact Message Get All**

PASSED DURATION - 1.641 s	1   Steps	
	0.8 Total - 3	
/ 7:22:59.721 PM // 7:23:01.362 PM /	0.6 - Pass - 3	
Contact_Controller		3
	02- Skip - 0	
@team11Cucumber @team11Regression	0 -	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given Set the Url contact_message_getAll	PASSED	0.336 s
2	When Send the request and get the response contact_message_getAll	PASSED	0.718 s
3	Then Do assertion body name="asdafds", email="sdfasdfasf@ksjs.com", subject="qweqwewqer",	PASSED	0.585 s
	message="qewrqerwrewerwrwetwtwtertreyre", date="2023-05-07"		


# **US07\_TC02 Contact Message Get\_searchByEmail**



#	Step / Hook Details	Status	Duration
1	Given Set the Url contact_message_get_searchByEmail	PASSED	0.339 s
2	When Send the request and get the response contact_message_get_searchByEmail	PASSED	0.167 s
3	Then Do assertion contact_message_get_searchByEmail	PASSED	0.061 s


# **US07\_TC03 Contact Message Get\_searchBySubject**

DETAILED SECTION -- 11 --



#	Step / Hook Details	Status	Duration
1	Given Set the Url contact_message_get_searchBySubject	PASSED	0.332 s
2	When Send the request and get the response contact_message_get_searchBySubject	PASSED	0.168 s
3	Then Do assertion contact_message_get_searchBySubject	PASSED	0.001 s


#### **US22\_TC01** Admin Controller Save Admin



#	Step / Hook Details	Status	Duration
1	Given Set the Url admin_controller_postAdmin	PASSED	0.325 s
2	And Set the expected data admin_controller_postAdmin	PASSED	0.010 s
3	When Send the request and get the response admin_controller_postAdmin	PASSED	0.345 s
4	Then Do assertion admin_controller_postAdmin	FAILED	0.067 s
	junit.framework.ComparisonFailure: expected:<1990-05-12> but was: <null>     at junit.framework.Assert.assertEquals(Assert.java:100)     at junit.framework.Assert.assertEquals(Assert.java:107)     at junit.framework.TestCase.assertEquals(TestCase.java:260)     at stepdefinitions.Api_Test.admin_controller.Admin_Controller_AddAdmin.     doAssertionAdmin_controller_postAdmin(Admin_Controller_AddAdmin.java:110)     at ?.Do assertion admin_controller_postAdmin(file:///C:/Users/Public/team11/./src/test/resources/features/ApiFeatures/Contact_Controller.     feature:36)</null>		

;	# Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

#### **US22\_TC02 Admin Controller Get All**




#	Step / Hook Details	Status	Duration
1	Given Set the Url admin_controller_getAll	PASSED	0.335 s
2	When Send the request and get the response admin_controller_getAll	PASSED	0.174 s
3	Then Do assertion admin_controller_getAll	PASSED	0.001 s

#### **US05\_DeanSilme**

PASSED	DURATION - 0.766 s	Scenarios		Steps	
/ 7:23:04.204 PM // 7	7:23:04.970 PM /	Total - 1 Pass - 1	1	Total - 2 Pass - 2	2
		Fail - 0 Skip - 0		Fail - 0 Skip - 0	

## **US05 AC02 TC01 Admin Guest User List bilgilerini silebilir (Api Test)**




#	Step / Hook Details	Status	Duration
1	Given Ali get requset ile tum dean'leri cagir	PASSED	0.171 s
2	Then Ali gelen bodyde dean username "VeliAli" bulunmamali	PASSED	0.306 s

# Admin Dean ekleyebilmeli

PASSED	DURATION - 0.930 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 7:23:05.026 PM // 7	7:23:05.956 PM /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **US04\_AC01\_TC01 Oluşan Dean'i doğrula (Api)**




#	Step / Hook Details	Status	Duration
1	Given Ali Get request ile tum Deanleri al	PASSED	0.172 s
2	Then Ali bodyi dogrula: userId="48", username="hasan", name="veli", surname="tarik", birthDay="2000-01-01", ssn="405-48-	PASSED	0.465 s
	6721", birthPlace="van", phoneNumber="130-545-2974", gender="MALE"		

# US02\_Guest\_User

PASSED	DURATION - 0.541 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 7:23:06.050 PM //	7:23:06.591 PM /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## US05 AC01 TC01 Admin Guest User List, Name, Phone Number, SSN, User Name bilgilerini görebilmeli




#	Step / Hook Details	Status	Duration
1	Given Ali guncelledigin deani by id ile al id="29"	PASSED	0.222 s
2	Then Ali body should be:id="29" username="hasanPut" name="veliPut" surname="tarikPut" birthDay="2000-01-01" ssn="415-48-	PASSED	0.001 s
	6721" birthPlace="van" phoneNumber="230-545-2974" gender="MALE"		

### **Get\_Teacher**


Scenarios		Steps	
Total - 2		Total - 6	
Pass - 1	2	Pass - 4	6
Fail - 1		Fail - 1	
Skip - 0		Skip - 1	
	Total - 2  Pass - 1  Fail - 1.	Total - 2 Pass - 1 Fail - 1	Total - 2 Pass - 1 Fail - 1  Total - 6 Pass - 4 Fail - 1

#### TC01\_Validate\_Teacher



#	Step / Hook Details	Status	Duration
1	Given send get request to get teacher	PASSED	0.173 s
2	Then validate body	PASSED	0.205 s


## **TC01\_Validate\_Teacher\_Post**




#	Step / Hook Details	Status	Duration
1	Given Set the Url teacher_post	PASSED	0.001 s
2	And Set the expected data teacher_post	PASSED	0.011 s
3	When Send the request and get the response teacher_post	FAILED	0.004 s
	java.lang.lllegalArgumentException: object cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:257) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53) at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:765) at stepdefinitions.Api_Test.teacher_controller.PostTeacherStepDefs. send_the_request_and_get_the_response_teacher_post(PostTeacherStepDefs.java:58) at ?.Send the request and get the response teacher_post(file:///C:/Users/Public/team11/./src/test/resources/features/ApiFeatures/ GetTeacherByld.feature:14) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
4	Then Do assertion teacher_post	SKIPPED	0.001 s

## **GuestUser\_Controller**




#### TC02\_Validate\_GuestUser\_GetAll



#	Step / Hook Details	Status	Duration
1	Given Send GuestUser_GetAll request by id "620"	PASSED	0.179 s
2	Then GuestUser_GetAll body should be: username="Elmer" ssn="169-42-9337" name="123456" surname="Welch"	PASSED	0.118 s
	birthDay="1941-05-13" birthPlace="Domenicmouth" phoneNumber="563-810-5776" gender="MALE"		

#### TC02\_Validate\_GuestUser\_Delete




#	Step / Hook Details	Status	Duration
1	Given Set the url GuestUser_Delete	PASSED	0.001 s
2	When Set the expected data GuestUser_Delete	PASSED	0.000 s
3	And Send the request and get the response GuestUser_Delete	PASSED	0.174 s
4	Then Do assertion GuestUser_Delete	FAILED	0.002 s
	java.lang.AssertionError: expected:<200> but was:<500> at org.testng.AssertJUnit.fail(AssertJUnit.java:65) at org.testng.AssertJUnit.failNotEquals(AssertJUnit.java:467) at org.testng.AssertJUnit.assertEquals(AssertJUnit.java:88) at org.testng.AssertJUnit.assertEquals(AssertJUnit.java:318) at org.testng.AssertJUnit.assertEquals(AssertJUnit.java:328) at stepdefinitions.Api_Test.guest_user_controller.TC03_GuestUser_DeleteStepDefinitions. do_assertion_guest_user_delete(TC03_GuestUser_DeleteStepDefinitions.java:50) at ?.Do assertion GuestUser_Delete(file:///C:/Users/Public/team11/./src/test/resources/features/ApiFeatures/GuestUser_Controller. feature:23) * Not displayable characters are replaced by '?'.		

# Admin teacher ekleyebilmeli

FAILED	DURATION - 0.555 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 7:23:08.878 PM	// 7:23:09.433 PM /	Pass - 0	1	Pass - 0	2
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 2	


# **US20\_olusan teacher`i dogrula**



DETAILED SECTION -- 18 --


#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.beforeApiTeacher()	FAILED	0.265 s
	java.lang.lllegalArgumentException: Header value cannot be null		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)		
	at io.restassured.builder.RequestSpecBuilder.addHeader(RequestSpecBuilder.java:657)		
	at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:25)		
	at hooks.Hooks.beforeApiTeacher(Hooks.java:24)		
1	Given emin Get request ile tum Teacher al	SKIPPED	0.000 s
2	Then emin bodyi dogrula: userId="1352", username="mehmet", name="team11", surname="alican", birthDay="birthDay",	SKIPPED	0.001 s
	ssn="2002-01-01", birthPlace="alaman", phoneNumber="123-145-7896", gender="MALE",email="xcgh@gmail.com"		

# Add\_Student\_info



TC17\_Add\_Student\_info\_POST


DETAILED SECTION -- 19 --



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.beforeApiTeacher()	FAILED	0.277 s
	java.lang.lllegalArgumentException: Header value cannot be null		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)		
	at io.restassured.builder.RequestSpecBuilder.addHeader(RequestSpecBuilder.java:657)		
	at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:25)		
	at hooks.Hooks.beforeApiTeacher(Hooks.java:24)		
1	Given teacher sends the student info data_POST	SKIPPED	0.001 s
2	Then teacher gets the student info data and assert_POST	SKIPPED	0.000 s

TC17\_Add\_Student\_info\_PUT


DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.beforeApiTeacher()	FAILED	0.264 s
	java.lang.lllegalArgumentException: Header value cannot be null		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)		
	at io.restassured.builder.RequestSpecBuilder.addHeader(RequestSpecBuilder.java:657)		
	at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:25)		
	at hooks.Hooks.beforeApiTeacher(Hooks.java:24)		
1	Given teacher sends the student info data_PUT	SKIPPED	0.000 s
2	Then teacher gets the student info data and assert_PUT	SKIPPED	0.000 s


TC17\_Add\_Student\_info\_DELETE

DETAILED SECTION -- 21 --



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.beforeApiTeacher()	FAILED	0.278 s
	java.lang.IllegalArgumentException: Header value cannot be null		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)		
	at io.restassured.builder.RequestSpecBuilder.addHeader(RequestSpecBuilder.java:657)		
	at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:25)		
	at hooks.Hooks.beforeApiTeacher(Hooks.java:24)		
1	Given teacher sends the student info data_DELETE	SKIPPED	0.001 s
2	Then teacher gets the student info data and assert_DELETE	SKIPPED	0.001 s

TC17\_Add\_Student\_info\_GET



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.beforeApiTeacher()	FAILED	0.255 s
	java.lang.lllegalArgumentException: Header value cannot be null		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.header(RequestSpecificationImpl.groovy:869)		
	at io.restassured.builder.RequestSpecBuilder.addHeader(RequestSpecBuilder.java:657)		
	at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:25)		
	at hooks.Hooks.beforeApiTeacher(Hooks.java:24)		
1	Given teacher sends the student info data_GET	SKIPPED	0.000 s
2	Then teacher gets the student info data and assert_GET	SKIPPED	0.000 s