

ApplyWizz DicePilot

Document 03 - App Flow - Navigation & User Journey

Every operator and system transition in the V1 pilot

Product	ApplyWizz DicePilot
Version	V1.0 - Pilot Specification
Scope	V1 only: one internal test candidate, up to 20 Dice C2C + Easy Apply jobs, sequential processing
Date	20 August 2026

1. Flow Philosophy

DicePilot V1 is an internal operational application, not a public consumer product. The primary experience is therefore a controlled queue monitor plus a deterministic backend application worker. The UI must show what the system is doing without turning the browser automation into a manual workflow.

2. V1 Pages / Screens

Route / Screen	Purpose	Primary actions
/dice-pilot	Pilot dashboard	Choose/confirm pilot candidate, see browser health, queue summary, current application, recent outcomes.
/dice-pilot/jobs	Eligible jobs	Review C2C + Easy Apply jobs and queue up to 20 for the pilot candidate.
/dice-pilot/applications	Application queue	See each job status, current step, attempts, and final outcome.
/dice-pilot/applications/{id}	Application detail	Inspect event timeline, error context, submission verification, and intervention requirement.
NEEDS_INPUT panel/modal	Human intervention	Display the exact unresolved question/security requirement without guessing.

3. Navigation

V1 may be added to the existing internal Flask UI. The recommended navigation is intentionally small: Dashboard -> Eligible Jobs -> Applications. Candidate configuration is fixed/controlled for the pilot and does not need a full customer-management UI.

4. First Screen - Pilot Dashboard

Section	Content
Candidate	Candidate name or safe internal identifier; candidate-details API health.
Dice browser	Logged in / session expired / needs action / worker offline.
Pilot progress	Processed X of 20; submitted; failed; needs input; queued.
Current application	Job title, company, URL, current state, elapsed time, last event.
Queue preview	Next jobs with status.
Controls	Start/resume pilot, pause after current job, inspect needs-input; avoid dangerous global force-submit controls.

5. Journey A - Prepare the 20-Job Pilot

1. Operator opens DicePilot Eligible Jobs.
2. System shows Dice jobs that have passed discovery and include C2C classification plus Easy Apply status.

3. Operator/system excludes jobs from candidate excluded-company list.
4. Operator chooses up to 20 qualifying jobs for the single V1 candidate.
5. System creates candidate-specific application rows with status QUEUED.
6. Duplicate candidate/job pairs are rejected by the database.
7. Dashboard shows queue count and confirms the pilot is ready.

6. Journey B - Start Sequential Auto Apply

8. Operator starts or resumes the pilot worker.
9. Worker verifies it can fetch candidate details from ApplyWizz API.
10. Worker acquires candidate execution lock.
11. Worker verifies candidate Dice browser session health.
12. Worker atomically claims the oldest/highest-priority QUEUED application.
13. UI changes the job row to PROCESSING and displays the current state.
14. Worker opens the Dice job and begins the browser state machine.

7. Journey C - Normal Successful Application

15. OPEN_JOB - navigate to the saved canonical Dice URL.
16. CHECK_LOGGED_IN - verify candidate session; continue if authenticated.
17. CHECK_ELIGIBILITY - Easy Apply must still be present and job must not show already applied.
18. CLICK_EASY_APPLY - open the Dice application flow.
19. DISCOVER_FORM - identify resume section and all visible required controls.
20. HANDLE_RESUME - use the candidate's existing verified resume asset; replace/upload only as required.
21. ANSWER_QUESTIONS - fill direct known fields from candidate adapter.
22. NEXT_OR_REVIEW - advance through supported steps.
23. SUBMITTING - set application status accordingly before final submit click.
24. VERIFY_SUCCESS - observe positive Dice confirmation.
25. DONE - persist SUBMITTED, timestamp, verification evidence, and release job state.
26. Worker proceeds to the next QUEUED application.

8. Journey D - Unknown Question

27. Worker discovers a required question that does not map confidently to a verified candidate fact.
28. Worker records question label, type, available options, and current application state.
29. Application transitions to NEEDS_INPUT.
30. Browser must not guess, select a random option, or silently use NA.
31. Operator opens the Needs Input panel and sees exactly what blocked progress.
32. V1 can accept a controlled answer through the internal workflow; the answer may be stored with provenance if product policy allows.
33. Application resumes from a known state only after the required answer is supplied.
34. If safe resumption cannot be guaranteed, mark FAILED or restart through a defined retry path rather than blind clicking.

9. Journey E - Login / Security Intervention

35. Worker detects login page, OTP/security step, CAPTCHA, or other security challenge.
36. Application moves to NEEDS_INPUT and records a non-sensitive reason code.
37. Operator/candidate completes the legitimate required action in the authorized browser context.
38. Worker re-checks authentication/session state.
39. If authenticated, application resumes; otherwise remains NEEDS_INPUT or fails according to timeout/policy.
40. No bypass mechanism is attempted.

10. Journey F - Failure

Failure class	Expected UI/system behavior
---------------	-----------------------------

Transient navigation/network	Capture error, screenshot/trace, set FAILED_RETRYABLE if safe to retry.
Selector/UI changed	Capture state/evidence, set FAILED, operator can inspect unsupported flow.
Easy Apply disappeared	Set FAILED with eligibility_changed reason; do not redirect to external ATS in V1.
Job already applied	Record ALREADY_APPLIED equivalent event; do not submit again; terminally close according to schema policy.
Candidate data missing	NEEDS_INPUT for resolvable missing fact; FAILED for invalid/unusable candidate profile where appropriate.
Submission uncertain	Never mark SUBMITTED; store UNKNOWN_SUBMISSION/FAILED_RETRYABLE policy outcome until positively resolved.

11. Journey G - Pilot Completion

41. Worker finds no remaining QUEUED applications for the pilot.
42. Candidate lock is released.
43. Dashboard displays BATCH COMPLETE when every selected job is terminal or intentionally paused.
44. Summary displays Submitted / Failed / Needs Input / Not Attempted as applicable.
45. Operator can open any row and inspect its timeline.
46. Pilot data is retained for engineering review before any V2 multi-candidate work begins.

12. Application Detail Timeline

Timeline event example	Meaning
queued	Application row created for candidate/job.
worker_claimed	Sequential worker owns this application.
browser_ready	Candidate browser session available.
job_opened	Canonical Dice job page loaded.
easy_apply_confirmed	Positive V1 eligibility confirmed.
resume_ready	Resume step successfully handled.
questions_completed	All supported required questions answered.
needs_input	Human answer/security action needed.
submit_clicked	Final submit action initiated.
submission_verified	Positive Dice success evidence observed.
failed	Application ended with recorded failure context.

13. Empty, Loading, and Error States

State	UI copy / behavior
No eligible jobs	No C2C + Easy Apply jobs are ready for the pilot. Run/inspect Dice discovery.
No queue	No pilot applications selected yet.
Worker starting	Preparing candidate browser and loading candidate profile...
Candidate API unavailable	Candidate details could not be loaded. Application execution has not started.
Browser session expired	Dice session needs authorized user action.
Submission verification pending	Do not show success yet; keep SUBMITTING state.
Pilot complete	Show complete outcome counts and application rows.

14. Redirect / Action Rules

Action	Result
Click eligible job	Open job detail or external Dice URL in a separate safe view; do not mutate queue.
Queue selected jobs	Create QUEUED application rows then return/show queue.
Click application row	Open application detail timeline.
Click Needs Input	Open intervention details.
Start pilot	Starts dedicated worker; UI remains monitoring surface.
Pause pilot	Stops claiming new jobs after current safe checkpoint; does not kill browser mid-submit.

15. Out-of-Scope Navigation

No signup/onboarding flow, billing pages, recruiter inbox, candidate marketplace, mobile navigation, resume builder, or multi-candidate workspace is part of this V1 app flow.