

Document 03 — App Flow

Navigation & User Journey Map for NowWise

Product Name

NowWise

Internal Platform

NowWise OS

Document Purpose

This document defines how users, admins, and reviewers move through NowWise before any screen is built.

The goal is to make the product feel like one connected system, not separate random pages.

1. Product Flow Summary

NowWise has two main experiences:

1.1 User Experience

Primary channel:

Telegram

The user does not start with a traditional app or website.

The user starts by sending a message, voice note, product name, photo, receipt, or reminder request to the NowWise Telegram bot.

The user journey is chat-first.

1.2 Admin Experience

Primary channel:

Web dashboard

Admins use the web dashboard to:

- View users
 - Review food/product logs
 - Fix failed AI results
 - Manage product database
 - Review voice transcripts
 - Manage reminders
 - Preview weekly reports
 - Handle privacy/data requests
-

2. Navigation Type

2.1 Telegram User Navigation

Telegram does not use pages. It uses conversational navigation.

Main interaction types:

Interaction	Example
Text message	"I ate rice dal curd"
Voice note	User speaks meal/product/reminder
Photo	Food/product/receipt/menu image
Bot buttons	Taken / Later / Skip
Quick reply buttons	Yes / No / Correct
Inline actions	View weekly summary, change goal, privacy settings

2.2 Admin Web Navigation

Admin dashboard uses:

- Left sidebar
- Top header
- Search bar
- Filters
- Detail pages
- Review drawers

- Edit modals

Main sidebar:

Dashboard
Users
Events
Voice Events
Food Logs
Product Logs
Product Database
Product Reviews
Reminders
Weekly Reports
Behavior Patterns
Privacy Requests
Settings

2.3 User Web Dashboard Navigation

User web dashboard is secondary, not MVP-first.

Future user web navigation:

Dashboard
Timeline
Food Logs
Products
Reminders
Weekly Story
Privacy
Settings

For MVP, user web dashboard can be basic or skipped. Telegram should remain primary.

3. First Screen

3.1 Brand New User First Screen

Entry point:

User opens Telegram bot link.

Example:

https://t.me/nowwise_bot

Bot sends:

Hi, I'm NowWise.
I help you make better food, grocery, restaurant, and habit decisions.
You can speak, type, or send photos.

What do you want help with first?

Buttons:

 Log food
 Check product
 Set reminder
 Set health goal

3.2 Returning User First Screen

Returning user opens Telegram and sends any message.

No homepage.

No dashboard first.

The bot reacts based on intent.

Example:

User:

I ate dosa and chutney

Bot:

Logged as breakfast at 8:42 AM. Add protein later today if possible.

4. Auth Flow

4.1 Telegram User Auth

MVP user auth is automatic through Telegram.

No email/password needed.

System identifies user using:

```
telegram_user_id  
telegram_chat_id
```

Flow:

```
User opens Telegram bot  
→ Bot receives Telegram identity  
→ System checks users table  
→ If new user, create user  
→ Start onboarding  
→ If existing user, process message normally
```

4.2 Admin Auth

Admin dashboard uses Supabase Auth.

Flow:

```
Admin visits /admin/login  
→ Enters email/password  
→ Supabase Auth verifies  
→ System checks admin role  
→ Redirect to /admin/dashboard
```

If user is not admin:

```
Redirect to /admin/login  
Show: "You do not have access to this workspace."
```

4.3 Future User Web Auth

Future user dashboard auth options:

- Login using Telegram OTP/deep link
- Magic link
- Phone number OTP

But not required for MVP.

5. Pages List

5.1 Public Pages

Route	Page	Description	MVP
<code>/</code>	Landing Page	Explains NowWise and Telegram CTA	Should Have
<code>/privacy</code>	Privacy Policy	Explains food/voice/photo data handling	Must Have
<code>/terms</code>	Terms	General terms and wellness disclaimer	Must Have
<code>/support</code>	Support	Help/contact page	Should Have

5.2 Admin Pages

Route	Page	Description	MVP
<code>/admin/login</code>	Admin Login	Admin authentication	Must Have
<code>/admin/dashboard</code>	Admin Dashboard	High-level metrics	Must Have
<code>/admin/users</code>	Users List	View all users	Must Have
<code>/admin/users/:id</code>	User Detail	View user profile, timeline, reminders	Must Have
<code>/admin/events</code>	Event Timeline	All user events with filters	Must Have
<code>/admin/voice-events</code>	Voice Events	Voice transcripts, failures, ASR provider metrics	Must Have

Route	Page	Description	MVP
<code>/admin/food-logs</code>	Food Logs	Structured meal logs	Must Have
<code>/admin/product-logs</code>	Product Logs	Product lookup history	Must Have
<code>/admin/products</code>	Product Database	Add/edit/search products	Must Have
<code>/admin/products/:id</code>	Product Detail	Product nutrition, variants, logs, corrections	Must Have
<code>/admin/product-reviews</code>	Product Review Queue	Low-confidence product matches	Must Have
<code>/admin/reminders</code>	Reminder Management	View reminder schedules and actions	Must Have
<code>/admin/weekly-reports</code>	Weekly Reports	Preview/generated weekly summaries	Must Have
<code>/admin/behavior-patterns</code>	Pattern Detection	Sugar, sodium, late-night, low-protein patterns	Should Have
<code>/admin/privacy-requests</code>	Privacy Requests	Export/delete requests	Must Have
<code>/admin/settings</code>	Admin Settings	Roles, providers, thresholds	Should Have

5.3 Future User Dashboard Pages

Route	Page	Description	MVP
<code>/user/dashboard</code>	User Dashboard	Personal summary	Later
<code>/user/timeline</code>	Timeline	Food/product/habit history	Later
<code>/user/reminders</code>	Reminders	Manage habits	Later
<code>/user/weekly-story</code>	Weekly Story	Weekly report archive	Later
<code>/user/privacy</code>	Privacy Center	Export/delete/control data	Should Have
<code>/user/settings</code>	Settings	Goal/timezone/language	Later

6. Telegram Menu Structure

Telegram bot should support both natural chat and command menu.

6.1 Bot Commands

```
/start  
/help  
/log_food  
/check_product  
/set_reminder  
/my_week  
/my_goal  
/privacy
```

6.2 Persistent Menu Buttons

Button	Action
Log Food	User can type/speak/send photo
Check Product	Product name, voice, barcode/photo later
Set Reminder	Habit reminder setup
My Week	Weekly summary
My Goal	View/change health goal
Privacy	Data/privacy options

7. Onboarding Flow

7.1 New User Onboarding

```
User starts bot  
→ Bot welcomes user  
→ Bot asks primary goal  
→ User selects goal  
→ Bot asks language preference
```


- Bot confirms timezone
- Bot gives first action options

7.2 Onboarding Step 1: Welcome

Bot:

Hi, I'm NowWise.
I help you make better food, grocery, restaurant, and habit decisions.
You can speak, type, or send photos.

Buttons:

Start

7.3 Onboarding Step 2: Goal

Bot:

What is your main goal right now?

Buttons:

Better food habits
Digestion
Sugar control
Weight control
Energy

User can also type custom goal.

7.4 Onboarding Step 3: Language

Bot:

Which language should I use?

Buttons:

English
Hinglish
Hindi
Telugu

7.5 Onboarding Step 4: Timezone

System auto-detects from default or asks once:

I'll use Asia/Kolkata for your reminders and food timeline. Is that correct?

Buttons:

Yes
Change

7.6 Onboarding Step 5: First Action

Bot:

Done. What do you want to do first?

Buttons:

 Log food
 Check product
 Set reminder
 See example weekly report

8. Core User Journey 1 — Voice Food Logging

Goal

User wants to log food quickly.

Entry Points

- Sends voice note directly
 - Taps “Log Food”
 - Uses `/log_food`
-

Main Flow

```
User sends voice note
→ Telegram webhook receives voice
→ System creates voice_event
→ Audio worker downloads audio
→ Audio converted using FFmpeg
→ ASR transcribes audio
→ Transcript cleaner cleans output
→ Intent classifier detects food_log
→ Entity extractor extracts foods
→ Event engine captures timestamp
→ Meal type is inferred
→ Food log is created
→ Behavior engine checks patterns
→ Bot replies
```

Example

User voice:

I ate rice, dal, curd, and one sweet.

Bot:

Logged as lunch at 1:18 PM.

You had rice, dal, curd, and one sweet.

Since this is your fourth sweet this week, avoid dessert tonight and add protein at dinner.

Buttons:

```
Correct
Add more
View today
```

Correction Path

User taps:

Correct

Bot:

What should I correct?

Buttons:

Wrong meal type
Wrong food
Wrong time
Delete this log

If user taps "Wrong meal type":

Bot:

What should this be?

Buttons:

Breakfast
Lunch
Snack
Dinner

After correction:

Updated. I'll remember this pattern.

Empty State

If this is the user's first food log:

Bot adds:

This is your first food log. I'll start building your daily food timeline from now.

Error State

If ASR fails:

I couldn't clearly understand the voice note. Please type it or send again.

Buttons:

Type instead
Send again

9. Core User Journey 2 — Product Lookup at Store

Goal

User wants to know if they should buy/eat a packaged product.

Entry Points

- User types product name
 - User sends voice
 - User taps "Check Product"
 - User sends product photo
-

Main Flow

User sends product name/voice/photo
→ Input router detects product lookup
→ Product matcher searches Product Graph
→ Fuzzy matching handles typos
→ Confidence score generated
→ User history checked
→ Product decision generated
→ Bot replies

Example

User:

Tony Garden Sunflower Seeds

Bot:

I found Tony Garden Sunflower Seeds.

Decision: Okay occasionally.

If this is salted, keep it to a small handful. Unsalted is better today because you already had salty snacks twice this week.

Buttons:

Salted
Unsalted
Wrong product
Show alternative

Low Confidence Path

If system finds multiple products:

Bot:

I found a few possible matches. Which one is it?

Buttons:

Sunflower Seeds
Pumpkin Seeds
Mixed Seeds
None of these

Wrong Product Path

User taps:

Wrong product

Bot:

Please type the product name or send a clearer photo.

System routes original match to admin review.

Empty State

If product is not in database:

Bot:

I don't have this product verified yet. I'll still give a general suggestion and send it for review.

Then:

Based on the name, this looks like a seeds/snack product. If it is salted or flavored, keep portion small. If plain/unsalted, it is usually a better option.

10. Core User Journey 3 — Habit Reminder Creation

Goal

User wants to schedule a daily health habit reminder.

Entry Points

- Voice: "Remind me daily..."
 - Text: "Remind me every day at 9:30 PM..."
 - Taps "Set Reminder"
 - Uses `/set_reminder`
-

Main Flow

```
User sends reminder request
→ Intent classifier detects reminder_creation
→ Habit parser extracts habit
→ Time parser extracts schedule
→ Reminder record created
→ Confirmation sent
→ Reminder scheduler sends future reminders
→ User taps Taken/Later/Skip
→ Habit check-in stored
→ Weekly report includes adherence
```

Example

User:

Remind me every night at 9:30 to take Isabgol.

Bot:

Done. I'll remind you every night at 9:30 PM to take Isabgol with enough water.

At 9:30 PM:

Time for Isabgol. Please take it with enough water.

Buttons:

```
Taken
Later
Skip
```

Later Flow

User taps:

```
Later
```


Bot:

When should I remind you again?

Buttons:

15 min
30 min
1 hour
Tomorrow

Skip Flow

User taps:

Skip

Bot:

Skipped for today. I'll remind you again tomorrow.

Already Completed Logic

If user says:

I took Isabgol

before scheduled reminder:

System marks habit completed.

At reminder time, bot should not send duplicate reminder.

11. Core User Journey 4 — Restaurant Menu Decision

Goal

User wants to know what to order.

Entry Points

- Sends menu photo
 - Sends restaurant menu link
 - Says “Should I order biryani or grilled chicken?”
 - Taps “Restaurant Help”
-

Main Flow

```
User sends menu/query
→ System detects restaurant intent
→ If photo/link, extract menu items
→ Food categories identified
→ Today's timeline checked
→ User goal checked
→ Recommendations generated
→ Bot replies
```

Example

User:

Should I order biryani or grilled chicken?

Bot:

Today, grilled chicken is the better choice.
If you choose biryani, avoid sweet drinks and keep dinner lighter.

Buttons:

```
Log grilled chicken
Log biryani
Show lighter options
```

Menu Photo Flow

User sends menu photo.

Bot:

I'm reading the menu. I'll suggest the best options.

Then:

Best option: grilled paneer/chicken bowl.
Okay option: dal/rice combo.
Avoid today: fried starters and sweet drinks.

12. Core User Journey 5 — Grocery Receipt Scan

Goal

User wants AI to analyze grocery purchase after billing.

Entry Points

- Sends receipt photo
 - Taps "Analyze Receipt"
-

Main Flow

```
User sends receipt photo
→ System creates receipt event
→ Image stored temporarily
→ OCR extracts items
→ Items categorized
→ Grocery basket analyzed
```

- Missing categories detected
- Bot replies

Example Reply

Your basket has dairy, snacks, and bananas.
Missing this time: vegetables and protein.
Next time add spinach, carrots, eggs, paneer, or dal.

Buttons:

Add to grocery memory
Correct items
Create next shopping list

13. Core User Journey 6 — Weekly Story

Goal

User wants to understand weekly behavior.

Entry Points

- Automatic weekly report
- User taps “My Week”
- User uses `/my_week`

Main Flow

Weekly cron runs
→ System fetches food logs, products, reminders
→ Behavior patterns detected
→ Weekly report generated
→ Bot sends summary
→ User can ask follow-up

Example Weekly Report

Your NowWise Week

Food logs: 18

Product checks: 6

Isabgol: 4/7 days

Sweets: 5 days

Vegetables: 2 days

Best improvement: You logged dinner consistently.

Next week focus: Reduce sweets to 3 days and add vegetables at dinner.

Buttons:

Explain more

Set next week goal

View reminders

14. Core User Journey 7 — Privacy and Data Control

Goal

User wants to understand or delete data.

Entry Points

- `/privacy`
- Telegram menu button
- User dashboard privacy page

Main Flow

Bot:

Your data controls:

Voice audio: deleted after transcription by default

Transcript: stored for your timeline

Photos: stored only if needed

Partner sharing: off by default

Buttons:

Export my data
Delete my data
Change settings
Privacy policy

Delete Data Flow

User taps:

Delete my data

Bot:

This will delete your NowWise food logs, reminders, transcripts, product checks, and reports.
Are you sure?

Buttons:

Yes, delete
Cancel

If confirmed:

Request received. Your data deletion will be processed.

Admin sees deletion request in:

/admin/privacy-requests

15. Admin Journey 1 — Review Low-Confidence Voice Event

Goal

Admin fixes failed/uncertain voice transcription.

Entry Point

Admin logs in and goes to:

```
/admin/voice-events
```

Flow

```
Admin opens Voice Events
→ Filters status = needs_review
→ Opens event drawer
→ Sees audio metadata/transcript
→ Sees AI interpretation
→ Corrects transcript or intent
→ Saves correction
→ System updates event
→ Pattern/product/food logs updated
```

Voice Event Detail Drawer

Fields shown:

- User
- Telegram message ID
- Received time
- Provider used
- Raw transcript
- Cleaned transcript
- Confidence
- Intent detected
- Extracted entities

- Error/failure reason
- Correction form

Actions:

Approve
Edit transcript
Change intent
Send to product review
Mark failed

16. Admin Journey 2 — Product Compliance Review

Goal

Admin fixes product data and low-confidence matches.

Entry Point

/admin/product-reviews

Flow

Admin opens Product Reviews
→ Selects low-confidence product match
→ Compares user query and AI match
→ Searches product database
→ Selects correct product or creates new product
→ Adds nutrition/ingredients if available
→ Marks verified
→ Saves correction

Product Review Drawer

Shows:

- User query

- Input source: voice/text/photo
- AI matched product
- Confidence score
- Existing product records
- Suggested duplicates
- Product edit form

Actions:

Approve match
Change product
Create product
Merge duplicate
Reject

17. Admin Journey 3 — Weekly Report Preview

Goal

Admin verifies quality of weekly stories.

Entry Point

/admin/weekly-reports

Flow

Admin opens Weekly Reports
→ Filters pending reports
→ Opens report preview
→ Checks food/habit/pattern summary
→ Approves or edits
→ Report sent to user

Actions:

Approve
Edit

Regenerate
Do not send

18. Admin Dashboard Structure

18.1 Dashboard Metrics

Admin dashboard should show:

Metric	Purpose
Active users	Product usage
Logs today	Engagement
Voice notes today	Voice adoption
Product lookups	Supermarket use case
Reminders sent	Habit system
Reminder completion rate	Retention signal
Low-confidence events	Admin workload
Failed transcriptions	Voice quality
Weekly reports sent	Retention
Raw audio deletion success	Privacy compliance

18.2 Global Filters

Admin pages should support:

- Date range
- User
- Source: voice/text/photo/receipt
- Event type
- Status
- Confidence score
- Provider
- Goal
- Language

19. Empty States

19.1 Telegram Empty States

No Food Logs Yet

Bot:

You haven't logged food yet. Send a voice note like: "I ate dosa and chutney."

Buttons:

Log food
Set goal

No Reminders Yet

Bot:

You don't have reminders yet. You can say: "Remind me daily at 9:30 PM to take Isabgol."

Buttons:

Create reminder

No Weekly Report Yet

Bot:

I need at least a few logs before creating your weekly story. Try logging meals or products for 3-5 days.

19.2 Admin Empty States

No Low-Confidence Reviews

Message:

No pending reviews. AI outputs are currently above review threshold.

No Products

Message:

Product database is empty. Add your first product or import a CSV.

No Voice Events

Message:

No voice events yet. Voice notes will appear here after Telegram users start speaking to NowWise.

20. Loading States

Telegram

For quick tasks:

One moment, checking this.

For voice:

Got your voice note. I'm understanding it now.

For photo:

Photo saved. I'll analyze it in the background.

For menu:

I'm reading the menu and finding better options.

Admin Dashboard

Use table skeletons for:

- Users
- Events
- Product logs

- Voice events

Use drawer loading state for:

- Detail views
 - AI output
 - Transcript review
-

21. Error States

21.1 Telegram Voice Error

Bot:

I couldn't clearly understand the voice note. Please type it or send again.

Buttons:

Type instead
Send again

21.2 Product Not Found

Bot:

I don't have this product verified yet. I'll give a general suggestion and send it for review.

Buttons:

Send photo
Type details
Cancel

21.3 Reminder Time Missing

User:

Remind me to take Isabgol.

Bot:

What time should I remind you?

Buttons:

Morning
Afternoon
Evening
Night
Choose time

21.4 Telegram Delivery Failed

System should retry.

Admin should see failure in:

/admin/events
/admin/reminders

21.5 Admin Unauthorized

Redirect:

/admin/login

Message:

You do not have permission to access this page.

22. Modal / Drawer / Overlay Interactions

22.1 Admin Drawers

Use right-side drawers for:

- User quick view
- Event detail
- Voice event review
- Product review
- Reminder detail
- Weekly report preview

Reason:

Admins should not lose table context.

22.2 Admin Modals

Use modals for:

- Confirm delete
 - Merge products
 - Create product
 - Change admin role
 - Export user data
 - Approve privacy deletion
-

22.3 Telegram Confirmation Buttons

Use inline buttons for:

- Taken / Later / Skip
 - Correct / Add more / Delete
 - Salted / Unsalted / Wrong product
 - Yes / No / Change
 - Export / Delete / Cancel
-

23. Redirect Logic

23.1 Public Web

Action	Redirect
Visit <code>/</code>	Show landing page
Click Telegram CTA	Open Telegram bot link
Visit <code>/privacy</code>	Show privacy page
Visit <code>/terms</code>	Show terms page

23.2 Admin

Action	Redirect
Admin not logged in visits <code>/admin/dashboard</code>	<code>/admin/login</code>
Successful login	<code>/admin/dashboard</code>
Logout	<code>/admin/login</code>
Unauthorized role	<code>/admin/login</code> with error
Click user row	<code>/admin/users/:id</code> or drawer
Click product row	<code>/admin/products/:id</code>
Approve review	Stay in queue, load next review
Delete product	Back to <code>/admin/products</code>
Finish weekly report review	Stay on <code>/admin/weekly-reports</code>

23.3 Telegram

Action	Bot Response
<code>/start</code> new user	Onboarding
<code>/start</code> existing user	Main menu
<code>/my_week</code> with data	Weekly summary
<code>/my_week</code> no data	Empty weekly state

Action	Bot Response
<code>/privacy</code>	Privacy controls
Unknown message	Intent classifier tries; fallback help if unsure
Failed voice	Ask to type/send again
Reminder created	Confirmation
Reminder action taken	Thank and log

24. Logged-Out vs Logged-In Experience

24.1 Normal User

There is no traditional logged-out state inside Telegram.

States:

State	Description
New Telegram user	Onboarding required
Onboarded user	Can use all MVP bot features
Deleted user	Bot treats as new only after data deletion complete
Blocked bot	Cannot receive reminders

24.2 Admin

State	Experience
Logged out	<code>/admin/login</code> only
Logged in reviewer	Review queues only
Logged in product admin	Product database and reviews
Logged in super admin	Full access
Unauthorized	Redirect to login/error

25. Edge Cases

25.1 User Sends Multiple Messages Quickly

Example:

User sends:

1. Voice meal
2. Product name
3. Reminder request

System should process each as separate event.

If ambiguity exists, bot asks one clarification at a time.

25.2 User Sends Photo with No Caption

System asks:

Is this a meal, product, receipt, or menu?

Buttons:

Meal
Product
Receipt
Menu

25.3 User Sends Reminder Without Time

Bot asks:

What time should I remind you?

Do not guess.

25.4 User Travels Timezone

If user's Telegram/location/timezone changes or reminders appear off:

Bot:

Are you currently in a different timezone?

Buttons:

Keep Asia/Kolkata
Update timezone

25.5 User Says "I Ate This Yesterday"

System should not blindly use current timestamp.

Bot should detect past reference and ask:

Should I log this for yesterday?

Buttons:

Yes
No, log now

25.6 User Asks Medical Question

Example:

Will I get diabetes?

Bot should not diagnose.

Reply:

I can help you track patterns like frequent sweets, but I can't diagnose or predict disease. If you're concerned, speak with a qualified doctor. I can help you reduce sweets gradually.

26. Final MVP App Flow

MVP User Path

```
Telegram bot link
→ /start
→ Goal onboarding
→ Language/timezone confirmation
→ User sends voice/text/product/reminder
→ NowWise processes input
→ Bot replies
→ User corrects if needed
→ Events saved to timeline
→ Reminders create habit loop
→ Weekly report creates retention loop
```

MVP Admin Path

```
/admin/login
→ /admin/dashboard
→ Review voice/product/food failures
→ Correct product database
→ Monitor reminders and reports
→ Handle privacy requests
```

27. Build Order

Build Flow First

1. Telegram `/start`
2. Onboarding
3. Text food logging
4. Voice food logging
5. Product lookup
6. Reminder creation
7. Taken/Later/Skip buttons
8. Weekly report
9. Admin dashboard
10. Review queues

28. Final App Flow Decision

NowWise should not feel like an app where users navigate many screens.

NowWise should feel like:

"I speak or type. It understands and helps."

The web dashboard exists for admin quality control, not as the main consumer interface.

Therefore, the correct flow is:

```
Telegram = user product  
Admin dashboard = operations product  
Future user dashboard = secondary support product
```

The product wins if the user can use NowWise daily without opening a traditional app.