

App Flow Document

ApplyWizz Workday Dry-Run Automation Engine V1

1. Product Name

ApplyWizz Workday Dry-Run Automation Engine

2. Purpose of This Document

This document defines how users move through the application.

It explains:

- every main screen
- navigation structure
- logged-out and logged-in flows
- key user journeys
- button actions
- redirects
- modals
- empty states
- loading states
- error states
- manual review flow
- dry-run approval flow

The goal is to make sure the app is built as one connected product, not as separate disconnected pages.

3. Core User Type

The main user is an **ApplyWizz internal operator**.

This person may not know coding. The app must be simple, clear, and action-focused.

The operator should be able to:

Login ↓ Create Candidate ↓ Upload Resume ↓ Connect Zoho Email ↓ Paste Workday Job Link ↓ Start Dry Run ↓ Review Questions ↓ Approve / Edit Answers ↓ Stop Before Submit ↓ Approve Final Submit

4. High-Level App Flow

```text id="7od8zf"

Logged Out

↓

Login

↓

Dashboard

↓

Candidates

↓

Candidate Detail

↓

Upload Resume

↓

Connect Zoho

↓

Add Workday Job Link

↓

Start Dry Run

↓

Run Detail

↓

Manual Review if needed

↓

Dry-Run Summary

↓

Human Approval

↓

Submit / Stop

---

## 5. Navigation Structure

The application should use a **sidebar navigation** on desktop web.

For mobile later, the same structure can become a bottom tab or drawer navigation.

---

## 6. Main Sidebar Items

The sidebar should contain:

---

## ## 7. Sidebar Item Descriptions

### ### 7.1 Dashboard

Shows overall system status.

### ### 7.2 Candidates

Manage candidate profiles, resumes, Zoho email, and job links.

### ### 7.3 Job Links

View all Workday links and their statuses.

### ### 7.4 Runs

Track each automation attempt.

### ### 7.5 Manual Review

Review questions that the system cannot safely answer.

### ### 7.6 Answer Bank

Manage saved answers and reusable question patterns.

### ### 7.7 Settings

Manage system configuration, API status, worker status, and dry-run settings.

---

## ## 8. Global Header

Every logged-in page should have a top header.

Header should show:

- page title
- current environment: local / staging / production
- worker status
- user profile menu
- quick action button

Example quick action:

```
```text id="ggibct"
+ Add Candidate
```

or

```
```text id="k8j4ee" + Add Job Link
```

depending on page.

---

## 9. Logged-Out Flow

### 9.1 First Entry

When user opens the app and is not logged in:

```
```text id="c5eeqi"
```

Open App

↓

Redirect to Login Page

10. Login Page

10.1 Purpose

Allow ApplyWizz operators to securely access the dashboard.

10.2 Screen Elements

The login screen should include:

- ApplyWizz logo
- email input
- password input
- login button
- forgot password link
- loading state
- error message area

10.3 Login Button Action

When user clicks **Login**:

```text id="b6o7zg" Validate fields ↓ Call Supabase Auth ↓ If success → redirect to Dashboard ↓ If failed → show error

### ### 10.4 Login Error State

Show clear messages:

```
```text id="wmm7jk"
Invalid email or password.
Please check your details and try again.
```

10.5 Login Loading State

Button should show:

```text id="vw08dj" Signing in...

---

### ## 11. Logged-In Default Flow

When user is logged in and opens the app:

```
```text id="58ywg8"
Open App
↓
Check Auth Session
↓
If logged in → Dashboard
↓
If not logged in → Login
```

12. Dashboard Page

12.1 Purpose

Show the operator what is happening today.

12.2 Dashboard Cards

Show cards for:

- total candidates
- active candidates
- queued job links
- running jobs
- manual review items
- dry-runs completed
- failed jobs
- submitted applications

12.3 Dashboard Sections

The dashboard should include:

1. **Today's Activity**
2. **Jobs Needing Attention**
3. **Recent Runs**
4. **Worker Health**
5. **Failure Summary**

12.4 Dashboard Actions

Buttons:

```text id="1imxd0" Add Candidate Add Job Links View Manual Review View Failed Runs

### ### 12.5 Redirects

| Action             | Redirect                     |
|--------------------|------------------------------|
| Add Candidate      | Candidate Create Page        |
| Add Job Links      | Job Link Add Page            |
| View Manual Review | Manual Review Page           |
| View Failed Runs   | Runs Page filtered by failed |

### ### 12.6 Empty State

If no data exists:

```text id="j254ie"

No candidates yet.

Create your first candidate to start a Workday dry-run.

Button:

```
```text id="i0awuw" Create Candidate
```

```

```

## ## 13. Candidates Page

### ### 13.1 Purpose

List and manage all candidates.

### ### 13.2 Screen Elements

Show a table or card list with:

- candidate name
- email
- target role
- resume status
- Zoho email status
- job links count
- latest run status
- created date

### ### 13.3 Main Actions

Buttons:

```
```text id="e6ov2d"
+ Add Candidate
View Candidate
Upload Resume
Add Job Links
```

13.4 Candidate Row Click

When user clicks a candidate:

```
```text id="etyalu" Candidates Page ↓ Candidate Detail Page
```

### ### 13.5 Empty State

```
```text id="uk5h8t"
```

No candidates found.
Add a candidate to begin Workday automation.

13.6 Search and Filters

The page should support:

- search by candidate name
- filter by resume uploaded / missing
- filter by Zoho connected / not connected
- filter by active / inactive

14. Add Candidate Page

14.1 Purpose

Create a new candidate profile.

14.2 Fields

Required fields:

- full name
- email
- phone
- location
- target role
- years of experience

Optional fields:

- LinkedIn URL
- GitHub URL
- portfolio URL
- current company
- expected salary
- availability
- relocation preference
- sponsorship requirement

14.3 Save Button Action

When user clicks **Save Candidate**:

```text id="ccia4n" Validate fields ↓ Save candidate to Supabase ↓ Redirect to Candidate Detail Page



### ### 14.4 Cancel Button Action

```
```text id="8tl8kp"
```

Cancel

↓

Return to Candidates Page

14.5 Error State

If required fields are missing:

```
```text id="plbfq6" Please complete all required fields before saving.
```

---

## ## 15. Candidate Detail Page

### ### 15.1 Purpose

This is the main workspace for one candidate.

### ### 15.2 Sections

Candidate detail should include:

1. Profile Summary
2. Resume
3. Zoho Email
4. Answer Bank
5. Workday Job Links
6. Application Runs
7. Manual Review Items

---

## ## 16. Candidate Detail – Profile Section

Show:

- full name
- email
- phone
- location
- target role
- years of experience

- work authorization summary
- relocation summary

Actions:

```
```text id="h78dzh"
Edit Profile
Deactivate Candidate
```

17. Candidate Detail — Resume Section

17.1 Resume States

There are three possible states:

```
```text id="swme63" No resume uploaded Resume uploaded Resume upload failed
```

```
17.2 If No Resume Uploaded
```

Show:

```
```text id="w7nnic"
No resume uploaded yet.
Upload one resume before adding job links.
```

Button:

```
```text id="a4j6gk" Upload Resume
```

```
17.3 Upload Resume Modal
```

When user clicks **Upload Resume**, open modal.

Fields:

- file picker
- resume name
- notes

Allowed file types:

```
```text id="agzmi9"
```

PDF
DOC
DOCX

17.4 Upload Action

```text id="wrbmnp" Select file ↓ Upload to private Supabase Storage bucket ↓ Save metadata in candidate\_resumes ↓ Close modal ↓ Refresh Candidate Detail Page

### ### 17.5 Important Rule

V1 should support only **one active resume** per candidate.

If a resume already exists and user uploads another:

Show confirmation modal:

```text id="4fzppi"  
This candidate already has an active resume.
Do you want to replace it?

Options:

```text id="zlxphw" Cancel Replace Resume

---

## ## 18. Candidate Detail – Zoho Email Section

### ### 18.1 Purpose

Connect candidate Zoho email for OTP reading.

### ### 18.2 States

```text id="dur9h5"  
Not connected
Connected
Connection expired
OTP test failed

18.3 If Not Connected

Show:

```
```text id="2vbg1h" Zoho email is not connected. Connect Zoho to read Workday OTP emails.
```

Button:

```
```text id="qzjvjd"
Connect Zoho
```

18.4 Connect Zoho Flow

```
```text id="rj95dd" Click Connect Zoho ↓ Open Zoho authorization flow ↓ User approves ↓ Save encrypted
token ↓ Return to Candidate Detail Page ↓ Show Connected
```

### 18.5 Test OTP Button

Button:

```
```text id="iwe1j4"
Test OTP Access
```

Action:

```
```text id="2u4bko" Call worker / backend test ↓ Search only OTP-related emails ↓ Return success or failure
```

---

## 19. Candidate Detail – Workday Job Links Section

### 19.1 Purpose

Add and manage Workday job links for this candidate.

### 19.2 Job Links Table

Show:

- company
- job title
- Workday URL
- status

- latest run
- last error
- created date

### ### 19.3 Actions

Buttons:

```
```text id="wu8hsv"
```

Add One Link

Bulk Add Links

Start Dry Run

Retry Failed

Open Link

20. Add One Job Link Modal

20.1 Fields

- Workday job URL
- optional company name
- optional job title
- notes

20.2 Save Action

```text id="ob4tei" Validate Workday URL ↓ Check duplicate ↓ Save to job\_links ↓ Close modal ↓ Refresh candidate job links

### ### 20.3 Error State

If URL is invalid:

```
```text id="2awvp7"
```

This does not look like a valid Workday job link.
Please check the URL and try again.

21. Bulk Add Job Links Modal

21.1 Purpose

Allow operator to paste many Workday job links.

21.2 Fields

- large text area
- one URL per line
- candidate selection if opened from global Job Links page

21.3 Save Action

``text id="igxc1t" Paste links ↓ Parse one URL per line ↓ Validate links ↓ Remove duplicates ↓ Save valid links ↓ Show import summary

21.4 Import Summary

Show:

- total pasted
- valid links
- duplicates skipped
- invalid links
- saved links

Buttons:

```text id="pesq25"

Done

View Job Links

---

## 22. Job Links Page

### 22.1 Purpose

View all Workday links across all candidates.

### 22.2 Filters

- candidate
- status
- company
- created date
- failed only
- manual review required
- dry-run complete

## 22.3 Actions

```text id="a2r3py" Add Job Links Start Selected Dry Runs Retry Selected Failed Jobs Open Job View Run

22.4 Status Badges

Use clear statuses:

```text id="2b0j3i"

Queued

Running

Needs Review

Dry Run Complete

Failed

Submitted

Duplicate

Skipped

## 23. Start Dry Run Flow

### 23.1 Entry Points

User can start dry-run from:

- Candidate Detail Page
- Job Links Page
- Job Link Detail Page

### 23.2 Start Dry Run Button

When user clicks **Start Dry Run**:

```text id="7nod6i" Check candidate profile ↓ Check active resume ↓ Check Zoho connection ↓ Check valid Workday link ↓ Create application\_run ↓ Set job status to queued ↓ Worker picks job ↓ Redirect to Run Detail Page

23.3 Missing Resume Edge Case

If no resume exists:

Show modal:

```text id="h09nle"

Resume required.  
Upload one resume before starting dry-run.

Buttons:

```text id="67mjb9" Cancel Upload Resume

23.4 Missing Zoho Edge Case

If Zoho is not connected:

Show modal:

```text id="s8pvdh"

Zoho email is not connected.

Connect Zoho before starting Workday automation.

Buttons:

```text id="p2562d" Cancel Connect Zoho

24. Runs Page

24.1 Purpose

Track automation attempts.

24.2 Table Columns

- run ID short code
- candidate
- company
- job title
- status
- current step
- started time
- completed time
- manual review count
- error reason

24.3 Filters

- running
- failed
- manual review
- dry-run complete
- submitted
- candidate
- company

24.4 Row Click

```text id="1bdyns"

Runs Page

↓

Run Detail Page

---

## 25. Run Detail Page

### 25.1 Purpose

Show everything that happened in one automation run.

### 25.2 Main Sections

1. Run Summary
2. Current Status
3. Step Timeline
4. Screenshots
5. Extracted Questions
6. Mapped Answers
7. Manual Review Items
8. Errors
9. Final Dry-Run Summary

---

## 26. Run Detail — Step Timeline

Show each step:

```text id="j2hftx" Opening Workday link Detecting page state Creating account Waiting for OTP Uploading resume Reaching questionnaire Capturing HTML Extracting questions Mapping answers Filling safe answers Checking conditional questions Waiting for manual review Dry-run complete

Each step should show:

- status
- timestamp
- duration
- screenshot if available
- error if failed

27. Run Detail – Live Status

If run is active, show live progress:

```text id="ko8921"

Current Step: Waiting for OTP

Status: Running

Last Updated: 20 seconds ago

Use polling or realtime subscription from Supabase.

## 28. Run Detail — Screenshot Viewer

### 28.1 Purpose

Allow operators and developers to understand what happened visually.

### 28.2 Interaction

Click screenshot thumbnail:

```text id="3tp6pe" Open screenshot modal ↓ Show large image ↓ Show step name and timestamp

29. Manual Review Page

29.1 Purpose

Show all questions that require human review.

29.2 Entry Points

User can reach Manual Review from:

- Sidebar

- Dashboard card
- Run Detail Page
- Candidate Detail Page

29.3 Manual Review List

Each review item should show:

- candidate
- company
- job title
- question
- field type
- options
- suggested answer
- confidence score
- risk level
- screenshot
- reason for review

30. Manual Review Detail Drawer

30.1 Purpose

Allow operator to inspect and approve/edit the answer without leaving the page.

When user clicks a review item:

```
```text id="xkc39f"
```

Open right-side drawer

## 30.2 Drawer Content

Show:

- full question
- Workday page section
- extracted options
- suggested answer
- confidence score
- risk level
- candidate profile context
- screenshot
- previous similar answers if available

### 30.3 Drawer Actions

Buttons:

```text id="h69vj0" Approve Suggested Answer Edit Answer Mark Unsafe Skip Question Save to Answer Bank  
Continue Run

```
---  
  
## 31. Manual Review Actions  
  
### 31.1 Approve Suggested Answer  
  
```text id="ygf65g"  
Click Approve
↓
Save approved answer
↓
Mark review item resolved
↓
If all review items resolved → allow run to continue
```

### 31.2 Edit Answer

```text id="jtsu4c" Click Edit ↓ Show input field / dropdown ↓ User enters answer ↓ Save answer ↓ Mark  
review item resolved

```
### 31.3 Mark Unsafe  
  
```text id="ec6fte"  
Click Mark Unsafe
↓
Save item as unsafe
↓
Stop run
↓
Require admin decision
```

### 31.4 Save to Answer Bank

```text id="1dyieo" Click Save to Answer Bank ↓ Choose candidate-specific or global ↓ Save approved  
question-answer mapping

31.5 Continue Run

```text id="ko072o"

All required reviews resolved

↓

Click Continue Run

↓

Worker resumes

↓

Return to Run Detail Page

---

## 32. Answer Bank Page

### 32.1 Purpose

Manage reusable answers.

### 32.2 Tabs

Use two tabs:

```text id="aqw6hb" Candidate Answers Global Question Bank

32.3 Candidate Answers

Show candidate-specific answers such as:

- sponsorship answer
- work authorization answer
- salary expectation
- relocation preference
- availability
- phone
- LinkedIn
- location

32.4 Global Question Bank

Show reusable Workday question patterns.

Fields:

- normalized question

- answer type
- risk level
- approved answer pattern
- usage count
- success count
- last used

32.5 Actions

```text id="yxbjyg"

Add Answer

Edit Answer

Deactivate Answer

View Usage

---

## 33. Settings Page

### 33.1 Purpose

Configure system-level settings.

### 33.2 Sections

Settings page should include:

1. API Status
2. Worker Status
3. Dry-Run Rules
4. Submission Rules
5. Storage Buckets
6. Environment Info

### 33.3 API Status

Show:

```text id="mmh4pi" Supabase: Connected OpenAI: Connected ScrapeGraphAI: Connected Zoho: Connected  
Worker: Running

33.4 Dry-Run Rules

Settings:

- dry-run required: ON

- final human approval required: ON
- auto-submit allowed: OFF for V1

33.5 Important V1 Rule

In production V1:

```text id="kqoxnk"

Auto-submit must be OFF by default.

Dry-run must be ON by default.

Human approval must be required.

## 34. Final Dry-Run Summary Page

### 34.1 Purpose

Show the completed dry-run before final submission.

### 34.2 Entry Point

User reaches this page from:

```text id="j1fwv3" Run Detail Page ↓ Dry-Run Complete ↓ View Summary

34.3 Summary Sections

Show:

- candidate
- company
- job title
- Workday link
- account used
- resume uploaded
- total questions found
- answers filled
- answers manually reviewed
- unresolved questions
- high-risk warnings
- screenshots
- readiness score

35. Readiness Score

Use three possible readiness states:

```text id="1k6vfs"

Ready

Needs Review

Blocked

### 35.1 Ready

Meaning:

- all required questions answered
- no unresolved high-risk questions
- final page reached

Action available:

```text id="ptvshb" Approve Final Submit

35.2 Needs Review

Meaning:

- some questions need human approval

Action available:

```text id="mqtp4f"

Go to Manual Review

### 35.3 Blocked

Meaning:

- system cannot proceed

Actions available:

```text id="slbz00" View Error Retry Run Skip Job

36. Final Submit Flow

36.1 V1 Rule

The system must not submit automatically.

36.2 Submit Button

Only show submit button if:

- dry-run is complete
- readiness score is Ready
- user has permission
- human approval is recorded

36.3 Submit Confirmation Modal

When user clicks **Approve Final Submit**, show modal:

```text id="9lnsco"

Are you sure you want to submit this Workday application?  
This action cannot be undone.

Buttons:

```text id="pwpdha" Cancel Submit Application

36.4 Submit Action

```text id="q27wb7"

Click Submit Application

↓

Worker clicks final Workday submit button

↓

Capture confirmation screenshot

↓

Save final status

↓

Redirect to Run Detail Page

## 37. Error and Edge Case Flows

### 37.1 Invalid Workday Link

```text id="sk0bg0" User adds invalid link ↓ Show validation error ↓ Do not save link

Message:

```
```text id="yihkc2"
This is not a valid Workday job link.
```

### 37.2 Duplicate Job Link

```text id="k6u3xi" User adds duplicate link ↓ Show duplicate warning ↓ Allow user to skip or view existing link

```
---

### 37.3 Resume Missing

```text id="fdt0hy"
Start Dry Run
↓
No resume found
↓
Show upload resume modal
```

### 37.4 Zoho Not Connected

```text id="9z5i64" Start Dry Run ↓ Zoho not connected ↓ Show connect Zoho modal

```
---

### 37.5 OTP Not Found

```text id="7z9qu1"
Worker waits for OTP
↓
Timeout
↓
Save screenshot
```

```
↓
Set run status: failed_otp
↓
Show Retry OTP button
```

---

### 37.6 Resume Upload Failed

```text id="13y7x4" Worker tries upload ↓ Upload fails ↓ Save screenshot ↓ Set run status:  
failed_resume_upload ↓ Show Retry Run button

```
---  
  
### 37.7 Question Extraction Failed  
  
```text id="tqjria"  
Worker captures HTML
↓
ScrapeGraphAI extraction fails
↓
Save HTML capture
↓
Set run status: failed_question_extraction
↓
Show Send to Developer Review
```

---

### 37.8 Risky Question Detected

```text id="dp5keb" Question extracted ↓ Risk level: high ↓ Create manual review item ↓ Stop auto-fill for  
that question

```
---  
  
### 37.9 Unknown Conditional Question  
  
```text id="45d4mx"  
Answer selected
↓
New question appears
↓
System rescans
↓
Question unknown
```

↓

Send to manual review

## 37.10 Final Submit Disabled

```text id="hfz5pq" Dry-run reaches final page ↓ Submit button disabled ↓ Save screenshot ↓ Show blocked status

38. Loading States

Use clear loading messages.

Examples:

```
```text id="hlxnxk"
Loading candidates...
Saving candidate...
Uploading resume...
Starting dry-run...
Waiting for worker...
Reading OTP...
Extracting questions...
Mapping answers...
Preparing manual review...
Submitting application...
```

## 39. Empty States

### 39.1 No Candidates

```text id="wrzfv0" No candidates yet. Create your first candidate to begin.

39.2 No Job Links

```
```text id="k6v6ex"
No job links added.
Paste a Workday job link to start dry-run.
```

### 39.3 No Runs

```text id="dc8r5x" No automation runs yet. Start a dry-run from a job link.

39.4 No Manual Review

```text id="cc6yli"  
No manual review items.  
Everything is clear for now.

### 39.5 No Answer Bank Entries

```text id="3x7lrg" No saved answers yet. Approved manual review answers can be saved here.

40. Modal and Drawer Interactions

Use modals for:

- upload resume
- add one job link
- bulk add job links
- replace resume confirmation
- final submit confirmation
- delete confirmation
- retry confirmation

Use drawers for:

- manual review detail
- run step details
- screenshot preview metadata
- candidate quick edit

41. Redirect Logic Summary

| |
|--|
| Action Redirect |
| --- --- |
| Successful login Dashboard |
| Logout Login |
| Create candidate Candidate Detail |
| Cancel candidate creation Candidates |

```
Upload resume success	Candidate Detail refresh
Add job link success	Candidate Detail or Job Links
Start dry-run	Run Detail
Click run row	Run Detail
Manual review complete	Run Detail
Dry-run complete	Dry-Run Summary
Submit complete	Run Detail
Retry failed run	New Run Detail
Unauthorized user	Login
Missing permission	Dashboard with error
```

42. Main User Journey 1 – First Candidate Setup

```
```text id="ggkwbx"  
Login
↓
Dashboard
↓
Click Add Candidate
↓
Enter candidate profile
↓
Save Candidate
↓
Redirect to Candidate Detail
↓
Upload Resume
↓
Connect Zoho
↓
Candidate Ready
```

Success state:

```text id="sb7be8" Candidate profile complete. Resume uploaded. Zoho connected. Ready to add Workday links.

43. Main User Journey 2 – Start First Workday Dry-Run

```
```text id="gvg6g2"  
Candidate Detail
```

```
↓
Add Workday Job Link
↓
Click Start Dry Run
↓
System checks resume and Zoho
↓
Create run
↓
Redirect to Run Detail
↓
Worker opens Workday
↓
Login / create account
↓
Read OTP
↓
Upload resume
↓
Reach questionnaire
↓
Extract questions
↓
Map answers
↓
Fill safe answers
↓
Stop before submit
↓
Dry-Run Summary
```

Success state:

```
```text id="1kw36a" Dry-run complete. Human approval required before final submit.
```

```
---

## 44. Main User Journey 3 – Manual Review and Continue

```text id="nf9sjv"
Run Detail
↓
Manual review required
↓
Click Review Items
```

```
↓
Manual Review Page
↓
Open review drawer
↓
Approve or edit answer
↓
Save answer
↓
Resolve all required items
↓
Click Continue Run
↓
Worker resumes
↓
Dry-run complete
```

Success state:

```
```text id="s9j3un" All review items resolved. Run continued successfully.
```

```
---

## 45. Main User Journey 4 – Final Human Approval

```text id="2ovof6"
Dry-Run Summary
↓
Review answers and screenshots
↓
Readiness score: Ready
↓
Click Approve Final Submit
↓
Confirmation modal
↓
Click Submit Application
↓
Worker submits application
↓
Confirmation screenshot saved
↓
Status: Submitted
```



Success state:

```text id="66nx9n" Application submitted successfully.

46. Permissions Flow

46.1 Admin

Can:

- manage settings
- manage operators
- approve final submit
- view all candidates
- submit applications

46.2 Operator

Can:

- create candidates
- upload resumes
- add job links
- start dry-runs
- resolve manual review items

May need admin permission for final submit depending on company policy.

46.3 Viewer

Can:

- view dashboard
- view candidates
- view runs
- view reports

Cannot:

- start dry-runs
- edit answers
- submit applications

47. Mobile Future Flow

Because the frontend is built with Expo React Native, future mobile app can support:

- view dashboard
- receive manual review notifications
- approve questions
- check run status
- approve final submit

Mobile V1 later should not run automation itself.
Automation remains on the worker.

48. V1 App Flow Rule

The app must always protect the user from unsafe automation.

Core rule:

```text id="m7bimz"  
If unsure → stop.  
If risky → manual review.  
If final submit → human approval.

---

## 49. Final App Flow Summary

The complete V1 flow is:

```text id="vsepx0" Login ↓ Dashboard ↓ Create Candidate ↓ Upload One Resume ↓ Connect Zoho ↓  
Paste Workday Job Link ↓ Start Dry Run ↓ Worker Opens Workday ↓ Login / Create Account ↓ Read OTP
↓ Upload Resume ↓ Reach Questionnaire ↓ Extract Questions ↓ Map Answers ↓ Fill Safe Answers ↓
Detect Conditional Questions ↓ Manual Review if Needed ↓ Dry-Run Summary ↓ Human Approval ↓
Controlled Submit

50. Final Recommendation

Build the app flow around one simple operator experience:

```
```text id="aixijj"
```

Candidate → Resume → Zoho → Job Link → Dry Run → Review → Submit

Do not build complex dashboards first.

The first working app should help an operator complete this path clearly and safely.

Once this path works end-to-end, add analytics, bulk operations, mobile approvals, and advanced agent tools later.