Day 08 | Monday

08

November 9, 2026

Adding fractional lengths

12:45 PM–2:00 PM • Math • 75 min

Subtracting and regrouping fractions

2:15 PM–3:30 PM • Math • 75 min

Week 3 • 2 scheduled blocks • 150 teaching minutes

Estimate. Show the method. Label units. Check the result.

Today’s exact schedule

12:45 PM–2:00 PM • 75 min

Adding fractional lengths

12:45 PM–12:50 PM	**Start**	5
12:50 PM–12:55 PM	**Recall**	5
12:55 PM–1:10 PM	**Teach**	15
1:10 PM–1:25 PM	**Together**	15
1:25 PM–1:45 PM	**Practise**	20
1:45 PM–1:55 PM	**Check**	10
1:55 PM–2:00 PM	**Wrap up**	5

Math • Math Week 3, Lesson 1

2:15 PM–3:30 PM • 75 min

Subtracting and regrouping fractions

2:15 PM–2:20 PM	**Start**	5
2:20 PM–2:25 PM	**Recall**	5
2:25 PM–2:40 PM	**Teach**	15
2:40 PM–2:55 PM	**Together**	15
2:55 PM–3:15 PM	**Practise**	20
3:15 PM–3:25 PM	**Check**	10
3:25 PM–3:30 PM	**Wrap up**	5

Math • Math Week 3, Lesson 2

Break: 2:00 PM–2:15 PM • 15 minutes • excluded from teaching time

Adding fractional lengths

Today’s goal: Add fractional and mixed-inch lengths using a common denominator.

Name one use for today’s skill.

Textbook Chapter 4 pp.91–99

Exercise Book 4A Q14 (p.36); 4B Q2–3 (p.37)

Keep your notebook, textbook, exercise book and chosen calculator ready.

Textbook Chapter 4 pp.91–99

Recall and reconnect

Retrieve equivalent fractions and ask how many sixteenths make one whole.

Try first without displayed answers.

Resources: Exercise Book 4A Q14 (p.36); 4B Q2–3 (p.37)

Textbook Chapter 4 pp.91–99

Add equal-sized fractional parts


1. Choose a common denominator before adding fractional lengths.
2. Rename each fraction using that denominator.
3. Add numerators and whole-number parts; do not add denominators.
4. A strip diagram joins the lengths end to end to show the total.



Textbook Chapter 4 pp.91–99

Carry a complete set into the whole number

1. When the numerator reaches the denominator, the fraction contains a whole unit.
2. Move each complete whole into the whole-number part.
3. Keep the remaining fractional part and simplify it.
4. Check that the total is longer than either positive piece being added.




12/8 = 1 whole and 4/8

Textbook Chapter 4 pp.91–99

Regroup a full set into one whole

2 5/8 + 1 7/8 = 3 12/8
= 3 + 1 + 4/8 = 4 1/2 in



Twelve eighths contain one whole inch and four eighths.
Check: 2.625 + 1.875 = 4.5 in.

Together • Solve 4A Q14(a), then 4B Q2.
Draw adjoining labelled strips. Explain the carry into the whole number before checking with Numeracy Hub Calculator.

Math Week 3 L1 • Classroom example • Shape Canvas inch labels support the written sum

Textbook | page 98




Figure 4.9 Three pieces on a cut list. The total length is hidden.

Textbook p.98 · Figure 4.9: adjoining mixed-inch lengths.

Textbook Chapter 4 pp.91–99

Textbook | page 98

Example 4.9 Total of a cut list

Find the total length of the three pieces: $12\frac{3}{4}$ in, $8\frac{5}{8}$ in, $15\frac{1}{2}$ in.

SOLUTION

1. Add the whole numbers: $12 + 8 + 15 = 35$.
2. Change the fractions to eighths and add them: $\frac{6}{8} + \frac{5}{8} + \frac{4}{8} = \frac{15}{8}$.
3. $\frac{15}{8} = 1\frac{7}{8}$. Carry the 1: $35 + 1 = 36$. The total is $36\frac{7}{8}$ in.

Textbook p.98 · Example 4.9: carry a whole from the fractional total.

Textbook Chapter 4 pp.91–99

Spot the mistake. Explain the correction.

A learner writes 1/2 + 1/4 = 2/6. Why cannot the denominators be added?

Discuss the method before checking the answer.

The parts have different sizes. Rename 1/2 as 2/4; then 2/4 + 1/4 = 3/4.

Textbook Chapter 4 pp.91–99

Work together

Solve 4A question 14(a), then 4B question 2 with a labelled strip diagram.


Work in pairs; alternate solver and checker.

Resources: Exercise Book 4A Q14 (p.36); 4B Q2–3 (p.37)

Textbook Chapter 4 pp.91–99

Guided practice | 4A Q14a

Add. (a) $\frac{5}{16} + \frac{3}{4}$



Work with a partner. Take turns explaining the next step.

Textbook Chapter 4 pp.91–99

Compare your method | 4A Q14a

Add. (a) $\frac{5}{16} + \frac{3}{4}$

CHECK TOGETHER

(a) 1 1/16

Textbook Chapter 4 pp.91–99

Your scheduled practice


Complete 4A question 14(b) and 4B question 3. Draw the lengths or layers and show the written addition before calculator checking.

Show working and units; estimate, then check.

Resources: Exercise Book 4A Q14 (p.36); 4B Q2–3 (p.37)

Textbook Chapter 4 pp.91–99

Open Shape Canvas



Navigation example. Use the values and units in the assigned task.

Textbook Chapter 4 pp.91–99

Practise in Numeracy Hub and Shape Canvas

1. Supported: In Shape Canvas, label adjoining rectangles in inches for 4A Q14(a) or 4B Q2.


2. Independent practice: Draw the lengths or layers for 4A Q14(b) and 4B Q3; write the full sum.

3. Independent checking: Use Numeracy Hub Calculator after the sum; explain any carry into whole inches.

Textbook Chapter 4 pp.91–99

Practise from the Exercise Book | 4A Q14b

Add. (b) $7\frac{3}{8} + 2\frac{15}{16}$




Write the operation, working and units before checking.

Textbook Chapter 4 pp.91–99

Practise from the Exercise Book | 4B Q3

A bolt passes through a $\frac{5}{8}$ in plate, a $\frac{3}{4}$ in plate and a $\frac{1}{8}$ in washer. What is the total thickness it clamps?



Write the operation, working and units before checking.

Textbook Chapter 4 pp.91–99

Check independently

Redo 4A question 14(b) and explain the carry into the whole number.

Answer independently and show the method.

Resources: Exercise Book 4A Q14 (p.36); 4B Q2–3 (p.37)

Textbook Chapter 4 pp.91–99

Independent check | 4A Q14b

Add. (b) $7\frac{3}{8} + 2\frac{15}{16}$

Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.91–99

Wrap up and choose the next step

Share one learning point and one skill to practise next.

Record a takeaway and next action.

Resources: Exercise Book 4A Q14 (p.36); 4B Q2–3 (p.37)

Textbook Chapter 4 pp.91–99

Break

2:00 PM–2:15 PM

Return ready for: Subtracting and regrouping fractions

This break is excluded from teaching minutes.

Subtracting and regrouping fractions

Today’s goal: Find a remaining or missing length by subtracting mixed numbers accurately.

Name one use for today’s skill.

Textbook Chapter 4 pp.97–99

Exercise Book 4A Q15 (p.36); 4C Q1–3 (p.39)

Keep your notebook, textbook, exercise book and chosen calculator ready.

Textbook Chapter 4 pp.97–99

Recall and reconnect

Explain how 5 can be written as 4 plus sixteenths. Retrieve one common-denominator example.


Try first without displayed answers.

Resources: Exercise Book 4A Q15 (p.36); 4C Q1–3 (p.39)

Textbook Chapter 4 pp.97–99

Regroup one whole without changing the length

1. Match the denominators before subtracting.
2. If the top fractional part is too small, rename one whole as fractional units.
3. Reduce the whole-number part by one and add one denominator to the numerator.
4. Subtract the equal-sized parts, then simplify the result.




5 2/8 = 4 10/8

Textbook Chapter 4 pp.97–99

Use the overall dimension to check the remainder


1. Label the overall length and the known part or parts on a drawing.
2. Subtract the known parts from the overall length.
3. Add the found remainder back to the known parts.
4. The reconstructed length must equal the original overall dimension.



Textbook Chapter 4 pp.97–99

Trade one whole for eight eighths

$$5\ 1/4 - 2\ 7/8 = 5\ 2/8 - 2\ 7/8$$
$$= 4\ 10/8 - 2\ 7/8 = 2\ 3/8 \text{ in}$$




Check: 2 3/8 + 2 7/8 = 5 2/8 = 5 1/4 in.
The found remainder restores the original length.

Together • Solve 4A Q15(a) and 4C Q1 with a drawing.
Shape Canvas: show the overall length and known parts; hide the missing dimension until after the paper attempt.

Textbook | page 99

Example 4.10 What is left of the bar?

A piece $29\frac{5}{8}$ in long is cut from a 48 in bar. Ignore the saw cut. How long is the offcut?



SOLUTION

1. There is no fraction in 48 to take $\frac{5}{8}$ from, so borrow 1: $48 = 47\ \frac{8}{8}$.
2. Fractions: $\frac{8}{8} - \frac{5}{8} = \frac{3}{8}$.
3. Whole numbers: $47 - 29 = 18$.

Textbook p.99 · Example 4.10: regroup a whole inch to find an offcut.

Textbook Chapter 4 pp.97–99

Textbook | page 99

CHECK BY ADDING

Add your answer to the number you took away. You should get the number you started with:

$18\frac{3}{8} + 29\frac{5}{8} = 48.$

Textbook p.99 · Add the remainder back to verify the original length.

Textbook Chapter 4 pp.97–99

Spot the mistake. Explain the correction.

In 5 1/4 − 2 7/8, can you subtract 7 eighths from 2 eighths without regrouping?

Discuss the method before checking the answer.

Regroup first: 5 2/8 becomes 4 10/8. Now subtract the equal-sized parts, then check by adding back.

Textbook Chapter 4 pp.97–99

Work together

Solve 4A question 15(a) and 4C question 1 with a drawing.


Work in pairs; alternate solver and checker.

Resources: Exercise Book 4A Q15 (p.36); 4C Q1–3 (p.39)

Textbook Chapter 4 pp.97–99

Guided practice | 4A Q15a

Subtract. (a) $5 - 1\frac{11}{16}$



Work with a partner. Take turns explaining the next step.

Textbook Chapter 4 pp.97–99

Compare your method | 4A Q15a

Subtract. (a) $5 - 1\frac{11}{16}$

CHECK TOGETHER

(a) 3 5/16

Textbook Chapter 4 pp.97–99

Your scheduled practice


Complete 4A question 15(b) and 4C questions 2–3. Add the found piece back to the known parts to verify the overall length.

Show working and units; estimate, then check.

Resources: Exercise Book 4A Q15 (p.36); 4C Q1–3 (p.39)

Textbook Chapter 4 pp.97–99

Open Shape Canvas



Navigation example. Use the values and units in the assigned task.

Textbook Chapter 4 pp.97–99

Practise in Shape Canvas

1. Supported: In Shape Canvas, show the overall length and known parts for the scheduled drawing.


2. Independent practice: Hide the missing dimension and solve it on paper before revealing a value.

3. Independent checking: Add the found piece to the known parts and verify the overall length.

Textbook Chapter 4 pp.97–99

Practise from the Exercise Book | 4A Q15b

Subtract. (b) $9\frac{1}{8} - 4\frac{3}{4}$




Write the operation, working and units before checking.

Textbook Chapter 4 pp.97–99

Practise from the Exercise Book | 4C Q2

Find the hidden height.



Write the operation, working and units before checking.

Textbook Chapter 4 pp.97–99

Check independently

Complete 4A question 15(b) and 4C question 3 independently.

Answer independently and show the method.

Resources: Exercise Book 4A Q15 (p.36); 4C Q1–3 (p.39)

Textbook Chapter 4 pp.97–99

Independent check | 4A Q15b


Subtract. (b) $9\frac{1}{8} - 4\frac{3}{4}$

Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.97–99

Independent check | 4C Q3

The shaft is $14\frac{1}{2}$ in long overall. Find the missing step.



Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.97–99

Wrap up and choose the next step

Share one learning point and one skill to practise next.

Record a takeaway and next action.

Resources: Exercise Book 4A Q15 (p.36); 4C Q1–3 (p.39)

Textbook Chapter 4 pp.97–99