TRACTOR OPTIONS

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only.			
Tow Point Indicator	AP300, AP355, AP300F, AP355F	7P3, 7P5, 7P7, 7P8, 7P9, 7PF, FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	482-3220
	AP500F	449, 503, 5F5, AP5	450-8058
	AP555F	AF5, F5M, M45, RBM	450-4087
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	435-1067
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	416-4105
Steering Guide	AP300, AP300F	7P8, 7P9, 7PF, NNN, NNP, WH2, WHY, YES, YET	462-2770
	AP355, AP355F	7P3, 7P5, 7P7, NED, NEE, NRG, NRH, NTT, NTW	479-4962
	AP400, AP455	599, 676, A45, MN6, P45, R4N	273-9969
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	273-9969
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
Hardtop Canopy *(manual raise)*	AP300, AP355, AP300F, AP355F	7P3, 7P5, 7P7, 7P8, 7P9, 7PF, FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	444-5441
	AP400, AP455	599, 676, A45, MN6, P45, R4N	553-7015
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
Hardtop Canopy *(hydraulic raise)*	AP300, AP355, AP300F, AP355F	7P3, 7P5, 7P7, 7P8, 7P9, 7PF, FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	444-5442
	AP400, AP455	599, 676, A45, MN6, P45, R4N	583-7093
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
Hardtop Canopy*	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	434-0040
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	416-2202

** Exhaust stack will need to be modified when the canopy option is installed. Contact your Cat dealer for additional hardware to make this modification.*

Continued

TRACTOR OPTIONS

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only.			
Windshield *(for use with hardtop canopy)*	AP400, AP455	599, 676, A45, MN6, P45, R4N	552-5066
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	463-6568
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	434-0046
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	416-4103
Tractor Umbrella	AP300, AP355	7P3, 7P5, 7P7, 7P8, 7P9, 7PF	479-2099
	AP300F, AP355F	FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	
	AP400, AP455	599, 676, A45, MN6, P45, R4N	187-6649
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	187-6649
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
Decel Pedal	AP300, AP355, AP300F, AP355F	7P3, 7P5, 7P7, 7P8, 7P9, 7PF, FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	449-0353
	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-6952
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	416-1453
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	

** Exhaust stack will need to be modified when the canopy option is installed. Contact your Cat dealer for additional hardware to make this modification.*

Continued

TRACTOR OPTIONS


DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only.			
Tractor Display Visors	AP400, AP455	599, 676, A45, MN6, P45, R4N	490-4132
	AP500, AP555, AP500F, AP555F	449, 4M6, 503, 5F5, 5P5, 636, 637, 639, 678, AF5, AP5, F5M, M45, RBM	
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
Ecological Washdown Tank	AP300, AP355, AP300F, AP355F	7P3, 7P5, 7P7, 7P8, 7P9, 7PF, FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	449-0371
	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-7575
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F	449, 503, 5F5, AP5	449-9185
	AP555F	AF5, F5M, M45, RBM	452-8185
	AP600, AP600F	3A6, 695, A66, AP6, D6F, JA6, LR6, N66	435-0914
	AP655, AP655 L, AP655F, AP655F L	452, 453, 479, 480, 655, 671, 668, 696, 697, 6T5, 9P7, AC6, F67, MH6, ML6, P65, P7C, R66	424-9195
	AP1000, AP1000F	698, AC4	399-8388
	AP1055, AP1055F	699, F7T, RLM, TJ5	399-8387
Hose Reel with Wand	AP300, AP355, AP300F, AP355F	7P3, 7P5, 7P7, 7P8, 7P9, 7PF, FRA, END, NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	449-0372
	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-7575
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	463-6563
	AP600, AP655, AP655 L	3A6, 668, 671, 695, 696, 697, 6T5, 9P7, A66, F67, N66, P7C, R66	605-5644
	AP600F, AP655F, AP655F L	452, 453, 479, 480, 655, AC6, AP6, D6F, JA6, LR6, MH6, ML6, P65	463-6563
	AP1000, AP1055	698, 699, F7T	605-5644
	AP1000F, AP1055F	AC4, RLM, TJ5	463-6563
Mirrors	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	480-7961
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	

SCREED OPTIONS

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only.			
Screed Display Visors	SE50 V, SE50 VT	B86, J97, J6K	467-0083
	SE60 V, SE60 V XW, SE60 VT XW	E99, JJ3, JS9, TLW	
Screed Umbrella	SE47 V, SE47 VT	3M6, TYR	606-7166
	SE50 V, SE50 VT	B86, J97, J6K	467-4275
	SE60 V, SE60 V XW, SE60 VT XW	E99, JJ3, JS9, TLW	
Screed Control Pendant	SE50 V	J97	473-3322
	SE50 VT	J6K, B86	473-3330
	SE60 V, SE60 V XW	JJ3, JS9	473-3322
	SE60 VT XW	TLW, E99	473-3330
Screed Swivel Control Mounts	SE50 V, SE50 VT	B86, J97, J6K	480-7055
	SE60 V, SE60 V XW, SE60 VT XW	E99, JJ3, JS9, TLW	

WORK LIGHTING PACKAGE


Includes forward-facing and rear-facing lights that mount to the tractor. Includes hardware and harnesses.



ROADING LIGHT PACKAGE


Includes:

- 2 – Front headlamps with turn signals
- 2 – Rear flood lamps
- 2 – Rear turn signals with brake lamps
- Hardware and harnesses




LED SCREED LIGHTING PACKAGE

Includes four lights mounted to the rear of the tractor and four mounted on the screed. Includes hardware and harnesses.




HAZARD BEACON PACKAGE

An LED amber beacon mounted on a 91 cm (3 ft) mast with coil cord. Available on pavers without the hardtop canopy option. Includes hardware and harnesses.




LED CANOPY LIGHTING PACKAGE

Includes forward and rear-facing lights that mount to the hardtop canopy. Requires mounting hardware package.




HID CANOPY LIGHTING PACKAGE

Includes forward and rear-facing lights that mount to the hardtop canopy. Requires mounting hardware package.




CANOPY HAZARD BEACON PACKAGE

Includes two LED amber beacons that mount to the hardtop canopy. Requires mounting hardware package (with the exception of the AP400, AP455, AP500 and AP555).



MOUNTING HARDWARE

Wiring and mounting plates for canopy lights.



LIGHTING

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only.			
Work Lighting Package	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-7560 *(LED)*
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP600, AP655, AP655F L	3A6, 668, 671, 695, 696, 697, 6T5, 9P7, A66, F67, N66, P7C, R66	
	AP1000, AP1055	698, 699, F7T	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	455-7858 *(halogen)*
	AP600F, AP655F, AP655F L	452, 453, 479, 480, 655, AC6, AP6, D6F, JA6, LR6, MH6, ML6, P65	424-0927 *(halogen)*
	AP1000F, AP1055F	AC4, RLM, TJ5	
Roading Light Package	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-7561
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	455-7857
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	399-3169
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
LED Screed Lighting Package	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	496-9649
	AP600F, AP655F, AP655F L	452, 453, 479, 480, 655, AC6, AP6, D6F, JA6, LR6, MH6, ML6, P65	
	AP1000F, AP1055F	AC4, RLM, TJ5	
Hazard Beacon Package *(models without canopy option)*	AP400, AP455	599, 676, A45, MN6, P45, R4N	198-8284
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	198-8284
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
Canopy Hazard Beacon Package *(requires mounting hardware)*	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-8029
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	363-7444
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	

Continued

LIGHTING


DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only.			
LED Canopy Lighting Package *(requires mounting hardware)*	AP400, AP455	599, 676, A45, MN6, P45, R4N	561-8030 *(includes six lights)*
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	496-9628 *(includes eight lights)*
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
HID Canopy Lighting Package *(requires mounting hardware)*	AP300F, AP355F	NED, NEE, NRG, NRH, NNN, NNP, NTT, NTW, WH2, WHY, YES, YET	479-4962 *(includes four lights)*
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	418-0539 *(includes six lights)*
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
Mounting Hardware *(for hardtop canopy lights)*	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	523-4277
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	




WIDE AND NARROW-WIDTH PAVING

MAXIMIZE VERSATILITY

Wide and narrow-width paving packages give your paving crew the flexibility to pave at a variety of widths. Our exclusive extension fastening system allows extensions to be installed quickly by a single crew member without an additional lifting device. Extensions are available in packages as well as individual components for replacement or single-side extension capability.






EXCLUSIVE EXTENSION FASTENING SYSTEM


Slotted mainframe extensions and strike-off plates enable single-person assembly when installing on F-series pavers. Easily add and remove the self-latching screed extensions utilizing power slope on the extender, eliminating additional lifting devices.




1. MAINFRAME EXTENSIONS Mainframe extensions improve flow to the extenders when paving wider widths and are available as foldable, hydraulically Extendable or fixed.




2. AUGER EXTENSIONS Auger extensions improve flow of material to the screed when wide-width paving.




3. STRIKE-OFFS Some screeds have a vertically adjustable strike-off located on the face of the screed. Strike-off position affects how material flows under the screed nose bar.



4. SCREED EXTENSIONS Extend the paving width of the screed.




CUTOFF SHOES A cutoff shoe is installed in the auger chamber to reduce the paving width to a measurement less than the width of the main screed for narrow width paving.



0.25 METER (9.8 IN) SCREED EXTENSION

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + 2 EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
One 250 mm (9.8 in) electrically heated screed extension without vibration. Includes 1/4 turn quick connect harnesses. Extension can be used on either the right or left hand side or as a pair. ***If extension is needed on both sides of the screed, order a quantity of two.***	SE50 V	J97	5.5 m (18 ft)	486-4622
	SE60 V	JJ300282 and up	6.5 m (21 ft 4 in)	486-4622
	SE60 V XW	JS9	6.5 m (21 ft 4 in)	487-5617



0.75 METER (2 FT 5.5 IN) SCREED EXTENSION

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + 2 EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
One 750 mm (2 ft 5.5 in) electrically heated screed extension. Includes quick connect shaft, mounting hardware, and 1/4 turn harnesses. Extension can be used on either the right or left hand side or as a pair. ***If extension is needed on both sides of the screed, order a quantity of two.***	SE50 V	J97	6.5 m (21 ft 4 in)	486-4620
	SE60 V	JJ300282 and up	7.5 m (24 ft 7.3 in)	486-4620
	SE60 V XW	JS9	7.5 m (24 ft 7.3 in)	487-5615

AUGER EXTENSIONS

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***			
For AP300, AP300F, AP355 and AP355F, see Extension Packages for 0.62 m (24.4 in) and 1.2 m (47.2 in).			
152 mm (6 in) Right and Left Side Auger Extension	AP400, AP455	599, 676, A45, MN6, P45, R4N	572-3335
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	416-4109
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
305 mm (1 ft) Left Side Auger Extension and Hardware	AP400, AP455	599, 676, A45, MN6, P45, R4N	572-3244
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	438-6149
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
305 mm (1 ft) Right Side Auger Extension and Hardware	AP400, AP455	599, 676, A45, MN6, P45, R4N	572-3246
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	438-6150
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
457 mm (18 in) Right and Left Side Auger Extension	AP400, AP455	599, 676, A45, MN6, P45, R4N	575-4385
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	438-6252
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	

Continued

AUGER EXTENSIONS

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***			
For AP300, AP300F, AP355 and AP355F, see Extension Packages for 0.62 m (24.4 in) and 1.2 m (47.2 in).			
755 mm (2 ft 6 in) Left Side Auger Extension and Hardware	AP400, AP455	599, 676, A45, MN6, P45, R4N	532-6791
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	416-4130
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
755 mm (2 ft 6 in) Right Side Auger Extension and Hardware	AP400, AP455	599, 676, A45, MN6, P45, R4N	532-6792
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	416-4131
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	

MAINFRAME EXTENSIONS


DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***			
For AP300, AP300F, AP355 and AP355F, see Extension Packages for 0.62 m (24.4 in) and 1.2 m (47.2 in).			
0.46 m (18 in) Hydraulically Powered Mainframe Extensions	AP400, AP455	599, 676, A45, MN6, P45, R4N	551-5269
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	447-9864
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	433-7577
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	416-4111
Mechanical Mainframe Extensions	AP400, AP455	599, 676, A45, MN6, P45, R4N	215-7553
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	215-7553
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
305 mm (1 ft) Fixed Mainframe Extension* (*includes mounting hardware)*	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	438-6255
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	
788 mm (2 ft 7 in) Fixed Mainframe Extension* (*includes mounting hardware)*	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	416-4129
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	

** For dual mainframe extensions, order a quantity of two.*

Continued


MAINFRAME EXTENSIONS

DESCRIPTION	MACHINE MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***			
For AP300F and AP355F, see Extension Packages for 0.62 m (24.4 in) and 1.2 m (47.2 in).			
Auger and Mainframe Extension Kit *Includes:* • 1 – 152 mm (6 in) left side auger extension • 1 – 152 mm (6 in) right side auger extension • 2 – 30 cm (1 ft) auger extensions • 1 – 60 cm (2 ft) left side foldable mainframe extensions • 1 – 60 cm (2 ft) right side foldable mainframe extensions • Mounting Hardware	AP400, AP455	599, 676, A45, MN6, P45, R4N	570-3391
	AP500, AP555	4M6, 5P5, 636, 637, 639, 678	
	AP500F, AP555F	449, 503, 5F5, AF5, AP5, F5M, M45, RBM	416-4110
	AP600, AP655, AP655 L, AP600F, AP655F, AP655F L	3A6, 452, 453, 479, 480, 655, 668, 671, 695, 696, 697, 6T5, 9P7, A66, AC6, AP6, D6F, F67, JA6, LR6, MH6, ML6, N66, P7C, P65, R66	
	AP1000, AP1055, AP1000F, AP1055F	698, 699, AC4, F7T, RLM, TJ5	




0.62 METER (2 FT) EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 2 – 323 mm (12.7 in) mainframe extensions • 1 – 405 mm (16 in) left hand auger extensions • 1 – 405 mm (16 in) right hand auger extensions • 2 – 305 mm (12 in) prestrike-offs • 2 – 310 mm (12.2 in) heated mechanical screed extensions • Mounting hardware	SE34 V	RAT	4.04 m (13 ft 3 in)	488-7353
	SE34 VT	NEK	4.04 m (13 ft 3 in)	488-7354




1.2 METER (3 FT 11 IN) EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 2 – 600 mm (23.6 in) mainframe extensions • 1 – 675 mm (26.6 in) left hand auger extension • 1 – 675 mm (26.6 in) right hand auger extension • 2 – 585 mm (23 in) prestrike-offs • 2 – 600 mm (23.6 in) heated mechanical screed extensions • Mounting hardware	SE34 V	RAT	4.62 m (15 ft 1.9 in)	444-5437
	SE34 VT	NEK	4.62 m (15 ft 1.9 in)	444-5439




0.5 METER (19.7 IN) COMMERCIAL EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 2 – 607 mm (23.9 in) mainframe extensions • 1 – 756 mm (29.8 in) left hand auger extension • 1 – 756 mm (29.8 in) right hand auger extension • 2 – 250 mm (9.8 in) heated mechanical screed extensions • Mounting hardware and 1/4 turn harnesses ***Prior to installing this package, extension and mainframe power must be removed from paver, if equipped.***	SE50 V	J97	5.5 m (18 ft)	473-8992
	SE50 VT	B86, J6K	5.5 m (18 ft)	470-9479
	SE60 V	JJ3	6.5 m (21 ft 4 in)	473-8992
	SE60 V XW	JS9	6.5 m (21 ft 4 in)	477-1150




1.5 METER (4 FT 11 IN) COMMERCIAL EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 2 – 610 mm (1 ft) foldable, hinged mainframe extensions • 2 – 152 mm (6 in) left and right hand auger extensions • 4 – 305 mm (1 ft) left and right hand auger extensions • 2 – 1.25 m (4 ft 1 in) prestrike-offs • 2 – 750 mm (2 ft 5.5 in) heated-vibratory screed extensions • Quick connect drive shaft, mounting hardware and 1/4 turn harnesses	SE50 V	J97	6.5 m (21 ft 3.9 in)	477-1128
	SE50 VT	B86, J6K	6.5 m (21 ft 3.9 in)	477-1130
	SE60 V	JJ3	7.5 m (24 ft 7.3 in)	477-1128




1.5 METER (4 FT 11 IN) EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 4 – 788 mm (2 ft 7 in) mainframe extensions • 2 – Mainframe extension mounts • 2 – 755 mm (2 ft 6 in) left hand augers • 2 – 755 mm (2 ft 6 in) right hand augers • 2 – Auger support bearings and mainframe braces • Quick connect auger drive shaft • 2 – 1.25 m (4 ft 1.2 in) prestrike-offs • 2 – 750 mm (2 ft 5.5 in) heated-vibratory screed extensions • 1 – Tube for front mounting support of reference ski • Mounting hardware, 1/4 turn electrical connectors and quick connect shafts	SE50 V	J97	6.5 m (21 ft 3.9 in)	475-2632
	SE50 VT	B86, J6K	6.5 m (21 ft 3.9 in)	475-2633
	SE60 V	JJ3	7.5 m (24 ft 7.3 in)	475-2632
	SE60 V XW	JS9	7.5 m (24 ft 7.3 in)	477-1353




1.5 METER (4 FT 11 IN) REDUCER PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Allows for use of the 1.25 m (4 ft 1 in) extenders to convert from 10.0 m (32 ft 10 in) paving width to 8.5 m (27 ft 10 in) paving width. Includes: • 2 – 750 mm (2 ft 5.5 in) prestrike-offs • 2 – Vertical support struts • 2 – Tamper or vibratory shafts	SE60 V XW	JS9	10 m (32 ft 9.7 in) - 8.5m (27 ft 10.6 in)	533-5354
	SE60 VT XW	E99, TLW	10 m (32 ft 9.7 in) - 8.5m (27 ft 10.6 in)	533-5355




2.5 METER (8 FT 2.4 IN) EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 6 – 790 mm (2 ft 7 in) mainframe extensions • 2 – Mainframe extension mounts • 3 – 750 mm (2 ft 5.5 in) left hand augers • 3 – 750 mm (2 ft 5.5 in) right hand augers • 2 – Auger support bearings and mainframe braces • Quick connect auger drive shaft • 2 – 1.25 m (4 ft 1.2 in) prestrike-offs • 2 – 1.25 m (4 ft 1.2 in) heated-vibratory or tamper screed extensions • 1 – Tube for front mounting support of reference ski • Mounting hardware, 1/4 turn electrical connectors and quick connect shafts	SE50 VT	B86, J6K	7.5 m (24 ft 7.3 in)	476-6892
	SE60 V XW	JS9	8.5 m (27 ft 10.6 in)	477-1354
	SE60 VT XW	E99, TLW	8.5 m (27 ft 10.6 in)	477-1365




3 METER (9 FT 10 IN) EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 6 – 790 mm (2 ft 7 in) mainframe extensions • 2 – Mainframe extension mounts • 3 – 750 mm (2 ft 5.5 in) left hand augers • 3 – 750 mm (2 ft 5.5 in) right hand augers • 2 – Auger support bearings and mainframe braces • Quick connect auger drive shaft • 4 – 750 mm (2 ft 5.5 in) prestrike-offs • 4 – 750 mm (2 ft 5.5 in) heated-vibratory or tamper extensions • 1 – Tube for front mounting support of reference ski • Mounting hardware, 1/4 turn electrical connectors and quick connect shafts	SE50 VT	B86, J6K	8 m (26 ft 3 in)	473-8991
	SE60 V XW	JS9	9 m (29 ft 6.3 in)	477-1355
	SE60 VT XW	E99, TLW	9 m (29 ft 6.3 in)	477-1366



4 METER (13 FT 1.5 IN) EXTENSION PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	MAXIMUM PAVING WIDTH (BASE + EXTENSIONS)	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***				
Includes: • 8 – 788 mm (2 ft 7 in) mainframe extensions • 2 – Mainframe extension mounts • 4 – 755 mm (2 ft 6 in) left hand augers • 4 – 755 mm (2 ft 6 in) right hand augers • 4 – Auger support bearings and mainframe braces • Quick connect auger drive shaft • 4 – 1.25 m (4 ft 1 in) prestrike-offs • 2 – 750 mm (2 ft 5.5 in) heated-vibratory screed extensions • 2 – 1.25 m (4 ft 1.2 in) heated-vibratory screed extensions • 1 – Tube for front mounting support of reference ski • Mounting hardware, 1/4 turn electrical connectors and quick connect shafts	SE60 V XW	JS9	10 m (32 ft 9.7 in)	477-1356
	SE60 VT XW	E99, TLW	10 m (32 ft 9.7 in)	477-1367



0.7 METER (27.6 IN) NARROW-WIDTH PACKAGE

DESCRIPTION	SCREED MODEL	SERIAL NUMBER PREFIX	PART NUMBER
Available for order through your Cat dealer only. ***Before ordering, provide machine serial number to your Cat dealer to identify compatible parts.***			
Reduces the minimum paving width to 0.7 m (27.6 in). The cut-off shoes are mounted to the endgate and allow for paving widths less than 1.7 m (5 ft 7 in).	SE34 V	RAT	488-7353
	SE34 VT	NEK	488-7354