FORKS - HAY, STRAW & ENSILAGE







HAY AND BARLEY STRAW FORKS make it easy to lift and move hay and straw.

ENSILAGE FORKS are for loading and unloading silage and working with mulch.







#	SMW # LEGACY #	SERIES	WARRANTY	DESCRIPTION	HEAD STYLE	HEAD-TO-HANDLE	HANDLE TYPE	GRIP	UPC	PACK QTY	PACK WEIGHT
1	49273 HF-20	S550 Forged™	Limited Lifetime	Hay Fork	Forged 3-Tine	Steel Ferrule	48" Precision Lathe Turned American Hardwood	-	031365050270	3	9.6
2	49279 AF-20	S550 Forged™	Limited Lifetime	Barley/Straw Fork	Forged 5-Tine	Steel Ferrule	54" Precision Lathe Turned American Hardwood	-	031365050294	3	16.2
3	49280 AF-20D	S550 Forged™	Limited Lifetime	Barley/Straw Fork	Forged 5-Tine	Steel Ferrule	30" Precision Lathe Turned American Hardwood	Steel D	031365050331	3	16.8
4	49271	S550 Forged™	Limited Lifetime	Ensilage Fork	Forged 10-Tine	Steel Ferrule	48" Precision Lathe Turned American Hardwood	-	046385492719	3	21
5	49272	S550 Forged™	Limited Lifetime	Ensilage Fork	Forged 10-Tine	Steel Ferrule	30" Precision Lathe Turned American Hardwood	Steel D	046385492726	3	21.6
6	49078 EF-20D	S400 Jobsite™	Limited 15 Year	Ensilage Fork	Welded 10-Tine	Steel Ferrule	30" Precision Lathe Turned Hardwood	Poly D	031365050317	3	17.7

1



2



3



THIS POTATO/REFUSE FORK is more versatile than its name implies. Its tines are sturdy and ideal for digging or harvesting potatoes and similar types of vegetables. It can also be used to transfer manure and loose material or even for general garden clean-up.

BEDDING FORKS are designed to remove manure from stock bedding. They also work great for spreading mulch, compost and sifting leaves.

#	SMW # LEGACY #	SERIES	WARRANTY	DESCRIPTION	HEAD STYLE	HEAD-TO-HANDLE	HANDLE TYPE	GRIP	UPC	PACK QTY	PACK WEIGHT
1	42256 RF-30	S550 Forged™	Limited Lifetime	Potato/Refuse Fork	Forged 4-Prong 9" x 7"	Solid Steel Rivet	54" Precision Lathe Turned American Hardwood	-	031365050379	3	14.7
2	44111	S400 Jobsite™	Limited 15 Year	Bedding Fork, Individually Boxed	16" Poly	Single Bolt	52" Precision Lathe Turned Hardwood	-	046385441113	1	2.6
2	44111BA BF-20P	S400 Jobsite™	Limited 15 Year	Bedding Fork, Bulk Assembled	16" Poly	Single Bolt	52" Precision Lathe Turned Hardwood	-	031365126234	3	7.3
3	49070 BF-25	S400 Jobsite™	Limited 15 Year	Bedding Fork	Welded 10-Tine	Steel Ferrule	48" Precision Lathe Turned Hardwood	-	031365050287	3	12

SCRAPERS

Scrapers are used to remove ice on walks and drives, remove old flooring and roofing, clean concrete, and for general clean-up on construction sites and farms. These super-duty scrapers are also rugged enough to sever roots and loosen hard-packed soil.



#	SMW # LEGACY #	SERIES	WARRANTY	DESCRIPTION	HEAD STYLE	HEAD-TO-HANDLE	HANDLE TYPE	GRIP	UPC	PACK QTY	PACK WEIGHT
1	49039 STR-SW7	S800 SuperDuty™	Limited Lifetime	Scraper	Forged 7"	Nylon Adapter & Steel Rivet	51" Premium Fiberglass	ProGrip™	036723011023	4	13.6
2	49756	S600 Safety™	Limited Lifetime	Scraper	Forged 7"	Nylon Adapter & Steel Rivet	51" Premium Fiberglass with 3M® Retroreflective Tape	ProGrip™	046385497561	4	13.6
3	49035 SC-30	S550 Forged™	Limited Lifetime	Scraper	Forged 7"	Steel Ferrule with Screw	54" Precision Lathe Turned American Hardwood	-	031365015200	2	7.2
4	49030 SC-20	S500 Industrial™	Limited Lifetime	Scraper	7" Steel	Cast Iron Ferrule with Screw	48" Precision Lathe Turned American Hardwood	-	031365015101	2	6.4
5	49028 SC-25	S500 Industrial™	Limited Lifetime	Scraper	2.5" Steel	Cast Iron Ferrule with Screw	36" Precision Lathe Turned American Hardwood	-	031365015156	2	5.5
6	49029 SC-10	S300 DuraLite™	Limited 5 Year	Scraper	Welded 7"	Welded Ferrule with Bolt	48" Precision Lathe Turned Hardwood	-	031365015002	2	4.0
7	96640 IC-30	S550 Forged™	Limited Lifetime	Ice Chisel	Forged 3.5"	Steel Ferrule with Screw	48" Precision Lathe Turned American Hardwood	-	031365015309	2	6

SUPERSCRAPER™ SCRAPING TOOLS
Used to remove ice on walks and drives, remove old flooring and roofing, clean concrete, and for general clean-up on construction sites and farms. These super-duty scrapers are also rugged enough to sever roots and loosen hard-packed soil.

BARN SCRAPERS
are ideal for general clean up on construction sites and farms 15 Gauge, heavy-duty steel head with steel, dual bracket bracing.



SA11014 - Barn Scraper Replacement Head

#	SMW # LEGACY #	SERIES	WARRANTY	DESCRIPTION	HEAD STYLE	HEAD-TO-HANDLE	HANDLE TYPE	GRIP	UPC	PACK QTY	PACK WEIGHT
1	49031 SC-48	S550 Forged™	Limited Lifetime	SuperScraper™	4" Steel	One Piece Head with Screw	54" Precision Lathe Turned American Hardwood	-	031365000718	2	8.8
2	49032	S550 Forged™	Limited Lifetime	SuperScraper™	4" Steel	One Piece Head with Screw	36" Precision Lathe Turned American Hardwood	Poly D	046385490326	2	8.8
3	49033 SC-79	S550 Forged™	Limited Lifetime	SuperScraper™	7" Steel	One Piece Head with Screw	54" Precision Lathe Turned American Hardwood	-	031365000725	2	10.4
4	49034 SC-79D	S550 Forged™	Limited Lifetime	SuperScraper™	7" Steel	One Piece Head with Screw	36" Precision Lathe Turned American Hardwood	Poly D	031365000732	2	10.4
5	78908	S550 Professional™	Limited Lifetime	Scraper	8" Stainless Steel	Gusset Bracing	66" Powder-Coated Aluminum	Cushion	046385789086	12	30.4
6	78912	S550 Professional™	Limited Lifetime	Scraper	12" Stainless Steel	Gusset Bracing	66" Powder-Coated Aluminum	Cushion	046385789123	12	31.2
6	78916	S550 Professional™	Limited Lifetime	Scraper	16" Stainless Steel	Gusset Bracing	66" Powder-Coated Aluminum	Cushion	046385789161	12	33.6
7	96811 SC-24	S500 Industrial™	Limited Lifetime	Barn Scraper	24" Reversible Steel	Steel Ferrule with Dual Bracket Bracing	60" Precision Lathe Turned American Hardwood	-	031365015224	1	6.8

NXT GENERATION FIBERGLASS

Fifth generation innovative fiberglass handles provide a sure grip under tough working environments.



DOUBLE POWDER COATED HEADS

OVERSTRIKE ZONE

HEADS HAVE POLISHED AND CHAMFERED EDGES

PAD PRINTED HANDLES

DOUBLE INJECTION MOLDED SOLID FIBERGLASS HANDLES



INDUSTRIAL ANTI-SLIP GRIP FOR THE MOST DEMANDING JOBS



OUTPERFORMING THE COMPETITION

HAMMERS & SLEDGES	S500 INDUSTRIAL™	S400 JOBSITE™ FIBERGLASS	S400 JOBSITE™ AMERICAN HICKORY
Drilling	●	●	●
Cross-Pein	●	●	●
Engineer	●	●	●
Sledge Hammers	●	●	●
AXES & MAULS	**S500 INDUSTRIAL™**	**S400 JOBSITE™ FIBERGLASS**	**S400 JOBSITE™ AMERICAN HICKORY**
Camp Axe	●	●	●
Boys Axe			●
Single Bit Michigan Axe	●	●	●
Double Bit Michigan Axe		●	●
Pulaski Axe		●	●
Splitting Maul	●	●	●
PICKS & MATTOCKS	**S500 INDUSTRIAL™**	**S400 JOBSITE™ FIBERGLASS**	**S400 JOBSITE™ AMERICAN HICKORY**
Cutter Mattock		●	●
Pick Mattock	●	●	●
Railroad Pick	●	●	●

We carry a comprehensive assortment, not just the fast running items.

AMERICAN HICKORY

The best replacement handles are made from American hickory because of their strength, elasticity, and ability to absorb shock. Hardwood handles do not conduct electricity.

SHOCK-ABSORBING AMERICAN HICKORY

American hickory is dense, heavy, and a natural shock absorber making it ideal for striking and cutting tool handles.

The long fibers and unique cell structure of American hickory allow it to flex repeatedly and return to its original shape. It absorbs and dissipates shock before it reaches the user's hands.

TURNED VERSUS SHAPED

Turned handles are ergonomically superior to shaped handles:

Shaped handles are made from thin flat boards that are smoothed and rounded on the top and bottom. Shaping is a faster and less costly way to make handles.

Turned handles are made on a lathe from wood blanks that are about 25% larger than the flat boards. The result is a handle that has ergonomic grips and contours.

Anyone who holds a shaped handle and then a turned handle will immediately feel the comfort and higher quality of the turned handle. We choose to use the turned handle method.



DRILLING (HAND DRILL) HAMMERS
Used to strike cold chisels, punches, star drills, brick chisels, and hardened nails. They are designed to deliver heavy blows with limited swing in tight spaces.



1-3



4-6



7-9

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41805	S500 Industrial™	2 lb Drilling Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	10"	046385418054	6	15.4	65998
2	41806	S500 Industrial™	3 lb Drilling Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	10"	046385418061	6	20.7	65998
3	41809	S500 Industrial™	4 lb Drilling Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	10"	046385418092	6	28.6	65998
4	41807	S400 Jobsite™	2 lb Drilling Hammer	Fiberglass with Cushion Grip & Overstrike Protection	10"	046385418078	6	15.0	65998
5	41811	S400 Jobsite™	3 lb Drilling Hammer	Fiberglass with Cushion Grip & Overstrike Protection	10"	046385418115	6	20.7	65998
6	41812	S400 Jobsite™	4 lb Drilling Hammer	Fiberglass with Cushion Grip & Overstrike Protection	10"	046385418122	6	28.6	65998
7	41850	S400 Jobsite™	2 lb Drilling Hammer	Genuine American Hickory	10"	046385418504	6	15.2	65994
8	41851	S400 Jobsite™	3 lb Drilling Hammer	Genuine American Hickory	10"	046385418511	6	21.1	65994
9	41852	S400 Jobsite™	4 lb Drilling Hammer	Genuine American Hickory	10"	046385418528	6	28.4	65994





1-2



3-5



6-8

CROSS-PEIN (BLACKSMITH) HAMMERS
Used to strike, shape and bend unhardened metal. Also used to shape block, brick, and stone.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41871	S500 Industrial™	3 lb Cross-Pein Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418719	6	20.9	65725
2	41879	S500 Industrial™	4 lb Cross-Pein Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418795	6	28.4	65725
3	41876	S400 Jobsite™	2 lb Cross-Pein Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418764	6	15.4	65725
4	41877	S400 Jobsite™	3 lb Cross-Pein Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418771	6	20.7	65725
5	41878	S400 Jobsite™	4 lb Cross-Pein Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418788	6	28.2	65725
6	41872	S400 Jobsite™	2 lb Cross-Pein Hammer	Genuine American Hickory	16"	046385418726	6	15.4	65720
7	41873	S400 Jobsite™	3 lb Cross-Pein Hammer	Genuine American Hickory	16"	046385418733	6	20.5	65720
8	41874	S400 Jobsite™	4 lb Cross-Pein Hammer	Genuine American Hickory	16"	046385418740	6	28.4	65720

HAMMERS - ENGINEER, RIP, FRAMING, MALLET & DEAD BLOW





ENGINEER HAMMERS (SHORT HANDLE SLEDGES)

Used to strike stone, concrete, metal, and wood. Often used to drive stakes and rods or move timbers. Short handles allow work in tight spaces.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41830	S500 Industrial™	2 lb Engineer Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	15"	046385418306	6	15.6	65725
2	41831	S500 Industrial™	3 lb Engineer Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	15"	046385418313	6	21.1	65725
3	41836	S500 Industrial™	4 lb Engineer Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	16"	046385418368	6	29.0	65725
4	41808	S400 Jobsite™	2 lb Engineer Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418085	6	15.4	65725
5	41814	S400 Jobsite™	3 lb Engineer Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418146	6	20.7	65725
6	41815	S400 Jobsite™	4 lb Engineer Hammer	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418153	6	29.0	65725
7	41853	S400 Jobsite™	2 lb Engineer Hammer	Genuine American Hickory	16"	046385418535	6	15.6	65720
8	41854	S400 Jobsite™	3 lb Engineer Hammer	Genuine American Hickory	15"	046385418542	6	20.9	65720
9	41855	S400 Jobsite™	4 lb Engineer Hammer	Genuine American Hickory	16"	046385418559	6	28.4	65720
10	41500	S400 Jobsite™	16 oz. Rip Hammer	Contoured Hardwood Handle	13"	046385415008	1	1.2	N/A
11	41502	S400 Jobsite™	24 oz. Framing Hammer - Milled Face	Contoured Hardwood Handle	15"	046385415022	1	1.8	N/A
12	41501	S400 Jobsite™	16 oz. Rubber Mallet	Contoured Hardwood Handle	10"	046385415015	1	1.0	N/A
13	41503	S400 Jobsite™	32 oz. Dead Blow Hammer	Molded Polymer One-Piece Tool	13"	046385415039	1	0.8	N/A









DOUBLE FACE SLEDGE HAMMERS
Used to strike stone, concrete, metal, and wood. Often used to drive stakes and posts, move timbers, and break concrete.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41837	S500 Industrial™	6 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418375	2	15.0	64430
2	41838	S500 Industrial™	8 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418382	2	19.1	64430
3	41839	S500 Industrial™	10 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418399	2	23.8	64430
4	41833	S500 Industrial™	12 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418337	2	27.5	64430
5	41834	S500 Industrial™	16 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418344	1	20.9	64430
6	41835	S500 Industrial™	20 lb Sledge Hammer	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418351	1	21.3	64657
7	41825	S400 Jobsite™	6 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418252	2	15.0	64430
8	41820	S400 Jobsite™	8 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418207	2	18.9	64430
9	41818	S400 Jobsite™	10 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418184	2	23.5	64430
10	41819	S400 Jobsite™	12 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418191	2	27.7	64430
11	41823	S400 Jobsite™	16 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418238	1	17.4	64430
12	41824	S400 Jobsite™	20 lb Sledge Hammer	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418245	1	21.3	64657
13	41856	S400 Jobsite™	6 lb Sledge Hammer	Genuine American Hickory	36"	046385418566	2	14.5	64419
14	41860	S400 Jobsite™	8 lb Sledge Hammer	Genuine American Hickory	36"	046385418603	2	18.9	64419
15	41858	S400 Jobsite™	10 lb Sledge Hammer	Genuine American Hickory	36"	046385418580	2	23.3	64419
16	41859	S400 Jobsite™	12 lb Sledge Hammer	Genuine American Hickory	36"	046385418597	2	27.3	64419
17	41861	S400 Jobsite™	16 lb Sledge Hammer	Genuine American Hickory	36"	046385418610	1	17.4	64419
18	41862	S400 Jobsite™	20 lb Sledge Hammer	Genuine American Hickory	36"	046385418627	1	21.1	64652

AXES - SINGLE BIT MICHIGAN, BOYS & CAMP





SINGLE BIT MICHIGAN AXES
General purpose axes used to fell small trees, split wood, trim branches and prune trees.

SINGLE BIT BOYS AXES
Lighter duty axes used to cut saplings, split kindling, trim branches, and prune trees.

CAMP AXES
Lighter duty axes used to cut saplings, split kindling, trim branches, and prune trees.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41832	S500 Industrial™	3.5 lb Single Bit Michigan Axe	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418320	2	11.0	64718
2	41821	S400 Jobsite™	3.5 lb Single Bit Michigan Axe	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418214	2	10.8	64718
3	41847	S400 Jobsite™	3.5 lb Single Bit Michigan Axe	Genuine American Hickory	36"	046385418474	2	10.6	64709
4	41845	S400 Jobsite™	2.25 lb Boys Axe	Genuine American Hickory	28"	046385418450	2	7.0	64918
5	41840	S400 Jobsite™	1.25 lb Camp Axe	Fiberglass with Cushion Grip & Overstrike Protection	16"	046385418405	2	4.2	N/A
6	41846	S400 Jobsite™	1.25 lb Camp Axe	Genuine American Hickory	16"	046385418467	2	3.7	65309



Photo Credit - USDA Boise National Forest | Boise, Idaho

MICHIGAN DOUBLE BIT AXES

General purpose axes used to fell small trees, split wood, trim branches, and prune trees. Having two bits lengthens the time between blade sharpening.

PULASKI / LANDSCAPING AXES

Combine a single bit axe blade with a mattock blade. This blade combination makes it ideal for fighting forest fires and for a variety of landscaping applications.



#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41822	S400 Jobsite™	3.5 lb Double Bit Michigan Axe	Fiberglass with Cushion Grip & Overstrike Protection	34"	046385418221	2	10.8	64749
2	41848	S400 Jobsite™	3.5 lb Double Bit Michigan Axe	Genuine American Hickory	36"	046385418481	2	10.6	64745
3	41810	S400 Jobsite™	4 lb Pulaski / Landscaping Axe	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418108	1	5.5	64749
4	41849	S400 Jobsite™	4 lb Pulaski / Landscaping Axe	Genuine American Hickory	36"	046385418498	1	5.5	64745

SPLITTING MAULS





SPLITTING (WOODCHOPPER) MAULS
Used to split wood. The blade is designed to split rather than cut and the heavy sledge-end adds power to the stroke.

#	SMW #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	41885	S500 Industrial™	6 lb Splitting Maul	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418856	2	15.0	64430
2	41887	S500 Industrial™	8 lb Splitting Maul	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418870	2	19.1	64430
3	41886	S400 Jobsite™	6 lb Splitting Maul	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418863	2	15.2	64430
4	41888	S400 Jobsite™	8 lb Splitting Maul	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418887	2	18.9	64430
5	41880	S400 Jobsite™	6 lb Splitting Maul	Genuine American Hickory	32"	046385418801	2	14.7	64419
6	41882	S400 Jobsite™	8 lb Splitting Maul	Genuine American Hickory	36"	046385418825	2	18.9	64419
7	41892	S500 Industrial™	4.5 lb Premium Log Splitter	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	34"	046385418924	2	12.1	64430
8	41890	S400 Jobsite™	4.5 lb Premium Log Splitter	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385418900	2	11.9	64430



CUTTER MATTOCKS
Combines an axe-like cutter blade with a mattock blade. They are used to chop and dig, especially in hard dirt or clay soils. The cutter blade can be used to cut roots and loosen hard soil. The mattock blade is used to dig or remove loose soil.


PICK MATTOCKS
Combines a pick blade with a mattock blade. They are used to dig or grub, especially in hard dirt or clay soils. The pointed pick blade can be used to loosen hard soil while the broader mattock blade is used to dig or remove loose soil.




#	SMW # LEGACY #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	85567	S400 Jobsite™	2.5 lb Cutter Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855675	1	4.0	64764
2	85573	S400 Jobsite™	5 lb Cutter Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855736	1	7.7	64764
3	85566	S400 Jobsite™	2.5 lb Cutter Mattock	Hardwood	36"	046385855668	1	4.0	64762
4	85582	S400 Jobsite™	5 lb Cutter Mattock	Hardwood	36"	046385855828	1	7.7	63025
5	85572	S500 Industrial™	5 lb Pick Mattock	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385855767	1	7.9	65053
6	85565	S400 Jobsite™	2.5 lb Pick Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855651	1	4.1	65053
7	85571	S400 Jobsite™	5 lb Pick Mattock	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855712	1	7.7	65053
8	85564	S400 Jobsite™	2.5 lb Pick Mattock	Hardwood	36"	046385855644	1	4.0	63025
9	85580	S400 Jobsite™	5 lb Pick Mattock	Hardwood	36"	046385855804	1	7.7	63025
10	63031	Seymour	No. 6 eye, 3" x 2" Pick Mattock Handle with Poly Head	Eucalyptus	36"	046385630319	1	1.8	N/A
11	85520 PM-5H	S400 Jobsite™	5 lb Pick Mattock Head Only	-	-	031365000671	4	20.0	N/A
12	85522 MC-5H	S400 Jobsite™	5 lb Cutter Mattock Head Only	-	-	031365000688	4	20.0	N/A

PICKS - RAILROAD











RAILROAD (CLAY) PICKS
Combine a pointed pick blade with a pick blade that has a narrow cutting edge. They are used to dig and loosen soil, especially in hard dirt or clay soils. The pointed pick blade can be used for deeper penetration while the other blade can be used for cutting and digging.

#	SMW # LEGACY #	SERIES	DESCRIPTION	HANDLE MATERIAL	HANDLE LENGTH	UPC	PACK QTY	PACK WEIGHT	LINK® HANDLE #
1	85576	S500 Industrial™	5 lb Railroad Pick	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385855767	1	7.9	65053
2	85578	S500 Industrial™	6 lb Railroad Pick	Spiral Anti-Slip Grip & Overstrike Protection - Fiberglass	36"	046385855781	1	9.0	65053
3	85575	S400 Jobsite™	5 lb Railroad Pick	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855750	1	7.7	65053
4	85577	S400 Jobsite™	6 lb Railroad Pick	Fiberglass with Cushion Grip & Overstrike Protection	36"	046385855774	1	8.8	65053
5	85585	S400 Jobsite™	5 lb Railroad Pick	Hardwood	36"	046385855866	1	7.7	63025
6	85586	S400 Jobsite™	6 lb Railroad Pick	Hardwood	36"	046385855859	1	8.6	63025
7	85525 RP-5H	S400 Jobsite™	5 lb Railroad Pick Head Only	-	-	031365000695	4	20.0	N/A
8	85526 RP-6H	S400 Jobsite™	6 lb Railroad Pick Head Only	-	-	031365000701	4	24.0	N/A



TAMPERS make it easy to compact loose soil, sand and aggregate. They are a must-have tool for preparing a foundation for paving surfaces on drives, walks and patios. They also prized for compacting trenches and for making sod repairs.

#	SMW # LEGACY #	SERIES	DESCRIPTION	HEAD STYLE	HEAD-TO-HANDLE	HANDLE TYPE	GRIP	UPC	PACK QTY	PACK WEIGHT
1	85078 TP-8FG	S800 SuperDuty™	Tamper	8" x 8" Cast Iron	Single Screw	45" Premium Fiberglass	ProGrip™	031365000633	2	21.6
2	85054	S550 Irrigation™	Tamper	4" x 10" Heavy Duty Steel	Welded with Four Braces	58" Extra Length All-Steel	12" Double Dip	046385850540	1	14.2
3	85008	S550 Irrigation™	Tamper	8" x 8" Heavy Duty Steel	Welded with Four Braces	48" All-Steel	12" Double Dip	046385850083	1	16.2
4	85058	S550 Irrigation™	Tamper	8" x 8" Heavy Duty Steel	Welded with Four Braces	58" Extra Length All-Steel	12" Double Dip	046385850588	1	18.2
5	85010	S550 Irrigation™	Tamper	10" x 10" Heavy Duty Steel	Welded with Four Braces	48" All-Steel	12" Double Dip	046385850106	1	17.4
6	85050	S550 Irrigation™	Tamper	10" x 10" Heavy Duty Steel	Welded with Four Braces	58" Extra Length All-Steel	12" Double Dip	046385850502	1	19.2
7	85088 TP-30	S550 Irrigation™	Tamper	8" x 8" Cast Iron	Wedge and Screw with Four Braced Corners	44" Precision Lathe Turned American Hardwood	-	031365129099	4	47.2
8	85090 TP-32	S550 Irrigation™	Tamper	10" x 10" Cast Iron	Wedge and Screw with Four Braced Corners	44" Precision Lathe Turned American Hardwood	-	031365129082	4	59.2
9	85060	S500 Industrial™	Tamper	10" x 10" Heavy Duty Steel	Welded with Four Braces	52" Extra Length All-Steel Handle	14" Cushion	046385850601	1	13.4
10	85068	S500 Industrial™	Tamper	8" x 8" Heavy Duty Steel	Welded with Four Braces	52" Extra Length All-Steel Handle	14" Cushion	046385850687	1	10.6
11	41593	S400 Jobsite™	Wood-Splitting Wedge	3 lb. All-Steel	-	-	-	046385415930	4	11.5
12	41594 WW-4	S400 Jobsite™	Wood-Splitting Wedge	4 lb. All-Steel	-	-	-	031365000350	4	15.2
13	41595 WW-5	S400 Jobsite™	Wood-Splitting Wedge	5 lb. All-Steel	-	-	-	031365000367	4	19.264
14	41596 WW-6	S400 Jobsite™	Wood-Splitting Wedge	6 lb. All-Steel	-	-	-	031365000374	4	25.6
15	41599	S400 Jobsite™	Grenade Wedge	3.5 lb. / 7" Long All-Steel	-	-	-	046385415992	1	3.5

BARS - WRECKING, STRIPPING, UTILITY & NAIL PULLER






WRECKING (GOOSENECK) BARS

Used to pull nails and to pry apart wood. They have a nail puller head on the gooseneck end. The gooseneck provides leverage for heavy pulling. The other end has a bent chisel head for prying.

#	SMW # LEGACY #	SERIES	DESCRIPTION	UPC	PACK QTY	PACK WEIGHT
1	85300 WR-12	S400 Jobsite™	12" Wrecking Bar	031365000480	1	2.4
2	85301 WR-18	S400 Jobsite™	18" Wrecking Bar	031365000497	1	7.2
3	85302 WR-24	S400 Jobsite™	24" Wrecking Bar	031365000503	1	11.2
4	85305 WR-30	S400 Jobsite™	30" Wrecking Bar	031365000510	1	13.6
5	85303 WR-36	S400 Jobsite™	36" Wrecking Bar	031365000527	1	18.4
6	85306	S400 Jobsite™	42" Wrecking Bar	046385853060	1	7.0
7	85304	S400 Jobsite™	48" Wrecking Bar	046385853046	1	23.6
8	85307	S400 Jobsite™	42" Stripping Bar	046385853077	1	10.1
9	85308	S400 Jobsite™	48" Stripping Bar	046385853084	1	11.6
10	85350	S400 Jobsite™	13" Utility Bar	046385853503	1	1.1
11	85351	S400 Jobsite™	15" Utility Bar	046385853510	1	1.6
12	85353	S400 Jobsite™	21" Utility Bar	046385853534	1	2.1
13	85356	S400 Jobsite™	11" Nail Puller - Double End	046385853565	1	1.2





SAN ANGELO BARS
Chisel head on one end and a diamond point one the other end. They are used to pry and dig.

POST HOLE TAMPING BARS
Chisel head on one end and a tamper point on the other end. The chisel end is used to dig or loosen soil in post holes. The tamper end is used to pack the soil around posts that have been set in the holes. Also great for moving rocks from soil.

WEDGE POINT CROW BARS
Wedge shaped point. They are used to pry or move heavy objects and to split or separate wood, metal, or concrete forms.

PINCH POINT CROW BARS
Slanted point. They are used to pry or move heavy objects and to split or separate wood, metal, or concrete forms.

#	SMW # LEGACY #	SERIES	DESCRIPTION	HANDLE STYLE	HANDLE LENGTHS	UPC	PACK QTY	PACK WEIGHT
1	85364	S400 Jobsite™	14 lb San Angelo Bar	1" Hex Shank	60"	046385853640	1	14.0
2	85367 DG-23	S400 Jobsite™	17 lb San Angelo Bar	1" Hex Shank	72"	031365012216	1	17.0
3	85366 DG-19	S400 Jobsite™	17 lb Post Hole Tamping Bar	1" Round Shank	72"	031365012209	1	16.8
4	85365 DG-WP60	S400 Jobsite™	18 lb Wedge Point Bar	1.25" Round Shank	60"	031365000039	1	18.0
5	85358	S400 Jobsite™	12 lb Pinch Point Bar	1.25" Shank	51"	046385853589	1	12.0
6	85368 DG-PP60	S400 Jobsite™	18 lb Pinch Point Bar	1.25" Shank	60"	031365000022	1	18.2
7	85369	S400 Jobsite™	22 lb Pinch Point Bar	1.25" Shank	64"	046385853695	1	22.0
8	85360 SB-48	S400 Jobsite™	11 lb Slate Bar	1" Hex Shank	48"	031365000589	1	10.8
9	85361 SB-60	S400 Jobsite™	14 lb Slate Bar	1" Hex Shank	60"	031365000602	1	13.0

WHEELBARROWS - EXCAVATOR®

EXCAVATOR CONSTRUCTION:

- All steel design assembles in less than 10 minutes
- The 6 cubic foot tray is reinforced at the bottom with a heavy-duty 1/4" thick "H"shaped support to prevent damage when used for hauling rock or concrete
- The front roll bar supports heavy loads when dumping
- The location of the cross bar does not impede step

WHY CONTRACTORS PREFER "FLAT-FREE" TIRES:

- No employee down-time due to flats
- Roll over nails, glass, staples without worries
- Eliminates maintenance and spare parts
- No need to carry an air pump
- Same bounce and load handling
- Abrasion, chemical and UV resistant



1



2



3



4



5



6

SP50080 - Replacement Grips for Wheelbarrows
63201 - Replacement Tire for 85730 & 85732
63211 - Replacement Tire for 85731, 85733, 85736, & 85738
63212 – Dual Wheel Kit that can Transform 85731 into 85733
63202 – Dual Wheel Kit that can Transform 85730 into 85732

#	SMW #	SERIES	DESCRIPTION	TRAY	FRAME	HANDLE	TIRE	UPC	PACK QTY	PACK WEIGHT
1	85736	S600 Power™	Steel Wheelbarrow	6 Cu. Ft. 1.2mm Tray	One-Piece Steel Frame	Steel with Cushion Grip	15" Flat-Free Knobby Rubber	046385857365	1	62.7
2	85738	S600 Power™	Steel Wheelbarrow	6 Cu. Ft. 1.2mm Tray	One-Piece Steel Frame	Steel with Cushion Grip	Dual 15" Flat-Free Knobby Rubber	046385857389	1	75.5
3	85731	S500 Industrial™	Steel Wheelbarrow	6 Cu. Ft. 1.0mm Tray	One-Piece Steel Frame	Steel with Cushion Grip	15" Flat-Free Knobby Rubber	046385857310	1	56.0
4	85733	S500 Industrial™	Steel Wheelbarrow	6 Cu. Ft. 1.0mm Tray	One-Piece Steel Frame	Steel with Cushion Grip	Dual 15" Flat-Free Knobby Rubber	046385857334	1	68.8
5	85730	S500 Industrial™	Steel Wheelbarrow	6 Cu. Ft. 1.0mm Tray	One-Piece Steel Frame	Steel with Cushion Grip	16" Standard Knobby Tire	046385857303	1	54.4
6	85732	S500 Industrial™	Steel Wheelbarrow	6 Cu. Ft. 1.0mm Tray	One-Piece Steel Frame	Steel with Cushion Grip	16" Dual Standard Knobby Tire	046385857327	1	65.6



1



2



3



4



5



6

SA32007 - Carriage for 85740
SA32005 - Carriage for 85724
SA32006 - Carriage for 85765
SA32010 - Carriage for Children's Wheelbarrow
63213 - Replacement Tire for 85724
63203 - Replacement Tire for 85740

SP50401 - Replacement Handle for 85740
SP50402 - Replacement Handle for 85724
SP50403 - Replacement Handle for 85765
SP50430 - Replacement Tray for 85769, 85772, & 85770
SP50080 - Replacement Grips for Steel Handle Wheelbarrows

#	SMW # LEGACY #	SERIES	DESCRIPTION	TRAY	BRACES	HANDLE	TIRE	UPC	PACK QTY	PACK WEIGHT
1	85765 WB-10P	S500 Industrial™	Poly Wheelbarrow	10 Cu. Ft.	Front Tray & Cross Braces	Hardwood	Dual 16" 2-Ply with Ball Bearings	031365129204	1	45.1
2	85724 WB-6SHDS	S500 Industrial™	Steel Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Steel	15" Flat Free with Ball Bearings	031365129303	1	43.8
3	85740 WB-6SHD	S400 Jobsite™	Steel Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Hardwood	16" 2-Ply Knobby with Ball Bearings	031365129181	1	43.8
4	85769	S400 Jobsite™	Steel Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Hardwood	16" Standard Tire	046385857693	1	37.3
5	85772	S400 Jobsite™	Steel Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Steel	16" Flat-Free Knobby Rubber	046385857723	1	40.9
5	85770	S400 Jobsite™	Steel Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Hardwood	16" Flat-Free Knobby Rubber	046385857709	1	40.1
6	85720 WB-JR	S400 Jobsite™	Children's Poly Wheelbarrow	Small	Front Tray Braces	Hardwood	8" Solid Rubber with Ball Bearings	031365129297	1	9.5
6	85720PP WB-JRD	S400 Jobsite™	Children's Poly Wheelbarrow / POP Display	Small	Front Tray Braces	Hardwood	8" Solid Rubber with Ball Bearings	031365129525	1	97.8
6	85720IB WB-JRB	S400 Jobsite™	Children's Poly Wheelbarrow / Individually Boxed	Small	Front Tray Braces	Hardwood	8" Solid Rubber with Ball Bearings	031365129310	1	10.5



1



2




3

SA32008 - Carriage for 85725
SA32004 - Carriage for 85721
SP50401 - Replacement Handle for 85725

#	SMW # LEGACY #	SERIES	DESCRIPTION	TRAY	BRACES	HANDLE	TIRE	UPC	PACK QTY	PACK WEIGHT
1	85725 WB-6P	S300 DuraLite™	Poly Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Hardwood	16" 2-Ply with Ball Bearings	031365129167	1	31.3
2	85718	S300 DuraLite™	Steel Wheelbarrow	6 Cu. Ft.	Front Tray & Cross Braces	Hardwood	15" 2-Ply Standard Knobby Tire	046385857181	1	34.8
3	85721 WB-4S	S300 DuraLite™	Steel Wheelbarrow	4 Cu. Ft.	Front Tray Braces	Hardwood	15" 2-Ply with Ball Bearings	031365129150	1	29.1

SUPERHANDLE® II DUAL LOCKING SYSTEM

The world's first extension handle with two locking systems to ensure the most secure handle lock available today. Built to industrial quality standards for outstanding performance and durability.



EXTERNAL LOCK

Screw down threaded collar to secure handle in any position. Comfortable ergonomic design.

INTERNAL LOCK

Twist inner pole with STĀ-LOK® positive locking system until it snaps into locking position to quickly secure handle at any length.



UPGRADE TO ULTRA

Our new "Ultra" version includes a virtually indestructible threaded tip milled from solid aluminum bar stock. Use it for heavier-weight ends or when the tool end will be subject to high leverage forces.

SA22028 - Collar Lock For SuperHandle® Handles
SA32002 - 1" STĀ-LOK® Repair Kit for Super Handle II
SP20022 - Tip Adapter

#	SMW # LEGACY #	SERIES	WARRANTY	DESCRIPTION	HEAD STYLE	HANDLE TYPE	GRIP	UPC	PACK QTY	PACK WEIGHT
1	60270	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with STĀ-LOK®	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	1' - 2' Fiberglass Handle	End Cap	036723602702	6	3.6
1	60271	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with Dual Lock	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	2' - 4' Fiberglass Handle	ProGrip™	036723602719	6	9
1	60276	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with Dual Lock	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	3' - 6' Fiberglass Handle	ProGrip™	036723602764	6	3.6
1	60272	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with Dual Lock	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	4' - 8' Fiberglass Handle	ProGrip™	036723602726	6	12
1	60273	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with Dual Lock	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	6' - 12' Fiberglass Handle	ProGrip™	036723602733	6	16.8
1	60274	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with Dual Lock	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	8' - 16' Fiberglass Handle	ProGrip™	036723602740	6	18
1	60275	S800 SuperDuty™	Limited Lifetime	SuperHandle II® Ultra with Dual Lock	Threaded #5 ACME Precision Tip Milled from a Solid Bar of Aluminum	8' - 24' Fiberglass Handle (3-Section)	ProGrip™	036723602757	3	16.5
2	60250 STR-SE12	S600 Power™	Limited Lifetime	SuperHandle II® with STĀ-LOK®	Threaded #5 ACME Zinc Die Cast Tip	1' - 2' Fiberglass Handle	End Cap	036723002120	6	4.8
2	60251 STR-SE24	S600 Power™	Limited Lifetime	SuperHandle II® with Dual Lock	Threaded #5 ACME Zinc Die Cast Tip	2' - 4' Fiberglass Handle	ProGrip™	036723002243	6	8.4
2	60256 STR-SE36	S600 Power™	Limited Lifetime	SuperHandle II® with Dual Lock	Threaded #5 ACME Zinc Die Cast Tip	3' - 6' Fiberglass Handle	ProGrip™	036723002366	6	9.6
2	60252 STR-SE48	S600 Power™	Limited Lifetime	SuperHandle II® with Dual Lock	Threaded #5 ACME Zinc Die Cast Tip	4' - 8' Fiberglass Handle	ProGrip™	036723002489	6	13.2
2	60253 STR-SE612	S600 Power™	Limited Lifetime	SuperHandle II® with Dual Lock	Threaded #5 ACME Zinc Die Cast Tip	6' - 12' Fiberglass Handle	ProGrip™	036723026126	6	20.5
2	60254 STR-SE816	S600 Power™	Limited Lifetime	SuperHandle II® with Dual Lock	Threaded #5 ACME Zinc Die Cast Tip	8' - 16' Fiberglass Handle	ProGrip™	036723028168	6	22.8
2	60255 STR-SE824	S600 Power™	Limited Lifetime	SuperHandle II® with Dual Lock	Threaded #5 ACME Zinc Die Cast Tip	8' - 24' Fiberglass Handle (3-Section)	ProGrip™	036723028243	3	18.6
3	60245 STR-CE24	S600 Power™	Limited Lifetime	SuperHandle® with External Collar Lock	Threaded #5 ACME Zinc Die Cast Tip	2' - 4' Fiberglass Handle	ProGrip™	036723001246	6	7.2
3	60244 STR-CE36	S600 Power™	Limited Lifetime	SuperHandle® with External Collar Lock	Threaded #5 ACME Zinc Die Cast Tip	3' - 6' Fiberglass Handle	ProGrip™	036723001369	6	9.6
3	60246 STR-CE48	S600 Power™	Limited Lifetime	SuperHandle® with External Collar Lock	Threaded #5 ACME Zinc Die Cast Tip	4' - 8' Fiberglass Handle	ProGrip™	036723001482	6	12
3	60247 STR-CE612	S600 Power™	Limited Lifetime	SuperHandle® with External Collar Lock	Threaded #5 ACME Zinc Die Cast Tip	6' - 12' Fiberglass Handle	ProGrip™	036723016127	6	18
3	60248 STR-CE816	S600 Power™	Limited Lifetime	SuperHandle® with External Collar Lock	Threaded #5 ACME Zinc Die Cast Tip	8' - 16' Fiberglass Handle	ProGrip™	036723018169	6	21.6
4	60240 STR-SS48	S600 Power™	Limited Lifetime	Straight Single-Length	Threaded #5 ACME Zinc Die Cast Tip	48" Premium Fiberglass	End Cap	036723012488	6	4.8
4	60241 STR-SS60	S600 Power™	Limited Lifetime	Straight Single-Length	Threaded #5 ACME Zinc Die Cast Tip	60" Premium Fiberglass	End Cap	036723002601	6	7.2
4	60242 STR-SS7	S600 Power™	Limited Lifetime	Straight Single-Length	Threaded #5 ACME Zinc Die Cast Tip	72" Premium Fiberglass	End Cap	036723002724	6	9.1
5	60279	S800 SuperDuty™	Limited Lifetime	Replacement Tip with Rivet	Milled from a Solid Bar of Aluminum	N/A	N/A	046385602798	1	0.3
6	60259 STR-465	S600 Power™	Limited Lifetime	Replacement Tip with Rivet	Zinc Die Cast	N/A	N/A	031365053424	1	0.2

We offer the industry's widest selection of replacement handles that help you extend the life of your trusted tools. With over 6,000 handle patterns available, we can provide an exact match that fits the tool with an ergonomically-superior turned design.



LINK® HANDLES

FACTS TO KNOW WHEN SELECTING A REPLACEMENT HANDLE

Tool handles can be made from a variety of hardwoods as well as fiberglass and steel. Each material has certain advantages and disadvantages for replacement handles.

American hickory and other hardwoods

The best replacement handles are made from American hickory other American hardwoods because of their strength, elasticity, and ability to absorb shock. Hardwood handles do not conduct electricity.

Shock-absorbing American hickory

American hickory is dense, heavy, and a natural shock absorber making it ideal for striking and cutting tool handles.

The long fibers and unique cell structure of American hickory allow it to flex repeatedly and return to its original shape. It absorbs and dissipates shock before it reaches the user's hands.

The best hickory is grown in the Tennessee region of the USA

The best American hickory logs come from Tennessee, Kentucky, North Carolina, and South Carolina. This region has the ideal combination of soil minerals, rainfall, and sunshine to produce trees that grow slowly and uniformly for exceptional strength.

Wood from slower growing trees is denser and thus stronger than the lighter wood that comes from faster growing trees.

All Link® hickory comes from the Tennessee region of the USA. Some hickory grows in the northeastern United States, but it is generally of lower quality than the hickory grown in the Tennessee region.

American hardwood handles for agricultural tools

Many agricultural tool handles such as shovels, rakes, and hoes are made from American hardwood. It has a uniform grain structure that provides both the strength and the elasticity needed for the bending stresses these tools must endure.

Other hardwoods

When ash or hickory is not used, other hardwoods suitable for the application are selected.

While ash gives the finest strength to weight ratio, handles of other hardwoods are appropriately selected for many types of tools.

Fiberglass handles

Fiberglass handles are strong, lightweight, and do not conduct electricity. Fiberglass, however, is not flexible and *does not absorb shock*. Fiberglass handles cost more than hardwood handles.

Link® offers fiberglass replacement handles.

Steel handles

Steel handles are extremely strong, but they are *heavy* and *expensive*. They are *not flexible* and *do not absorb shock*. Steel handles conduct electricity.



Vintage logo from the Sequatchie Handle Works

Choose our shock-absorbing hickory handles for striking or cutting tools. The unique fibers of **American Tennessee hickory** provide outstanding **durability and shock absorption** for less wear-and-tear on the user. It's no wonder why drumsticks are made of hickory!

TURNED VERSUS SHAPED

Turned handles are ergonomically superior to shaped handles

There are two ways to produce handles: shaping and turning.


Shaped handles are made from thin flat boards that are smoothed and rounded on the top and bottom. Shaping is a faster and less costly way to make handles.

Shaped

Turned handles are made on a lathe from wood blanks that are about 25% larger than the flat boards. The result is a handle that has superior grips and contours.

Anyone who holds a shaped handle and then a turned handle will immediately feel the comfort and higher quality of the turned handle. Link® Handles chooses to use the turned handle method.

Turned



The best replacement handles are turned rather than shaped. Turning results in ergonomically-superior handles that provide better comfort, control, and safety.

Only Link® Handles offer superior ergonomic design
Link® handles are designed with the best combination of length and contours so the user can best hold the handle and use the tool.

Our handle shape always works with the user. The handle becomes an extension of the body to provide better comfort, control, and safety.



WE TAKE THESE STEPS IN MAKING EVERY TURNED AXE HANDLE:

1. Start with an American Tennessee Hickory Log



2. Axe wood square or blank.



3. Half turned axe handle.



4. Full rough turned axe handle.



5. Axe handle after sanding.



6. Finished axe handle with label and wedge.



Link® Handles have set the industry benchmark for when it comes to what customers care about most: consistent quality, outstanding ergonomics and exact fit matches to over 6,000 tools.

LINK® HANDLES

ALL HANDLES ARE CAREFULLY GRADED & SORTED

Our experienced timber buyers grade log quality.
They are looking for logs that are heavy and defect-free.

When the logs are sawed into squares (or blanks), the squares are graded. After the squares are turned into handles, they are graded again.

PRIMARY LOG QUALITY FACTORS

Some of the factors used to determine quality include:

STRAIGHTNESS OF GRAIN

MOISTURE CONTENT

DENSITY

FREEDOM FROM DEFECTS

WOOD COLOR NOT A QUALITY FACTOR

Color of the wood is not a factor in determining the quality of hickory handles. The best hickory handles may be all white, red-and-white, or all red.

LINK® AMERICAN HICKORY QUALITY LEVELS

01 Best quality American hickory with sanded finish and yellow non-slip grip. Meets or exceeds all government "A" specifications. Ideal for the most demanding industrial and commercial applications.

02 Best quality American hickory with a wax finish. Meets or exceeds all government "A" specifications. Ideal for the most demanding industrial and commercial applications.

08 Better quality American hickory with a wax finish. Ideal for frequent heavy-duty use by farmers, ranchers, contractors and other professionals with demanding construction and other professional applications.

19 Better quality American hickory with a clear lacquer finish. Fire finish provides a highly pleasing appearance. Ideal for frequent heavy-duty use by farmers, ranchers, contractors and other professionals with demanding construction and other professional applications.

LINK® AMERICAN HARDWOOD QUALITY LEVELS

21 Better quality American hardwood with a clear finish. Ideal for frequent heavy-duty use by farmers, ranchers, contractors and other professionals with demanding construction and other professional applications.

SUMMARY OF LINK® FINISHES AND QUALITY LEVELS

Quality Level #	Quality Level	Finish Type	Special Features	Govt. Specs	Suggested User
AMERICAN HICKORY					
01	Best	Sanded	Non-slip grip	A	Industrial, commercial
02	Best	Wax		A	Industrial, commercial
08	Better	Wax			Contractor, professional, homeowner
19	Better	Clear lacquer	Fire finish		Contractor, homeowner
AMERICAN HARDWOOD					
21	Better	Clear lacquer			Contractor, homeowner