Inspect the actual retained torch instructions on a device and save the publication/page identity

Inspect the actual retained torch instructions on a device and save the publication/page identity. Explain to a partner how use, storage and transport questions differ; improve the record after their feedback.

Skills you use: Digital, Collaboration, Adaptability, Creativity and innovation.

Show the skill in supervised practice

Machine/model/serial or classroom case: _____ · Manual/procedure and revision: _____ · Date/location: _____ · Learner/observer: _____

Record each criterion as 0—not yet demonstrated, 1—with task-solving support, or 2—independently under the stated conditions. Mark unobserved criteria separately; do not convert missing opportunity into a zero. The assessor determines the required repeat practice and applicable qualification requirements. A critical failure means hold, correction and reassessment regardless of the numerical result. Use safe simulations for classroom reasoning; actual operation requires the selected equipment, approved conditions and competent supervision.

What the observer checks	Result	Evidence
Critical: Safe access, surroundings and communication maintained.	Pass / hold	Observation: _____
Critical: Required energy, heat, movement and public-access controls maintained for the actual task.	Pass / hold	Observation: _____
Instructor confirms compatible cylinder, appliance, connections, condition, location, fire controls and emergency arrangements.	0 / 1 / 2	Evidence/help: _____
Observe the approved connection, leak test, response to a simulated defect, isolation and secure stowing/transport preparation.	0 / 1 / 2	Evidence/help: _____
Record the actual equipment, procedure, support and outcome; no live leak is deliberately created.	0 / 1 / 2	Evidence/help: _____

Actual conditions and support: _____

Feedback, next practice and authorized release/status: _____

Sources and further reading

- SkilledTradesBC. (2016). *Asphalt Paving/Laydown Technician program outline*, B5, printed p. 31; source PDF pp. 33–33.
- Tiger Torch Ltd.. (n.d.; Fairview-hosted sheet). Operating Instruction and Safety Procedures: Models 95-B and 445. Open publication.
- BC Forest Safety Council. (n.d.; publisher 2022 hosting path). Safe Use of Tiger Torches. Open publication.
- Canadian Centre for Occupational Health and Safety. (retrieved October 30, 2026). Chemical Profiles: Propane. Open publication.

- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Regulation, Part 5: Chemical and Biological Substances. Open publication.
- Transport Canada. (Web snapshot: October 30, 2026). Transportation of Dangerous Goods: Training. Open publication.

Figure-specific pages, editions and original contributors are credited beside each image. Current project requirements and the matching machine instructions determine practical use.

Study chapter · Outline B6

Weather effects and precautions

Weather affects the worker as well as the material. Hot mix and hot pavement add radiant heat to the work environment; sun, humidity, air movement, workload and clothing affect how the body loses heat. A forecast temperature alone cannot describe the exposure. Crew members also differ in acclimatization and health needs, which should be supported without demanding personal medical details in front of the group.

- The effects of temperature on the body
- The importance of proper hydration
- Define effects of exposure to direct sun


LEARNING STEP 1

The effects of temperature on the body

The body produces heat during work and loses heat through exchanges with the surroundings, including evaporation of sweat. Heavy work, radiant heat and clothing can make cooling more difficult. Heat strain can develop even when the air temperature seems familiar. The work plan assesses conditions, provides appropriate controls and adjusts work/rest and supervision arrangements as conditions change.

Recognize changes in behaviour, weakness, dizziness, headache, nausea or collapse and obtain help. Cold, rain and wind can also affect dexterity, judgement, traction and health. A weather response includes clothing, shelter, suitable work organization and an emergency plan. A new worker needs an acclimatization arrangement rather than an assumption that determination will make them tolerate the exposure.

Recognize heat strain and act early



Note. ACCESS IS4S. (2026). Recognize heat strain and act early [Original instructional SVG]. Conceptual explanation based on the cited chapter readings; geometry and operating arrangements are illustrative, not prescribed settings.

LEARNING STEP 2

The importance of proper hydration

Workers need ready access to appropriate drinking water and the opportunity to drink regularly under the workplace heat plan. Hydration is one part of control; it does not replace reducing exposure, rest, cooling or recognizing illness. Do not make a class-wide medical fluid prescription or assume a person with symptoms only needs another drink.

Heat exhaustion and heat stroke require prompt response. The WorkSafeBC heat-stress guide treats heat stroke as a medical emergency. Altered mental state, collapse or other severe signs require emergency assistance: call the local emergency number, get the first-aid attendant and begin the plan's safe cooling response while waiting for help. Do not leave the person alone or give fluids to someone unable to swallow safely. The trained response follows the workplace emergency and first-aid arrangements.

LEARNING STEP 3


Define effects of exposure to direct sun

Ultraviolet exposure can damage skin and eyes, including on days that do not feel extremely hot. The task plan combines suitable clothing/head protection, shade, scheduling and appropriate sunscreen or other protection under the guidance used by the workplace. Select protective items so they remain compatible

with required PPE and the task.

A reflective or hot work surface adds to the need to assess exposure. Check breaks, water, shelter and communication before starting; recheck when work intensity, weather or worker condition changes. A short team check-in should invite early reporting without blame. Care for the crew includes making it possible to use the controls, not only telling people they exist.

A hazard needs a route to reach you



Note. ACCESS IS4S. (2026). A hazard needs a route to reach you [Original instructional SVG]. Conceptual illustration; read the stated conditions in the lesson.

Worked example · A break plan that cannot be used

Fictional schedule: a crew is assigned continuous handwork from 10:00 to 12:00. The written heat plan requires planned cool-rest opportunities, but the relief person has been reassigned. A new worker begins making confused replies.

Think it through.

The plan is not being implemented, and confusion is an emergency warning sign in this context. Stop the affected work, summon emergency/first-aid help and follow the cooling response. Arrange coverage and reassess the work before resuming. The two-hour scheduled block does not establish a safe exposure interval; it reveals a mismatch between the plan and staffing.

Try it and explain your thinking

Explain and apply the idea

List five factors beyond air temperature that influence heat risk, then match each to information the supervisor must consider.

Skills you use: Reading, Problem solving.

Mark the time span in the worked case and identify why the plan failed

Mark the time span in the worked case and identify why the plan failed. Write the first emergency communication with location and observed condition.

Skills you use: Numeracy, Writing, Communication.

Develop a weather check-in card with heat, sun and cold/wet prompts

Develop a weather check-in card with heat, sun and cold/wet prompts. Test it with a partner, revise it and save a version that leaves medical information private.

Skills you use: Digital, Collaboration, Adaptability, Creativity and innovation.

Show the skill in supervised practice

Machine/model/serial or classroom case: _____ · Manual/procedure and revision: _____ · Date/location: _____ · Learner/observer: _____

Record each criterion as 0—not yet demonstrated, 1—with task-solving support, or 2—independently under the stated conditions. Mark unobserved criteria separately; do not convert missing opportunity into a zero. The assessor determines the required repeat practice and applicable qualification requirements. A critical failure means hold, correction and reassessment regardless of the numerical result. Use safe simulations for classroom reasoning; actual operation requires the selected equipment, approved conditions and competent supervision.

What the observer checks	Result	Evidence
Critical: Safe access, surroundings and communication maintained.	Pass / hold	Observation: _____
Critical: Required energy, heat, movement and public-access controls maintained for the actual task.	Pass / hold	Observation: _____
Confirm the current heat/cold exposure and emergency plans before outdoor practice.	0 / 1 / 2	Evidence/help: _____
Observe recognition and reporting in a spoken scenario, access to water/rest/shade and safe use of selected protection.	0 / 1 / 2	Evidence/help: _____
Qualified first-aid instruction assesses treatment skills; this chapter assesses recognition, prevention and prompt escalation.	0 / 1 / 2	Evidence/help: _____

Actual conditions and support: _____

Feedback, next practice and authorized release/status: _____

Sources and further reading

- SkilledTradesBC. (2016). *Asphalt Paving/Laydown Technician program outline*, B6, printed p. 32; source PDF pp. 34–34.
- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Regulation, Part 7: Noise, Vibration, Radiation and Temperature. Open publication.
- WorkSafeBC. (2026; R05/26). Preventing Heat Stress at Work. Open publication.

Figure-specific pages, editions and original contributors are credited beside each image. Current project requirements and the matching machine instructions determine practical use.

Study chapter · Outline B7

Safety and traffic control procedures

Traffic control is a planned system for road users, workers and equipment. Signs, devices, traffic control persons (TCPs), traffic assistants and communication have defined roles. A paving learner must understand that system even when they are not assigned to control traffic. At a community entrance, include pedestrians, cyclists, mobility needs and emergency access in the planning questions.

Traffic control procedures (TCP) Certification

Review TCP training content

Review TCP regulations


LEARNING STEP 1

Traffic control procedures (TCP) Certification

WorkSafeBC Part 18 defines traffic-control training and responsibilities. Section 18.6.2 addresses a traffic-control-person training program, including knowledge and practical competency assessment; the employer must meet the applicable qualification requirements. A classroom paving chapter does not issue that qualification. Confirm the accepted training program and the actual person's current evidence before assigning TCP duties.

A traffic assistant has a different role and workplace training requirements under 18.6.3. Do not relabel an unqualified person a TCP because the crew needs help. Course completion records, employer orientation and site-specific instruction serve different purposes; all applicable requirements must be met.

Give people a protected route



Note. ACCESS IS4S. (2026). Give people a protected route [Original instructional SVG]. Conceptual explanation based on the cited chapter readings; geometry and operating arrangements are illustrative, not prescribed settings.

LEARNING STEP 2

Review TCP training content

Traffic-control training develops recognition of hazards, the required plan, setup and removal of devices, safe positioning and escape routes, signs/signals, communication and responses to changing conditions. The B.C. Traffic Management Manual for Work on Roadways provides the roadwork framework, used with current regulation and road-authority requirements.

The learner reads the approved plan's location, revision, work activity and traffic arrangement before interpreting an individual sign. A diagram from a manual is a typical arrangement with conditions, not a ready-made plan for every site. Conditions such as sight distance, road speed, intersections, queues, pedestrians and lighting affect the actual plan.

LEARNING STEP 3


Review TCP regulations

The number and positioning of people and devices follow the risk assessment, applicable requirements and approved traffic-control arrangement. There is no universal answer of one or two TCPs for all paving work. Under 18.8, the position must be identified as safe in the risk assessment; escape and approach visibility

matter. Equipment is kept clean and serviceable. Precise, deliberate signals and effective communication between multiple TCPs are required by the relevant provisions.

The paver crew must not change the traffic arrangement informally when production slows or a truck arrives. Communicate the changing need to the responsible person, maintain the controls and wait for an authorized adjustment. A queue extending beyond the planned warning arrangement is a changed condition requiring action, not a reason to hurry signals.

Plan the people routes as carefully as the work



Note. ACCESS IS4S. (2026). Plan the people routes as carefully as the work [Original instructional SVG]. Conceptual illustration; read the stated conditions in the lesson.

Worked example · The plan revision matters

Fictional documents: T-02 revision A places the facility entrance outside the work area. Revision B extends the work beyond that entrance. The crew has B, but a traffic briefing still uses A.

Think it through.

The drawings describe different access conditions. Before work under the changed arrangement, resolve the mismatch through the responsible traffic-control planner/supervisor and brief all affected roles. Record the current approved revision and the entrance provisions. An extra cone added by an unassigned person does not resolve the plan conflict.

Try it and explain your thinking

Explain and apply the idea

Compare TCP and traffic-assistant training requirements using retained Part 18 sections 18.6.2–18.6.3. Identify what qualification this chapter does not issue.

Skills you use: Reading, Writing.

Calculate and check the result

Annotate the work-zone concept with questions about warning, transition, work area, public route and return to normal traffic. Explain why no spacing can be taken from it.

Skills you use: Problem solving, Communication.

Save a version register for the worked case, then role-play a revision handover

Save a version register for the worked case, then role-play a revision handover. Ask the listener to find the current entrance instruction and improve the brief if they cannot.

Skills you use: Digital, Collaboration, Adaptability, Creativity and innovation.

Show the skill in supervised practice

Machine/model/serial or classroom case: _____ · Manual/procedure and revision: _____ · Date/location: _____ · Learner/observer: _____

Record each criterion as 0—not yet demonstrated, 1—with task-solving support, or 2—independently under the stated conditions. Mark unobserved criteria separately; do not convert missing opportunity into a zero. The assessor determines the required repeat practice and applicable qualification requirements. A critical failure means hold, correction and reassessment regardless of the numerical result. Use safe simulations for classroom reasoning; actual operation requires the selected equipment, approved conditions and competent supervision.

What the observer checks	Result	Evidence
Critical: Safe access, surroundings and communication maintained.	Pass / hold	Observation: _____
Critical: Required energy, heat, movement and public-access controls maintained for the actual task.	Pass / hold	Observation: _____
Check the actual site plan and role qualifications before road-side observation.	0 / 1 / 2	Evidence/help: _____
Observe correct interpretation, staying within assigned duties and communication of a changed condition.	0 / 1 / 2	Evidence/help: _____
Where TCP competence is assessed, use the approved training/assessment program and qualified assessor, not this classroom record alone.	0 / 1 / 2	Evidence/help: _____

Actual conditions and support: _____

Feedback, next practice and authorized release/status: _____

Sources and further reading

- SkilledTradesBC. (2016). *Asphalt Paving/Laydown Technician program outline*, B7, printed p. 33; source PDF pp. 35–35.
- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Regulation, Part 18: Traffic Control. Open publication.
- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Guidelines, Part 18. Open publication.
- BC Ministry of Transportation and Infrastructure. (2020). Traffic Management Manual for Work on Roadways. Open publication.
- Province of British Columbia. (Web snapshot: October 30, 2026). Traffic Management Manual Updates. Open publication.

Figure-specific pages, editions and original contributors are credited beside each image. Current project requirements and the matching machine instructions determine practical use.

Study chapter · Outline B8

Plant site and gravel pit safety

A plant or gravel pit is an interconnected worksite. Material moves through feeders, crushers, screens, conveyors, stockpiles and vehicles; people may not be able to see the next process from where they stand. A stoppage at one machine can leave others running or material stored above it. Begin with the site induction, responsible supervisor and applicable jurisdiction. A mine/pit operation may be governed by B.C.'s mining safety framework; other workplaces fall under the applicable WorkSafeBC requirements.

Define noise hazards and precautions

Site specific hazards


LEARNING STEP 1

Define noise hazards and precautions

Crushing, screening, engines and material impacts can create sustained or changing noise. Hearing protection is selected within the site’s assessed program. It must remain compatible with communication and other PPE; a person who cannot hear a warning needs a safe communication arrangement rather than removing protection in the exposure area.

Review the site’s noise areas, permitted access, signs and protection requirements before entering. Equipment condition and engineering controls influence noise as well as reliability. An unusual sound can be a defect indicator, but approaching the source through a restricted area to investigate is not an appropriate response for an unassigned learner.

Follow aggregate through the plant



Note. ACCESS IS4S. (2026). Follow aggregate through the plant [Original instructional SVG]. Conceptual explanation based on the cited chapter readings; geometry and operating arrangements are illustrative, not prescribed settings.


LEARNING STEP 2

Site specific hazards

Crushing and entanglement hazards occur at feed openings, belt/pulley nip points, rotating shafts and moving mechanisms. Guards do not authorize reaching through or around them. Isolation must account for connected equipment and stored material/energy when cleaning or maintenance is assigned. A bridge of material can collapse; an idle belt may still be connected to a starting sequence.

Vehicle/loader routes, stockpile faces and reversing areas require the site's controls. Flying debris and dust can extend beyond a machine footprint; assess the material, collection/suppression systems and exposure. Stockpile instability, water edges and restricted plant structures also matter. Follow approved pedestrian routes and do not climb a pile or conveyor to take a better look. Report missing guards, damaged dust controls or access conflicts to the responsible person without entering the hazard.

Every numbered component in this conveyor diagram



Note. Caterpillar. (2026). Cold Planer Parts Reference Guide (QEXQ3131-01 (05/2026), source PDF p. 25). Faithful crop; original labels retained. PM310, PM312, PM313, PM620, PM622, PM820, PM822 and PM825; individual parts/model tables apply. Full source context.

Worked example · One stopped belt is not the whole system

Fictional process: feeder → crusher → conveyor → screen → stockpile. The conveyor stops and material begins accumulating upstream. A visitor proposes stepping over it while an operator investigates.

Think it through.

A stopped component does not establish isolation or a safe crossing. Accumulation adds a stored-material hazard and connected equipment may restart. Keep the visitor on the authorized route, report the condition and use the site's controlled shutdown/isolation response. The process map helps identify connected sources; it does not replace the isolation plan.

Try it and explain your thinking

Explain and apply the idea

Trace the process diagram and identify four different hazard mechanisms, including one that remains when motion stops.

Skills you use: Reading, Problem solving.

Write a visitor brief for the worked site using only authorized routes and role boundaries

Write a visitor brief for the worked site using only authorized routes and role boundaries. Include the response to an unfamiliar alarm.

Skills you use: Writing, Communication.

Create a digital process-and-access sketch

Create a digital process-and-access sketch. A partner removes a guard symbol and blocks a pedestrian route. Record the defects and revise the access plan through the responsible role.

Skills you use: Digital, Collaboration, Adaptability, Creativity and innovation.

Show the skill in supervised practice

Machine/model/serial or classroom case: _____ · Manual/procedure and revision: _____ · Date/location: _____ · Learner/observer: _____

Record each criterion as 0—not yet demonstrated, 1—with task-solving support, or 2—independently under the stated conditions. Mark unobserved criteria separately; do not convert missing opportunity into a zero. The assessor determines the required repeat practice and applicable qualification requirements. A critical failure means hold, correction and reassessment regardless of the numerical result. Use safe simulations for classroom reasoning; actual operation requires the selected equipment, approved conditions and competent supervision.

What the observer checks	Result	Evidence
Critical: Safe access, surroundings and communication maintained.	Pass / hold	Observation: _____
Critical: Required energy, heat, movement and public-access controls maintained for the actual task.	Pass / hold	Observation: _____
Confirm jurisdiction, induction, PPE and permitted observation area for the actual plant/pit.	0 / 1 / 2	Evidence/help: _____
Observe route compliance, recognition of noise/dust/mobile-equipment/connected-machine hazards and appropriate reporting.	0 / 1 / 2	Evidence/help: _____
Maintenance or confined-space activities require their own authorized instruction and assessment.	0 / 1 / 2	Evidence/help: _____

Actual conditions and support: _____

Feedback, next practice and authorized release/status: _____

Sources and further reading

- SkilledTradesBC. (2016). *Asphalt Paving/Laydown Technician program outline*, B8, printed p. 34; source PDF pp. 36–36.
- BC Ministry of Mining and Critical Minerals. (June 2026). Health, Safety and Reclamation Code for Mines in British Columbia. Open publication.
- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Regulation, Part 10: De-energization and Lockout. Open publication.
- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Regulation, Part 12: Tools, Machinery and Equipment. Open publication.
- WorkSafeBC. (Web snapshot: October 30, 2026). OHS Regulation, Part 16: Mobile Equipment. Open publication.
- National Institute for Occupational Safety and Health. (2015; Publication 2015-105). Best Practice Engineering Control Guidelines to Control Worker Exposure to Respirable Crystalline Silica during Asphalt Pavement Milling. Open publication.

Figure-specific pages, editions and original contributors are credited beside each image. Current project requirements and the matching machine instructions determine practical use.

Study chapter · Outline B9

Light vehicle transporting procedures

Transport preparation begins with a complete description: vehicle, trailer, load, mass, dimensions, attachments, route and driver. **Gross vehicle weight rating**, **actual loaded mass**, **axle rating**, **tow rating** and **cargo-securement rating** answer different questions. A small-looking load can exceed one component's limit even when the whole combination appears capable.

The 5,000 kg categories used in the learning tasks are a comparison exercise, not a single legal switch between company and federal rules. Applicable B.C. vehicle, driver, inspection, cargo-securement and permit requirements depend on the actual combination and activity. Company rules apply alongside the law and cannot reduce its requirements.

Procedures for transportation of vehicles under 5000 kg

Procedures for transportation of vehicles over 5000 kg


LEARNING STEP 1

Procedures for transportation of vehicles under 5000 kg

For a light vehicle or combination, identify the manufacturer's ratings, registration/licensing requirements, trailer/hitch/brake/tyre/axle suitability and the actual loaded condition. Include people, fuel, tools and attachments in the appropriate mass assessment. A nominal machine mass may exclude options or carried material. Verify the route and permitted load dimensions before departure.

Cargo must be restrained by an arrangement meeting applicable requirements and the actual anchors and tiedowns. Keep loose tools, ramps and attachments secure too. A company checklist helps organize the checks, but a tick beside 'under 5,000 kg' cannot establish that the combination is legal or safe. The driver and responsible loading personnel need a common load record.

Add the whole load before comparing ratings



Note. ACCESS IS4S. (2026). Add the whole load before comparing ratings [Original instructional SVG]. Conceptual explanation based on the cited chapter readings; geometry and operating arrangements are illustrative, not prescribed settings.

LEARNING STEP 2


Procedures for transportation of vehicles over 5000 kg

Heavier transport adds capacity and planning questions but does not erase the same fundamentals. Determine the relevant vehicle and cargo-securement rules, driver qualifications, required inspections and any oversize/overweight permits or route restrictions. The B.C. cargo-securement information and National Safety Code Standard 10 provide the applicable framework; special commodity/equipment provisions may matter.


The weakest relevant component or a prohibited configuration can control the outcome. A tiedown's labelled capacity is not automatically the allowable restraint of the whole system: angle, method, anchor and applicable rules matter. Loading/unloading is also a separate controlled operation, with suitable ground, ramps, alignment, separation and assigned communication. The trip record must reflect the actual loaded machine, not a previous similar delivery.

Articulated truck: dump-body liner locations

DUMP BODY LINERS



DUMP BODY LINERS



DUMP BODY LINERS

Sales Model	Serial Number Range	Item Location	Part Number	Quantity
740 GC	3T800001-05400 3F800001-05100	A	143-4002	1
		B	233-6950	1
		C	233-6951	1
		D	301-4831	1
		E	398-9914	2
		F	398-9915	1
		G	435-5703	2
		H	435-5709	2
		I	545-5274	2

DUMP BODY LINERS

Sales Model	Serial Number Range	Item Location	Part Number	Quantity
745	3T600001-05600 3F600001-05500	A	143-4002	1
		B	233-6950	1
		C	233-6951	1
		D	398-9914	2
		E	398-9915	1
		F	398-9917	1
		G	398-9918	2
		H	435-5703	2
		I	435-5709	2

Note. Caterpillar. (2022). Articulated Trucks — Parts Reference Guide (None, source PDF p. 9). Faithful crop; original labels retained. 725, 730, 730 EJ, 735, 740 GC, 740 EJ, 745; listed 3T/3F serial prefixes. Full source context.

Worked example · The trailer rating check

Fictional ratings-only exercise: trailer permitted gross mass 3,500 kg; measured empty trailer 900 kg; proposed machine 2,300 kg; tools/ramps 420 kg. Ignore no other real requirement; this is one arithmetic screening check.

Think it through.

Proposed gross mass = 900 + 2,300 + 420 = 3,620 kg. It exceeds the stated trailer figure by 120 kg, so the proposed loading fails this check. The unused-looking deck space does not change the result. Even a revised load below 3,500 kg would still require axle, tow, hitch, restraint, route and driver checks.

Try it and explain your thinking

Explain why “under 5,000 kg, therefore only company rules apply” is an inadequate transport decision

Explain why “under 5,000 kg, therefore only company rules apply” is an inadequate transport decision. Make a document checklist for either size category.

Skills you use: Reading, Writing, Problem solving.

Rework the example if tools/ramps are reduced to 260 kg

Rework the example if tools/ramps are reduced to 260 kg. State precisely what has and has not passed.

Skills you use: Numeracy, Communication.

Build a versioned load record, ask a partner to add a new attachment and recalculate

Build a versioned load record, ask a partner to add a new attachment and recalculate. Save/reopen the revision and explain who must approve the transport arrangement.

Skills you use: Digital, Collaboration, Adaptability, Creativity and innovation.

Show the skill in supervised practice

Machine/model/serial or classroom case: _____ · Manual/procedure and revision: _____ · Date/location: _____ · Learner/observer: _____

Record each criterion as 0—not yet demonstrated, 1—with task-solving support, or 2—independently under the stated conditions. Mark unobserved criteria separately; do not convert missing opportunity into a zero. The assessor determines the required repeat practice and applicable qualification requirements. A critical failure means hold, correction and reassessment regardless of the numerical result. Use safe simulations for classroom reasoning; actual operation requires the selected equipment, approved conditions and competent supervision.

What the observer checks	Result	Evidence
Critical: Safe access, surroundings and communication maintained.	Pass / hold	Observation: _____
Critical: Required energy, heat, movement and public-access controls maintained for the actual task.	Pass / hold	Observation: _____
Use actual ratings, measured/verified load information, suitable vehicle/trailer and the applicable transport plan.	0 / 1 / 2	Evidence/help: _____
Observe pre-trip/load checks, securement inspection and communication within the learner's authorized role.	0 / 1 / 2	Evidence/help: _____
Driver qualification and operating competence are assessed under the relevant vehicle requirements.	0 / 1 / 2	Evidence/help: _____

Actual conditions and support: _____

Feedback, next practice and authorized release/status: _____

Sources and further reading

- SkilledTradesBC. (2016). *Asphalt Paving/Laydown Technician program outline*, B9, printed p. 35; source PDF pp. 37–37.
- Province of British Columbia. (Web snapshot: October 30, 2026). Cargo Securement. Open publication.
- Canadian Council of Motor Transport Administrators. (June 2013). National Safety Code Standard 10: Cargo Securement. Open publication.
- Canadian Council of Motor Transport Administrators. (May 2016). Cargo Securement Standard: Interpretations and Guidance. Open publication.
- Transport Canada. (Web snapshot: October 30, 2026). Transportation of Dangerous Goods: Training. Open publication.

Figure-specific pages, editions and original contributors are credited beside each image. Current project requirements and the matching machine instructions determine practical use.

Study chapter · Outline B10

Complete fatigue awareness training

Fatigue is reduced physical or mental capacity associated with inadequate sleep, prolonged wakefulness, demanding work or other factors. It can affect attention, reaction, memory and judgement before a person recognizes the full change. A crew depends on accurate handovers and timely responses; fatigue therefore belongs in work planning, not in a judgement about someone's character.

- Define mental fatigue
- Define a work schedule that helps reduce fatigue
- Discuss available training

LEARNING STEP 1

Define mental fatigue

Sleep debt accumulates when sleep is less than a person's need. **Circadian rhythms** influence alertness across the day and night. A worker may have a scheduled rest interval but little opportunity to sleep after commuting, meals and personal responsibilities. Extended wakefulness and successive demanding shifts can compound the problem.

Signs may include slowed responses, difficulty concentrating, errors, irritability or difficulty staying awake. These observations do not diagnose the cause. Respond through the workplace fitness-for-task and support arrangements, with privacy and respect. Caffeine or willpower cannot be treated as a complete replacement for sleep. A fatigued person may also be unsafe to drive home; plan a safe response rather than simply sending them onto the road.

Time off is not all sleep time



Note. ACCESS IS4S. (2026). Time off is not all sleep time [Original instructional SVG]. Conceptual explanation based on the cited chapter readings; geometry and operating arrangements are illustrative, not prescribed settings.

LEARNING STEP 2

Define a work schedule that helps reduce fatigue

A fatigue-aware schedule considers shift length, timing, consecutive duties, recovery opportunity, travel and workload. The employer's planning and response arrangements should make reporting possible and provide a practical way to change the assignment when needed. A schedule can look adequate on paper while overtime, an early call-out or a long commute removes the intended recovery.

Distinguish time off duty from sleep opportunity and actual sleep. A calculation can expose an obvious planning conflict, but it cannot certify that an individual is fit. Ask whether the schedule remains workable after a delay and whether the highest-consequence tasks have appropriate staffing and supervision. Record the changed assignment and handover so the response does not create another gap.


LEARNING STEP 3

Discuss available training

Useful fatigue-awareness training explains causes, signs, work and driving effects, reporting, prevention and the workplace response. CCOHS provides a retained evidence source for this study. Evaluate an external course by its content, current evidence, instructor/provider suitability and relevance to the actual work; a website name or completion badge alone does not establish effective controls.

The learner practises recognizing a condition, communicating it without blame and using the agreed support route. The supervisor practises responding to the work risk rather than demanding private information in front of colleagues. A training record identifies the content completed, the learner's demonstrated understanding and the employer-specific arrangements still required.

A handover is complete when it is understood



Note. ACCESS IS4S. (2026). A handover is complete when it is understood [Original instructional SVG]. Conceptual illustration; read the stated conditions in the lesson.

Worked example · Rest interval versus sleep opportunity

Fictional shift finishes at 20:00; the next begins at 06:00. Total travel uses 2 hours, meals/personal preparation 1.5 hours and a required call 0.5 hour. Calculate the maximum remaining interval before other interruptions.

Think it through.

There are 10 hours between shifts. Subtracting 2 + 1.5 + 0.5 leaves at most 6 hours available. That is an opportunity estimate, not proof of six hours of sleep or a universal fitness threshold. The schedule needs review through the workplace fatigue process, especially before safety-critical work or driving.