Day 06 | Thursday

06

November 5, 2026

Equivalent fractions and comparing lengths

9:00 AM–10:15 AM • Math • 75 min

Mixed numbers and fraction calculator entry

10:30 AM–12:00 PM • Math • 90 min

Week 2 • 2 scheduled blocks • 165 teaching minutes

Estimate. Show the method. Label units. Check the result.

Today’s exact schedule

9:00 AM–10:15 AM • 75 min

Equivalent fractions and comparing lengths

9:00 AM–9:05 AM	**Start**	5
9:05 AM–9:10 AM	**Recall**	5
9:10 AM–9:25 AM	**Teach**	15
9:25 AM–9:40 AM	**Together**	15
9:40 AM–10:00 AM	**Practise**	20
10:00 AM–10:10 AM	**Check**	10
10:10 AM–10:15 AM	**Wrap up**	5

Math • Math Week 2, Lesson 7

10:30 AM–12:00 PM • 90 min

Mixed numbers and fraction calculator entry

10:30 AM–10:35 AM	**Start**	5
10:35 AM–10:40 AM	**Recall**	5
10:40 AM–10:55 AM	**Teach**	15
10:55 AM–11:10 AM	**Together**	15
11:10 AM–11:45 AM	**Practise**	35
11:45 AM–11:55 AM	**Check**	10
11:55 AM–12:00 PM	**Wrap up**	5

Math • Math Week 2, Lesson 8

Break: 10:15 AM–10:30 AM • 15 minutes • excluded from teaching time

Equivalent fractions and comparing lengths

Today’s goal: Use equivalent fractions to order dimensions and explain the difference between two lengths.

Name one use for today’s skill.

Textbook Chapter 4 pp.59–61

Exercise Book 4A Q6–11 (p.26)

Keep your notebook, textbook, exercise book and chosen calculator ready.

Textbook Chapter 4 pp.59–61

Recall and reconnect

Show 1/2 and 8/16 on a rule. Explain why they refer to the same point.

Try first without displayed answers.

Resources: Exercise Book 4A Q6–11 (p.26)

Textbook Chapter 4 pp.59–61

Keep equivalent fractions equal

1. Multiply or divide numerator and denominator by the same nonzero number.
2. Changing the fraction’s name does not change its length.
3. Use a fraction strip or rule to show that equivalent values share one point.
4. Reduce the final answer when the question asks for lowest terms.



Textbook Chapter 4 pp.59–61


Compare pieces of the same size

1. Find a common denominator before comparing the numerators.
2. With equal denominators, the larger numerator names the longer length.
3. Subtract the equal-sized fractions to find how much longer.
4. Order labelled dimensions by their values, not by the display’s zoom.

Textbook Chapter 4 pp.59–61

Compare equal-sized fractional units

3/4 = 12/16
12/16 > 11/16
Difference = 12/16 − 11/16 = 1/16 in



The numerators can be compared because the pieces are now the same size. Confirm the two marks on a rule.

Together • Exercise Book 4A Q6–8.
Use fraction strips to explain the longer dimension.
Shape Canvas: compare labelled rectangles in inches, not screen lengths.

Textbook | page 59



Figure 4.7 $\frac{1}{2} = \frac{2}{4} = \frac{4}{8} = \frac{8}{16}$. The dashed line is at the half.


Textbook p.59 · Figure 4.7: equivalent fractions mark the same length.

Textbook Chapter 4 pp.59–61

Textbook | page 61

Example 4.5 Putting sizes in order

Three bolts have diameters of $\frac{3}{8}$ in, $\frac{5}{16}$ in and $\frac{1}{4}$ in. List them from smallest to largest.



SOLUTION

1. Change each to sixteenths: $\frac{3}{8} = \frac{6}{16}$, $\frac{5}{16}$ stays as it is, and $\frac{1}{4} = \frac{4}{16}$.
2. Put the numerators in order: 4, 5, 6.
3. The rule shows the same order from left to right.

Answer $\frac{1}{4}, \frac{5}{16}, \frac{3}{8}$

Textbook p.61 · Example 4.5: compare common denominators and confirm on the rule.

Textbook Chapter 4 pp.59–61

Spot the mistake. Explain the correction.

Is 11/16 longer than 3/4 because 11 is greater than 3?

Discuss the method before checking the answer.

Compare equal-sized parts: 3/4 = 12/16, which is longer than 11/16 by 1/16.

Textbook Chapter 4 pp.59–61

Work together

Work 4A questions 6–8 with fraction strips; confirm the longer length on a rule.

Work in pairs; alternate solver and checker.

Resources: Exercise Book 4A Q6–11 (p.26)

Textbook Chapter 4 pp.59–61


Guided practice | 4A Q6

Write $\frac{14}{32}$ and $\frac{36}{64}$ in lowest terms.

14/32



36/64



Work with a partner. Take turns explaining the next step.

Textbook Chapter 4 pp.59–61

Compare your method | 4A Q6

Write $\frac{14}{32}$ and $\frac{36}{64}$ in lowest terms.

CHECK TOGETHER

7/16 and 9/16

Textbook Chapter 4 pp.59–61

Your scheduled practice


Complete 4A questions 9–11. Place three labelled dimensions in order and explain the comparison to a partner.

Show working and units; estimate, then check.

Resources: Exercise Book 4A Q6–11 (p.26)

Textbook Chapter 4 pp.59–61

Open Numeracy Hub



Navigation example. Use the values and units in the assigned task.

Textbook Chapter 4 pp.59–61

Practise in Shape Canvas

1. Supported: Use fraction strips and a rule to explain the equivalence in 4A Q6–8.

2. Independent practice: In Shape Canvas, select inches and create three labelled dimensions from Q9–11.

3. Independent checking: Order the written values using common denominators and explain them to a partner.

Textbook Chapter 4 pp.59–61

Practise from the Exercise Book | 4A Q9

Put in order from smallest: $\frac{13}{32}$, $\frac{3}{8}$, $\frac{7}{16}$.

Write the operation, working and units before checking.

Textbook Chapter 4 pp.59–61

Practise from the Exercise Book | 4A Q10

Change $\frac{37}{8}$ and $\frac{53}{16}$ to mixed numbers.

Write the operation, working and units before checking.

Textbook Chapter 4 pp.59–61

Check independently

Complete 4A questions 6 and 8, showing the common denominator.

Answer independently and show the method.

Resources: Exercise Book 4A Q6–11 (p.26)

Textbook Chapter 4 pp.59–61

Independent check | 4A Q6

Write $\frac{14}{32}$ and $\frac{36}{64}$ in lowest terms.

Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.59–61

Independent check | 4A Q8

Which is longer, $\frac{9}{16}$ in or $\frac{5}{8}$ in? By how much?

Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.59–61

Wrap up and choose the next step

Share one learning point and one skill to practise next.

Record a takeaway and next action.

Resources: Exercise Book 4A Q6–11 (p.26)

Textbook Chapter 4 pp.59–61

Break

10:15 AM–10:30 AM

Return ready for: Mixed numbers and fraction calculator entry

This break is excluded from teaching minutes.

Mixed numbers and fraction calculator entry

Today’s goal: Convert mixed and improper fractions and match the calculator display to the written value.

Name one use for today’s skill.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Exercise Book 4A Q10–13 (p.26); 2A Q9 (p.14)

Keep your notebook, textbook, exercise book and chosen calculator ready.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Recall and reconnect

Explain how many eighths are in 4 5/8. Check the meaning of numerator and denominator.

Try first without displayed answers.

Resources: Exercise Book 4A Q10–13 (p.26); 2A Q9 (p.14)

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Turn whole units into fractional units

1 A mixed number contains a whole-number part and a fraction.

2 Multiply the whole number by the denominator, then add the numerator.

3 Keep the denominator: the size of each fractional unit has not changed.

4 Write the improper fraction before checking it on the calculator.



8 eighths | 8 eighths | 3 eighths

$$2\ 3/8 = (2 \times 8 + 3)/8$$

Textbook Chapter 4 pp.61–63; Chapter 2 p.34


Turn an improper fraction back into a mixed number

1 Divide the numerator by the denominator.

2 The whole-number quotient gives the whole part.

3 The remainder becomes the numerator over the original denominator.

4 Read the calculator display aloud and compare both parts with your written value.



19 eighths: 2 groups of 8 and 3 left over

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Change the form—not the value

$2\ 3/8 = (2 \times 8 + 3)/8 = 19/8$
$19 \div 8 = 2$ remainder $3 \rightarrow 2\ 3/8$

The denominator stays 8 because we are still counting eighths.
Read the calculator fraction display aloud; check that whole and fractional parts match your written value.

Together • Complete 4A Q10–12.
Compare paper conversions with Numeracy Hub Calculator using your selected model and the Textbook fraction-key sequence.

Textbook | page 63

CALCULATOR Keying in $3\frac{5}{8}$

TI-30Xa

Key in $3\frac{5}{8}$ and press =

[3] [a b/c] [5] [a b/c] [8] [=]

Display: 3 ⌟5 ⌟8

Change it to an improper fraction

[3] [a b/c] [5] [a b/c] [8] [=] [2nd] [d/c]

Display: 29 ⌟8

Sharp EL-531XT

Key in $3\frac{5}{8}$ and press =

[3] [a b/c] [5] [a b/c] [8] [=]

Display: 3 ⌜5 ⌜8

Change it to an improper fraction

[3] [a b/c] [5] [a b/c] [8] [=] [2ndF] [d/c]

Display: 29 ⌜8

Textbook p.63 · Enter a mixed number and change it to an improper fraction.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Textbook | page 62

Example 4.7 Mixed to improper

Change $3\frac{5}{8}$ to an improper fraction.

SOLUTION

1. Multiply the whole number by the denominator: 3 whole inches hold 3 × 8 = 24 eighths.
2. Add the numerator: 24 + 5 = 29. Write it over the same denominator.

Answer $3\frac{5}{8} = \frac{29}{8}$

Textbook p.62 · Example 4.7: whole × denominator + numerator.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Spot the mistake. Explain the correction.

A learner changes 2 3/8 into 5/8 by adding 2 + 3. Why is that wrong?

Discuss the method before checking the answer.

Two whole units contain 16 eighths. Add 3 more eighths: (2 × 8 + 3)/8 = 19/8.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Work together

Complete 4A questions 10–12. Compare paper conversions with calculator displays.

Work in pairs; alternate solver and checker.

Resources: Exercise Book 4A Q10–13 (p.26); 2A Q9 (p.14)

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Guided practice | 4A Q10

Change $\frac{37}{8}$ and $\frac{53}{16}$ to mixed numbers.

Work with a partner. Take turns explaining the next step.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Compare your method | 4A Q10

Change $\frac{37}{8}$ and $\frac{53}{16}$ to mixed numbers.

CHECK TOGETHER

4 5/8 and 3 5/16

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Your scheduled practice


Complete question 13 and practise entering the values in questions 10–12 without changing them. Use 2A question 9 as a supported extension, not an addition-speed test.

Show working and units; estimate, then check.

Resources: Exercise Book 4A Q10–13 (p.26); 2A Q9 (p.14)

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Open Numeracy Hub



Navigation example. Use the values and units in the assigned task.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Practise in Numeracy Hub

1. Supported: Select the learner’s Numeracy Hub calculator model and follow Textbook p.34.

2. Supported: Enter the values from 4A Q10–12 after completing each conversion on paper.

3. Independent checking: Complete Q10–11 without a calculator, then compare the display with your values.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Practise from the Exercise Book | 4A Q13

What is the reciprocal of $2\frac{1}{2}$?

Write the operation, working and units before checking.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Practise from the Exercise Book | 4A Q10

Change $\frac{37}{8}$ and $\frac{53}{16}$ to mixed numbers.

Write the operation, working and units before checking.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Check independently

Complete 4A questions 10–11 without the calculator, then check.

Answer independently and show the method.

Resources: Exercise Book 4A Q10–13 (p.26); 2A Q9 (p.14)

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Independent check | 4A Q10

Change $\frac{37}{8}$ and $\frac{53}{16}$ to mixed numbers.

Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Independent check | 4A Q11

Change $4\frac{7}{16}$ and $6\frac{3}{4}$ to improper fractions.

Answer independently. Keep worked solutions closed.

Textbook Chapter 4 pp.61–63; Chapter 2 p.34

Wrap up and choose the next step

Share one learning point and one skill to practise next.

Record a takeaway and next action.

Resources: Exercise Book 4A Q10–13 (p.26); 2A Q9 (p.14)

Textbook Chapter 4 pp.61–63; Chapter 2 p.34