

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 1 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2982	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2997	EVENT: Overpressure observed at 2967.6m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	2997	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3002	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 2 of 14

Well: DEMO-B-02 | **Rig:** OIL Rig E-1200

Date: 2023-03-15 | **Depth:** 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	840	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	880	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	920	Made connection at 920m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2296	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2311	EVENT: Fishing observed at 2288.9m TVD (Surma Group (demo)). Ran reverse circulation junk basket with magnet. Action taken: Ran reverse circulation junk basket with magnet
12:00 - 18:00	2311	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2316	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	3051	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	3066	EVENT: Overpressure observed at 3035.9m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	3066	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3071	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 5 of 14

Well: DEMO-B-02 | **Rig:** OIL Rig E-1200

Date: 2023-06-15 | **Depth:** 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2208	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2223	EVENT: Torque Spike observed at 2201.9m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2223	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2228	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-B-02 | **Rig:** OIL Rig E-1200

Date: 2023-07-15 | **Depth:** 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1720	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1760	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1800	Made connection at 1800m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-08-15 | Depth: 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2741	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2756	EVENT: Tight Hole observed at 2729.1m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2756	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2761	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 8 of 14

Well: DEMO-B-02 | **Rig:** OIL Rig E-1200

Date: 2023-09-15 | **Depth:** 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2160	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2200	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2240	Made connection at 2240m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2002	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2017	EVENT: Wellbore Instability observed at 1997.2m TVD (Girujan Clay (demo)). Weighted mud by 0.02 SG, elevated yield point. Action taken: Weighted mud by 0.02 SG, elevated yield point
12:00 - 18:00	2017	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2022	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	898	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	913	EVENT: Cementing Issue observed at 904.0m TVD (Tipam Sandstone (demo)). Performed squeeze cement job. Action taken: Performed squeeze cement job
12:00 - 18:00	913	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	918	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 11 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2820	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2860	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2900	Made connection at 2900m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1122	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1137	EVENT: Mud Loss observed at 1126.1m TVD (Tipam Sandstone (demo)). Added calcium carbonate fine bridging agent. Action taken: Added calcium carbonate fine bridging agent
12:00 - 18:00	1137	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1142	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	3070	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	3085	EVENT: Overpressure observed at 3054.6m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	3085	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3090	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 14 of 14

Well: DEMO-B-02 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2305	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2320	EVENT: Torque Spike observed at 2297.8m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2320	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2325	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units