

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 1 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	3129	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	3144	EVENT: Overpressure observed at 3113.2m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	3144	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3149	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 2 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2752	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2767	EVENT: Tight Hole observed at 2740.4m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2767	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2772	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1060	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1100	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1140	Made connection at 1140m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1280	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1320	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1360	Made connection at 1360m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 5 of 14

Well: DEMO-C-03 | **Rig:** OIL Rig E-1200

Date: 2023-06-15 | **Depth:** 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1500	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1540	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1580	Made connection at 1580m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-07-15 | Depth: 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2079	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2094	EVENT: Wellbore Instability observed at 2073.8m TVD (Girujan Clay (demo)). Weighted mud by 0.02 SG, elevated yield point. Action taken: Weighted mud by 0.02 SG, elevated yield point
12:00 - 18:00	2094	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2099	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-08-15 | Depth: 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2724	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2739	EVENT: Tight Hole observed at 2712.8m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2739	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2744	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 8 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-09-15 | Depth: 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2160	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2200	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2240	Made connection at 2240m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	328	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	343	EVENT: Npt Other observed at 340.5m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	343	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	348	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1958	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1973	EVENT: Wellbore Instability observed at 1954.2m TVD (Girujan Clay (demo)). Weighted mud by 0.02 SG, elevated yield point. Action taken: Weighted mud by 0.02 SG, elevated yield point
12:00 - 18:00	1973	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1978	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 11 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2820	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2860	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2900	Made connection at 2900m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	3040	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	3080	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	3120	Made connection at 3120m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1096	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1111	EVENT: Mud Loss observed at 1100.0m TVD (Tipam Sandstone (demo)). Added calcium carbonate fine bridging agent. Action taken: Added calcium carbonate fine bridging agent
12:00 - 18:00	1111	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1116	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 14 of 14

Well: DEMO-C-03 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	326	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	341	EVENT: Npt Other observed at 337.7m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	341	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	346	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units