

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 1 of 14

Well: DEMO-F-06 | **Rig:** OIL Rig E-1200

Date: 2023-02-15 | **Depth:** 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	620	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	660	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	700	Made connection at 700m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 2 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	840	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	880	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	920	Made connection at 920m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	381	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	396	EVENT: Npt Other observed at 392.5m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	396	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	401	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1101	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1116	EVENT: Mud Loss observed at 1105.5m TVD (Tipam Sandstone (demo)). Added calcium carbonate fine bridging agent. Action taken: Added calcium carbonate fine bridging agent
12:00 - 18:00	1116	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1121	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 5 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-06-15 | Depth: 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1500	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1540	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1580	Made connection at 1580m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-07-15 | Depth: 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	3113	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	3128	EVENT: Overpressure observed at 3098.0m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	3128	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3133	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-F-06 | **Rig:** OIL Rig E-1200

Date: 2023-08-15 | **Depth:** 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	298	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	313	EVENT: Npt Other observed at 309.9m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	313	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	318	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 8 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-09-15 | Depth: 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2160	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2200	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2240	Made connection at 2240m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	900	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	915	EVENT: Cementing Issue observed at 906.2m TVD (Tipam Sandstone (demo)). Performed squeeze cement job. Action taken: Performed squeeze cement job
12:00 - 18:00	915	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	920	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2241	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2256	EVENT: Torque Spike observed at 2233.7m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2256	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2261	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 11 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	494	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	509	EVENT: Npt Other observed at 504.7m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	509	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	514	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2602	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2617	EVENT: Mud Loss observed at 2591.6m TVD (Barail Upper Shale (demo)). Pumped LCM pill 30 ppb. Action taken: Pumped LCM pill 30 ppb
12:00 - 18:00	2617	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2622	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-F-06 | **Rig:** OIL Rig E-1200

Date: 2023-02-15 | **Depth:** 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	446	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	461	EVENT: Npt Other observed at 456.9m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	461	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	466	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 14 of 14

Well: DEMO-F-06 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	3480	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	3520	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	3560	Made connection at 3560m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units