

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 1 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2283	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2298	EVENT: Fishing observed at 2275.7m TVD (Surma Group (demo)). Ran reverse circulation junk basket with magnet. Action taken: Ran reverse circulation junk basket with magnet
12:00 - 18:00	2298	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2303	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 2 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2360	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2375	EVENT: Fishing observed at 2351.5m TVD (Surma Group (demo)). Ran reverse circulation junk basket with magnet. Action taken: Ran reverse circulation junk basket with magnet
12:00 - 18:00	2375	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2380	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2502	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2517	EVENT: Mud Loss observed at 2492.4m TVD (Barail Upper Shale (demo)). Pumped LCM pill 30 ppb. Action taken: Pumped LCM pill 30 ppb
12:00 - 18:00	2517	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2522	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1280	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1320	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1360	Made connection at 1360m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 5 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-06-15 | Depth: 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2520	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2535	EVENT: Mud Loss observed at 2510.8m TVD (Barail Upper Shale (demo)). Pumped LCM pill 30 ppb. Action taken: Pumped LCM pill 30 ppb
12:00 - 18:00	2535	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2540	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-07-15 | Depth: 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1767	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1782	EVENT: Tight Hole observed at 1764.6m TVD (Girujan Clay (demo)). Circulated high-pH pill, backreamed. Action taken: Circulated high-pH pill, backreamed
12:00 - 18:00	1782	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1787	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-08-15 | Depth: 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1008	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1023	EVENT: Mud Loss observed at 1013.6m TVD (Tipam Sandstone (demo)). Added calcium carbonate fine bridging agent. Action taken: Added calcium carbonate fine bridging agent
12:00 - 18:00	1023	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1028	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 8 of 14

Well: DEMO-H-08 | **Rig:** OIL Rig E-1200

Date: 2023-09-15 | **Depth:** 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2160	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2200	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2240	Made connection at 2240m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	490	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	505	EVENT: Npt Other observed at 500.9m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	505	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	510	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1858	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1873	EVENT: Tight Hole observed at 1855.0m TVD (Girujan Clay (demo)). Circulated high-pH pill, backreamed. Action taken: Circulated high-pH pill, backreamed
12:00 - 18:00	1873	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1878	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 11 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2820	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2860	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2900	Made connection at 2900m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2152	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2167	EVENT: Fishing observed at 2145.5m TVD (Surma Group (demo)). Ran reverse circulation junk basket with magnet. Action taken: Ran reverse circulation junk basket with magnet
12:00 - 18:00	2167	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2172	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	3260	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	3300	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	3340	Made connection at 3340m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 14 of 14

Well: DEMO-H-08 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2263	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2278	EVENT: Torque Spike observed at 2255.4m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2278	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2283	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units