

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 1 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	3069	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	3084	EVENT: Overpressure observed at 3053.8m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	3084	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3089	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 2 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2179	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2194	EVENT: Torque Spike observed at 2173.1m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2194	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2199	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	804	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	819	EVENT: Cementing Issue observed at 811.7m TVD (Dihing–Namsang (demo)). Performed squeeze cement job. Action taken: Performed squeeze cement job
12:00 - 18:00	819	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	824	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2329	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2344	EVENT: Torque Spike observed at 2321.7m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2344	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2349	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 5 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-06-15 | Depth: 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1827	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1842	EVENT: Wellbore Instability observed at 1824.6m TVD (Girujan Clay (demo)). Weighted mud by 0.02 SG, elevated yield point. Action taken: Weighted mud by 0.02 SG, elevated yield point
12:00 - 18:00	1842	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1847	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-07-15 | Depth: 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1789	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1804	EVENT: Tight Hole observed at 1786.3m TVD (Girujan Clay (demo)). Circulated high-pH pill, backreamed. Action taken: Circulated high-pH pill, backreamed
12:00 - 18:00	1804	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1809	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-08-15 | Depth: 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1940	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1980	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2020	Made connection at 2020m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 8 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-09-15 | Depth: 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2160	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2200	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2240	Made connection at 2240m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2941	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2956	EVENT: Overpressure observed at 2926.9m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	2956	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2961	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2376	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2391	EVENT: Mud Loss observed at 2368.3m TVD (Surma Group (demo)). Pumped LCM pill 30 ppb. Action taken: Pumped LCM pill 30 ppb
12:00 - 18:00	2391	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2396	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 11 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	350	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	365	EVENT: Npt Other observed at 362.1m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	365	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	370	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	3069	Rotary drilling in Kopili Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	3084	EVENT: Overpressure observed at 3053.7m TVD (Kopili Shale (demo)). Increased mud weight by 0.04 SG. Action taken: Increased mud weight by 0.04 SG
12:00 - 18:00	3084	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	3089	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2626	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2641	EVENT: Tight Hole observed at 2615.1m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2641	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2646	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 14 of 14

Well: DEMO-D-04 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	3480	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	3520	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	3560	Made connection at 3560m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units