

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 1 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	620	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	660	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	700	Made connection at 700m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 2 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	840	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	880	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	920	Made connection at 920m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1858	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1873	EVENT: Wellbore Instability observed at 1854.7m TVD (Girujan Clay (demo)). Weighted mud by 0.02 SG, elevated yield point. Action taken: Weighted mud by 0.02 SG, elevated yield point
12:00 - 18:00	1873	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1878	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	570	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	585	EVENT: Npt Other observed at 579.9m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	585	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	590	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 5 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-06-15 | Depth: 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2352	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2367	EVENT: Torque Spike observed at 2344.0m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2367	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2372	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-07-15 | Depth: 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2357	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2372	EVENT: Fishing observed at 2349.4m TVD (Surma Group (demo)). Ran reverse circulation junk basket with magnet. Action taken: Ran reverse circulation junk basket with magnet
12:00 - 18:00	2372	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2377	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-08-15 | Depth: 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1045	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1060	EVENT: Mud Loss observed at 1050.4m TVD (Tipam Sandstone (demo)). Added calcium carbonate fine bridging agent. Action taken: Added calcium carbonate fine bridging agent
12:00 - 18:00	1060	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1065	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 8 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-09-15 | Depth: 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2160	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2200	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2240	Made connection at 2240m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	874	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	889	EVENT: Cementing Issue observed at 880.9m TVD (Tipam Sandstone (demo)). Performed squeeze cement job. Action taken: Performed squeeze cement job
12:00 - 18:00	889	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	894	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	288	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	303	EVENT: Npt Other observed at 300.8m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	303	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	308	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 11 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2820	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2860	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2900	Made connection at 2900m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2439	Rotary drilling in Formation X, Barail Coal-Sand (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2454	EVENT: Fishing observed at 2430.4m TVD (Formation X, Barail Coal-Sand (demo)). Ran reverse circulation junk basket with magnet. Action taken: Ran reverse circulation junk basket with magnet
12:00 - 18:00	2454	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2459	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2309	Rotary drilling in Surma Group (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2324	EVENT: Torque Spike observed at 2301.7m TVD (Surma Group (demo)). Reduced WOB, increased RPM to 120. Action taken: Reduced WOB, increased RPM to 120
12:00 - 18:00	2324	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2329	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 14 of 14

Well: DEMO-J-10 | Rig: OIL Rig E-1200

Date: 2023-03-15 | Depth: 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	3480	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	3520	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	3560	Made connection at 3560m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units