

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 1 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 620 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1242	Rotary drilling in Tipam Sandstone (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1257	EVENT: Mud Loss observed at 1244.7m TVD (Tipam Sandstone (demo)). Added calcium carbonate fine bridging agent. Action taken: Added calcium carbonate fine bridging agent
12:00 - 18:00	1257	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1262	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 2 of 14

Well: DEMO-L-12 | **Rig:** OIL Rig E-1200

Date: 2023-03-15 | **Depth:** 840 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	840	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	880	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	920	Made connection at 920m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 3 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-04-15 | Depth: 1,060 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2465	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2480	EVENT: Mud Loss observed at 2455.9m TVD (Barail Upper Shale (demo)). Pumped LCM pill 30 ppb. Action taken: Pumped LCM pill 30 ppb
12:00 - 18:00	2480	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2485	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 4 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-05-15 | Depth: 1,280 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1280	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1320	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1360	Made connection at 1360m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 5 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-06-15 | Depth: 1,500 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	1500	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	1540	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	1580	Made connection at 1580m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 6 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-07-15 | Depth: 1,720 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2563	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2578	EVENT: Tight Hole observed at 2552.6m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2578	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2583	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 7 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-08-15 | Depth: 1,940 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	503	Rotary drilling in Dihing–Namsang (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	518	EVENT: Npt Other observed at 513.3m TVD (Dihing–Namsang (demo)). Replaced packing elements. Action taken: Replaced packing elements
12:00 - 18:00	518	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	523	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 8 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-09-15 | Depth: 2,160 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2519	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2534	EVENT: Tight Hole observed at 2509.5m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2534	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2539	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 9 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-10-15 | Depth: 2,380 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	2380	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	2420	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	2460	Made connection at 2460m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 10 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-11-15 | Depth: 2,600 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1851	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1866	EVENT: Tight Hole observed at 1848.0m TVD (Girujan Clay (demo)). Circulated high-pH pill, backreamed. Action taken: Circulated high-pH pill, backreamed
12:00 - 18:00	1866	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1871	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 11 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-12-15 | Depth: 2,820 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2669	Rotary drilling in Barail Upper Shale (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2684	EVENT: Tight Hole observed at 2658.0m TVD (Barail Upper Shale (demo)). Washed and reamed tight spot. Action taken: Washed and reamed tight spot
12:00 - 18:00	2684	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2689	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 12 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-01-15 | Depth: 3,040 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	2045	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	2060	EVENT: Wellbore Instability observed at 2040.0m TVD (Girujan Clay (demo)). Weighted mud by 0.02 SG, elevated yield point. Action taken: Weighted mud by 0.02 SG, elevated yield point
12:00 - 18:00	2060	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	2065	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

**OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)**

Page 13 of 14

Well: DEMO-L-12 | Rig: OIL Rig E-1200

Date: 2023-02-15 | Depth: 3,260 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 06:00	1864	Rotary drilling in Girujan Clay (demo) with 45 rpm and 18 klbs WOB.
06:00 - 12:00	1879	EVENT: Tight Hole observed at 1861.2m TVD (Girujan Clay (demo)). Circulated high-pH pill, backreamed. Action taken: Circulated high-pH pill, backreamed
12:00 - 18:00	1879	Monitored wellbore stability and circulated pill. Flow rate stabilized.
18:00 - 24:00	1884	Resumed drilling ahead slowly. Recorded surveys.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units

OIL INDIA LIMITED — Daily Drilling Report
(Synthetic)

Page 14 of 14

Well: DEMO-L-12 | **Rig:** OIL Rig E-1200

Date: 2023-03-15 | **Depth:** 3,480 m MD

Time (hrs)	Depth (m MD)	Operation / Lithology / Remarks
00:00 - 08:00	3480	Drilling ahead with PDC bit in sandstone/shale sequence.
08:00 - 16:00	3520	Circulated hole clean, pumped 20 bbl high viscosity sweep.
16:00 - 24:00	3560	Made connection at 3560m. Continued drilling.

Mud Weight: 1.32 SG	PV / YP: 16 cp	Flow In/Out: 520 gpm
SPP: 2,750 psi	Torque: 8.8 kft-lbs	Gas Units: 30 units