KALAM (கககக) — AGRICULTURAL INSIGHTS ATLAS

Ambasamudram & Cheranmahadevi Taluks, Tirunelveli · Multi-Year EO Analytics (2023–2026)

CROPPING INTENSITY

42.2% Double-Cropped Cropland

CANOPY VIGOUR

55.0% Normal / Vigorous Cropland

ANNUAL WATER DEMAND

42.64 Million m³ (MCM) Gross Requirement

EXECUTIVE INSIGHT SUMMARY & POLICY ACTION ITEMS

- **Cropping Intensity:** 42.2% of cropland (1269.4 ha) is double-cropped with Kar and Pishanam paddy cycles, with 1.3% under perennial banana.
- **Transplanting Calendar:** Peak Kar transplanting occurs in May (79.3% of Kar fields), while main Pishanam sowing peaks in Nov (70.6% of Pishanam fields). 0.0% of Pishanam acreage experiences delayed transplanting beyond November.
- **Irrigation Dependency & Water Access:** 14.7% of paddy acreage is concentrated within 500 m of a river channel, canal or irrigation tank. Banana accounts for 1.4% of cropland in the immediate 0–250 m corridor, decaying sharply beyond 1 km.
- **Crop Change & Farmland Dynamics:** Evaluated 3,011.2 ha of 3,011.2 ha cropland (confidence ≥ 0.60): 52.9% of paddy and 1.3% of banana parcels remained stable across 2023–2026, with 100.5 ha (3.3%) identified as candidate paddy-to-banana diversification.
- **Crop Health & NDVI Anomaly:** 55.0% of analyzed cropland displays normal or above-normal vegetative vigour. Vegetative moisture/vigour stress is observed across 45.1% (1165.6 ha) of cultivated area.
- **Indicative Gross Irrigation Requirement:** Total indicative gross irrigation requirement across analyzed farmed plains is 42.6 MCM/year. Paddy cycles (Kar & Pishanam) account for 88.5% (37.7 MCM), while perennial banana requires 0.8 MCM (1.9%).

Kalam © 2026 · Problem Statement 1 · SustainAI / Mapathon · Contains modified Copernicus Sentinel data

PHENOLOGY DYNAMICS & IRRIGATION ACCESS

01. Cropping Intensity



tivated (144.8 ha, 4.8%) | Single Crop (1556.5 ha, 51.7%) | Double Crop (1269.4 ha, 42.2%) | Triple Crop (0.0 ha, 0.0%)

02. Transplanting Calendar



Kar Peak (Jun–Jul) | Kar Late (Aug) | Pishanam Peak (Oct) | Pishanam Late (Nov–Dec)

03. Irrigation Dependency



0 – 250 m | 250 – 500 m | 500 – 1,000 m | 1,000 – 2,000 m

FARMLAND DYNAMICS, VIGOUR & IRRIGATION DEMAND

04. Crop Change & Loss



Stable Paddy | Stable Banana | Candidate Paddy → Banana | Banana → Paddy

05. NDVI Vigour Anomaly



Severe Stress (530.1 ha, 20.5%) | Stressed (635.5 ha, 24.6%) | Normal Vigour (1,369.7 ha, 52.9%) | Above Normal (53.4 ha, 2.1%)

06. Water Demand Budget



Kar Paddy (Short-duration) (17.0 MCM, 39.9%) | Samba Paddy (Main Season) (20.74 MCM, 48.6%) | Perennial Banana (Year-round) (0.81 MCM, 1.9%