Rajalakshmi Engineering College

Name: Gowtham P

Email: 241501060@rajalakshmi.edu.in

Roll no: 241501060 Phone: 8838517270

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

Input Format

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

Output Format

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

247507060

241501060

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 4
     101 102 103 104
     Output: Node Inserted
    101
 Node Inserted
     102 101
     Node Inserted
     103 102 101
     Node Inserted
     104 103 102 101
     Answer
     #include <iostream>
     using namespace std;
     struct node {
     int info;
       struct node* prev, * next;
     };
     struct node* start = NULL;
     void traverse() {
       struct node* temp = start;
       while(temp != NULL){
         printf("%d ",temp -> info);
         temp = temp -> next;
_ - t
printf("\n");
```

```
24,150,1060
    void insertAtFront(int data) {
   struct node* newNode;
      newNode = (struct node*) malloc (sizeof(struct node));
      newNode -> info = data;
      newNode -> prev = NULL;
      newNode -> next = start;
      if(start != NULL){
        start -> prev = newNode;
      start = newNode;
      printf("Node Inserted\n");
                                                                              241501060
                         241501060
int main() {
      int n, data;
      cin >> n;
      for (int i = 0; i < n; ++i) {
        cin >> data;
        insertAtFront(data);
        traverse();
      }
      return 0;
                                                                      Marks: 10/10
    Status : Correct
```

247507060

247507060

247507060

241501060