



Q1>a



The screenshot shows the AWS VPC console interface. On the left, there is a navigation menu with categories: Virtual private cloud, Security, and PrivateLink and Lattice. Under Virtual private cloud, there are links for Your VPCs, Subnets, Route tables, Internet gateways, Egress-only internet gateways, DHCP option sets, Elastic IPs, Managed prefix lists, NAT gateways, Peering connections, and Route servers. The main content area is titled 'Your VPCs' and shows a table with two VPCs. Below the table, there is a section titled 'Select a VPC above'.

Name	VPC ID	State	Encryption c...	Encryption control ...	Block Public...	IPv4 CIDR
my vpc	vpc-0574324d8d4df7de51	Available	-	-	Off	10.0.0.0/16
260240123017	vpc-029d650956bab360a	Available	-	-	Off	10.0.0.0/16

Q1> b



The screenshot shows the AWS Subnets console interface. On the left, there is a navigation menu with categories: Virtual private cloud, Security, and PrivateLink and Lattice. Under Virtual private cloud, there are links for Your VPCs, Subnets, Route tables, Internet gateways, Egress-only internet gateways, DHCP option sets, Elastic IPs, Managed prefix lists, NAT gateways, Peering connections, and Route servers. The main content area is titled 'Subnets (1)' and shows a table with one subnet. Below the table, there is a section titled 'Select a subnet'.

Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
public_subnet	subnet-0d0eba339ac7559ef	Available	vpc-029d650956bab360a 260...	Off	10.0.0.0/28



Free Cloud Computing Services - X amazon aws login - Search X VPC | ap-southeast-2 X +

https://ap-southeast-2.console.aws.amazon.com/vpcconsole/home?region=ap-southeast-2#CreateRouteTable:

aws Search [Alt+S]

VPC > Route tables > Create route table

Create route table Info

A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.

Route table settings

Name - optional
Create a tag with a key of 'Name' and a value that you specify.

public route

VPC
The VPC to use for this route table.

vpc-029d650956bab360a (260240123017)

Q |

vpc-029d650956bab360a (260240123017) ✓

vpc-0574324d84df7de51 (my vpc)

Key **Value - optional**

Q Name X Q public route X Remove

Add new tag

You can add 49 more tags.

Cancel Create route table

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny Search 11:53 08-06-2026

Free Cloud Computing Services - X amazon aws login - Search X VPC | ap-southeast-2 X +

https://ap-southeast-2.console.aws.amazon.com/vpcconsole/home?region=ap-southeast-2#RouteTableDetails:RouteTableId=rtb-00bbfe025f6f4443c

aws Search [Alt+S]

VPC > Route tables > rtb-00bbfe025f6f4443c

VPC dashboard

AWS Global View

Filter by VPC

- Virtual private cloud
 - Your VPCs
 - Subnets
 - Route tables
 - Internet gateways
 - Egress-only internet gateways
 - DHCP option sets
 - Elastic IPs
 - Managed prefix lists
 - NAT gateways
 - Peering connections
 - Route servers
- Security
 - Network ACLs
 - Security groups
- PrivateLink and Lattice
 - Getting started

Route table rtb-00bbfe025f6f4443c | public route was created successfully.

rtb-00bbfe025f6f4443c / public route

Actions

Details Info

Route table ID	Main	Explicit subnet associations	Edge associations
rtb-00bbfe025f6f4443c	No	-	-
VPC	Owner ID		
vpc-029d650956bab360a 260240123017	860510875883		

Routes Subnet associations Edge associations Route propagation Tags

Routes (1)

Filter routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local	Active	No	Create Route Table

Both Edit routes

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny Search 11:54 08-06-2026

Free Cloud Computing Services - X | amazon aws login - Search | VPC | ap-southeast-2

https://ap-southeast-2.console.aws.amazon.com/vpcconsole/home?region=ap-southeast-2#AttachInternetGateway:internetGatewayId=igw-04b905d9f15aae746

aws Search [Alt+S]

VPC > Internet gateways > Attach to VPC (igw-04b905d9f15aae746)

The following internet gateway was created: igw-04b905d9f15aae746 - PUBLIC GATEWAY. You can now attach to a VPC to enable the VPC to communicate with the internet. [Attach to a VPC](#)

Attach to VPC (igw-04b905d9f15aae746) Info

VPC
Attach an internet gateway to a VPC to enable the VPC to communicate with the internet. Specify the VPC to attach below.

Available VPCs
Attach the internet gateway to this VPC.

Q vpc-029d650956bab360a X

Use: "vpc-029d650956bab360a"

vpc-029d650956bab360a - 260240123017

vpc-0574324d84df7de51 - my vpc

[Cancel](#) [Attach internet gateway](#)

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny Search 11:54 08-06-2026

Free Cloud Computing Services - X | amazon aws login - Search | VPC | ap-southeast-2

https://ap-southeast-2.console.aws.amazon.com/vpcconsole/home?region=ap-southeast-2#EditRoutes:RouteTableId=rtb-00bbe025f6f4443c

aws Search [Alt+S]

VPC > Route tables > rtb-00bbe025f6f4443c > Edit routes

Edit routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/16	local	Active	No	CreateRouteTable
Q 0.0.0.0/0 X	local	-	No	CreateRoute
	Internet Gateway	-	No	CreateRoute
	Q igw-04b905d9f15aae746 X	-	No	CreateRoute

[Add route](#)

[Cancel](#) [Preview](#) [Save changes](#)

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny Search 11:55 08-06-2026

Free Cloud Computing Services - Xamazon aws login - SearchVPC | ap-southeast-2

https://ap-southeast-2.console.aws.amazon.com/vpcconsole/home?region=ap-southeast-2#RouteTableDetails:RouteTableId=rtb-00bbfe025f6f4443c

aws

Search[Alt+S]

Asia Pacific (Sydney)grv (860510875883)grv

VPC > Route tables > rtb-00bbfe025f6f4443c

Updated routes for rtb-00bbfe025f6f4443c / public route successfully
Details

rtb-00bbfe025f6f4443c / public routeActions

DetailsInfo

Route table ID
rtb-00bbfe025f6f4443c

VPC
vpc-029d650956bab360a | 260240123017

Main
No

Owner ID
860510875883

Explicit subnet associations
-

Edge associations
-

RoutesSubnet associationsEdge associationsRoute propagationTags

Routes (2)

Filter routes

Destination	Target	Status	Propagated	Route Origin
0.0.0.0/0	igw-04b905d9f15aae746	Active	No	Create Route
10.0.0.0/16	local	Active	No	Create Route Table

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

30°C Mostly sunny

Free Cloud Computing Services - Xamazon aws login - SearchVPC | ap-southeast-2

https://ap-southeast-2.console.aws.amazon.com/vpcconsole/home?region=ap-southeast-2#ModifyRouteTables:subnetId=subnet-0d0eba339ac7559ef

aws

Search[Alt+S]

Asia Pacific (Sydney)grv (860510875883)grv

VPC > Subnets > subnet-0d0eba339ac7559ef > Edit route table association

Edit route table associationInfo

Subnet route table settings

Subnet ID
subnet-0d0eba339ac7559ef

Route table ID
rtb-00bbfe025f6f4443c (public route)

Routes (2)

Filter routes

Destination	Target
10.0.0.0/16	local
0.0.0.0/0	igw-04b905d9f15aae746

CancelSave

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

30°C Mostly sunny



Free Cloud Computing Services - X amazon aws login - Search X Launch an instance | EC2 | ap-sou- X

https://ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2#LaunchInstances:

aws Search [Alt+S]

EC2 > Instances > Launch an instance

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

PUB_INSTANCE [Add additional tags](#)

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

[Browse more AMIs](#)
Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 26.04 LTS (HVM), SSM, Free tier eligible

Summary

Number of instances Info

1

Software Image (AMI)
Canonical, Ubuntu, 26.04, amd64...[read more](#)
ami-0a59248a6294ccec2

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

CloudShell Feedback Console Mobile

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny

Search

ENG IN 11:57 08-06-2026



Free Cloud Computing Services - X amazon aws login - Search X Launch an instance | EC2 | ap-sou- X

https://ap-southeast-2.console.aws.amazon.com/ec2/home?region=ap-southeast-2#LaunchInstances:

aws Search [Alt+S]

EC2 > Instances > Launch an instance

Additional costs apply for AMIs with pre-installed software

Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

GRVVVV [Create new key pair](#)

Network settings Info

VPC - *required* Info

vpc-029d650956bab360a (260240123017) 10.0.0.0/16

Subnet Info

subnet-0d0eba339ac7559ef public_subnet [Create new subnet](#)

VPC: vpc-029d650956bab360a Owner: 860510875883
Availability Zone: ap-southeast-2a (apsec2-az1) Zone type: Availability Zone
IP addresses available: 11 CIDR: 10.0.0.0/28

Auto-assign public IP Info

Enable

Firewall (security groups) Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Summary

Number of instances Info

1

Software Image (AMI)
Canonical, Ubuntu, 26.04, amd64...[read more](#)
ami-0a59248a6294ccec2

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)



CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny

Search

ENG IN 11:58 08-06-2026





Free Cloud Computing Services - X amazon aws login - Search X Launch an instance | EC2 | ap-southeast-2 X Instances | EC2 | ap-southeast-2 X EC2 Instance Connect | ap-southeast-2 X

https://ap-southeast-2.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0ed59859b0b4ef519&osUser=ubuntu®ion=ap-southeast-2&...

```
aws
Search [Alt+S]
Asia Pacific (Sydney) grv (860510875883) grv

ubuntu@ip-10-0-0-9:~$ ls
ubuntu@ip-10-0-0-9:~$ mkdir successfully_created
ubuntu@ip-10-0-0-9:~$ cd successfully_created
ubuntu@ip-10-0-0-9:~/successfully_created$
```

i-0ed59859b0b4ef519 (PUB_INSTANCE)
PublicIPs: 3.106.193.28 PrivateIPs: 10.0.0.9

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Hot days ahead 30°C Search ENG IN 12:00 08-06-2026

Q1>c

Free Cloud Computing Services - X amazon aws login - Search X Launch an instance | EC2 | ap-southeast-2 X S3 buckets | S3 | ap-southeast-2 X EC2 Instance Connect | ap-southeast-2 X

https://ap-southeast-2.console.aws.amazon.com/s3/home?region=ap-southeast-2#

Amazon S3

Buckets

General purpose buckets All AWS Regions Directory buckets

General purpose buckets (1) Info

Copy ARN Empty Delete Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
grv2003	Asia Pacific (Sydney) ap-southeast-2	June 8, 2026, 09:08:05 (UTC+05:30)

Account snapshot Info Updated daily View dashboard Storage Lens provides visibility into storage usage and activity trends.

External access summary Info Updated daily External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Very high UV Now Search ENG IN 12:02 08-06-2026

Free Cloud Computing Services - X amazon aws login - Search X Launch an instance | EC2 | ap-sou X Create S3 bucket | S3 | ap-southe X EC2 Instance Connect | ap-southe X

https://ap-southeast-2.console.aws.amazon.com/s3/bucket/create?region=ap-southeast-2

aws Search [Alt+S]

Asia Pacific (Sydney) grv (860510875883) grv

Amazon S3 > Buckets > Create bucket

Create bucket [info](#)

Buckets are containers for data stored in S3.

General configuration

AWS Region
Asia Pacific (Sydney) ap-southeast-2

Bucket namespace
Choose the namespace where you want to create your bucket. [Learn more](#)

☒ **Global namespace**
By default, S3 creates general purpose buckets in the global namespace.

☐ **Account Regional namespace (recommended)**
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket name [Info](#)
260240123017

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Object Ownership [info](#)

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny

Free Cloud Computing Services - X amazon aws login - Search X Launch an instance | EC2 | ap-sou X 260240123017 - S3 bucket | S3 | X EC2 Instance Connect | ap-southe X

https://ap-southeast-2.console.aws.amazon.com/s3/buckets/260240123017?region=ap-southeast-2&tab=objects

aws Search [Alt+S]

Asia Pacific (Sydney) grv (860510875883) grv

Amazon S3 > Buckets > 260240123017

Successfully created bucket "260240123017"

260240123017 [Info](#)

[Objects](#) [Metadata](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [File systems - new](#) [Access Points](#)

Objects (0) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

☒ Show versions < 1 > [Settings](#)

Name	Type	Last modified	Size	Storage class
No objects				
You don't have any objects in this bucket.				

[Upload](#)

CloudShell Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny

Free Cloud Computing Services - Xamazon aws login - SearchXLaunch an instance | EC2 | ap-southeast-2XUpload objects - S3 bucket 260240123017XEC2 Instance Connect | ap-southeast-2X

https://ap-southeast-2.console.aws.amazon.com/s3/upload/260240123017?region=ap-southeast-2

grv (860510875883)grv

Search[Alt+S]

Asia Pacific (Sydney)

Amazon S3> Buckets> 260240123017> Upload

Upload [Info](#)

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (1 total, 17.0 B)

RemoveAdd filesAdd folder

All files and folders in this table will be uploaded.

☐	Name	Folder	Type	Size
☐	index.html	-	text/html	17.0 B

Destination [Info](#)

Destination
<s3://260240123017>

Destination details
Bucket settings that impact new objects stored in the specified destination.

Permissions
Grant public access and access to other AWS accounts.

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

30°C Mostly sunnySearch08-06-2026

Free Cloud Computing Services - Xamazon aws login - SearchXLaunch an instance | EC2 | ap-southeast-2XUpload objects - S3 bucket 260240123017XEC2 Instance Connect | ap-southeast-2X

https://ap-southeast-2.console.aws.amazon.com/s3/upload/260240123017?region=ap-southeast-2

grv (860510875883)grv

Search[Alt+S]

Asia Pacific (Sydney)

Amazon S3

Upload succeeded
For more information, see the Files and folders table.

Close

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination s3://260240123017	Succeeded 1 file, 17.0 B (100.00%)	Failed 0 files, 0 B (0%)
---	--	------------------------------------

Files and foldersConfiguration

Files and folders (1 total, 17.0 B)

Name	Folder	Type	Size	Status	Error
index.html	-	text/html	17.0 B	Succeeded	-

CloudShellFeedbackConsole Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

30°C Mostly sunnySearch08-06-2026

Free Cloud Computing Services | amazon aws login - Search | Launch an instance | EC2 | ap-southeast-2 | 260240123017 - S3 bucket | S3 | EC2 Instance Connect | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2 | +

https://ap-southeast-2.console.aws.amazon.com/s3/buckets/260240123017?region=ap-southeast-2&tab=objects

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

260240123017

Objects (1)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

Show versions

1

Name	Type	Last modified	Size	Storage class
index.html	html	June 8, 2026, 12:06:45 (UTC+05:30)	17.0 B	Standard

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny

amazon aws login - Search | Launch an instance | EC2 | ap-southeast-2 | 260240123017 - S3 bucket | S3 | EC2 Instance Connect | ap-southeast-2 | EC2 Instance Connect | ap-southeast-2 | +

https://ap-southeast-2.console.aws.amazon.com/s3/buckets/260240123017?region=ap-southeast-2&tab=permissions

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Files

File systems

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

260240123017

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)


Edit Delete

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "Statement1",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "S3:GetObject",
      "Resource": "arn:aws:s3:::260240123017/*"
    }
  ]
}
```


Copy

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Mostly sunny



Q2>a



```
exam@PG-ITISS11 MINGW64 ~
$ echo "this is my prn 260240123017" > index.html

exam@PG-ITISS11 MINGW64 ~
$ docker build -t gauravrajbankar/260240123017image:v1 .
[+] Building 7.4s (8/8) FINISHED
=> [internal] load build definition from Dockerfile
    0.0s
=> => transferring dockerfile: 116B
    0.0s
=> [internal] load metadata for docker.io/library/nginx:alpine
    3.3s
=> [auth] library/nginx:pull token for registry-1.docker.io
    0.0s
=> [internal] load .dockerignore
    0.1s
=> => transferring context: 2B
    0.0s
=> [internal] load build context
    0.1s
=> => transferring context: 65B
    0.0s
=> [1/2] FROM docker.io/library/nginx:alpine@sha256:8b1e78743a03dbb2c95171cc58639fef29abc8816598e27fb910ed2e621e589a
=> => resolve docker.io/library/nginx:alpine@sha256:8b1e78743a03dbb2c95171cc58639fef29abc8816598e27fb910ed2e621e589a
    0.1s
=> => sha256:fbaed3f7fcbe6a0d591ac8601934f1f05252cee42741fde9e950dce55580af18 20.28MB / 20.28MB
    1.7s
=> => sha256:a5008f4a4b257356728e2feaf2b5b9e2054c0c577d324e76abbf14470b5f1cfd 1.40kB / 1.40kB
    0.7s
=> => sha256:e654dbbb9e15a1fa035d24728aeb60bc655f4ebd4d6215a496b77a7d104697 1.21kB / 1.21kB
    0.9s
=> => sha256:94d083cf706ab544ec7e9bcaba5c164db87b3d3a56176bf2fca440d535c16b0d 405B / 405B
    0.9s
=> => sha256:43f834d60d8af3f133c7e76a202d28cd62cc026a561edca72ee752ef01bfaacd 628B / 628B
    0.4s
=> => sha256:de1b677d8c003ce9e558f3a0cd4dec3c035f424ecd68063043a593ad572257 957B / 957B
=> => sha256:abaae85d1626e429b3f1209aea369c0af9562cc06b5e075c006e0f699bba35f2 1.88MB / 1.88MB
```

Q2>b

```
exam@PG-ITISS11 MINGW64 ~
$ docker run -d -p 8084:8084 gauravrajbankar/260240123017image:v1
44b2d7ef88072a2c2ec4b52a13e0a7616530a8956a15aaf00fc22a820d331949

exam@PG-ITISS11 MINGW64 ~
$ docker push gauravrajbankar/260240123017image:v1
The push refers to repository [docker.io/gauravrajbankar/260240123017image]
a5008f4a4b25: Pushed
f8685564136d: Pushed
43f834d60d8a: Pushed
6a0ac1617861: Pushed
94d083cf706a: Pushed
e654dbbb9e1: Pushed
fbaed3f7fcbe: Pushed
5743777af668: Pushed
de1b677d8c00: Pushed
abaae85d1626: Pushed
v1: digest: sha256:94829de6bd94eb0517d5844e8b8c6e823206c6179bbda128acba3f2d32a2cc97 size: 856
```

Q2>c

```
exam@PG-ITISS11 MINGW64 ~
$ docker service create --name 260240123017 --replicas 2 -p 8084:8084 gauravrajbankar/260240123017image:v1
819830uzfe0h968kdrw1mbpdj
overall progress: 2 out of 2 tasks
1/2: running [=====]
2/2: running [=====]
verify: Service 819830uzfe0h968kdrw1mbpdj converged
```

```
exam@PG-ITISS11 MINGW64 ~
$ docker service scale 260240123017=5
260240123017 scaled to 5
overall progress: 5 out of 5 tasks
1/5: running [=====]
2/5: running [=====]
3/5: running [=====]
4/5: running [=====]
5/5: running [=====]
verify: Service 260240123017 converged
```

Q2>d,e

```

exam@PG-ITISS11 MINGW64 ~
$ docker build -t gauravrajbankar/260240123017image:v2 .
[+] Building 2.7s (8/8) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 116B
=> [internal] load metadata for docker.io/library/nginx:alpine
=> [auth] library/nginx:pull token for registry-1.docker.io
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [internal] load build context
=> => transferring context: 57B
=> CACHED [1/2] FROM docker.io/library/nginx:alpine@sha256:8b1e78743a03dbb2c95171cc58639fef29abc8816598e27fb910ed2e621e589a
=> => resolve docker.io/library/nginx:alpine@sha256:8b1e78743a03dbb2c95171cc58639fef29abc8816598e27fb910ed2e621e589a
=> [2/2] COPY index.html /usr/share/nginx/html/index.html
=> exporting to image
=> => exporting layers
=> => exporting manifest sha256:017a1d54def247b0ab2a92f659ac23e8f885eadfe061747f6657a9cb3a8da7c4
=> => exporting config sha256:5ea7a79e576f1c9a153d9ef3bfbfcd9bac5758efbd0f09020d5e86011b9af84
=> => exporting attestation manifest sha256:55261baa1a8d01aff261f06ac42cf4b6723c4012439f86fe1c04dbb2c5f5e3b5
=> => exporting manifest list sha256:308e6607fa85694fcf3633582aadd96f97ebf29c539f28312f51c8f5f147f268
=> => naming to docker.io/gauravrajbankar/260240123017image:v2
=> unpacking to docker.io/gauravrajbankar/260240123017image:v2

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/t9oqatov795s1o7l3zobkyg6

exam@PG-ITISS11 MINGW64 ~
$ docker push gauravrajbankar/260240123017image:v2
The push refers to repository [docker.io/gauravrajbankar/260240123017image]
a5008f4a4b25: Layer already exists
87a698c9e819: Pushed
43f834d6d08a: Layer already exists
de1b677d8c00: Layer already exists
abaae85d1626: Layer already exists
94d083cf706a: Layer already exists
fbaed3f7fcbe: Layer already exists
e654dbbbb9e1: Layer already exists
b1bb1c59408: Pushed
6a0ac1617861: Layer already exists
v2: digest: sha256:308e6607fa85694fcf3633582aadd96f97ebf29c539f28312f51c8f5f147f268 size: 856

```