

Appendix A: Illustrations and Conceptual Schematics

This appendix synthesizes the foundational visual assets, mathematical plotting models, and topological projections mapping the bimodal field transitions across bulk dimensional horizons as established in the source configuration.

FIGURE 1: THE THICK BRANE INTERFACE (Σ)




Figure 1: The Thick Brane Interface (Σ). A cross-sectional view of our 4D manifold showing finite topological 'thickness' within the 5th and 6th dimensions, illustrating gauge boson (photon) localization vs. graviton permeability.

FIGURE 2: THE SCREENING GATE (G_{eff})




Figure 2: The Screening Gate (g_{eff}). A plot of the gate function $g_{eff}(R)$ vs. local curvature (R). Shows the sharp transition from 0 (high-density/local) to 1 (low-density/voids), representing the suppression of bulk coupling in local gravity environments.

FIGURE 3: EVANESCENT FIELD DECAY




Figure 3: Evanescent Field Decay. A mathematical plot showing the amplitude of a gauge field $A_\mu(y)$ decaying exponentially as it penetrates the interface Σ . Demonstrates why the twin manifold remains optically dark.

FIGURE 4: TIDAL SHADOW POTENTIAL (DARK MATTER)




Figure 4: Tidal Shadow Potential (Dark Matter). A conceptual diagram showing the 'shadow' potential Φ_{shadow} projected by the twin manifold's mass distribution, showing how it flattens rotation curves without requiring dark matter haloes.

FIGURE 5: AXIS OF EVIL ANISOTROPY




Figure 5: Axis of Evil Anisotropy. A projection of the CMB showing the low-multipole moments ($l=2, l=3$) aligned along a preferred vector n_i , derived from the orientation of the hyperspatial shear tensor $S_{\mu,\nu}$.