
Eco vs selected-PSM stage features (position)
* BH q < 0.05 within outcome/scenario/method; all three predictors and stages
Between participants
Within participant
Within participant
adjusted for task order + attempt
A: Reach Ring (selected PSM)
A: Grab Ring (selected PSM)
A: Transfer Ring (selected PSM)
A: Place Ring (selected PSM)
A: Drop Ring (selected PSM)
C: Reach String (selected PSM)
C: Threading (selected PSM)
C: Wrap around PSM (selected PSM)
C: Pull/cinch (selected PSM)
-0.40 +0.28 +0.41
+0.26 +0.16 +0.35
-0.50 -0.50 +0.65
+0.11 +0.14 +0.33
excluded excluded excluded
+0.13 -0.17 -0.52
low N low N low N
+0.18 -0.33 +0.53
excluded excluded excluded
+0.12 +0.33 +0.16
+0.01 +0.01 +0.18
+0.35 +0.34 +0.13
-0.18 -0.02 -0.17
excluded excluded excluded
+0.00 +0.42 +0.26
low N low N low N
-0.17 +0.33 +0.26
excluded excluded excluded
+0.20 +0.22 +0.00
-0.33 +0.09 +0.29
-0.06 -0.01 +0.15
-0.03 +0.01 -0.20
excluded excluded excluded
-0.01 +0.45 +0.36
low N low N low N
-0.15 +0.21 +0.21
excluded excluded excluded
Signed lag
Absolute lag
Peak r
Rank association
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
One PSM chosen per recording/stage by largest signed xcorr peak, before score matching.
Positive signed lag = gaze leads. Scores describe whole attempts. Missing outcomes are excluded.
Selected PSM indicates stronger correlation, not necessarily the operated instrument.