Ecosystem

Andres Almiray


Coafmiray


2



About the Speaker

- ✓ Java developer since the beginning
- ✓ True believer in Open Source
- ✓ Groovy committer since 2007
- ✓ Project lead of the **Griffon** framework
- Currently working for Canoo





















http://grails.org








http://gradle.org







http://griffon-framework.org









http://spockframework.org







http://gvmtool.net





WEB FRAMEWORKS

















LIBRARIES





http://gcontracts.org

Provides "Design by Contract" capabilities import org.gcontracts.annotations.* @Invariant({ speed() >= 0 }) class Rocket { @Requires({ isStarted() }) @Ensures({ old.speed < speed })</pre> def accelerate() { ... } boolean isStarted() { ... } def speed() { ... }







http://gpars.codehaus.org







http://groovyfx.org







http://timyates.github.io/groovy-stream/

```
def s = Stream.from(x:1..5, y:1..3)
              .filter { (x + y) % (x + 2) == 0 }
              .map \{ x + y \}
// Returns results for:
// 3 - when - x:1, y:2 as (1+2)%(1+2) == 0
// 4 - when - x:2, y:2 as (2+2)\%(2+2) == 0
// 5 - when - x:3, y:2 as (3+2)%(3+2) == 0
// 6 - when - x:4, y:2 as (4+2)%(4+2) == 0
// 7 - when - x:5, y:2 as (5+2)%(5+2) == 0
assert s.collect() == [3, 4, 5, 6, 7]
```







https://github.com/dsrkoc/groovy-sql-stream-extension

```
sql.withStream('...') { stream ->
    stream.collectMany { row ->
        [row.col a + row.col b, row.col c * 2]
    }.collect {
        it < 10 ? it * 10 : it + 10
    }.findAll {
        it % 2 == 0
    }.toList()
```





TOOLS







http://github.com/aalmiray/jipsy

http://github.com/aalmiray/gipsy







http://gant.codehaus.org







http://groovy.github.io/GMavenPlus





http://easyb.org



```
scenario "DictionaryService can find the word 'Griffon'", {
    given "an instance of DictionaryService is available", {
        service = new DictionaryService()
    }

    when "the word 'Griffon' is used as parameter", {
        result = service.findDefinition('Griffon')
    }

    then "the definition should be found", {
        result.shouldBe "Desktop application development platform."
    }
}
```







http://codenarc.sourceforge.net



http://www.gebish.org

```
import geb.Browser
Browser.drive {
    go "http://myapp.com/login"
    assert $("h1").text() == "Please Login"
    $("form.login").with {
        username = "admin"
        password = "password"
        login().click()
    assert $("h1").text() == "Admin Section"
```





http://kobo.github.io/groovyserv/

Runs a JVM in the background, enables faster execution of scripts

Pair with @Grab to reap the benefits of fast, self contained scripts!

Multi platform support

GVM friendly







http://github.com/pledbrook/lazybones







http://www.crashub.org/


An embeddable shell for the Java Platform

Executes Groovy based commands



your provider for business web solutions >

http://grooscript.org/



Transpiler from Groovy in Javascript





PUBLISHING TOOLS







http://jbaje.org



The "Jekyll" for the JVM

Supports GSP templates

Will support Cedric's new Groovy Template engine





http://sysgears.com/grain/



Static website generator

Supports various formats such as Asciidoc and Markdown





https://github.com/kobo/gaiden

Simplifies creating Markdown based documentation.

Pages, chapters, table of contents, templates

GVM friendly





THE FUTURE?





Cédric Champeau @CedricChampeau



Netflix, the largest single source of traffic in US is using #groovylang, #grailsfw and #gradle at its core, and you say you can't?

9:51 AM - 16 Jul 2014

81 RETWEETS **24** FAVORITES









Andres Almiray @aalmiray

Canoo Engineering AG