

Bangla review sheet

Every Bangla string the Aninda Studio system currently intends to ship, at the exact size and in the exact face it will ship in — Noto Serif Bengali, beside Literata.

The automated checks have already proved that none of this is *broken*: the মাত্রা is continuous across all 866 pixel columns measured, all sixteen tested conjuncts shape correctly, no glyph is missing. What no check can prove is whether it is *good*.

What to look for, in order of how much it matters

- Does it read as Bangla, or as English in Bangla script?**
The rule this system sets itself is that Bangla is written as Bangla — same meaning, different sentences — never translated word by word. Row 18 sets the register for everything else, so start there.
- Is the word the one a Bangladeshi reader would actually use?**
Several rows below offer a formal Bangla word and an English loanword, because I genuinely do not know which is right. Pick.
- Is the register consistent?**
A studio run by one person should not sound like a government form.
- Do any conjuncts look wrong?**
Row 23 is the stress test. If a form there looks broken, that is the font or the shaping, not the wording — tell me and I will fix it at that level.
- Row 24 is at the 12px floor.**
If the মাত্রা has greyed out on your screen, the floor is too low and I will raise it.

Every string in the register, with the English it renders, the Bangla proposed for it at the size it is drawn, and the question I am unsure about. Choose OK or Change on each row.

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
1 .	wm-1 The wordmark, everywhere Latin 44px → Bangla 36.2px	aninda studio	অনিন্দ্য স্টুডিও	Is স্টুডিও right, or should the Bangla lockup be অনিন্দ্য on its own? Does the ন্দ্য conjunct look correct at this size?	☐ OK ☐ Change what it should
2 .	wm-2 Favicon, avatar, tight lockups Latin 32px → Bangla 26.3px	Aninda Studio (short form)	অনিন্দ্য	Does the name alone read as a studio name, or only as a person's name?	☐ OK ☐ Change what it should
3 .	th-1 Theme switcher Latin 16px → Bangla 13.1px	Light	আলো	আলো means 'light' as in illumination. Is that right for a UI theme, or is উজ্জ্বল (bright) or দিন (day) more natural?	☐ OK ☐ Change what it should
4 .	th-2 Theme switcher Latin 16px → Bangla 13.1px	Dark	অন্ধকার	অন্ধকার is literally 'darkness' and may be too heavy. Is গাঢ় (deep) or রাত (night) better?	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
5.	th-3 Theme switcher, accessibility settings Latin 16px → Bangla 13.1px	More contrast	বেশি কনট্রাস্ট	CHANGED. বৈসাদৃশ্য was not merely heavy — it means 'dissimilarity', not display contrast, so it was the right word for the wrong sense. কনট্রাস্ট is licensed as a loanword by rule ২.৬, and বেশি avoids the তৎসম register clash that উচ্চ would have kept.	☐ OK ☐ Change what it should
6.	c1-1 Guidebook, colour chapter Latin 21px → Bangla 17.2px	Estuary — the ground colour	মোহনা	মোহনা is where a river meets the sea. Does it carry the right feeling for a deep green-teal?	☐ OK ☐ Change what it should
7.	c1-2 Guidebook, colour chapter Latin 21px → Bangla 17.2px	Tidewater — the accent	জোয়ার	জোয়ার is the incoming tide. Right for a brighter cyan-teal?	☐ OK ☐ Change what it should
8.	c1-3 Guidebook, the four status colours Latin 21px → Bangla 17.2px	Silt / Kans / Laterite / Monsoon	পলি · কাশ · লাল মাটি · বর্ষা	These name success, warning, danger and information. Do they read as a set? Is লাল মাটি too literal for an error colour?	☐ OK ☐ Change what it should
9.	bt-1 Primary button Latin 16px → Bangla 13.1px	Save the entry	লেখাটি সংরক্ষণ করুন	The voice rule is that buttons are verbs with their object. Is সংরক্ষণ করুন too formal for a small studio's tools? Would সেভ করুন be more honest?	☐ OK ☐ Change what it should
	bt-2 Secondary button Latin 16px → Bangla 13.1px	Cancel	বাতিল করুন	Natural, or stiff?	☐ OK ☐ Change what it should
11.	bt-3 Destructive button Latin 16px → Bangla 13.1px	Delete the file	ফাইলটি মুছে ফেলুন	Does this carry enough weight for an action that cannot be undone?	☐ OK ☐ Change what it should
12.	bt-4 Error recovery Latin 16px → Bangla 13.1px	Try again	আবার চেষ্টা করুন	Natural?	☐ OK ☐ Change what it should
13.	bt-5 Code block Latin 16px → Bangla 13.1px	Copy the code	কোডটি কপি করুন	কপি is an English loanword written in Bangla. Right, or should it be অনুলিপি করুন?	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
14.	ms-1 Error message Latin 16px → Bangla 13.1px	Couldn't save. Your work is still here — try again in a moment.	সংরক্ষণ করা যায়নি। আপনার লেখা এখনো আছে — একটু পরে আবার চেষ্টা করুন।	CHANGED এখনও → এখনো. The Academy dictionary lists এখনও only as a cross-reference (দ্র এখনো); এখনো carries the entry. Says what happened, then what happens next, and does not blame the reader.	☐ OK ☐ Change what it should
15.	ms-2 Error message Latin 16px → Bangla 13.1px	That file is too large. The limit is 10 MB.	ফাইলটি অনেক বড়ো। সর্বোচ্চ ১০ মেগাবাইট।	CHANGED twice: বড় → বড়ো (the dictionary headword; বড় has no entry, rule ২.৩), and সর্বোচ্চ সীমা → সর্বোচ্চ, which was a doublet adding only weight. Bengali digits ১০ are kept — Academy standard for Bangla running text.	☐ OK ☐ Change what it should
16.	ms-3 Empty state Latin 16px → Bangla 13.1px	Nothing here yet. Add your first entry to begin.	এখনো কিছু নেই। শুরু করতে প্রথম লেখাটি যোগ করুন।	CHANGED এখনও → এখনো, same ruling as ms-1. Tells the reader what to do next rather than only what is absent.	☐ OK ☐ Change what it should
17.	ms-4 Success toast Latin 14px → Bangla 12px	Saved	সংরক্ষিত হয়েছে	Kept. Agrees with the Save button, so the two never disagree about the word.	☐ OK ☐ Change what it should
18.	vc-1 The voice sample, used in the guidebook and on the website Latin 21px → Bangla 17.2px	I build small, careful software. If something has a limit, you'll find it written down here — nothing gets hidden.	আমি ছোটো, যত্নে গড়া সফটওয়্যার বানাই। কোনো কিছুর সীমা থাকলে সেটা এখানেই লেখা থাকবে — লুকিয়ে রাখা হবে না।	CHANGED ছোট → ছোটো. Doubly sourced: rule ২.৩ names ছোটো in its own example list (কালো, খাটো, ছোটো, ভালো), and ছোটো is the dictionary headword while ছোট has no entry. This one string sets the register for every Bangla sentence in the system, so the spelling had to be right. The English was also rewritten to be warmer and less defensive.	☐ OK ☐ Change what it should
19.	gb-1 Guidebook chapter titles Latin 21px → Bangla 17.2px	Welcome · The name · The mark	স্বাগতম · নাম · চিহ্ন	চিহ্ন means 'mark' or 'sign'. Right for a logo, or is লোগো clearer?	☐ OK ☐ Change what it should
20.	gb-2 Guidebook chapter titles Latin 21px → Bangla 17.2px	Colour · Type · Space and shape	রং · হরফ · ফাঁক ও আকার	হরফ means letterform. Is it right for a typography chapter, or is টাইপোগ্রাফি expected?	☐ OK ☐ Change what it should
21.	gb-3 Guidebook chapter titles Latin 21px → Bangla 17.2px	Components · Motion · Voice	উপাদান · গতি · কণ্ঠস্বর	Do these read as a set of chapter titles?	☐ OK ☐ Change what it should
22.	gb-4 Guidebook chapter title — the honest list Latin 21px → Bangla 17.2px	What this system does not do	যা এই পদ্ধতি করে না	CHANGED ব্যবস্থা → পদ্ধতি. ব্যবস্থা reads administrative in Bangladeshi usage (ব্যবস্থা নেওয়া — 'to take measures'); পদ্ধতি is a dictionary headword and the plain Bangla for a system.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
23.	cj-1 Not shipped — a rendering check Latin 32px → Bangla 26.3px	Conjunct stress test	ক্ষত্রজ্জন্দ্যস্ত্রষঃস্ত্র ক্ষা দ্ব	Every one of these should be a single joined form with no dotted circle and no visible hasanta. If any looks wrong, the font or the shaping is at fault, not the wording.	☐ OK ☐ Change what it should
24.	cj-2 Not shipped — the size-floor check Latin 12px → Bangla 12px	The মাত্রা at caption size	বাংলা লেখা ছোট আকারে	This is at the 12px floor. Is the মাত্রা still solid, or has it greyed out? This is the single measurement that set the floor.	☐ OK ☐ Change what it should
25.	card.colour.name The component card library Latin 16px → Bangla 13.1px	Colour	রং	Verified string gb-4, BANGLA-STANDARD.md. Rule ২.৪ names রং in its own example list; রং is the dictionary headword (p. 1156), রঙ has no entry.	☐ OK ☐ Change what it should
26.	card.colour.subtitle The component card library Latin 16px → Bangla 13.1px	Every colour role across four themes, each with the contrast ratio it was measured at and the criterion it was measured against, over the seven surfaces they are measured against.	চার থিমে প্রতিটি রঙের ভূমিকা — প্রতিটির মাপা কনট্রাস্ট অনুপাত আর কোন মানদণ্ডে মাপা হয়েছে	কনট্রাস্ট reused from verified th-3; loanword licensed by rule ২.৬. কোন = which (interrogative), correct per the dictionary entry at p. 337. থিম is a ২.৬ loanword, not a dictionary headword. Bengali numeral ১৭ per house rule 9. REVISED 19 Aug 2026: the numeral ১৭ removed, no word changed. It counted ten measured roles plus seven surfaces, but the seven surfaces carry no ratio and no criterion, so the sentence claimed a measurement for seven values that have none — and the count changed again when a proven fill role was added. A count that must stay true is derived or absent, never typed. Pending confirmation by the Bangla reviewer.	☐ OK ☐ Change what it should
27.	card.typography.name The component card library Latin 16px → Bangla 13.1px	Typography	হরফ	Verified string gb-5, BANGLA-STANDARD.md. Dictionary headword; plainer than টাইপোগ্রাফি or অক্ষরবিন্যাস.	☐ OK ☐ Change what it should
28.	card.typography.subtitle The component card library Latin 16px → Bangla 13.1px	One scale of a perfect fourth, two scripts, a measured multiplier for Bangla and a floor it never goes below.	পারফেক্ট ফোর্থ অনুপাতে একটি স্কেল, দুই লিপি, বাংলার জন্য মেপে নেওয়া গুণক আর যে মাপের নিচে হরফ কখনো নামে না	কখনো with ও-কার per BANGLA-STANDARD.md house rule 1 (dictionary headword; কখনও is not). নিচ with short ই-কার per rule ২.১ (অতৎসম). লিপি and গুণক are plain dictionary words; পারফেক্ট ফোর্থ is the interval's name, a ২.৬ loanword.	☐ OK ☐ Change what it should
29.	card.space-and-shape.name The component card library Latin 16px → Bangla 13.1px	Space and shape	ফাঁক ও আকার	Verified string gb-6, BANGLA-STANDARD.md. চন্দ্রবিন্দু on ফাঁক is lexical; the Academy has no rule on it.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
30.	<code>card.space-and-shape.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A 4 px scale in ten steps, and four radii. Everything in the system sits on one of them.	দশ ধাপে ৪ পিক্সেলের একটি স্কেল আর চার রকম কোণের বাঁক — পদ্ধতির সবকিছু এর কোনো একটির উপর বসে	কোনো = any/some per rule ২.৩ and the dictionary (p. 338). কোণ (corner) keeps ণ as a তৎসম under ণ-ত্ব বিধান — distinct from কোন/(কোনো). পদ্ধতি reused from verified gb-10. পিক্সেল is a ২.৬ loanword; checked 14 Aug 2026, not a dictionary headword.	☐ OK ☐ Change what it should
31.	<code>card.motion.name</code> The component card library Latin 16px → Bangla 13.1px	Motion	গতি	Verified string gb-8, BANGLA-STANDARD.md.	☐ OK ☐ Change what it should
32.	<code>card.motion.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Two durations and three easing curves. Things that move may overshoot; things that only change colour never do.	দুটি সময়কাল আর তিনটি ইজিং বাঁক — যা নড়ে তা একটু বেশি এগিয়ে ফিরে আসতে পারে, যার শুধু রং বদলায় তা কখনো নয়	রং standing alone takes অনুস্বার per rule ২.৪. কখনো per house rule 1. বাঁক is the plain native word for a curve; ইজিং is a ২.৬ loanword with no native equivalent in real use.	☐ OK ☐ Change what it should
33.	<code>card.the-marks.name</code> The component card library Latin 16px → Bangla 13.1px	The marks	চিহ্ন	Verified string gb-3, BANGLA-STANDARD.md. চিহ্ন is reserved for the brand marks throughout, so icons take আইকন — one name for one thing.	☐ OK ☐ Change what it should
34.	<code>card.the-marks.subtitle</code> The component card library Latin 16px → Bangla 13.1px	The mark in two weights, drawn in <code>currentColor</code> so it takes whatever theme it lands in.	চিহ্ন দুই ওজনে — <code>currentColor</code> দিয়ে আঁকা, তাই যে থিমে বসে সেই থিমের রং নিয়ে নেয়	মোহনা reused from verified col-1 (Estuary). <code>currentColor</code> stays Latin: a code token copied literally, per BANGLA-STANDARD.md house guidance 3. REVISED 19 Aug 2026: 'Estuary'/(মোহনা removed. That name belongs to the ground colour ramp — it is the ramp's description in <code>primitive.tokens.json</code> and what <code>colour.md</code> calls it — and it was also being used for the mark, whose own files and chapter call it only 'the mark'. <code>naming.md</code> opens 'One name for one thing, everywhere.' Pending confirmation by the Bangla reviewer.	☐ OK ☐ Change what it should
35.	<code>card.accessibility.name</code> The component card library Latin 16px → Bangla 13.1px	Accessibility	অভিগম্যতা	Not a dictionary headword (checked 14 Aug 2026). Chosen on Bangladeshi institutional usage: the government's own accessibility project is branded অভিগম্য অভিধান — <code>accessibledictionary.gov.bd</code> . See open question 1.	☐ OK ☐ Change what it should
36.	<code>card.accessibility.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Target sizes with the guidance each one comes from, the anatomy of the focus ring, and what happens in forced colours — the mode where the operating system replaces every colour with its own.	ছোঁয়ার জায়গার মাপ আর তার নির্দেশনার উৎস, ফোকাস রিঙের গড়ন, আর ফোর্সড কালার্স মোডে কী হয় — যেখানে অপারেটিং সিস্টেম নিজের রং বসিয়ে সব রং বদলে দেয়	রিঙের takes ঙ because a vowel follows, per rule ২.৪ (cf. রঙের). কী = what, দীর্ঘ ঙ্গ-কার per rule ৩.১. ছোঁয়ার জায়গা is plain and physical, in place of the stiff লক্ষ্যবস্তুর আকার.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
37.	<code>card.button.name</code> The component card library Latin 16px → Bangla 13.1px	Button	বাটন	Rule ২.৬ loanword, and what a Bangladeshi developer says. বোতাম is a dictionary headword (p. 1018) and is used in some Bangla localisations — see open question 4.	☐ OK ☐ Change what it should
38.	<code>card.button.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Four kinds, two sizes and an icon-only form, each with a label that says what will happen.	চার রকম, দুই মাপ আর শুধু আইকনের একটি রূপ — প্রতিটির লেখা বলে দেয় কী ঘটবে	কী = what per rule ৩.১. আইকন rather than চিহ্ন, which is reserved for the brand marks (gb-3). লেখা for label keeps the same word the verified strings use (bt-1, ms-1).	☐ OK ☐ Change what it should
39.	<code>card.input.name</code> The component card library Latin 16px → Bangla 13.1px	Input	ইনপুট	Rule ২.৬ loanword; the word Bangladeshi developers use for the element. No native word is in real use for it.	☐ OK ☐ Change what it should
40.	<code>card.input.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A label, an optional hint, and an error that says what happened and then what to do next.	ঘরের নাম, দরকারে একটি ইঙ্গিত, আর ভুল হলে যে বার্তা বলে কী হয়েছে আর তারপর কী করতে হবে	ইঙ্গিত and বার্তা are plain dictionary words, preferred over হিন্ট and মেসেজ. কী = what per rule ৩.১. ঘর for a form field is the ordinary Bangla word.	☐ OK ☐ Change what it should
41.	<code>card.select.name</code> The component card library Latin 16px → Bangla 13.1px	Select	বাছাই তালিকা	Both words are ordinary Bangla (বাছাই, তালিকা) and say what the control does. Preferred over সিলেক্ট for a card title a non-developer also reads.	☐ OK ☐ Change what it should
42.	<code>card.select.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A native select with a drawn arrow, so the arrow follows the theme instead of the operating system.	ব্রাউজারের নিজের সিলেক্ট, তিরটি আঁকা — তাই তির অপারেটিং সিস্টেমের নয়, থিমের রং নেয়	তির (arrow) takes short ই-কার per rule ২.১ as an অতৎসম word, and is a dictionary headword (p. 604); তীর with দীর্ঘ ঙ্গ is the তৎসম word for a riverbank. সিলেক্ট names the HTML element here, so the loanword is the precise term.	☐ OK ☐ Change what it should
43.	<code>card.checkbox-radio.name</code> The component card library Latin 16px → Bangla 13.1px	Checkbox and radio	চেকবক্স ও রেডিও	Rule ২.৬ loanwords; no native equivalents are in real use. চেক follows rule ২.১০ — no hasanta (the rules list চেক by name).	☐ OK ☐ Change what it should
44.	<code>card.checkbox-radio.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Native controls at 24 px, wrapped in a label so the words are part of the target.	ব্রাউজারের নিজের চেকবক্স ও রেডিও, ২৪ পিক্সেল মাপে — লেখাটিও সঙ্গে জোড়া, তাই লেখায় ঝুলেও কাজ হয়	Bengali numeral ২৪ per house rule 9 (measurement in prose). Says the consequence in plain terms rather than translating "part of the target".	☐ OK ☐ Change what it should
45.	<code>card.textarea.name</code> The component card library Latin 16px → Bangla 13.1px	Textarea	লেখার ঘর	Two ordinary words, and it says exactly what the control is. Keeps লেখা, the noun the verified strings already use for a user's entry (bt-1, ms-1, ms-3).	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
46 .	<code>card.textarea.subtitle</code> The component card library Latin 16px → Bangla 13.1px	You can drag it taller but never wider, so the line length stays comfortable to read.	টেনে লম্বা করা যায়, চওড়া নয় — তাই লাইনের মাপ পড়ার মতো আরামেই থাকে	নিশ্চয়ার্থক ই attached in full in আরামেই, per rule ৩.৫ (আজই, এখনই). Plain চলিত throughout per rule ৫ and §৭ of BANGLA-STANDARD.md.	☐ OK ☐ Change what it should
47 .	<code>card.badge.name</code> The component card library Latin 16px → Bangla 13.1px	Badge	ব্যাজ	Rule ২.৬ loanword, and the word used for a UI badge. তকমা is the native word but carries a faintly pejorative sense in Bangladeshi usage.	☐ OK ☐ Change what it should
48 .	<code>card.badge.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Five meanings, each carrying a glyph and a word so the colour is the third signal and never the only one.	পাঁচটি অর্থ, প্রতিটির সঙ্গে একটি প্রতীক ও একটি শব্দ — রং এখানে তৃতীয় সংকেত, কখনো একমাত্র নয়	প্রতীক for glyph, keeping চিহ্ন free for the brand marks. রং word-final takes অনুস্বার per rule ২.৪. কখনো per house rule 1.	☐ OK ☐ Change what it should
49 .	<code>card.card.name</code> The component card library Latin 16px → Bangla 13.1px	Card	কার্ড	Rule ২.৬ loanword; universal in Bangladeshi usage and unambiguous. তাস means a playing card and would mislead.	☐ OK ☐ Change what it should
50 .	<code>card.card.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A surface a step brighter than the page, with a shadow in the light theme and none in the dark ones.	পাতার চেয়ে এক ধাপ উজ্জ্বল একটি তল — আলো থিমে ছায়া পড়ে, অন্ধকার থিমে পড়ে না	আলো and অন্ধকার reused from verified th-1 and th-2.	☐ OK ☐ Change what it should
51 .	<code>card.alert.name</code> The component card library Latin 16px → Bangla 13.1px	Alert	বার্তা	Plain native word, and accurate: the card holds four kinds including success and information, so সতর্কবার্তা (warning) would be wrong for three of them.	☐ OK ☐ Change what it should
52 .	<code>card.alert.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Four kinds. Each says what happened, then what happens next, and never blames the reader.	চার রকম — প্রতিটি বলে কী হয়েছে, তারপর কী হবে, আর কখনো পাঠককে দোষ দেয় না	কী = what per rule ৩.১; কখনো per house rule 1. Matches the verified ms-1, which states the position and then the next step without blame.	☐ OK ☐ Change what it should
53 .	<code>card.dialog.name</code> The component card library Latin 16px → Bangla 13.1px	Dialog	ডায়ালগ	Rule ২.৬ loanword, and the name of the HTML element. সংলাপ means a conversation and would not be understood as this control.	☐ OK ☐ Change what it should
54 .	<code>card.dialog.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A real dialog element over a dimmed backdrop, with the destructive action named rather than called OK.	ব্রাউজারের নিজের ডায়ালগ উপাদান, পিছনে আবছা পর্দা — যে কাজ আর ফেরানো যায় না তার নাম লেখা থাকে, শুধু OK নয়	উপাদান reused from verified gb-7 (components). "যে কাজ আর ফেরানো যায় না" carries "destructive" in plain words instead of ধ্বংসাত্মক. OK stays Latin: it is the literal button label being argued against.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
55.	<code>card.table.name</code> The component card library Latin 16px → Bangla 13.1px	Table	টেবিল	Rule ২.৬ loanword, and what Bangladeshi developers say. সারপি is the school-textbook word — see open question 5.	☐ OK ☐ Change what it should
56.	<code>card.table.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Row headers, a caption saying what the numbers are, and a sideways scroll when the table is wider than the space.	সারির শিরোনাম, সংখ্যাগুলো কীসের তা বলা এক লাইনের পরিচয়, আর জায়গার চেয়ে চওড়া হলে পাশে সরিয়ে দেখা	সারি, শিরোনাম and পরিচয় are plain dictionary words; "পাশে সরিয়ে দেখা" avoids the loanword স্ক্রল where a native phrase reads naturally.	☐ OK ☐ Change what it should
57.	<code>card.tabs.name</code> The component card library Latin 16px → Bangla 13.1px	Tabs	ট্যাব	Rule ২.৬ loanword; universal in Bangladeshi usage, and no native word exists for it.	☐ OK ☐ Change what it should
58.	<code>card.tabs.subtitle</code> The component card library Latin 16px → Bangla 13.1px	The selected tab is bold, underlined and marked with aria-selected. Three signals, one of which is a colour.	বাছাই করা ট্যাব মোটা হরফে, নিচে দাগ, আর aria-selected দিয়ে চিহ্নিত — তিনটি সংকেত, তার একটি রং	হরফ reused from verified gb-5. নিচ with short ই-কার per rule ২.১. aria-selected stays Latin: a code token copied literally.	☐ OK ☐ Change what it should
59.	<code>card.nav.name</code> The component card library Latin 16px → Bangla 13.1px	Nav	নেভিগেশন	Rule ২.৬ loanword. পথনির্দেশ is a coinage nobody uses for site navigation; মেনু names a different thing and is kept for it.	☐ OK ☐ Change what it should
60.	<code>card.nav.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Vertical and horizontal. The current item carries a bar, a heavier weight and aria-current.	খাড়া আর আড়াআড়ি — এখন যেখানে আছেন সেই অংশে একটি দাগ, ভারী হরফ আর aria-current	খাড়া and আড়াআড়ি are the plain native words for vertical and horizontal, in place of উল্লম্ব and অনুভূমিক. aria-current stays Latin.	☐ OK ☐ Change what it should
61.	<code>card.breadcrumb.name</code> The component card library Latin 16px → Bangla 13.1px	Breadcrumb	পথরেখা	Two ordinary words (পথ, রেখা) that say what the trail is. ব্রেডক্রাম্ব transliterates to "bread crumb" in Bangla and carries none of the meaning — see open question 6.	☐ OK ☐ Change what it should
62.	<code>card.breadcrumb.subtitle</code> The component card library Latin 16px → Bangla 13.1px	The last item is not a link, because you are already on it.	শেষ ধাপটি লিংক নয়, কারণ আপনি এখন সেখানেই আছেন	নিশ্চয়্যার্থক ই in সেখানেই per rule ৩.৫. লিংক with অনুস্বার by the rule ২.8 pattern, as in the Academy's own ইংরেজি.	☐ OK ☐ Change what it should
63.	<code>card.toast.name</code> The component card library Latin 16px → Bangla 13.1px	Toast	টোস্ট	Rule ২.৬ loanword; what developers say. It also reads as the bread — see open question 2.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
64.	<code>card.toast.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A short message with a dismiss button that has a name of its own, not only a cross.	ছোটো একটি বার্তা, সরানোর বাটনটির নিজের নাম আছে — শুধু একটি ক্রস নয়	ছোটো with ও-কার: named in rule ২.৩'s example list and the dictionary headword; ছোট has no entry. বাটন matches card.button.name.	☐ OK ☐ Change what it should
65.	<code>card.empty-state.name</code> The component card library Latin 16px → Bangla 13.1px	Empty state	যখন কিছু নেই	Written as Bangla rather than calqued: it echoes the verified ms-3, এখনো কিছু নেই। A phrase as a title follows the approved gb-10, যা এই পদ্ধতি করে না.	☐ OK ☐ Change what it should
66.	<code>card.empty-state.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Says what is missing, and then exactly what to do about it.	কী নেই তা বলে, তারপর ঠিক কী করতে হবে সেটাও বলে	কী = what per rule ৩.১.	☐ OK ☐ Change what it should
67.	<code>card.code-block.name</code> The component card library Latin 16px → Bangla 13.1px	Code block	কোড ব্লক	কোড reused from verified bt-5 (কোডটি কপি করুন); ব্লক is a rule ২.৬ loanword in ordinary use.	☐ OK ☐ Change what it should
68.	<code>card.code-block.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Aninda Mono, a horizontal scroll rather than a wrap, and a copy button that says what it copies.	Aninda Mono হরফে, লাইন ভাঙে না — পাশে সরে যায়, আর কপি বাটনটি বলে কী কপি হবে	Aninda Mono stays Latin: a product name that must stay recognisable, per house guidance 2. কপি is a dictionary headword (p. 265) and is used in verified bt-5.	☐ OK ☐ Change what it should
69.	<code>card.sign-in.name</code> The component card library Latin 16px → Bangla 13.1px	Sign in	প্রবেশ	Plain native word, and the one Bangla sites already use (প্রবেশ করুন). Preferred over সাইন ইন or লগ ইন.	☐ OK ☐ Change what it should
70.	<code>card.sign-in.subtitle</code> The component card library Latin 16px → Bangla 13.1px	One card, two fields, and an option for someone who has no password.	একটি কার্ড, দুটি ঘর, আর যার পাসওয়ার্ড নেই তার জন্যও একটি উপায়	পাসওয়ার্ড spelt with স per rule ২.৮ (ইংরেজি s ধ্বনির জন্য স — পাসপোর্ট, বাস). Plain যার/তার rather than the honorific যাঁর/তাঁর, since the Academy has no চন্দ্রবিন্দু rule and the plain form suits the register.	☐ OK ☐ Change what it should
71.	<code>card.settings.name</code> The component card library Latin 16px → Bangla 13.1px	Settings	সেটিংস	Rule ২.৬ loanword; universal in Bangladeshi software. বিন্যাস means layout and would mislead.	☐ OK ☐ Change what it should
72.	<code>card.settings.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Grouped in fieldsets, with the destructive action kept apart and named.	ঘরগুলো দলে সাজানো, আর যে কাজ আর ফেরানো যায় না সেটি আলাদা রাখা, নাম ধরে লেখা	"যে কাজ আর ফেরানো যায় না" matches card.dialog.subtitle — one name for one thing.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
73.	card.dashboard.name The component card library Latin 16px → Bangla 13.1px	Dashboard	ড্যাশবোর্ড	Rule ২.৬ loanword; no native equivalent is in use.	☐ OK ☐ Change what it should
74.	card.dashboard.subtitle The component card library Latin 16px → Bangla 13.1px	Four figures, one table, and a note saying where the numbers came from.	চারটি সংখ্যা, একটি টেবিল, আর সংখ্যাগুলো কোথা থেকে এসেছে তা বলা একটি লাইন	টেবিল matches card.table.name. Counts up to ten are written as words (চারটি) and larger ones as Bengali numerals, per house rule 9.	☐ OK ☐ Change what it should
75.	card.docs-page.name The component card library Latin 16px → Bangla 13.1px	Docs page	নির্দেশিকার পাতা	নির্দেশিকা is a dictionary headword (p. 746) and the everyday Bangladeshi word for a manual (ব্যবহার নির্দেশিকা). সহায়িকা was rejected: not a headword (checked 14 Aug 2026).	☐ OK ☐ Change what it should
76.	card.docs-page.subtitle The component card library Latin 16px → Bangla 13.1px	Breadcrumb, page navigation and prose held to a readable line length.	পথরেখা, পাতার ভিতরের নেভিগেশন, আর পড়ার মতো মাপে ধরে রাখা লেখা	পথরেখা and নেভিগেশন match card.breadcrumb.name and card.nav.name. মতো with ও-কার per rule ২.৩, which lists it by name.	☐ OK ☐ Change what it should
77.	card.landing.name The component card library Latin 16px → Bangla 13.1px	Landing	প্রথম পাতা	Plain and true to the thing: the page a visitor arrives on. ল্যান্ডিং পাতা is the developer's phrase and remains available if the site later needs to distinguish it from a home page.	☐ OK ☐ Change what it should
78.	card.landing.subtitle The component card library Latin 16px → Bangla 13.1px	A claim, the reason to believe it, and two ways forward.	একটি দাবি, সেটি বিশ্বাস করার কারণ, আর এগিয়ে যাওয়ার দুটি পথ	Plain চলিত; all four nouns are ordinary dictionary words.	☐ OK ☐ Change what it should
79.	card.pricing.name The component card library Latin 16px → Bangla 13.1px	Pricing	দাম	The plainest native word, and the one people actually use. মূল্যতালিকা is the shopfront word and reads formal.	☐ OK ☐ Change what it should
80.	card.pricing.subtitle The component card library Latin 16px → Bangla 13.1px	Three plans, with the recommended one marked by a badge and a word.	তিনটি প্যাকেজ, সুপারিশ করা প্যাকেজটির গায়ে একটি ব্যাজ আর একটি শব্দ	প্যাকেজ is what Bangladeshi users call a priced tier (ইন্টারনেট প্যাকেজ); a rule ২.৬ loanword, not a dictionary headword (checked 14 Aug 2026). পরিকল্পনা would mean a scheme, not a tier. ব্যাজ matches card.badge.name.	☐ OK ☐ Change what it should
81.	card.not-found.name The component card library Latin 16px → Bangla 13.1px	Not found	পাতা পাওয়া যায়নি	Same string as ui.not-found, so the pattern and the page it describes are named identically.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
82.	<code>card.not-found.subtitle</code> The component card library Latin 16px → Bangla 13.1px	Says the page is missing, then offers the pages most people were looking for.	পাতাটি নেই তা জানায়, তারপর মানুষ যেসব পাতা সবচেয়ে বেশি খোঁজেন সেগুলো দেখায়	Plain চলিত verb forms per rule ৫ and §৭. খোঁজেন keeps the ordinary polite third person.	☐ OK ☐ Change what it should
83.	<code>card.form-with-validation.name</code> The component card library Latin 16px → Bangla 13.1px	Form with validation	যাচাইসহ ফর্ম	ফর্ম and যাচাই are both plain and in ordinary use; যাচাই is preferred over ভ্যালিডেশন. Compound written closed per rule ৩.২ (সমাসবদ্ধ পদ).	☐ OK ☐ Change what it should
84.	<code>card.form-with-validation.subtitle</code> The component card library Latin 16px → Bangla 13.1px	A summary at the top, an error under each field, and nothing lost.	উপরে এক জায়গায় সব ভুলের তালিকা, প্রতিটি ঘরের নিচে তার নিজের ভুল, আর কিছুই হারায় না	তালিকা preferred over the loanword লিস্ট. নিচ with short ই-কার per rule ২.১. নিশ্চয়ার্থক ই in কিছুই per rule ৩.৫.	☐ OK ☐ Change what it should
85.	<code>chapter.welcome</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Welcome	স্বাগতম	Verified string gb-1, BANGLA-STANDARD.md.	☐ OK ☐ Change what it should
86.	<code>chapter.the-name</code> A guidebook chapter title Latin 21px → Bangla 17.2px	The name	নাম	Verified string gb-2, BANGLA-STANDARD.md.	☐ OK ☐ Change what it should
87.	<code>chapter.icons</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Icons	আইকন	Rule ২.৬ loanword. চিহ্ন is already the mark (gb-3), so reusing it here would break the one-name-one-thing rule; প্রতীক is kept for a glyph inside a component.	☐ OK ☐ Change what it should
88.	<code>chapter.components</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Components	উপাদান	Verified string gb-7, BANGLA-STANDARD.md.	☐ OK ☐ Change what it should
89.	<code>chapter.voice</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Voice	কণ্ঠস্বর	Verified string gb-9, BANGLA-STANDARD.md. ণ is correct here by ণ-ত্ব বিধান (তৎসম).	☐ OK ☐ Change what it should
90.	<code>chapter.writing-in-bangla</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Writing in Bangla	বাংলায় লেখা	বাংলা keeps অনুস্বার — rule ২.8 says so by name ("বাংলা ও বাংলাদেশ শব্দে অনুস্বার থাকবে"). লেখা is the noun the verified strings already use.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
91.	<code>chapter.applying-it</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Applying it	কাজে লাগানো	Plain চলিত idiom. প্রয়োগ is correct but reads like a manual; কাজে লাগানো is what a person says.	☐ OK ☐ Change what it should
92.	<code>chapter.licence-and-trademarks</code> A guidebook chapter title Latin 21px → Bangla 17.2px	Licence and trademarks	লাইসেন্স ও ট্রেডমার্ক	Both are dictionary headwords — লাইসেন্স p. 1201, ট্রেডমার্ক p. 558 — and ট্রেডমার্ক is the term in Bangladesh's own statute, ট্রেডমার্ক আইন, ২০০৯ (bdlaws.minlaw.gov.bd, act-1010). পণ্যচিহ্ন is the older word and is not what the law uses.	☐ OK ☐ Change what it should
93.	<code>theme.hc-light</code> The theme switcher, on every surface Latin 16px → Bangla 13.1px	High contrast, light	বেশি কনট্রাস্ট, আলো	Verified th-3 (বেশি কনট্রাস্ট) joined to verified th-1 (আলো) with the same comma the English label uses. Comma is ordinary Western punctuation in Bangla — W3C Bengali orthography notes.	☐ OK ☐ Change what it should
94.	<code>theme.hc-dark</code> The theme switcher, on every surface Latin 16px → Bangla 13.1px	High contrast, dark	বেশি কনট্রাস্ট, অন্ধকার	Verified th-3 joined to verified th-2, same construction as theme.hc-light.	☐ OK ☐ Change what it should
95.	<code>ui.skip-to-content</code> Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Skip to next content	সরাসরি মূল অংশে যান	Written as Bangla, not calqued: a skip link says where it takes you. সরাসরি carries "skip" without the awkward এড়িয়ে যান, which would read as "avoid it".	☐ OK ☐ Change what it should
96.	<code>ui.menu</code> Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Menu	মেনু	Rule ২.৬ loanword; universal. তালিকা is kept for an actual list, so the two do not collide.	☐ OK ☐ Change what it should
97.	<code>ui.close</code> Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Close	বন্ধ করুন	Plain চলিত imperative, matching the verified button set (বাতিল করুন, আবার চেষ্টা করুন).	☐ OK ☐ Change what it should
98.	<code>ui.search</code> Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Search	খুঁজুন	Plain native imperative; অনুসন্ধান করুন is the official-notice register the brand avoids. চন্দ্রবিন্দু is lexical.	☐ OK ☐ Change what it should
99.	<code>ui.copy</code> Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Copy	কপি করুন	Matches verified bt-5. কপি is a dictionary headword (p. 265); অনুলিপি would be less standard, not more.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
100.	ui.copied Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Copied	কপি হয়েছে	Built on verified ms-4 (সংরক্ষিত হয়েছে) so the two confirmations sound alike.	☐ OK ☐ Change what it should
101.	ui.download Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Download	ডাউনলোড করুন	Rule ২.৬ loanword; what Bangladeshi users say and read everywhere. নামিয়ে নিন is native but ambiguous on its own.	☐ OK ☐ Change what it should
102.	ui.loading Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Loading	লোড হচ্ছে...	Rule ২.৬ loanword, চলিত continuous per rule ৫. The plainer আসছে... was considered and set aside as too vague on its own.	☐ OK ☐ Change what it should
103.	ui.back-to-top Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Back to the top	উপরে ফিরে যান	Plain চলিত imperative; উর্ধ্বে would be তৎসম register against the brand voice.	☐ OK ☐ Change what it should
104.	ui.read-more Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	Read more	আরও পড়ুন	আরও keeps its full ও — the Academy dictionary calls it আরো-র সংগততর বানান (p. 164), and it does not follow the এখনো pattern. House rule 1.	☐ OK ☐ Change what it should
105.	ui.language Interface furniture — the site, the cards, the plugins Latin 16px → Bangla 13.1px	English / বাংলা	English / বাংলা	Identical in both languages by design: each half is written in its own script so a reader of either language can find it without first understanding the other. বাংলা keeps অনুস্বার per rule ২.৪.	☐ OK ☐ Change what it should
106.	status.success Status and validation messages Latin 16px → Bangla 13.1px	Success	সফল	Plain dictionary word, one syllable pair, fits a badge.	☐ OK ☐ Change what it should
107.	status.warning Status and validation messages Latin 16px → Bangla 13.1px	Warning	সতর্কতা	Plain dictionary word. সাবধান is an imperative shout and is too loud for a status label.	☐ OK ☐ Change what it should
108.	status.error Status and validation messages Latin 16px → Bangla 13.1px	Error	সমস্যা	সমস্যা names the situation without implying the reader caused it, which matches the brand rule that errors never blame the reader. ত্রুটি is the more conventional UI word — see open question 3. ভুল stays for a wrong entry in a specific form field.	☐ OK ☐ Change what it should

ROW	WHERE IT APPEARS	ENGLISH	BANGLA, AT SIZE	WHAT I AM UNSURE ABOUT	OK / CHANGE
	<code>status.info</code> Status and validation messages Latin 16px → Bangla 13.1px	Information	তথ্য	Plain dictionary word, universally understood.	☐ OK ☐ Change what it should
109.					

Choose **OK** or **Change** for each row, and type the correction where you choose Change. Then press **Copy my answers** and paste the result back to me — or press **Save as a file** and send that. Anything you change here changes at the source: these strings are generated into the guidebook, the component library, the website and both plugins from one place, so nothing is ever corrected twice.

Why this page has buttons instead of printed boxes. The first version of this sheet was a PDF with boxes to tick. It came back with nothing in it — the annotations were made in a viewer that never wrote them into the file, and there was no way to tell that had happened until the boxes were read back and found empty. Marks made here are read straight out of the page, so they cannot go missing the same way.