Date! □□□□

1. 🗆 🗆
2. 🗆
2.1. 000000
2.2. 000000
3. 000000
3.1. /date
3.2./year6
3.3. /month
3.4. /day
3.5. /time
3.6. /hour
3.7. /minute
3.8. /second
3.9. /zone
3.10. /timezone
3.11. /yearday
3.12. /weekday
3.13. /week
3.14. /isoweek
3.15. 00000000000000000000000000000000000
3.16. Pick000000000000000000000000000000000000
4. 0000
4.1. UNIXOO
4.2. 00000000000000000000000000000000000
5. 🗆
6. 🗆 🗆 🗎 🗎 💮 💮 💮 💮 💮 💮 💮 💮 💮 💮 💮 💮 💮
7. 0000000 18
8. 000000000000000000000000000000000000
8.1. Random
1. [] [] date!
000000000Red0date0 ISO 8601 0000000000000

Note:

2. $\Box\Box$

2.1. 000000

```
<date>/<time>
<date>/<time><zone>
<date>T<time>
<date>T<time>Z
<date>T<time><zone>
<date> 0000000
    <yyyy><sep><mmm><sep><dd>
    <dd><sep><mmm><sep><yyyy>
    <dd><sep><mmm><sep><yy>
T00000000000 <date> 0000000
    <yyyy><mm><dd>
    <yyyy>-W<ww>
    <yyyy>-W<ww>-<d>
    <yyyy>-<ddd>
<mmm> 000000 00000
    <m>
    <mon>
    <month>
<time> 0000000
    <hour>:<min>:<sec>
    <hour>:<min>:<sec><zone>
    <hhmmss>
    <hhmmss><zone>
    <hhmmss>.<dec>
    <hhmmss>.<dec><zone>
    <hhmm>
    <hhmm><zone>
<sign><hour>
```

```
<sign><hour>:<min15>
    <sign><hhmm>
<sec> 000000000
    <ss>
    <ss>.<dec>
<sep> : `-` 000 `/`
<yyyy> : 00003000040000400IS0000000
<yy> : 200000000020000
<m> : 00001000020000
<mm> : 000020000
<mon> : 00000300
<month> : 0000
<d> : 000000010070
<dd> : 00000000100020000
<ddd> : 00000000030000
<ww> : 000000020000
<time> : time!00
<hour> : 000001000020000
<min> : 00001000020000
<ss> : 00001000020000
<dec> : 0000000
<sign> : '+' 000 '-' 00000000000
<min15> : <min>000000015000000000
```

```
<dd>-<mon>-<yyyy>
<dd>-<mon>-<yyyy>/<hour>:<min>:<sec>
<dd>-<mon>-<yyyy>/<hour>:<min>:<sec><sign><hour>:<min15>
```

Notes:

000date000000000000

```
1999-10-5
1999/10/5
5-10-1999
5/10/1999
```

```
5-October-1999
1999-9-11
11-9-1999
5/sep/2012
5-SEPTEMBER-2012
02/03/04
02/03/71
5/9/2012/6:0
5/9/2012/6:00
5/9/2012/6:00+8
5/9/2012/6:0+0430
4/Apr/2000/6:00+8:00
1999-10-2/2:00-4:30
1/1/1990/12:20:25-6
2017-07-07T08:22:23+00:00
2017-07-07T08:22:23Z
20170707T082223Z
20170707T0822Z
20170707T082223+0530
2017-W01
2017-W23-5
2017-W23-5T10:50Z
2017-001
2017-153T10:50:00-4:00
```

2.2. 000000

```
make date! [<day> <month> <year>]
make date! [<year> <month> <day>]
make date! [<day> <month> <year> <time>]
make date! [<day> <month> <year> <time> <zone>]
make date! [<day> <month> <year> <hour> <minute> <second>]
make date! [<day> <month> <year> <hour> <minute> <second> <zone>]

<pre
```

Notes:

```
make date! [1978 2 3]
== 3-Feb-1978
make date! [1978 2 3 5:0:0 8]
== 3-Feb-1978/5:00:00+08:00
make date! [1978 2 3 5:0:0]
== 3-Feb-1978/5:00:00
make date! [1978 2 3 5 20 30]
== 3-Feb-1978/5:20:30
make date! [1978 2 3 5 20 30 -4]
== 3-Feb-1978/5:20:30-4:00
make date! [100 12 31]
== 31-Dec-0100
; 32 isn't a valid day
make date! [100 12 32]
*** Script Error: cannot MAKE/TO date! from: [100 12 32]
*** Where: make
; First field is < 100, so not considered as a year
make date! [99 12 31]
*** Script Error: cannot MAKE/TO date! from: [99 12 31]
*** Where: make
```

3. 000000

nnnnnnnnnnnnn date! nnnnnnnnnnnnn

3.1. /date

```
<date>/date
<date>/ date : <date2>
<date> : date!000000word000000
```

```
<date2> : date!D
```

```
d: now
== 10-Jul-2017/22:46:22-06:00
d/date
== 10-Jul-2017

d/date: 15/09/2017
== 15-Sep-2017/22:46:22-06:00
```

3.2. /year

```
<date>/year
<date>/year: <year>
<date> : date!000000word000000
<year> : integer!0
```

```
== 10-Jul-0000/22:46:22-06:00
```

3.3. /month

```
<date>/month
<date>/month: <month>

<date> : date!00000word000000
<month> : integer!0
```

3.4. /day

```
<date>/day
<date>/day>
<date> : date!000000word000000
<day> : integer!0
```

```
d: 1-jan-2017
```

3.5. /time

```
<date>/time
<date>/time: <time>

<date> : date!00000word00000
<time> : time!000none!00
```

 ${\tt add}{\tt add}$

```
d: now
== 10-Jul-2017/23:18:54-06:00
d/time: 1:2:3
== 1:02:03
d
== 10-Jul-2017/1:02:03-06:00
d/time: none
== 10-Jul-2017
```

3.6. /hour

```
<date>/hour
<date>/hour: <hour>
<date> : date!00000word00000
<hour> : integer!0
```

```
d: now

== 10-Jul-2017/23:19:40-06:00

d/hour: 0

== 0

d

== 10-Jul-2017/0:19:40-06:00

d/hour: 24

== 24

d

== 11-Jul-2017/0:19:40-06:00
```

3.7. /minute

```
<date>/minute
<date>/minute: <minute>

<date> : date!000000word000000
<minute> : integer!0
```

```
== 10-Jul-2017/23:20:25-06:00

d/minute: 0

== 0

d

== 10-Jul-2017/23:00:25-06:00

d/minute: 60

== 60

d

== 11-Jul-2017/0:00:25-06:00
```

3.8. /second

```
<date>/second
```

```
<date>/second: <second>

<date> : date!00000word000000

<second> : integer!000float!0
```

```
d: now
== 10-Jul-2017/23:21:15-06:00
d/second: 0
== 0
d
== 10-Jul-2017/23:21:00-06:00
d/second: -1
== -1
d
== 10-Jul-2017/23:20:59-06:00
d/second: 60
== 60
d
== 10-Jul-2017/23:21:00-06:00
```

3.9. /zone

```
<date>/zone
<date>/zone: <zone>

<date> : date!00000word00000
<zone> : time!000integer!0
```

```
d: 1/3/2017/5:30:0
d/zone: 8
```

```
== 1-Mar-2017/5:30:00+08:00

d/zone: -4:00

== 1-Mar-2017/5:30:00-04:00
```

3.10. /timezone

```
<date>/timezone
<date>/timezone: <zone>
<date> : date!000000word000000
<timezone> : integer!0time!000pair!00
```

```
d: 1/3/2017/5:30:0
d/timezone: 8
== 1-Mar-2017/13:30:00+08:00

d/timezone: -4:00
== 1-Mar-2017/1:30:00-04:00
```

Note:

• /timezone 000000000000UTC000000

3.11. /yearday

```
<date>/yearday
<date>/yearday: <day>
<date> : date!00000word000000
<yearday> : integer!0
```

Note:

• /yearday 000000000 /julian 000000000Rebol0000000000

```
d: 1-jan-2017
== 1-Jan-2017
d/yearday
== 1
d: 31-dec-2017
== 31-Dec-2017
d/yearday
== 365
d: 31-dec-2020
== 31-Dec-2020
d/yearday
== 366
                        ; 0000
d: 31-dec-2017
== 31-Dec-2017
d/yearday: 366
== 366
== 1-Jan-2018
```

3.12. /weekday

```
<date>/weekday
<date>/weekday: <day>
<date> : date!000000word000000
<weekday> : integer!0
```

ПП

```
d: now
== 10-Jul-2017/23:25:35-06:00
d/weekday
== 1
d/weekday: 2
```

```
== 2
d
== 11-Jul-2017/23:25:35-06:00
d/weekday: 7
== 7
d
== 16-Jul-2017/23:25:35-06:00
d/weekday: 8
== 8
d
== 17-Jul-2017/23:25:35-06:00
```

3.13. /week

```
<date>/week
<date>/week: <day>
<date> : date!000000word000000
<week> : integer!0
```

Note:

```
d: now
== 10-Jul-2017/23:28:07-06:00
d/week
== 28
d/week: 29
== 29
d
== 16-Jul-2017/23:28:07-06:00
d/week: 52
== 52
d
== 24-Dec-2017/23:28:07-06:00
d/week: 53
== 53
d
== 31-Dec-2017/23:28:07-06:00
```

```
d/week: 54
== 54
d
== 7-Jan-2018/23:28:07-06:00
```

3.14. /isoweek

ISO 8601

П

```
d: now
== 10-Jul-2017/23:29:13-06:00
d/isoweek
== 28
d/isoweek: 29
== 29
d
== 17-Jul-2017/23:29:13-06:00
d/isoweek: 52
== 52
d
== 25-Dec-2017/23:29:13-06:00
d/isoweek: 53
== 53
d
== 1-Jan-2018/23:29:13-06:00
```

3.15. 0000000000

```
<date>/<index>
<date> : date!00000word00000
```

<index> : 00000000000integer!0

000000	000000
1	date
2	year
3	month
4	day
5	zone
6	time
7	hour
8	minute
9	second
10	weekday
11	yearday
12	timezone
13	week
14	isoweek

3.16. Pick

```
pick <date> <field>
  <date> : date!
  <field> : integer!
```

integer

```
11
4
    day
5
              8:00:00
    zone
6
    time
             21:43:52
7
    hour
             21
8
    minute
             43
9
    second
            52.0
10 weekday
            2
11 yearday
             192
12 timezone 8:00:00
    week
13
             28
14 isoweek
             28
```

4. 0000

4.1. UNIX

```
to-integer <date>
to-date <epoch>

<date> : date!0
<epoch> : UNIX00000integer!0
```



```
d: 8-Jul-2017/17:49:27+08:00
to-integer d
== 1499507367

to-integer 8-Jul-2017/9:49:27
== 1499507367

to-date to-integer d
== 8-Jul-2017/9:49:27
```



```
to date! <spec>
```

00000000 make 0000000002.20 000000 000000000 date!

5. $\Box\Box$

0000000000000000000000, ==, <>, >, <, >=, <=, same? 0000min0max0sort 000000000

```
3-Jul-2017/9:41:40+2:00 = 3-Jul-2017/5:41:40-2:00

== true

10/10/2017 < 1/1/2017

== false

max 10/10/2017 1/1/2017

== 10-Oct-2017

same? 1/1/1980 1-JAN-1980

== true

sort [1/1/2017 5/10/1999 3-Jul-2017/5:41:40-2:00 1/1/1950 1/1/1980/2:2:2]

== [1-Jan-1950 1-Jan-1980/2:02:02 5-Oct-1999 1-Jan-2017 3-Jul-2017/5:41:40-02:00]
```

6. 0000

- 2000000 difference 0000000020000000000 time! 00000000

```
20-Feb-1980 + 50

== 10-Apr-1980

20-Feb-1980 + 3

== 23-Feb-1980

20-Feb-1980 - 25

== 26-Jan-1980
```

```
20-Feb-1980 + 100
== 30-May-1980
28-Feb-1980 + 20:30:45
== 28-Feb-1980/20:30:45
28-Feb-1980/8:30:00 + 20:30:45
== 29-Feb-1980/5:00:45
d: 20-Feb-1980
d/day: d/day + 50
== 10-Apr-1980
d: 20-Feb-1980
d/month: d/month + 5
== 20-Jul-1980
d: 28-Feb-1980/8:30:00
d/hour: d/hour + 48
== 1-Mar-1980/8:30:00
08/07/2017/10:45:00 - 20-Feb-1980/05:30:0
== 13653
difference 08/07/2017/10:45:00 20-Feb-1980/05:30:0
327677:15:00
```

7. 0000000

now

```
now
== 8-Jul-2017/18:32:25+08:00
now/year
== 2017
now/hour
== 18
now/month
== 7
```

```
now/day

== 8

now/hour

== 18

now/zone

== 8:00:00

now/utc

== 8-Jul-2017/10:32:25
```

8. 000000000000000

8.1. Random

```
random <date>
<date> : date!
```

```
random 09/07/2017
== 18-May-1972

random 09/07/2017
== 13-Aug-0981

random 09/07/2017/12:00:00+8
== 28-Feb-0341/17:57:12+04:00

random 09/07/2017/12:00:00+8
== 13-Dec-1062/5:09:12-00:30
```