

Valkyrie2889 Test Report

Test Summary

Test company: Xena Networks Customer: GSI TOS

Test Date and Time: 2023-12-07, 18:45 Test Duration: 05:56:07 (h:m:s)

Generated By: Valkyrie2889 v1.41, running on 'Microsoft Windows 10 Enterprise'

Comments: B2B unicast (1% overall test port rate), 4 layers:

- host: aconbg027

- chassis: Xenabay (140.181.139.228)

DUT:

- WRS: backplane v3.30, scb v3.4, Creotech

- name: nwt0010/16/296/297

- fw: v6.1

- dot-config: production

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh
Rate Test: Part.Mesh, 1:N
- Throughput
- Forwarding

Disabled

Disabled

Rate Test: Part.Mesh, N->N Disabled Congestion Control: Disabled Forward Pressure: Disabled Maximum Forwarding Rate: Disabled Address Caching Capacity: Disabled Address Learning Rate: Disabled Errored Frames Filtering: Disabled Broadcast Forwarding: Disabled

Test Options

Packet Sizes Used: 90,134,222,398,574,750

Rate Type: Fraction Fraction per Port: 1,00%

Latency Measurement Mode: Last-To-Last

Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address		
C-0	xenatos	140.181.139.228:2260		

Used Ports



Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet



Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 60 seconds

Iteration: 3

Topology: Blocks
Direction: West-to-East

Throughput Options

Initial Rate: 50,00%
Maximum Rate: 100,00%
Minimum Rate: 0,01%
Resolution: 0,01%

Used Ports

Port ID	Port Role
P-0-2-0	East
P-0-2-1	West
P-0-2-2	West
P-0-0-0	West
P-0-2-4	West
P-0-2-3	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West
P-0-0-2	West
P-0-0-3	West
P-0-0-1	West
P-0-0-4	West
P-0-0-5	West

Throughput Test Results

Frame Size	90	134	222	398	574	750
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	(avg)	(avg)	(avg)	(avg)	(avg)	(avg)
Tx Rate (Percent)	6,364 %	2,194 %	64,871 %	57,086 %	46,954 %	65,257 %
Tx Rate (L1) (Bit/s)	10,82 M	3,73 M	110,28 M	97,05 M	79,82 M	110,94 M
Tx Rate (Fps)	12.293	3.027	56.963	29.021	16.797	18.009
Rx Rate (Percent)	6,36 %	2,19 %	64,87 %	57,09 %	46,95 %	65,26 %
Rx Rate (L1) (Bit/s)	10,82 M	3,73 M	110,28 M	97,05 M	79,82 M	110,94 M
Rx Rate (Fps)	12,29 K	3,03 K	56,96 K	29,02 K	16,8 K	18,01 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0



- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2	40.000	40.000	004.040	400,400	50.004	00.504
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3			-			
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
				1.707		
- Tx Rate (Fps)	723	178	3.351		988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Er) (Blus)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0		0		
,		-	0	-	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0		0		0	
		0	-	0		0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	737.596	181.611	3.417.782	1.741.242	1.007.828	1.080.537
- Rx Rate (L1) (Bit/s)	10,82 M	3,73 M	110,28 M	97,05 M	79,82 M	110,94 M
- Rx Rate (Fps)	12.293	3.027	56.963	29.021	16.797	18.009
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
			-	-		
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
, ,	U	U	U	U	U	U
P-0-2-3						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
	0	0	0	0	0	0
- Flood Count (Framos)	U	U	U	U	U	U
- Flood Count (Frames) P-0-2-4	10.000	10.000	004.010	400 400	E0 00 1	20 -2:
P-0-2-4 - Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
P-0-2-4	43.388 636,36 K	10.683 219,36 K	201.046 6,49 M	102.426 5,71 M	59.284 4,7 M	63.561 6,53 M
P-0-2-4 - Tx (Frames)						
P-0-2-4 - Tx (Frames) - Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M



- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-1						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-2						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0.001	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3	0	0	0	0	0	0
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
, ,						
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M 988	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707		1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4	40.000	10.000	004.040	100 100	50.004	00.504
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-5						
- Tx (Frames)	43.388	10.683	201.046	102.426	59.284	63.561
- Tx Rate (L1) (Bit/s)	636,36 K	219,36 K	6,49 M	5,71 M	4,7 M	6,53 M
- Tx Rate (Fps)	723	178	3.351	1.707	988	1.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0



