XENA
Test. Improve. Repeat.

# Valkyrie2889 Test Report

## Test Summary

| | |
|---|---|
| Test company: | Xena Networks |
| Customer: | GSI TOS |

| | |
|---|---|
| Test Date and Time: | 2023-11-14, 12:24 |
| Test Duration: | 02:43:19 (h:m:s) |
| Generated By: | Valkyrie2889 v1.40, running on 'Microsoft Windows 8.1 Enterprise Evaluation' |

Comments:
Partial test
- host: acopc061 (VB guest Win81)
- chassis: Xenabay (140.181.139.228)
- configuration: https://github.com/GSI-CS-CO/network_testing

DUT
- WRS: backplane v3.30, scb v3.4, Creotech
- name: nwt0010/0016/0296/0297
- fw: v6.1
- dot-config: default

## Test Setup

### Test Configuration

#### Subtest Selection

| | |
|---|---|
| Rate Test: Full Mesh | Disabled |
| Rate Test: Part.Mesh, 1:N | Enabled |
| - Throughput | Enabled |
| - Forwarding | Enabled |
| | |
| Rate Test: Part.Mesh, N->N | Disabled |
| Congestion Control: | Disabled |
| Forward Pressure: | Disabled |
| Maximum Forwarding Rate: | Disabled |
| Address Caching Capacity: | Disabled |
| Address Learning Rate: | Disabled |
| Errored Frames Filtering: | Disabled |
| Broadcast Forwarding: | Disabled |

#### Test Options

| | |
|---|---|
| Packet Sizes Used: | 64,128,256,512,1024,1280,1518 |
| Rate Type: | Fraction |
| Fraction per Port: | 100.00% |
| Latency Measurement Mode: | Last-To-Last |
| Toggle Port Sync States: | Yes |

### Traffic Configuration

### Used Chassis

| Chassis ID | Chassis Name | Address |
|---|---|---|
| C-0 | xenatos | 140.181.139.228:22606 |

## Used Ports

| Port ID | Interface Type | Speed | IP Address & Gateway | Protocol Segment Profile |
|---------|----------------|-------|----------------------|--------------------------|
| P-0-0-0 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-0-1 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-0-2 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-0-3 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-0-4 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-0-5 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-2-0 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-2-1 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-2-2 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-2-3 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-2-4 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-2-5 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-4-0 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-4-1 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-4-2 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-4-3 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-4-4 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |
| P-0-4-5 | SFP-O LR 1310 nm | AUTO | No address specified | 1: Ethernet |

# Rate Test: Part.Mesh, 1:N Results

## Test Setup

| | |
|---|---|
| Duration: | 30 seconds |
| Iteration: | 1 |
| Topology: | Blocks |
| Direction: | Bidirectional |

## Throughput Options

| | |
|---|---|
| Initial Rate: | 1.00% |
| Maximum Rate: | 100.00% |
| Minimum Rate: | 0.01% |
| Resolution: | 0.01% |

## Used Ports

| Port ID | Port Role |
|---|---|
| P-0-0-0 | East |
| P-0-0-1 | West |
| P-0-0-2 | West |
| P-0-0-3 | West |
| P-0-0-4 | West |
| P-0-0-5 | West |
| P-0-2-0 | West |
| P-0-2-1 | West |
| P-0-2-2 | West |
| P-0-2-3 | West |
| P-0-2-4 | West |
| P-0-2-5 | West |
| P-0-4-0 | West |
| P-0-4-1 | West |
| P-0-4-2 | West |
| P-0-4-3 | West |
| P-0-4-4 | West |
| P-0-4-5 | West |

## Throughput Test Results

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | FAIL | PASS | FAIL | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 0.505 % | 0.018 % | 0.134 % | 0.018 % | 0.025 % | 0.259 % |
| Tx Rate (L1) (Bit/s) | 90.9 M | 3.19 M | 24.07 M | 3.19 M | 4.58 M | 46.69 M |
| Tx Rate (Fps) | 135,267 | 2,696 | 10,903 | 750 | 548 | 4,490 |
| Rx Rate (Percent) | 0.51 % | 0.02 % | 0.13 % | 0.02 % | 0.03 % | 0.26 % |
| Rx Rate (L1) (Bit/s) | 90.9 M | 3.15 M | 24.07 M | 3.19 M | 4.58 M | 46.69 M |
| Rx Rate (Fps) | 135.27 K | 2.66 K | 10.9 K | 749.53 | 547.97 | 4.49 K |
| Loss Rate (Percent) | 0 % | 1.23 % | 0 % | 0.02 % | 0 % | 0 % |
| Loss (Frames) | 0 | 991 | 0 | 5 | 0 | 0 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 225,437 | 4,488 | 18,156 | 1,241 | 901 | 7,480 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.13 K | 1.34 M | 176.06 K | 250.84 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 605 | 41 | 30 | 249 |
| - Rx (Frames) | 3,832,582 | 75,445 | 308,924 | 21,246 | 15,538 | 127,211 |
| - Rx Rate (L1) (Bit/s) | 85.85 M | 2.98 M | 22.74 M | 3.01 M | 4.33 M | 44.1 M |
| - Rx Rate (Fps) | 127,753 | 2,515 | 10,297 | 708 | 518 | 4,240 |
| - Flood Count (Frames) | 58 | 56 | 58 | 58 | 56 | 57 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 260 | 1,068 | 72 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.26 K | 78.6 K | 10.21 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Flood Count (Frames) | 58 | 59 | 55 | 59 | 61 | 59 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 260 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.26 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 55 | 56 | 58 | 58 | 59 | 60 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 260 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.26 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 58 | 57 | 57 | 61 | 59 | 61 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 260 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.26 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 58 | 57 | 57 | 57 | 59 | 60 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 56 | 59 | 57 | 59 | 59 | 60 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 57 | 59 | 58 | 63 | 58 | 58 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 62 | 60 | 57 | 60 | 61 | 61 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 59 | 59 | 58 | 58 | 59 | 60 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 56 | 61 | 56 | 60 | 59 | 59 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 58 | 60 | 56 | 59 | 57 | 60 |
| **P-0-2-5** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 58 | 57 | 58 | 58 | 58 | 60 |
| **P-0-4-0** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 55 | 59 | 55 | 56 | 59 | 59 |
| **P-0-4-1** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 53 | 56 | 62 | 56 | 56 | 57 |
| **P-0-4-2** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 57 | 55 | 55 | 57 | 55 | 56 |
| **P-0-4-3** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 56 | 55 | 57 | 56 | 57 | 57 |
| **P-0-4-4** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 55 | 57 | 55 | 55 | 57 | 59 |
| **P-0-4-5** | | | | | | |
| - Tx (Frames) | 225,446 | 4,493 | 18,172 | 1,250 | 914 | 7,483 |
| - Tx Rate (L1) (Bit/s) | 5.05 M | 177.32 K | 1.34 M | 177.33 K | 254.46 K | 2.59 M |
| - Tx Rate (Fps) | 7,515 | 150 | 606 | 42 | 30 | 249 |
| - Rx (Frames) | 13,261 | 261 | 1,068 | 73 | 53 | 440 |
| - Rx Rate (L1) (Bit/s) | 297.05 K | 10.3 K | 78.6 K | 10.36 K | 14.76 K | 152.53 K |
| - Rx Rate (Fps) | 442 | 9 | 36 | 2 | 2 | 15 |
| - Flood Count (Frames) | 55 | 57 | 57 | 56 | 58 | 58 |

| Frame Size | 1518 |
|---|---|
| Result State | FAIL |
| Iter. # | 1 |
| Tx Rate (Percent) | 0.018 % |
| Tx Rate (L1) (Bit/s) | 3.19 M |
| Tx Rate (Fps) | 259 |
| Rx Rate (Percent) | 0.02 % |
| Rx Rate (L1) (Bit/s) | 3.17 M |
| Rx Rate (Fps) | 257.6 |
| Loss Rate (Percent) | 0.53 % |
| Loss (Frames) | 41 |

| | |
|---|---|
| P-0-0-0 | |
| - Tx (Frames) | 425 |
| - Tx Rate (L1) (Bit/s) | 174.31 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 7,305 |
| - Rx Rate (L1) (Bit/s) | 3 M |
| - Rx Rate (Fps) | 244 |
| - Flood Count (Frames) | 56 |
| P-0-0-1 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 61 |
| P-0-0-2 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 56 |
| P-0-0-3 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 62 |
| P-0-0-4 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 23 |
| - Rx Rate (L1) (Bit/s) | 9.43 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 60 |
| P-0-0-5 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-2-0 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-2-1 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-2-2 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |

| | |
|---|---:|
| - Flood Count (Frames) | 61 |
| P-0-2-3 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-2-4 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-2-5 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-4-0 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 57 |
| P-0-4-1 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 55 |
| P-0-4-2 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 55 |
| P-0-4-3 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 59 |
| P-0-4-4 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 57 |
| P-0-4-5 | |
| - Tx (Frames) | 432 |
| - Tx Rate (L1) (Bit/s) | 177.18 K |
| - Tx Rate (Fps) | 14 |
| - Rx (Frames) | 25 |
| - Rx Rate (L1) (Bit/s) | 10.25 K |

| | |
|---|---|
| - Rx Rate (Fps) | 1 |
| - Flood Count (Frames) | 56 |

Note: One or more of the rate tests did not pass the test criteria!



Part.Mesh, 1:N: Throughput by Frame Size vs Theoretical Max

## Forwarding Test Results

### Results for 10.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 10 % | 10 % | 10 % | 10 % | 10 % | 10 % |
| Tx Rate (L1) (Bit/s) | 1.8 G | 1.8 G | 1.8 G | 1.8 G | 1.8 G | 1.8 G |
| Tx Rate (Fps) | 2,678,571 | 1,520,270 | 815,217 | 422,932 | 215,517 | 173,076 |
| Rx Rate (Percent) | 5.86 % | 5.35 % | 6.03 % | 6.07 % | 6.08 % | 6.1 % |
| Rx Rate (L1) (Bit/s) | 1.05 G | 962.8 M | 1.09 G | 1.09 G | 1.1 G | 1.1 G |
| Rx Rate (Fps) | 1.57 M | 813.18 K | 491.92 K | 256.76 K | 131.13 K | 105.51 K |
| Loss Rate (Percent) | 41.44 % | 46.51 % | 39.66 % | 39.29 % | 39.16 % | 39.04 % |
| Loss (Frames) | 33,296,243 | 21,212,725 | 9,699,026 | 4,985,153 | 2,531,753 | 2,026,876 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,782 | 1,358,691 | 704,871 | 359,193 | 288,456 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 42,638,532 | 22,125,205 | 13,402,335 | 7,000,124 | 3,580,883 | 2,877,375 |
| - Rx Rate (L1) (Bit/s) | 955.1 M | 873.21 M | 986.41 M | 993.08 M | 996.92 M | 997.49 M |
| - Rx Rate (Fps) | 1,421,284 | 737,507 | 446,745 | 233,337 | 119,363 | 95,913 |
| - Flood Count (Frames) | 59 | 58 | 58 | 76 | 58 | 60 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,588 | 133,539 | 79,923 | 41,463 | 21,129 | 16,607 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.76 M |
| - Rx Rate (Fps) | 8,753 | 4,451 | 2,664 | 1,382 | 704 | 554 |
| - Flood Count (Frames) | 58 | 58 | 59 | 57 | 78 | 59 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,550 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,752 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 61 | 58 | 60 | 75 | 58 | 59 |
| **P-0-0-3** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,514 | 133,539 | 79,923 | 40,960 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.81 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,750 | 4,451 | 2,664 | 1,365 | 704 | 566 |
| - Flood Count (Frames) | 60 | 58 | 60 | 60 | 58 | 78 |
| **P-0-0-4** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,503 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,750 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 61 | 76 | 58 | 59 | 60 | 58 |
| **P-0-0-5** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,495 | 133,539 | 79,923 | 41,463 | 21,129 | 16,915 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.86 M |
| - Rx Rate (Fps) | 8,750 | 4,451 | 2,664 | 1,382 | 704 | 564 |
| - Flood Count (Frames) | 61 | 59 | 61 | 58 | 79 | 57 |
| **P-0-2-0** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 253,897 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.69 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,463 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 60 | 57 | 62 | 60 | 58 | 61 |
| **P-0-2-1** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 246,844 | 133,539 | 79,923 | 40,616 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.53 M | 5.27 M | 5.88 M | 5.76 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,228 | 4,451 | 2,664 | 1,354 | 704 | 566 |
| - Flood Count (Frames) | 59 | 57 | 58 | 60 | 58 | 58 |
| **P-0-2-2** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 253,897 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.69 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,463 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 60 | 79 | 75 | 60 | 78 | 58 |
| **P-0-2-3** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,458 | 133,539 | 76,377 | 40,615 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.62 M | 5.76 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,749 | 4,451 | 2,546 | 1,354 | 704 | 566 |
| - Flood Count (Frames) | 62 | 60 | 73 | 79 | 55 | 55 |
| **P-0-2-4** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,462 | 133,539 | 79,923 | 41,463 | 20,984 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.84 M | 5.88 M |
| - Rx Rate (Fps) | 8,749 | 4,451 | 2,664 | 1,382 | 699 | 566 |
| - Flood Count (Frames) | 58 | 61 | 75 | 60 | 59 | 57 |
| **P-0-2-5** | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 255,494 | 133,539 | 79,923 | 41,463 | 14,953 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.72 M | 5.27 M | 5.88 M | 5.88 M | 4.16 M | 5.88 M |
| - Rx Rate (Fps) | 8,516 | 4,451 | 2,664 | 1,382 | 498 | 566 |
| - Flood Count (Frames) | 60 | 59 | 76 | 58 | 58 | 56 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,450 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,748 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 59 | 61 | 58 | 58 | 57 | 57 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,456 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,749 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 58 | 57 | 58 | 59 | 55 | 58 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,448 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,748 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 57 | 56 | 58 | 56 | 59 | 56 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,437 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,748 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 56 | 56 | 58 | 58 | 54 | 56 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,422 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,747 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 61 | 56 | 55 | 60 | 57 | 55 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 4,464,285 | 2,533,783 | 1,358,695 | 704,887 | 359,195 | 288,461 |
| - Tx Rate (L1) (Bit/s) | 100 M | 100 M | 100 M | 100 M | 100 M | 100 M |
| - Tx Rate (Fps) | 148,810 | 84,459 | 45,290 | 23,496 | 11,973 | 9,615 |
| - Rx (Frames) | 262,440 | 133,539 | 79,923 | 41,463 | 21,129 | 16,968 |
| - Rx Rate (L1) (Bit/s) | 5.88 M | 5.27 M | 5.88 M | 5.88 M | 5.88 M | 5.88 M |
| - Rx Rate (Fps) | 8,748 | 4,451 | 2,664 | 1,382 | 704 | 566 |
| - Flood Count (Frames) | 56 | 57 | 60 | 57 | 57 | 56 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 10 % |
| Tx Rate (L1) (Bit/s) | 1.8 G |
| Tx Rate (Fps) | 146,294 |
| Rx Rate (Percent) | 5.85 % |
| Rx Rate (L1) (Bit/s) | 1.05 G |
| Rx Rate (Fps) | 85.52 K |
| Loss Rate (Percent) | 41.55 % |
| Loss (Frames) | 1,823,346 |
| P-0-0-0 | |
| - Tx (Frames) | 243,814 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |

| | |
|---|---:|
| - Rx (Frames) | 2,433,104 |
| - Rx Rate (L1) (Bit/s) | 997.9 M |
| - Rx Rate (Fps) | 81,103 |
| - Flood Count (Frames) | 59 |
| P-0-0-1 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,504 |
| - Rx Rate (L1) (Bit/s) | 3.08 M |
| - Rx Rate (Fps) | 250 |
| - Flood Count (Frames) | 43 |
| P-0-0-2 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,816 |
| - Rx Rate (L1) (Bit/s) | 3.21 M |
| - Rx Rate (Fps) | 261 |
| - Flood Count (Frames) | 35 |
| P-0-0-3 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,937 |
| - Rx Rate (L1) (Bit/s) | 3.26 M |
| - Rx Rate (Fps) | 265 |
| - Flood Count (Frames) | 35 |
| P-0-0-4 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,831 |
| - Rx Rate (L1) (Bit/s) | 3.21 M |
| - Rx Rate (Fps) | 261 |
| - Flood Count (Frames) | 32 |
| P-0-0-5 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,457 |
| - Rx Rate (L1) (Bit/s) | 3.06 M |
| - Rx Rate (Fps) | 249 |
| - Flood Count (Frames) | 36 |
| P-0-2-0 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,327 |
| - Rx Rate (L1) (Bit/s) | 3.01 M |
| - Rx Rate (Fps) | 244 |
| - Flood Count (Frames) | 40 |
| P-0-2-1 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,892 |
| - Rx Rate (L1) (Bit/s) | 3.24 M |
| - Rx Rate (Fps) | 263 |
| - Flood Count (Frames) | 36 |
| P-0-2-2 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,812 |
| - Rx Rate (L1) (Bit/s) | 3.2 M |
| - Rx Rate (Fps) | 260 |
| - Flood Count (Frames) | 47 |
| P-0-2-3 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |

| | |
|---|---:|
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,836 |
| - Rx Rate (L1) (Bit/s) | 3.21 M |
| - Rx Rate (Fps) | 261 |
| - Flood Count (Frames) | 42 |
| P-0-2-4 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,847 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 37 |
| P-0-2-5 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,871 |
| - Rx Rate (L1) (Bit/s) | 3.23 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 32 |
| P-0-4-0 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,862 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 32 |
| P-0-4-1 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,896 |
| - Rx Rate (L1) (Bit/s) | 3.24 M |
| - Rx Rate (Fps) | 263 |
| - Flood Count (Frames) | 33 |
| P-0-4-2 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,877 |
| - Rx Rate (L1) (Bit/s) | 3.23 M |
| - Rx Rate (Fps) | 263 |
| - Flood Count (Frames) | 36 |
| P-0-4-3 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,890 |
| - Rx Rate (L1) (Bit/s) | 3.24 M |
| - Rx Rate (Fps) | 263 |
| - Flood Count (Frames) | 32 |
| P-0-4-4 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,853 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 30 |
| P-0-4-5 | |
| - Tx (Frames) | 243,823 |
| - Tx Rate (L1) (Bit/s) | 100 M |
| - Tx Rate (Fps) | 8,127 |
| - Rx (Frames) | 7,847 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 34 |

Part.Mesh, 1:N: Loss by Frame Size at 10.00% Rate

## Results for 20.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 20 % | 20 % | 20 % | 20 % | 20 % | 20 % |
| Tx Rate (L1) (Bit/s) | 3.6 G | 3.6 G | 3.6 G | 3.6 G | 3.6 G | 3.6 G |
| Tx Rate (Fps) | 5,357,143 | 3,040,540 | 1,630,434 | 845,864 | 431,034 | 346,153 |
| Rx Rate (Percent) | 0.01 % | 6.52 % | 6.36 % | 6.61 % | 6.64 % | 6.65 % |
| Rx Rate (L1) (Bit/s) | 1.27 M | 1.17 G | 1.14 G | 1.19 G | 1.2 G | 1.2 G |
| Rx Rate (Fps) | 1.89 K | 991.82 K | 518.37 K | 279.72 K | 143.18 K | 115.14 K |
| Loss Rate (Percent) | 99.96 % | 67.38 % | 68.21 % | 66.93 % | 66.78 % | 66.74 % |
| Loss (Frames) | 160,657,556 | 61,461,525 | 33,361,989 | 16,984,438 | 8,635,644 | 6,930,369 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 8,928,570 | 5,067,564 | 2,717,382 | 1,409,759 | 718,386 | 576,912 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,579 | 46,992 | 23,946 | 19,230 |
| - Rx (Frames) | 56,597 | 24,701,420 | 12,930,518 | 7,004,416 | 3,582,718 | 2,879,166 |
| - Rx Rate (L1) (Bit/s) | 1.27 M | 974.88 M | 951.69 M | 993.69 M | 997.43 M | 998.11 M |
| - Rx Rate (Fps) | 1,887 | 823,381 | 431,017 | 233,481 | 119,424 | 95,972 |
| - Flood Count (Frames) | 58 | 57 | 60 | 57 | 58 | 59 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 11 | 298,087 | 154,148 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 246.4 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 57 | 56 | 60 | 58 | 61 | 59 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 4 | 298,074 | 154,148 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 89.6 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 58 | 58 | 59 | 56 | 56 | 59 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 7 | 298,074 | 154,148 | 82,927 | 42,258 | 33,749 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 156.8 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.7 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,125 |
| - Flood Count (Frames) | 59 | 61 | 61 | 57 | 56 | 58 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 3 | 298,070 | 154,148 | 82,927 | 41,141 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 67.2 | 11.76 M | 11.35 M | 11.76 M | 11.45 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,371 | 1,131 |
| - Flood Count (Frames) | 58 | 56 | 61 | 58 | 58 | 59 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 8 | 298,074 | 154,148 | 73,450 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 179.2 | 11.76 M | 11.35 M | 10.42 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,448 | 1,409 | 1,131 |
| - Flood Count (Frames) | 58 | 59 | 61 | 57 | 58 | 59 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 7 | 298,070 | 154,148 | 82,790 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 156.8 | 11.76 M | 11.35 M | 11.75 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,760 | 1,409 | 1,131 |
| - Flood Count (Frames) | 59 | 58 | 60 | 60 | 58 | 60 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 15 | 298,070 | 154,148 | 75,019 | 40,297 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 336 | 11.76 M | 11.35 M | 10.64 M | 11.22 M | 11.76 M |
| - Rx Rate (Fps) | 1 | 9,936 | 5,138 | 2,501 | 1,343 | 1,131 |
| - Flood Count (Frames) | 61 | 58 | 58 | 58 | 57 | 61 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 11 | 298,076 | 154,148 | 77,753 | 39,604 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 246.4 | 11.76 M | 11.35 M | 11.03 M | 11.03 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,592 | 1,320 | 1,131 |
| - Flood Count (Frames) | 59 | 56 | 58 | 58 | 60 | 61 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 13 | 298,076 | 154,148 | 82,927 | 42,258 | 32,279 |
| - Rx Rate (L1) (Bit/s) | 291.2 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.19 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,076 |
| - Flood Count (Frames) | 59 | 56 | 59 | 59 | 59 | 60 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 16 | 298,074 | 154,148 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 358.4 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 1 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 58 | 60 | 59 | 60 | 58 | 58 |
| P-0-2-5 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 3 | 284,090 | 154,148 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 67.2 | 11.21 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,470 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 58 | 58 | 59 | 59 | 57 | 61 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 5 | 298,068 | 154,149 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 112 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 56 | 59 | 61 | 56 | 55 | 56 |
| **P-0-4-1** | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 6 | 298,075 | 154,149 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 134.4 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 55 | 55 | 57 | 56 | 55 | 59 |
| **P-0-4-2** | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 3 | 298,072 | 154,149 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 67.2 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 59 | 56 | 56 | 57 | 57 | 61 |
| **P-0-4-3** | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 3 | 298,070 | 154,149 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 67.2 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 58 | 58 | 55 | 55 | 58 | 56 |
| **P-0-4-4** | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 4 | 298,068 | 154,149 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 89.6 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 58 | 56 | 56 | 58 | 55 | 56 |
| **P-0-4-5** | | | | | | |
| - Tx (Frames) | 8,928,571 | 5,067,567 | 2,717,391 | 1,409,774 | 718,390 | 576,923 |
| - Tx Rate (L1) (Bit/s) | 200 M | 200 M | 200 M | 200 M | 200 M | 200 M |
| - Tx Rate (Fps) | 297,619 | 168,919 | 90,580 | 46,992 | 23,946 | 19,231 |
| - Rx (Frames) | 5 | 298,070 | 154,149 | 82,927 | 42,258 | 33,936 |
| - Rx Rate (L1) (Bit/s) | 112 | 11.76 M | 11.35 M | 11.76 M | 11.76 M | 11.76 M |
| - Rx Rate (Fps) | 0 | 9,936 | 5,138 | 2,764 | 1,409 | 1,131 |
| - Flood Count (Frames) | 57 | 60 | 57 | 57 | 54 | 56 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 20 % |
| Tx Rate (L1) (Bit/s) | 3.6 G |
| Tx Rate (Fps) | 292,588 |
| Rx Rate (Percent) | 5.95 % |
| Rx Rate (L1) (Bit/s) | 1.07 G |
| Rx Rate (Fps) | 87.05 K |
| Loss Rate (Percent) | 70.25 % |
| Loss (Frames) | 6,166,049 |
| P-0-0-0 | |
| - Tx (Frames) | 487,645 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 2,435,114 |
| - Rx Rate (L1) (Bit/s) | 998.72 M |
| - Rx Rate (Fps) | 81,170 |
| - Flood Count (Frames) | 58 |
| P-0-0-1 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,428 |
| - Rx Rate (L1) (Bit/s) | 4.28 M |

| | |
|---|---|
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 25 |
| P-0-0-2 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,393 |
| - Rx Rate (L1) (Bit/s) | 4.26 M |
| - Rx Rate (Fps) | 346 |
| - Flood Count (Frames) | 21 |
| P-0-0-3 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,434 |
| - Rx Rate (L1) (Bit/s) | 4.28 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 30 |
| P-0-0-4 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,434 |
| - Rx Rate (L1) (Bit/s) | 4.28 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 26 |
| P-0-0-5 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,449 |
| - Rx Rate (L1) (Bit/s) | 4.29 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 32 |
| P-0-2-0 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,434 |
| - Rx Rate (L1) (Bit/s) | 4.28 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 32 |
| P-0-2-1 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,464 |
| - Rx Rate (L1) (Bit/s) | 4.29 M |
| - Rx Rate (Fps) | 349 |
| - Flood Count (Frames) | 32 |
| P-0-2-2 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,429 |
| - Rx Rate (L1) (Bit/s) | 4.28 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 32 |
| P-0-2-3 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,449 |
| - Rx Rate (L1) (Bit/s) | 4.29 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 28 |
| P-0-2-4 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,364 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 4.25 M |
| - Rx Rate (Fps) | 345 |
| - Flood Count (Frames) | 30 |
| P-0-2-5 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 9,722 |
| - Rx Rate (L1) (Bit/s) | 3.99 M |
| - Rx Rate (Fps) | 324 |
| - Flood Count (Frames) | 26 |
| P-0-4-0 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,398 |
| - Rx Rate (L1) (Bit/s) | 4.26 M |
| - Rx Rate (Fps) | 347 |
| - Flood Count (Frames) | 26 |
| P-0-4-1 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,443 |
| - Rx Rate (L1) (Bit/s) | 4.28 M |
| - Rx Rate (Fps) | 348 |
| - Flood Count (Frames) | 27 |
| P-0-4-2 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,412 |
| - Rx Rate (L1) (Bit/s) | 4.27 M |
| - Rx Rate (Fps) | 347 |
| - Flood Count (Frames) | 27 |
| P-0-4-3 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,422 |
| - Rx Rate (L1) (Bit/s) | 4.27 M |
| - Rx Rate (Fps) | 347 |
| - Flood Count (Frames) | 22 |
| P-0-4-4 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,408 |
| - Rx Rate (L1) (Bit/s) | 4.27 M |
| - Rx Rate (Fps) | 347 |
| - Flood Count (Frames) | 31 |
| P-0-4-5 | |
| - Tx (Frames) | 487,646 |
| - Tx Rate (L1) (Bit/s) | 200 M |
| - Tx Rate (Fps) | 16,255 |
| - Rx (Frames) | 10,381 |
| - Rx Rate (L1) (Bit/s) | 4.26 M |
| - Rx Rate (Fps) | 346 |
| - Flood Count (Frames) | 25 |

Part.Mesh, 1:N: Loss by Frame Size at 20.00% Rate

## Results for 30.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 30 % | 30 % | 30 % | 30 % | 30 % | 30 % |
| Tx Rate (L1) (Bit/s) | 5.4 G | 5.4 G | 5.4 G | 5.4 G | 5.4 G | 5.4 G |
| Tx Rate (Fps) | 8,035,714 | 4,560,810 | 2,445,651 | 1,268,796 | 646,551 | 519,230 |
| Rx Rate (Percent) | 0.01 % | 6.85 % | 7.14 % | 7.19 % | 7.2 % | 7.17 % |
| Rx Rate (L1) (Bit/s) | 1.99 M | 1.23 G | 1.28 G | 1.29 G | 1.3 G | 1.29 G |
| Rx Rate (Fps) | 2.97 K | 1.04 M | 581.85 K | 303.9 K | 155.27 K | 124.1 K |
| Loss Rate (Percent) | 99.96 % | 77.18 % | 76.21 % | 76.05 % | 75.98 % | 76.1 % |
| Loss (Frames) | 240,982,379 | 105,602,439 | 55,914,050 | 28,946,892 | 14,738,339 | 11,853,802 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 13,392,855 | 7,601,346 | 4,076,073 | 2,114,647 | 1,077,579 | 865,368 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 299.99 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,869 | 70,488 | 35,919 | 28,846 |
| - Rx (Frames) | 74,866 | 24,702,903 | 13,410,180 | 7,006,013 | 3,583,296 | 2,878,774 |
| - Rx Rate (L1) (Bit/s) | 1.68 M | 974.94 M | 986.99 M | 993.92 M | 997.59 M | 997.97 M |
| - Rx Rate (Fps) | 2,496 | 823,430 | 447,006 | 233,534 | 119,443 | 95,959 |
| - Flood Count (Frames) | 58 | 58 | 55 | 57 | 58 | 60 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 835 | 390,288 | 236,391 | 124,391 | 63,387 | 47,208 |
| - Rx Rate (L1) (Bit/s) | 18.7 K | 15.4 M | 17.4 M | 17.65 M | 17.65 M | 16.37 M |
| - Rx Rate (Fps) | 28 | 13,010 | 7,880 | 4,146 | 2,113 | 1,574 |
| - Flood Count (Frames) | 57 | 49 | 58 | 57 | 58 | 60 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 837 | 369,296 | 239,769 | 124,391 | 63,387 | 48,091 |
| - Rx Rate (L1) (Bit/s) | 18.75 K | 14.57 M | 17.65 M | 17.65 M | 17.65 M | 16.67 M |
| - Rx Rate (Fps) | 28 | 12,310 | 7,992 | 4,146 | 2,113 | 1,603 |
| - Flood Count (Frames) | 56 | 52 | 57 | 60 | 59 | 58 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 838 | 390,134 | 239,769 | 124,391 | 63,387 | 50,904 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 18.77 K | 15.4 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 13,004 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 60 | 45 | 59 | 60 | 60 | 58 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 837 | 349,668 | 239,769 | 120,723 | 63,387 | 43,842 |
| - Rx Rate (L1) (Bit/s) | 18.75 K | 13.8 M | 17.65 M | 17.13 M | 17.65 M | 15.2 M |
| - Rx Rate (Fps) | 28 | 11,656 | 7,992 | 4,024 | 2,113 | 1,461 |
| - Flood Count (Frames) | 58 | 48 | 58 | 59 | 63 | 60 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 833 | 377,875 | 239,769 | 124,391 | 63,387 | 46,630 |
| - Rx Rate (L1) (Bit/s) | 18.66 K | 14.91 M | 17.65 M | 17.65 M | 17.65 M | 16.17 M |
| - Rx Rate (Fps) | 28 | 12,596 | 7,992 | 4,146 | 2,113 | 1,554 |
| - Flood Count (Frames) | 58 | 44 | 59 | 60 | 60 | 58 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 831 | 389,875 | 212,379 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.61 K | 15.39 M | 15.63 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,996 | 7,079 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 58 | 48 | 56 | 61 | 60 | 58 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 833 | 389,586 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.66 K | 15.38 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,986 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 60 | 53 | 58 | 60 | 58 | 60 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 837 | 389,569 | 239,769 | 124,391 | 63,387 | 47,701 |
| - Rx Rate (L1) (Bit/s) | 18.75 K | 15.37 M | 17.65 M | 17.65 M | 17.65 M | 16.54 M |
| - Rx Rate (Fps) | 28 | 12,986 | 7,992 | 4,146 | 2,113 | 1,590 |
| - Flood Count (Frames) | 60 | 50 | 59 | 60 | 62 | 58 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 837 | 389,619 | 239,769 | 124,391 | 60,714 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.75 K | 15.38 M | 17.65 M | 17.65 M | 16.9 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,987 | 7,992 | 4,146 | 2,024 | 1,697 |
| - Flood Count (Frames) | 58 | 52 | 60 | 60 | 57 | 60 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 834 | 384,331 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.68 K | 15.17 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,811 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 57 | 42 | 58 | 61 | 60 | 61 |
| P-0-2-5 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 836 | 362,475 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.73 K | 14.31 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,083 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 59 | 44 | 58 | 58 | 58 | 58 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 831 | 389,175 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.61 K | 15.36 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,973 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 57 | 43 | 56 | 58 | 58 | 59 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 834 | 389,334 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.68 K | 15.37 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,978 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 57 | 46 | 56 | 59 | 59 | 56 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 828 | 389,504 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.55 K | 15.37 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,983 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 58 | 44 | 54 | 59 | 58 | 56 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 831 | 389,591 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.61 K | 15.38 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,986 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 58 | 41 | 58 | 56 | 59 | 58 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 831 | 389,356 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.61 K | 15.37 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,979 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 58 | 47 | 56 | 57 | 59 | 55 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 13,392,857 | 7,601,351 | 4,076,086 | 2,114,661 | 1,077,586 | 865,384 |
| - Tx Rate (L1) (Bit/s) | 300 M | 300 M | 300 M | 300 M | 300 M | 300 M |
| - Tx Rate (Fps) | 446,429 | 253,378 | 135,870 | 70,489 | 35,920 | 28,846 |
| - Rx (Frames) | 836 | 389,295 | 239,769 | 124,391 | 63,387 | 50,904 |
| - Rx Rate (L1) (Bit/s) | 18.73 K | 15.36 M | 17.65 M | 17.65 M | 17.65 M | 17.65 M |
| - Rx Rate (Fps) | 28 | 12,977 | 7,992 | 4,146 | 2,113 | 1,697 |
| - Flood Count (Frames) | 62 | 48 | 56 | 57 | 57 | 57 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 30 % |
| Tx Rate (L1) (Bit/s) | 5.4 G |
| Tx Rate (Fps) | 438,881 |
| Rx Rate (Percent) | 5.8 % |
| Rx Rate (L1) (Bit/s) | 1.04 G |
| Rx Rate (Fps) | 84.84 K |
| Loss Rate (Percent) | 80.67 % |
| Loss (Frames) | 10,621,258 |
| P-0-0-0 | |
| - Tx (Frames) | 731,459 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 2,411,361 |
| - Rx Rate (L1) (Bit/s) | 988.98 M |
| - Rx Rate (Fps) | 80,379 |
| - Flood Count (Frames) | 61 |
| P-0-0-1 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,939 |
| - Rx Rate (L1) (Bit/s) | 3.26 M |

| | |
|---|---:|
| - Rx Rate (Fps) | 265 |
| - Flood Count (Frames) | 21 |
| P-0-0-2 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,964 |
| - Rx Rate (L1) (Bit/s) | 3.27 M |
| - Rx Rate (Fps) | 265 |
| - Flood Count (Frames) | 25 |
| P-0-0-3 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,794 |
| - Rx Rate (L1) (Bit/s) | 3.2 M |
| - Rx Rate (Fps) | 260 |
| - Flood Count (Frames) | 29 |
| P-0-0-4 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,755 |
| - Rx Rate (L1) (Bit/s) | 3.18 M |
| - Rx Rate (Fps) | 259 |
| - Flood Count (Frames) | 28 |
| P-0-0-5 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,841 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 261 |
| - Flood Count (Frames) | 23 |
| P-0-2-0 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,833 |
| - Rx Rate (L1) (Bit/s) | 3.21 M |
| - Rx Rate (Fps) | 261 |
| - Flood Count (Frames) | 22 |
| P-0-2-1 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,914 |
| - Rx Rate (L1) (Bit/s) | 3.25 M |
| - Rx Rate (Fps) | 264 |
| - Flood Count (Frames) | 19 |
| P-0-2-2 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,785 |
| - Rx Rate (L1) (Bit/s) | 3.19 M |
| - Rx Rate (Fps) | 260 |
| - Flood Count (Frames) | 19 |
| P-0-2-3 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,988 |
| - Rx Rate (L1) (Bit/s) | 3.28 M |
| - Rx Rate (Fps) | 266 |
| - Flood Count (Frames) | 28 |
| P-0-2-4 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,959 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 3.26 M |
| - Rx Rate (Fps) | 265 |
| - Flood Count (Frames) | 24 |
| P-0-2-5 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,843 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 261 |
| - Flood Count (Frames) | 25 |
| P-0-4-0 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,907 |
| - Rx Rate (L1) (Bit/s) | 3.24 M |
| - Rx Rate (Fps) | 264 |
| - Flood Count (Frames) | 20 |
| P-0-4-1 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,797 |
| - Rx Rate (L1) (Bit/s) | 3.2 M |
| - Rx Rate (Fps) | 260 |
| - Flood Count (Frames) | 23 |
| P-0-4-2 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,899 |
| - Rx Rate (L1) (Bit/s) | 3.24 M |
| - Rx Rate (Fps) | 263 |
| - Flood Count (Frames) | 23 |
| P-0-4-3 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,861 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 31 |
| P-0-4-4 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,872 |
| - Rx Rate (L1) (Bit/s) | 3.23 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 25 |
| P-0-4-5 | |
| - Tx (Frames) | 731,469 |
| - Tx Rate (L1) (Bit/s) | 300 M |
| - Tx Rate (Fps) | 24,382 |
| - Rx (Frames) | 7,862 |
| - Rx Rate (L1) (Bit/s) | 3.22 M |
| - Rx Rate (Fps) | 262 |
| - Flood Count (Frames) | 26 |

Part.Mesh, 1:N: Loss by Frame Size at 30.00% Rate

## Results for 40.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 40 % | 40 % | 40 % | 40 % | 40 % | 40 % |
| Tx Rate (L1) (Bit/s) | 7.2 G | 7.2 G | 7.2 G | 7.2 G | 7.2 G | 7.2 G |
| Tx Rate (Fps) | 10,714,285 | 6,081,081 | 3,260,869 | 1,691,728 | 862,068 | 692,307 |
| Rx Rate (Percent) | 0 % | 0.01 % | 7.34 % | 6.7 % | 7.76 % | 7.67 % |
| Rx Rate (L1) (Bit/s) | 614.99 K | 1.21 M | 1.32 G | 1.21 G | 1.4 G | 1.38 G |
| Rx Rate (Fps) | 915.17 | 1.02 K | 598.7 K | 283.21 K | 167.34 K | 132.81 K |
| Loss Rate (Percent) | 99.99 % | 99.98 % | 81.64 % | 83.26 % | 80.59 % | 80.82 % |
| Loss (Frames) | 321,401,099 | 182,401,727 | 79,865,223 | 42,255,564 | 20,841,717 | 16,784,973 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 17,857,140 | 10,135,128 | 5,434,781 | 2,819,535 | 1,436,772 | 1,153,841 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,892 | 38,461 |
| - Rx (Frames) | 27,452 | 30,688 | 13,412,340 | 6,076,005 | 3,583,560 | 2,868,971 |
| - Rx Rate (L1) (Bit/s) | 614.92 K | 1.21 M | 987.15 M | 861.98 M | 997.66 M | 994.58 M |
| - Rx Rate (Fps) | 915 | 1,023 | 447,078 | 202,534 | 119,452 | 95,632 |
| - Flood Count (Frames) | 60 | 59 | 59 | 60 | 58 | 58 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 275,012 | 143,816 | 84,516 | 67,627 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.24 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,167 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 55 | 59 | 49 | 58 | 58 | 62 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 275,131 | 143,816 | 84,516 | 67,627 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.25 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,171 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 57 | 60 | 51 | 60 | 60 | 60 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 1 | 261,404 | 143,817 | 84,516 | 33,236 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 0 | 39.47 | 19.24 M | 20.4 M | 23.53 M | 11.52 M |
| - Rx Rate (Fps) | 0 | 0 | 8,713 | 4,794 | 2,817 | 1,108 |
| - Flood Count (Frames) | 59 | 60 | 51 | 60 | 57 | 58 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 274,812 | 130,394 | 84,516 | 67,627 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.23 M | 18.5 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,160 | 4,346 | 2,817 | 2,254 |
| - Flood Count (Frames) | 58 | 56 | 50 | 59 | 58 | 58 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 274,882 | 143,817 | 84,516 | 67,627 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.23 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,163 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 56 | 58 | 49 | 58 | 61 | 60 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 1 | 274,931 | 143,817 | 84,516 | 67,627 |
| - Rx Rate (L1) (Bit/s) | 0 | 39.47 | 20.23 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,164 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 59 | 57 | 45 | 58 | 61 | 60 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 256,616 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 18.89 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 8,554 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 61 | 58 | 49 | 58 | 60 | 60 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 274,955 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.24 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,165 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 57 | 58 | 51 | 59 | 58 | 62 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 2 | 226,755 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 78.93 | 16.69 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 7,559 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 58 | 60 | 51 | 58 | 61 | 60 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 1 | 234,954 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 39.47 | 17.29 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 7,832 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 59 | 56 | 44 | 57 | 59 | 59 |
| P-0-2-5 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 1 | 2 | 274,740 | 132,635 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 22.4 | 78.93 | 20.22 M | 18.82 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,158 | 4,421 | 2,817 | 2,254 |
| - Flood Count (Frames) | 59 | 58 | 53 | 57 | 61 | 60 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 0 | 0 | 274,477 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.2 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,149 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 55 | 58 | 53 | 58 | 56 | 60 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 274,152 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.18 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,138 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 58 | 58 | 51 | 55 | 58 | 56 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 274,002 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.17 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,133 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 56 | 55 | 49 | 56 | 59 | 55 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 1 | 0 | 273,929 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 22.4 | 0 | 20.16 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,131 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 60 | 57 | 46 | 58 | 57 | 59 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 0 | 0 | 273,787 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 20.15 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,126 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 58 | 57 | 46 | 55 | 57 | 55 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 17,857,142 | 10,135,135 | 5,434,782 | 2,819,548 | 1,436,781 | 1,153,846 |
| - Tx Rate (L1) (Bit/s) | 400 M | 400 M | 400 M | 400 M | 400 M | 400 M |
| - Tx Rate (Fps) | 595,238 | 337,838 | 181,159 | 93,985 | 47,893 | 38,462 |
| - Rx (Frames) | 1 | 1 | 273,973 | 143,817 | 84,516 | 67,628 |
| - Rx Rate (L1) (Bit/s) | 22.4 | 39.47 | 20.16 M | 20.4 M | 23.53 M | 23.44 M |
| - Rx Rate (Fps) | 0 | 0 | 9,132 | 4,794 | 2,817 | 2,254 |
| - Flood Count (Frames) | 57 | 57 | 49 | 56 | 58 | 57 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 40 % |
| Tx Rate (L1) (Bit/s) | 7.2 G |
| Tx Rate (Fps) | 585,175 |
| Rx Rate (Percent) | 6.07 % |
| Rx Rate (L1) (Bit/s) | 1.09 G |
| Rx Rate (Fps) | 88.76 K |
| Loss Rate (Percent) | 84.83 % |
| Loss (Frames) | 14,892,500 |
| P-0-0-0 | |
| - Tx (Frames) | 975,290 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 2,435,176 |
| - Rx Rate (L1) (Bit/s) | 998.75 M |
| - Rx Rate (Fps) | 81,173 |
| - Flood Count (Frames) | 58 |
| P-0-0-1 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 12,655 |
| - Rx Rate (L1) (Bit/s) | 5.19 M |

| | |
|---|---|
| - Rx Rate (Fps) | 422 |
| - Flood Count (Frames) | 28 |
| P-0-0-2 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,371 |
| - Rx Rate (L1) (Bit/s) | 5.48 M |
| - Rx Rate (Fps) | 446 |
| - Flood Count (Frames) | 23 |
| P-0-0-3 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,211 |
| - Rx Rate (L1) (Bit/s) | 5.42 M |
| - Rx Rate (Fps) | 440 |
| - Flood Count (Frames) | 22 |
| P-0-0-4 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,322 |
| - Rx Rate (L1) (Bit/s) | 5.46 M |
| - Rx Rate (Fps) | 444 |
| - Flood Count (Frames) | 23 |
| P-0-0-5 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,478 |
| - Rx Rate (L1) (Bit/s) | 5.53 M |
| - Rx Rate (Fps) | 449 |
| - Flood Count (Frames) | 23 |
| P-0-2-0 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,478 |
| - Rx Rate (L1) (Bit/s) | 5.53 M |
| - Rx Rate (Fps) | 449 |
| - Flood Count (Frames) | 19 |
| P-0-2-1 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,123 |
| - Rx Rate (L1) (Bit/s) | 5.38 M |
| - Rx Rate (Fps) | 437 |
| - Flood Count (Frames) | 24 |
| P-0-2-2 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,456 |
| - Rx Rate (L1) (Bit/s) | 5.52 M |
| - Rx Rate (Fps) | 449 |
| - Flood Count (Frames) | 23 |
| P-0-2-3 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,494 |
| - Rx Rate (L1) (Bit/s) | 5.53 M |
| - Rx Rate (Fps) | 450 |
| - Flood Count (Frames) | 24 |
| P-0-2-4 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,526 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 5.55 M |
| - Rx Rate (Fps) | 451 |
| - Flood Count (Frames) | 24 |
| P-0-2-5 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,438 |
| - Rx Rate (L1) (Bit/s) | 5.51 M |
| - Rx Rate (Fps) | 448 |
| - Flood Count (Frames) | 25 |
| P-0-4-0 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,480 |
| - Rx Rate (L1) (Bit/s) | 5.53 M |
| - Rx Rate (Fps) | 449 |
| - Flood Count (Frames) | 29 |
| P-0-4-1 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,447 |
| - Rx Rate (L1) (Bit/s) | 5.52 M |
| - Rx Rate (Fps) | 448 |
| - Flood Count (Frames) | 23 |
| P-0-4-2 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,610 |
| - Rx Rate (L1) (Bit/s) | 5.58 M |
| - Rx Rate (Fps) | 454 |
| - Flood Count (Frames) | 28 |
| P-0-4-3 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,480 |
| - Rx Rate (L1) (Bit/s) | 5.53 M |
| - Rx Rate (Fps) | 449 |
| - Flood Count (Frames) | 27 |
| P-0-4-4 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,454 |
| - Rx Rate (L1) (Bit/s) | 5.52 M |
| - Rx Rate (Fps) | 448 |
| - Flood Count (Frames) | 20 |
| P-0-4-5 | |
| - Tx (Frames) | 975,292 |
| - Tx Rate (L1) (Bit/s) | 400 M |
| - Tx Rate (Fps) | 32,510 |
| - Rx (Frames) | 13,555 |
| - Rx Rate (L1) (Bit/s) | 5.56 M |
| - Rx Rate (Fps) | 452 |
| - Flood Count (Frames) | 23 |

## Part.Mesh, 1:N: Loss by Frame Size at 40.00% Rate



### Results for 50.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 50 % | 50 % | 50 % | 50 % | 50 % | 50 % |
| Tx Rate (L1) (Bit/s) | 9 G | 9 G | 9 G | 9 G | 9 G | 9 G |
| Tx Rate (Fps) | 13,392,857 | 7,601,351 | 4,076,087 | 2,114,661 | 1,077,586 | 865,384 |
| Rx Rate (Percent) | 0.01 % | 0.02 % | 7.42 % | 7.95 % | 7.72 % | 8.12 % |
| Rx Rate (L1) (Bit/s) | 1.4 M | 2.95 M | 1.34 G | 1.43 G | 1.39 G | 1.46 G |
| Rx Rate (Fps) | 2.08 K | 2.49 K | 604.68 K | 336.42 K | 166.31 K | 140.53 K |
| Loss Rate (Percent) | 99.98 % | 99.97 % | 85.17 % | 84.09 % | 84.57 % | 83.76 % |
| Loss (Frames) | 401,723,221 | 227,965,867 | 104,142,197 | 53,347,095 | 27,338,366 | 21,745,612 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 22,321,425 | 12,668,910 | 6,793,472 | 3,524,423 | 1,795,965 | 1,442,297 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 45,570 | 60,259 | 13,413,335 | 7,007,128 | 3,479,323 | 2,879,973 |
| - Rx Rate (L1) (Bit/s) | 1.02 M | 2.38 M | 987.22 M | 994.08 M | 968.64 M | 998.39 M |
| - Rx Rate (Fps) | 1,519 | 2,009 | 447,111 | 233,571 | 115,977 | 95,999 |
| - Flood Count (Frames) | 61 | 58 | 60 | 58 | 60 | 60 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 0 | 1,199 | 290,594 | 183,144 | 89,927 | 77,504 |
| - Rx Rate (L1) (Bit/s) | 0 | 47.32 K | 21.39 M | 25.98 M | 25.04 M | 26.87 M |
| - Rx Rate (Fps) | 0 | 40 | 9,686 | 6,105 | 2,998 | 2,583 |
| - Flood Count (Frames) | 59 | 59 | 39 | 48 | 52 | 42 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,208 | 0 | 290,171 | 182,872 | 90,115 | 79,060 |
| - Rx Rate (L1) (Bit/s) | 27.06 K | 0 | 21.36 M | 25.94 M | 25.09 M | 27.41 M |
| - Rx Rate (Fps) | 40 | 0 | 9,672 | 6,096 | 3,004 | 2,635 |
| - Flood Count (Frames) | 57 | 58 | 38 | 42 | 52 | 44 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,208 | 1,201 | 212,088 | 183,160 | 90,063 | 79,200 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 27.06 K | 47.4 K | 15.61 M | 25.98 M | 25.07 M | 27.46 M |
| - Rx Rate (Fps) | 40 | 40 | 7,070 | 6,105 | 3,002 | 2,640 |
| - Flood Count (Frames) | 58 | 58 | 40 | 45 | 50 | 47 |
| **P-0-0-4** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,210 | 0 | 220,098 | 182,570 | 89,973 | 79,167 |
| - Rx Rate (L1) (Bit/s) | 27.1 K | 0 | 16.2 M | 25.9 M | 25.05 M | 27.44 M |
| - Rx Rate (Fps) | 40 | 0 | 7,337 | 6,086 | 2,999 | 2,639 |
| - Flood Count (Frames) | 58 | 58 | 41 | 46 | 51 | 49 |
| **P-0-0-5** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,209 | 1,205 | 241,547 | 158,615 | 69,974 | 79,157 |
| - Rx Rate (L1) (Bit/s) | 27.08 K | 47.56 K | 17.78 M | 22.5 M | 19.48 M | 27.44 M |
| - Rx Rate (Fps) | 40 | 40 | 8,052 | 5,287 | 2,332 | 2,639 |
| - Flood Count (Frames) | 59 | 58 | 42 | 47 | 52 | 44 |
| **P-0-2-0** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,212 | 0 | 289,457 | 182,999 | 89,969 | 77,542 |
| - Rx Rate (L1) (Bit/s) | 27.15 K | 0 | 21.3 M | 25.96 M | 25.05 M | 26.88 M |
| - Rx Rate (Fps) | 40 | 0 | 9,649 | 6,100 | 2,999 | 2,585 |
| - Flood Count (Frames) | 62 | 58 | 36 | 44 | 49 | 40 |
| **P-0-2-1** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 0 | 0 | 289,581 | 183,025 | 90,058 | 73,590 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 21.31 M | 25.97 M | 25.07 M | 25.51 M |
| - Rx Rate (Fps) | 0 | 0 | 9,653 | 6,101 | 3,002 | 2,453 |
| - Flood Count (Frames) | 58 | 59 | 37 | 46 | 54 | 50 |
| **P-0-2-2** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,209 | 1,200 | 289,894 | 182,828 | 90,056 | 79,026 |
| - Rx Rate (L1) (Bit/s) | 27.08 K | 47.36 K | 21.34 M | 25.94 M | 25.07 M | 27.4 M |
| - Rx Rate (Fps) | 40 | 40 | 9,663 | 6,094 | 3,002 | 2,634 |
| - Flood Count (Frames) | 58 | 58 | 39 | 46 | 48 | 49 |
| **P-0-2-3** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 0 | 0 | 289,969 | 182,851 | 90,044 | 79,104 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 21.34 M | 25.94 M | 25.07 M | 27.42 M |
| - Rx Rate (Fps) | 0 | 0 | 9,666 | 6,095 | 3,001 | 2,637 |
| - Flood Count (Frames) | 56 | 58 | 36 | 41 | 54 | 50 |
| **P-0-2-4** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,205 | 1,200 | 288,195 | 182,943 | 89,955 | 79,149 |
| - Rx Rate (L1) (Bit/s) | 26.99 K | 47.36 K | 21.21 M | 25.95 M | 25.04 M | 27.44 M |
| - Rx Rate (Fps) | 40 | 40 | 9,607 | 6,098 | 2,999 | 2,638 |
| - Flood Count (Frames) | 55 | 59 | 28 | 43 | 52 | 47 |
| **P-0-2-5** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,210 | 1,199 | 289,937 | 179,596 | 88,568 | 77,973 |
| - Rx Rate (L1) (Bit/s) | 27.1 K | 47.32 K | 21.34 M | 25.48 M | 24.66 M | 27.03 M |
| - Rx Rate (Fps) | 40 | 40 | 9,665 | 5,987 | 2,952 | 2,599 |
| - Flood Count (Frames) | 58 | 57 | 36 | 44 | 58 | 49 |
| **P-0-4-0** | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 1,211 | 1,202 | 288,933 | 183,245 | 90,352 | 79,274 |
| - Rx Rate (L1) (Bit/s) | 27.13 K | 47.44 K | 21.27 M | 26 M | 25.15 M | 27.48 M |
| - Rx Rate (Fps) | 40 | 40 | 9,631 | 6,108 | 3,012 | 2,642 |
| - Flood Count (Frames) | 59 | 58 | 43 | 45 | 55 | 48 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,213 | 1,195 | 289,910 | 183,203 | 90,164 | 79,245 |
| - Rx Rate (L1) (Bit/s) | 27.17 K | 47.16 K | 21.34 M | 25.99 M | 25.1 M | 27.47 M |
| - Rx Rate (Fps) | 40 | 40 | 9,664 | 6,107 | 3,005 | 2,642 |
| - Flood Count (Frames) | 56 | 56 | 33 | 39 | 45 | 48 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,205 | 1,200 | 289,249 | 183,574 | 90,231 | 79,234 |
| - Rx Rate (L1) (Bit/s) | 26.99 K | 47.36 K | 21.29 M | 26.04 M | 25.12 M | 27.47 M |
| - Rx Rate (Fps) | 40 | 40 | 9,642 | 6,119 | 3,008 | 2,641 |
| - Flood Count (Frames) | 55 | 59 | 40 | 43 | 51 | 48 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,206 | 1,200 | 289,419 | 183,777 | 90,195 | 79,204 |
| - Rx Rate (L1) (Bit/s) | 27.01 K | 47.36 K | 21.3 M | 26.07 M | 25.11 M | 27.46 M |
| - Rx Rate (Fps) | 40 | 40 | 9,647 | 6,126 | 3,007 | 2,640 |
| - Flood Count (Frames) | 55 | 55 | 39 | 42 | 47 | 46 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,201 | 1,195 | 289,234 | 183,494 | 90,137 | 79,264 |
| - Rx Rate (L1) (Bit/s) | 26.9 K | 47.16 K | 21.29 M | 26.03 M | 25.09 M | 27.48 M |
| - Rx Rate (Fps) | 40 | 40 | 9,641 | 6,116 | 3,005 | 2,642 |
| - Flood Count (Frames) | 57 | 55 | 38 | 43 | 48 | 47 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 22,321,428 | 12,668,918 | 6,793,478 | 3,524,436 | 1,795,977 | 1,442,307 |
| - Tx Rate (L1) (Bit/s) | 500 M | 500 M | 500 M | 500 M | 500 M | 500 M |
| - Tx Rate (Fps) | 744,048 | 422,297 | 226,449 | 117,481 | 59,866 | 48,077 |
| - Rx (Frames) | 1,203 | 1,194 | 288,790 | 183,716 | 90,104 | 79,238 |
| - Rx Rate (L1) (Bit/s) | 26.95 K | 47.12 K | 21.25 M | 26.06 M | 25.08 M | 27.47 M |
| - Rx Rate (Fps) | 40 | 40 | 9,626 | 6,124 | 3,003 | 2,641 |
| - Flood Count (Frames) | 58 | 55 | 37 | 48 | 51 | 43 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 50 % |
| Tx Rate (L1) (Bit/s) | 9 G |
| Tx Rate (Fps) | 731,469 |
| Rx Rate (Percent) | 6.2 % |
| Rx Rate (L1) (Bit/s) | 1.12 G |
| Rx Rate (Fps) | 90.67 K |
| Loss Rate (Percent) | 87.6 % |
| Loss (Frames) | 19,223,858 |
| P-0-0-0 | |
| - Tx (Frames) | 1,219,104 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 2,435,660 |
| - Rx Rate (L1) (Bit/s) | 998.95 M |
| - Rx Rate (Fps) | 81,189 |
| - Flood Count (Frames) | 56 |
| P-0-0-1 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,784 |
| - Rx Rate (L1) (Bit/s) | 6.88 M |

| | |
|---|---|
| - Rx Rate (Fps) | 559 |
| - Flood Count (Frames) | 21 |
| P-0-0-2 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,666 |
| - Rx Rate (L1) (Bit/s) | 6.84 M |
| - Rx Rate (Fps) | 556 |
| - Flood Count (Frames) | 19 |
| P-0-0-3 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,763 |
| - Rx Rate (L1) (Bit/s) | 6.88 M |
| - Rx Rate (Fps) | 559 |
| - Flood Count (Frames) | 25 |
| P-0-0-4 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,786 |
| - Rx Rate (L1) (Bit/s) | 6.88 M |
| - Rx Rate (Fps) | 560 |
| - Flood Count (Frames) | 19 |
| P-0-0-5 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,658 |
| - Rx Rate (L1) (Bit/s) | 6.83 M |
| - Rx Rate (Fps) | 555 |
| - Flood Count (Frames) | 18 |
| P-0-2-0 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,432 |
| - Rx Rate (L1) (Bit/s) | 6.74 M |
| - Rx Rate (Fps) | 548 |
| - Flood Count (Frames) | 21 |
| P-0-2-1 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,714 |
| - Rx Rate (L1) (Bit/s) | 6.85 M |
| - Rx Rate (Fps) | 557 |
| - Flood Count (Frames) | 26 |
| P-0-2-2 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,711 |
| - Rx Rate (L1) (Bit/s) | 6.85 M |
| - Rx Rate (Fps) | 557 |
| - Flood Count (Frames) | 19 |
| P-0-2-3 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,717 |
| - Rx Rate (L1) (Bit/s) | 6.86 M |
| - Rx Rate (Fps) | 557 |
| - Flood Count (Frames) | 21 |
| P-0-2-4 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,532 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 6.78 M |
| - Rx Rate (Fps) | 551 |
| - Flood Count (Frames) | 20 |
| P-0-2-5 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,739 |
| - Rx Rate (L1) (Bit/s) | 6.87 M |
| - Rx Rate (Fps) | 558 |
| - Flood Count (Frames) | 21 |
| P-0-4-0 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,858 |
| - Rx Rate (L1) (Bit/s) | 6.91 M |
| - Rx Rate (Fps) | 562 |
| - Flood Count (Frames) | 20 |
| P-0-4-1 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,805 |
| - Rx Rate (L1) (Bit/s) | 6.89 M |
| - Rx Rate (Fps) | 560 |
| - Flood Count (Frames) | 19 |
| P-0-4-2 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,893 |
| - Rx Rate (L1) (Bit/s) | 6.93 M |
| - Rx Rate (Fps) | 563 |
| - Flood Count (Frames) | 27 |
| P-0-4-3 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,907 |
| - Rx Rate (L1) (Bit/s) | 6.93 M |
| - Rx Rate (Fps) | 564 |
| - Flood Count (Frames) | 27 |
| P-0-4-4 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,715 |
| - Rx Rate (L1) (Bit/s) | 6.86 M |
| - Rx Rate (Fps) | 557 |
| - Flood Count (Frames) | 18 |
| P-0-4-5 | |
| - Tx (Frames) | 1,219,115 |
| - Tx Rate (L1) (Bit/s) | 500 M |
| - Tx Rate (Fps) | 40,637 |
| - Rx (Frames) | 16,861 |
| - Rx Rate (L1) (Bit/s) | 6.92 M |
| - Rx Rate (Fps) | 562 |
| - Flood Count (Frames) | 19 |

Part.Mesh, 1:N: Loss by Frame Size at 50.00% Rate

## Results for 60.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 60 % | 60 % | 60 % | 60 % | 60 % | 60 % |
| Tx Rate (L1) (Bit/s) | 10.8 G | 10.8 G | 10.8 G | 10.8 G | 10.8 G | 10.8 G |
| Tx Rate (Fps) | 16,071,428 | 9,121,621 | 4,891,303 | 2,537,593 | 1,293,103 | 1,038,461 |
| Rx Rate (Percent) | 0.01 % | 0.01 % | 1.42 % | 8 % | 7.76 % | 8.4 % |
| Rx Rate (L1) (Bit/s) | 1.41 M | 2.3 M | 256.43 M | 1.44 G | 1.4 G | 1.51 G |
| Rx Rate (Fps) | 2.1 K | 1.94 K | 116.14 K | 338.17 K | 167.28 K | 145.45 K |
| Loss Rate (Percent) | 99.99 % | 99.98 % | 97.63 % | 86.67 % | 87.06 % | 85.99 % |
| Loss (Frames) | 482,079,742 | 273,590,445 | 143,255,002 | 65,982,738 | 33,774,759 | 26,790,204 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 26,785,710 | 15,202,692 | 8,152,163 | 4,229,311 | 2,155,158 | 1,730,753 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 599.99 M |
| - Tx Rate (Fps) | 892,857 | 506,756 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 43,405 | 43,667 | 2,514,010 | 7,007,271 | 3,583,833 | 2,880,289 |
| - Rx Rate (L1) (Bit/s) | 972.27 K | 1.72 M | 185.03 M | 994.1 M | 997.74 M | 998.5 M |
| - Rx Rate (Fps) | 1,447 | 1,456 | 83,800 | 233,576 | 119,461 | 96,010 |
| - Flood Count (Frames) | 59 | 58 | 56 | 61 | 57 | 55 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,642 | 905 | 60,847 | 184,459 | 86,739 | 87,190 |
| - Rx Rate (L1) (Bit/s) | 36.78 K | 35.72 K | 4.48 M | 26.17 M | 24.15 M | 30.23 M |
| - Rx Rate (Fps) | 55 | 30 | 2,028 | 6,149 | 2,891 | 2,906 |
| - Flood Count (Frames) | 58 | 60 | 59 | 39 | 37 | 46 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 0 | 905 | 60,751 | 184,460 | 73,869 | 87,176 |
| - Rx Rate (L1) (Bit/s) | 0 | 35.72 K | 4.47 M | 26.17 M | 20.57 M | 30.22 M |
| - Rx Rate (Fps) | 0 | 30 | 2,025 | 6,149 | 2,462 | 2,906 |
| - Flood Count (Frames) | 56 | 59 | 61 | 34 | 40 | 44 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,642 | 906 | 61,050 | 184,561 | 86,879 | 87,178 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 36.78 K | 35.76 K | 4.49 M | 26.18 M | 24.19 M | 30.22 M |
| - Rx Rate (Fps) | 55 | 30 | 2,035 | 6,152 | 2,896 | 2,906 |
| - Flood Count (Frames) | 58 | 57 | 60 | 38 | 46 | 45 |
| **P-0-0-4** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,642 | 913 | 650 | 184,393 | 86,748 | 87,218 |
| - Rx Rate (L1) (Bit/s) | 36.78 K | 36.03 K | 47.84 K | 26.16 M | 24.15 M | 30.24 M |
| - Rx Rate (Fps) | 55 | 30 | 22 | 6,146 | 2,892 | 2,907 |
| - Flood Count (Frames) | 62 | 61 | 58 | 34 | 45 | 39 |
| **P-0-0-5** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 0 | 906 | 60,984 | 184,802 | 71,932 | 87,182 |
| - Rx Rate (L1) (Bit/s) | 0 | 35.76 K | 4.49 M | 26.22 M | 20.03 M | 30.22 M |
| - Rx Rate (Fps) | 0 | 30 | 2,033 | 6,160 | 2,398 | 2,906 |
| - Flood Count (Frames) | 58 | 58 | 60 | 39 | 42 | 40 |
| **P-0-2-0** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 0 | 907 | 60,855 | 184,596 | 86,576 | 87,134 |
| - Rx Rate (L1) (Bit/s) | 0 | 35.8 K | 4.48 M | 26.19 M | 24.1 M | 30.21 M |
| - Rx Rate (Fps) | 0 | 30 | 2,029 | 6,153 | 2,886 | 2,904 |
| - Flood Count (Frames) | 58 | 60 | 60 | 33 | 39 | 42 |
| **P-0-2-1** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,643 | 0 | 61,187 | 184,802 | 79,387 | 87,315 |
| - Rx Rate (L1) (Bit/s) | 36.8 K | 0 | 4.5 M | 26.22 M | 22.1 M | 30.27 M |
| - Rx Rate (Fps) | 55 | 0 | 2,040 | 6,160 | 2,646 | 2,911 |
| - Flood Count (Frames) | 60 | 57 | 59 | 39 | 44 | 39 |
| **P-0-2-2** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,642 | 903 | 61,224 | 184,639 | 86,503 | 87,206 |
| - Rx Rate (L1) (Bit/s) | 36.78 K | 35.64 K | 4.51 M | 26.19 M | 24.08 M | 30.23 M |
| - Rx Rate (Fps) | 55 | 30 | 2,041 | 6,155 | 2,883 | 2,907 |
| - Flood Count (Frames) | 61 | 61 | 58 | 42 | 48 | 45 |
| **P-0-2-3** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 0 | 905 | 60,746 | 184,599 | 86,434 | 87,113 |
| - Rx Rate (L1) (Bit/s) | 0 | 35.72 K | 4.47 M | 26.19 M | 24.06 M | 30.2 M |
| - Rx Rate (Fps) | 0 | 30 | 2,025 | 6,153 | 2,881 | 2,904 |
| - Flood Count (Frames) | 58 | 58 | 60 | 41 | 39 | 40 |
| **P-0-2-4** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 0 | 907 | 55,604 | 184,398 | 81,801 | 87,279 |
| - Rx Rate (L1) (Bit/s) | 0 | 35.8 K | 4.09 M | 26.16 M | 22.77 M | 30.26 M |
| - Rx Rate (Fps) | 0 | 30 | 1,853 | 6,147 | 2,727 | 2,909 |
| - Flood Count (Frames) | 56 | 58 | 55 | 36 | 39 | 47 |
| **P-0-2-5** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,642 | 909 | 61,164 | 184,500 | 86,484 | 87,218 |
| - Rx Rate (L1) (Bit/s) | 36.78 K | 35.88 K | 4.5 M | 26.17 M | 24.08 M | 30.24 M |
| - Rx Rate (Fps) | 55 | 30 | 2,039 | 6,150 | 2,883 | 2,907 |
| - Flood Count (Frames) | 56 | 59 | 57 | 40 | 41 | 41 |
| **P-0-4-0** | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 1,641 | 913 | 60,872 | 184,584 | 86,738 | 87,180 |
| - Rx Rate (L1) (Bit/s) | 36.76 K | 36.03 K | 4.48 M | 26.19 M | 24.15 M | 30.22 M |
| - Rx Rate (Fps) | 55 | 30 | 2,029 | 6,153 | 2,891 | 2,906 |
| - Flood Count (Frames) | 55 | 61 | 59 | 35 | 46 | 36 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,640 | 909 | 60,906 | 184,843 | 86,812 | 87,268 |
| - Rx Rate (L1) (Bit/s) | 36.74 K | 35.88 K | 4.48 M | 26.22 M | 24.17 M | 30.25 M |
| - Rx Rate (Fps) | 55 | 30 | 2,030 | 6,161 | 2,894 | 2,909 |
| - Flood Count (Frames) | 55 | 58 | 57 | 34 | 43 | 45 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,642 | 910 | 60,768 | 184,512 | 86,809 | 87,544 |
| - Rx Rate (L1) (Bit/s) | 36.78 K | 35.91 K | 4.47 M | 26.18 M | 24.17 M | 30.35 M |
| - Rx Rate (Fps) | 55 | 30 | 2,026 | 6,150 | 2,894 | 2,918 |
| - Flood Count (Frames) | 60 | 56 | 56 | 41 | 41 | 34 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,641 | 904 | 60,889 | 184,576 | 86,885 | 87,381 |
| - Rx Rate (L1) (Bit/s) | 36.76 K | 35.68 K | 4.48 M | 26.19 M | 24.19 M | 30.29 M |
| - Rx Rate (Fps) | 55 | 30 | 2,030 | 6,153 | 2,896 | 2,913 |
| - Flood Count (Frames) | 58 | 56 | 58 | 36 | 45 | 35 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,641 | 907 | 60,870 | 184,434 | 86,929 | 87,436 |
| - Rx Rate (L1) (Bit/s) | 36.76 K | 35.8 K | 4.48 M | 26.17 M | 24.2 M | 30.31 M |
| - Rx Rate (Fps) | 55 | 30 | 2,029 | 6,148 | 2,898 | 2,915 |
| - Flood Count (Frames) | 56 | 58 | 54 | 31 | 44 | 37 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| - Tx Rate (L1) (Bit/s) | 600 M | 600 M | 600 M | 600 M | 600 M | 600 M |
| - Tx Rate (Fps) | 892,857 | 506,757 | 271,739 | 140,977 | 71,839 | 57,692 |
| - Rx (Frames) | 1,643 | 905 | 60,725 | 184,635 | 86,965 | 87,315 |
| - Rx Rate (L1) (Bit/s) | 36.8 K | 35.72 K | 4.47 M | 26.19 M | 24.21 M | 30.27 M |
| - Rx Rate (Fps) | 55 | 30 | 2,024 | 6,155 | 2,899 | 2,911 |
| - Flood Count (Frames) | 56 | 57 | 57 | 48 | 30 | 41 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 60 % |
| Tx Rate (L1) (Bit/s) | 10.8 G |
| Tx Rate (Fps) | 877,763 |
| Rx Rate (Percent) | 6.27 % |
| Rx Rate (L1) (Bit/s) | 1.13 G |
| Rx Rate (Fps) | 91.71 K |
| Loss Rate (Percent) | 89.55 % |
| Loss (Frames) | 23,581,650 |
| P-0-0-0 | |
| - Tx (Frames) | 1,462,935 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 2,435,721 |
| - Rx Rate (L1) (Bit/s) | 998.97 M |
| - Rx Rate (Fps) | 81,191 |
| - Flood Count (Frames) | 60 |
| P-0-0-1 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,628 |
| - Rx Rate (L1) (Bit/s) | 7.64 M |

| | |
|---|---|
| - Rx Rate (Fps) | 621 |
| - Flood Count (Frames) | 22 |
| P-0-0-2 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,343 |
| - Rx Rate (L1) (Bit/s) | 7.52 M |
| - Rx Rate (Fps) | 611 |
| - Flood Count (Frames) | 19 |
| P-0-0-3 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,539 |
| - Rx Rate (L1) (Bit/s) | 7.6 M |
| - Rx Rate (Fps) | 618 |
| - Flood Count (Frames) | 17 |
| P-0-0-4 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,461 |
| - Rx Rate (L1) (Bit/s) | 7.57 M |
| - Rx Rate (Fps) | 615 |
| - Flood Count (Frames) | 17 |
| P-0-0-5 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,492 |
| - Rx Rate (L1) (Bit/s) | 7.58 M |
| - Rx Rate (Fps) | 616 |
| - Flood Count (Frames) | 19 |
| P-0-2-0 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,581 |
| - Rx Rate (L1) (Bit/s) | 7.62 M |
| - Rx Rate (Fps) | 619 |
| - Flood Count (Frames) | 18 |
| P-0-2-1 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,495 |
| - Rx Rate (L1) (Bit/s) | 7.59 M |
| - Rx Rate (Fps) | 617 |
| - Flood Count (Frames) | 21 |
| P-0-2-2 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,542 |
| - Rx Rate (L1) (Bit/s) | 7.6 M |
| - Rx Rate (Fps) | 618 |
| - Flood Count (Frames) | 21 |
| P-0-2-3 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,585 |
| - Rx Rate (L1) (Bit/s) | 7.62 M |
| - Rx Rate (Fps) | 620 |
| - Flood Count (Frames) | 24 |
| P-0-2-4 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,590 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 7.62 M |
| - Rx Rate (Fps) | 620 |
| - Flood Count (Frames) | 24 |
| P-0-2-5 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,636 |
| - Rx Rate (L1) (Bit/s) | 7.64 M |
| - Rx Rate (Fps) | 621 |
| - Flood Count (Frames) | 23 |
| P-0-4-0 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,619 |
| - Rx Rate (L1) (Bit/s) | 7.64 M |
| - Rx Rate (Fps) | 621 |
| - Flood Count (Frames) | 20 |
| P-0-4-1 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,460 |
| - Rx Rate (L1) (Bit/s) | 7.57 M |
| - Rx Rate (Fps) | 615 |
| - Flood Count (Frames) | 16 |
| P-0-4-2 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,550 |
| - Rx Rate (L1) (Bit/s) | 7.61 M |
| - Rx Rate (Fps) | 618 |
| - Flood Count (Frames) | 25 |
| P-0-4-3 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,652 |
| - Rx Rate (L1) (Bit/s) | 7.65 M |
| - Rx Rate (Fps) | 622 |
| - Flood Count (Frames) | 20 |
| P-0-4-4 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,573 |
| - Rx Rate (L1) (Bit/s) | 7.62 M |
| - Rx Rate (Fps) | 619 |
| - Flood Count (Frames) | 22 |
| P-0-4-5 | |
| - Tx (Frames) | 1,462,938 |
| - Tx Rate (L1) (Bit/s) | 600 M |
| - Tx Rate (Fps) | 48,765 |
| - Rx (Frames) | 18,764 |
| - Rx Rate (L1) (Bit/s) | 7.7 M |
| - Rx Rate (Fps) | 625 |
| - Flood Count (Frames) | 17 |

Part.Mesh, 1:N: Loss by Frame Size at 60.00% Rate

## Results for 70.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 70 % | 70 % | 70 % | 70 % | 70 % | 70 % |
| Tx Rate (L1) (Bit/s) | 12.6 G | 12.6 G | 12.6 G | 12.6 G | 12.6 G | 12.6 G |
| Tx Rate (Fps) | 18,750,000 | 10,641,891 | 5,706,521 | 2,960,526 | 1,508,620 | 1,211,538 |
| Rx Rate (Percent) | 0.01 % | 0.01 % | 0.02 % | 8.04 % | 8.71 % | 8.4 % |
| Rx Rate (L1) (Bit/s) | 1.34 M | 2.18 M | 4.28 M | 1.45 G | 1.57 G | 1.51 G |
| Rx Rate (Fps) | 2 K | 1.84 K | 1.94 K | 340.15 K | 187.66 K | 145.4 K |
| Loss Rate (Percent) | 99.99 % | 99.98 % | 99.97 % | 88.51 % | 87.56 % | 88 % |
| Loss (Frames) | 562,440,107 | 319,201,525 | 171,137,529 | 78,611,415 | 39,628,720 | 31,984,286 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 31,249,995 | 17,736,474 | 9,510,854 | 4,934,199 | 2,514,351 | 2,019,226 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,028 | 164,473 | 83,812 | 67,308 |
| - Rx (Frames) | 38,259 | 40,016 | 42,739 | 7,006,707 | 3,584,157 | 2,785,656 |
| - Rx Rate (L1) (Bit/s) | 857 K | 1.58 M | 3.15 M | 994.02 M | 997.83 M | 965.69 M |
| - Rx Rate (Fps) | 1,275 | 1,334 | 1,425 | 233,557 | 119,472 | 92,855 |
| - Flood Count (Frames) | 60 | 56 | 58 | 59 | 59 | 56 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 0 | 1,082 | 1,108 | 161,771 | 120,669 | 93,491 |
| - Rx Rate (L1) (Bit/s) | 0 | 42.7 K | 81.55 K | 22.95 M | 33.59 M | 32.41 M |
| - Rx Rate (Fps) | 0 | 36 | 37 | 5,392 | 4,022 | 3,116 |
| - Flood Count (Frames) | 57 | 59 | 61 | 41 | 42 | 42 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 0 | 1,090 | 1,104 | 190,188 | 120,473 | 93,305 |
| - Rx Rate (L1) (Bit/s) | 0 | 43.02 K | 81.25 K | 26.98 M | 33.54 M | 32.35 M |
| - Rx Rate (Fps) | 0 | 36 | 37 | 6,340 | 4,016 | 3,110 |
| - Flood Count (Frames) | 58 | 61 | 59 | 37 | 33 | 39 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,664 | 0 | 1,104 | 190,971 | 120,807 | 93,594 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 37.27 K | 0 | 81.25 K | 27.09 M | 33.63 M | 32.45 M |
| - Rx Rate (Fps) | 55 | 0 | 37 | 6,366 | 4,027 | 3,120 |
| - Flood Count (Frames) | 59 | 60 | 58 | 34 | 38 | 38 |
| **P-0-0-4** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,665 | 1,092 | 1,104 | 190,442 | 120,579 | 79,241 |
| - Rx Rate (L1) (Bit/s) | 37.3 K | 43.1 K | 81.25 K | 27.02 M | 33.57 M | 27.47 M |
| - Rx Rate (Fps) | 56 | 36 | 37 | 6,348 | 4,019 | 2,641 |
| - Flood Count (Frames) | 58 | 60 | 61 | 32 | 36 | 41 |
| **P-0-0-5** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,660 | 1,088 | 1,093 | 190,569 | 120,591 | 93,652 |
| - Rx Rate (L1) (Bit/s) | 37.18 K | 42.94 K | 80.44 K | 27.04 M | 33.57 M | 32.47 M |
| - Rx Rate (Fps) | 55 | 36 | 36 | 6,352 | 4,020 | 3,122 |
| - Flood Count (Frames) | 59 | 61 | 61 | 29 | 39 | 40 |
| **P-0-2-0** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 0 | 1,092 | 1,097 | 190,620 | 120,194 | 93,481 |
| - Rx Rate (L1) (Bit/s) | 0 | 43.1 K | 80.74 K | 27.04 M | 33.46 M | 32.41 M |
| - Rx Rate (Fps) | 0 | 36 | 37 | 6,354 | 4,006 | 3,116 |
| - Flood Count (Frames) | 60 | 61 | 58 | 33 | 40 | 45 |
| **P-0-2-1** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 0 | 1,088 | 1 | 172,346 | 120,359 | 93,562 |
| - Rx Rate (L1) (Bit/s) | 0 | 42.94 K | 73.6 | 24.45 M | 33.51 M | 32.43 M |
| - Rx Rate (Fps) | 0 | 36 | 0 | 5,745 | 4,012 | 3,119 |
| - Flood Count (Frames) | 58 | 57 | 58 | 35 | 37 | 46 |
| **P-0-2-2** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,664 | 0 | 1,091 | 191,040 | 120,322 | 93,681 |
| - Rx Rate (L1) (Bit/s) | 37.27 K | 0 | 80.3 K | 27.1 M | 33.5 M | 32.48 M |
| - Rx Rate (Fps) | 55 | 0 | 36 | 6,368 | 4,011 | 3,123 |
| - Flood Count (Frames) | 56 | 56 | 61 | 29 | 31 | 40 |
| **P-0-2-3** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,663 | 1,091 | 1 | 190,613 | 120,716 | 93,586 |
| - Rx Rate (L1) (Bit/s) | 37.25 K | 43.06 K | 73.6 | 27.04 M | 33.61 M | 32.44 M |
| - Rx Rate (Fps) | 55 | 36 | 0 | 6,354 | 4,024 | 3,120 |
| - Flood Count (Frames) | 57 | 59 | 60 | 35 | 40 | 43 |
| **P-0-2-4** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,663 | 1,088 | 1,103 | 190,404 | 115,328 | 93,527 |
| - Rx Rate (L1) (Bit/s) | 37.25 K | 42.94 K | 81.18 K | 27.01 M | 32.11 M | 32.42 M |
| - Rx Rate (Fps) | 55 | 36 | 37 | 6,347 | 3,844 | 3,118 |
| - Flood Count (Frames) | 57 | 59 | 60 | 39 | 39 | 39 |
| **P-0-2-5** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,664 | 0 | 1 | 190,684 | 120,554 | 93,437 |
| - Rx Rate (L1) (Bit/s) | 37.27 K | 0 | 73.6 | 27.05 M | 33.56 M | 32.39 M |
| - Rx Rate (Fps) | 55 | 0 | 0 | 6,356 | 4,018 | 3,115 |
| - Flood Count (Frames) | 59 | 59 | 58 | 32 | 43 | 37 |
| **P-0-4-0** | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 1,661 | 1,083 | 1,087 | 192,320 | 120,697 | 93,521 |
| - Rx Rate (L1) (Bit/s) | 37.21 K | 42.74 K | 80 K | 27.28 M | 33.6 M | 32.42 M |
| - Rx Rate (Fps) | 55 | 36 | 36 | 6,411 | 4,023 | 3,117 |
| - Flood Count (Frames) | 60 | 58 | 55 | 33 | 37 | 38 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,664 | 1,082 | 1,089 | 191,535 | 120,992 | 93,545 |
| - Rx Rate (L1) (Bit/s) | 37.27 K | 42.7 K | 80.15 K | 27.17 M | 33.68 M | 32.43 M |
| - Rx Rate (Fps) | 55 | 36 | 36 | 6,385 | 4,033 | 3,118 |
| - Flood Count (Frames) | 59 | 56 | 56 | 33 | 44 | 44 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,664 | 1,081 | 1,086 | 191,134 | 120,728 | 93,532 |
| - Rx Rate (L1) (Bit/s) | 37.27 K | 42.66 K | 79.93 K | 27.12 M | 33.61 M | 32.42 M |
| - Rx Rate (Fps) | 55 | 36 | 36 | 6,371 | 4,024 | 3,118 |
| - Flood Count (Frames) | 58 | 60 | 60 | 32 | 38 | 42 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,666 | 1,080 | 1,092 | 190,931 | 120,956 | 93,839 |
| - Rx Rate (L1) (Bit/s) | 37.32 K | 42.62 K | 80.37 K | 27.09 M | 33.67 M | 32.53 M |
| - Rx Rate (Fps) | 56 | 36 | 36 | 6,364 | 4,032 | 3,128 |
| - Flood Count (Frames) | 57 | 55 | 58 | 33 | 41 | 41 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,668 | 1,077 | 1,101 | 191,118 | 120,864 | 93,609 |
| - Rx Rate (L1) (Bit/s) | 37.36 K | 42.51 K | 81.03 K | 27.11 M | 33.65 M | 32.45 M |
| - Rx Rate (Fps) | 56 | 36 | 37 | 6,371 | 4,029 | 3,120 |
| - Flood Count (Frames) | 57 | 57 | 59 | 37 | 39 | 39 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 31,250,000 | 17,736,486 | 9,510,869 | 4,934,210 | 2,514,367 | 2,019,230 |
| - Tx Rate (L1) (Bit/s) | 700 M | 700 M | 700 M | 700 M | 700 M | 700 M |
| - Tx Rate (Fps) | 1,041,667 | 591,216 | 317,029 | 164,474 | 83,812 | 67,308 |
| - Rx (Frames) | 1,663 | 1,081 | 1,097 | 190,961 | 120,884 | 93,591 |
| - Rx Rate (L1) (Bit/s) | 37.25 K | 42.66 K | 80.74 K | 27.09 M | 33.65 M | 32.44 M |
| - Rx Rate (Fps) | 55 | 36 | 37 | 6,365 | 4,029 | 3,120 |
| - Flood Count (Frames) | 56 | 56 | 55 | 31 | 39 | 41 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 70 % |
| Tx Rate (L1) (Bit/s) | 12.6 G |
| Tx Rate (Fps) | 1,024,057 |
| Rx Rate (Percent) | 6.31 % |
| Rx Rate (L1) (Bit/s) | 1.14 G |
| Rx Rate (Fps) | 92.34 K |
| Loss Rate (Percent) | 90.98 % |
| Loss (Frames) | 27,951,630 |
| P-0-0-0 | |
| - Tx (Frames) | 1,706,749 |
| - Tx Rate (L1) (Bit/s) | 699.99 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 2,435,353 |
| - Rx Rate (L1) (Bit/s) | 998.82 M |
| - Rx Rate (Fps) | 81,178 |
| - Flood Count (Frames) | 57 |
| P-0-0-1 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 15,594 |
| - Rx Rate (L1) (Bit/s) | 6.4 M |

| | |
|---|---:|
| - Rx Rate (Fps) | 520 |
| - Flood Count (Frames) | 24 |
| P-0-0-2 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 18,127 |
| - Rx Rate (L1) (Bit/s) | 7.43 M |
| - Rx Rate (Fps) | 604 |
| - Flood Count (Frames) | 23 |
| P-0-0-3 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,454 |
| - Rx Rate (L1) (Bit/s) | 8.39 M |
| - Rx Rate (Fps) | 682 |
| - Flood Count (Frames) | 24 |
| P-0-0-4 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,535 |
| - Rx Rate (L1) (Bit/s) | 8.42 M |
| - Rx Rate (Fps) | 685 |
| - Flood Count (Frames) | 20 |
| P-0-0-5 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,403 |
| - Rx Rate (L1) (Bit/s) | 8.37 M |
| - Rx Rate (Fps) | 680 |
| - Flood Count (Frames) | 20 |
| P-0-2-0 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,498 |
| - Rx Rate (L1) (Bit/s) | 8.41 M |
| - Rx Rate (Fps) | 683 |
| - Flood Count (Frames) | 25 |
| P-0-2-1 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,558 |
| - Rx Rate (L1) (Bit/s) | 8.43 M |
| - Rx Rate (Fps) | 685 |
| - Flood Count (Frames) | 24 |
| P-0-2-2 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 16,784 |
| - Rx Rate (L1) (Bit/s) | 6.88 M |
| - Rx Rate (Fps) | 559 |
| - Flood Count (Frames) | 21 |
| P-0-2-3 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 19,809 |
| - Rx Rate (L1) (Bit/s) | 8.12 M |
| - Rx Rate (Fps) | 660 |
| - Flood Count (Frames) | 19 |
| P-0-2-4 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 17,440 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 7.15 M |
| - Rx Rate (Fps) | 581 |
| - Flood Count (Frames) | 21 |
| P-0-2-5 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,435 |
| - Rx Rate (L1) (Bit/s) | 8.38 M |
| - Rx Rate (Fps) | 681 |
| - Flood Count (Frames) | 22 |
| P-0-4-0 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,649 |
| - Rx Rate (L1) (Bit/s) | 8.47 M |
| - Rx Rate (Fps) | 688 |
| - Flood Count (Frames) | 21 |
| P-0-4-1 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,689 |
| - Rx Rate (L1) (Bit/s) | 8.49 M |
| - Rx Rate (Fps) | 690 |
| - Flood Count (Frames) | 23 |
| P-0-4-2 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,809 |
| - Rx Rate (L1) (Bit/s) | 8.53 M |
| - Rx Rate (Fps) | 694 |
| - Flood Count (Frames) | 20 |
| P-0-4-3 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,760 |
| - Rx Rate (L1) (Bit/s) | 8.51 M |
| - Rx Rate (Fps) | 692 |
| - Flood Count (Frames) | 22 |
| P-0-4-4 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,688 |
| - Rx Rate (L1) (Bit/s) | 8.48 M |
| - Rx Rate (Fps) | 690 |
| - Flood Count (Frames) | 21 |
| P-0-4-5 | |
| - Tx (Frames) | 1,706,762 |
| - Tx Rate (L1) (Bit/s) | 700 M |
| - Tx Rate (Fps) | 56,892 |
| - Rx (Frames) | 20,488 |
| - Rx Rate (L1) (Bit/s) | 8.4 M |
| - Rx Rate (Fps) | 683 |
| - Flood Count (Frames) | 17 |

Part.Mesh, 1:N: Loss by Frame Size at 70.00% Rate

## Results for 80.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 80 % | 80 % | 80 % | 80 % | 80 % | 80 % |
| Tx Rate (L1) (Bit/s) | 14.4 G | 14.4 G | 14.4 G | 14.4 G | 14.4 G | 14.4 G |
| Tx Rate (Fps) | 21,428,571 | 12,162,162 | 6,521,739 | 3,383,458 | 1,724,138 | 1,384,615 |
| Rx Rate (Percent) | 0.01 % | 0.01 % | 0.01 % | 7.64 % | 7.9 % | 8.56 % |
| Rx Rate (L1) (Bit/s) | 1.43 M | 2.33 M | 1.2 M | 1.38 G | 1.42 G | 1.54 G |
| Rx Rate (Fps) | 2.12 K | 1.97 K | 542.57 | 323.22 K | 170.32 K | 148.15 K |
| Loss Rate (Percent) | 99.99 % | 99.98 % | 99.99 % | 90.45 % | 90.12 % | 89.3 % |
| Loss (Frames) | 642,793,465 | 364,805,703 | 195,635,890 | 91,807,222 | 46,614,554 | 37,093,844 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 35,714,280 | 20,270,256 | 10,869,562 | 5,639,087 | 2,873,561 | 2,307,682 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,675 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 40,201 | 40,796 | 16,275 | 7,007,553 | 3,407,185 | 2,880,353 |
| - Rx Rate (L1) (Bit/s) | 900.5 K | 1.61 M | 1.2 M | 994.14 M | 948.56 M | 998.52 M |
| - Rx Rate (Fps) | 1,340 | 1,360 | 543 | 233,585 | 113,573 | 96,012 |
| - Flood Count (Frames) | 57 | 59 | 58 | 62 | 57 | 58 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 0 | 0 | 0 | 156,738 | 99,842 | 93,832 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 0 | 22.24 M | 27.8 M | 32.53 M |
| - Rx Rate (Fps) | 0 | 0 | 0 | 5,225 | 3,328 | 3,128 |
| - Flood Count (Frames) | 59 | 59 | 57 | 36 | 37 | 29 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 0 | 1,533 | 0 | 158,907 | 100,245 | 92,993 |
| - Rx Rate (L1) (Bit/s) | 0 | 60.5 K | 0 | 22.54 M | 27.91 M | 32.24 M |
| - Rx Rate (Fps) | 0 | 51 | 0 | 5,297 | 3,342 | 3,100 |
| - Flood Count (Frames) | 60 | 60 | 59 | 36 | 35 | 36 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,131 | 1,531 | 0 | 152,728 | 100,273 | 93,918 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 47.73 K | 60.42 K | 0 | 21.67 M | 27.92 M | 32.56 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,091 | 3,342 | 3,131 |
| - Flood Count (Frames) | 59 | 61 | 59 | 46 | 37 | 34 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,131 | 1,526 | 0 | 158,965 | 100,152 | 93,724 |
| - Rx Rate (L1) (Bit/s) | 47.73 K | 60.23 K | 0 | 22.55 M | 27.88 M | 32.49 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,299 | 3,338 | 3,124 |
| - Flood Count (Frames) | 59 | 59 | 59 | 39 | 36 | 34 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 0 | 1,529 | 0 | 158,734 | 100,028 | 94,092 |
| - Rx Rate (L1) (Bit/s) | 0 | 60.34 K | 0 | 22.52 M | 27.85 M | 32.62 M |
| - Rx Rate (Fps) | 0 | 51 | 0 | 5,291 | 3,334 | 3,136 |
| - Flood Count (Frames) | 56 | 61 | 58 | 40 | 31 | 38 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 0 | 1,529 | 0 | 159,575 | 100,283 | 94,000 |
| - Rx Rate (L1) (Bit/s) | 0 | 60.34 K | 0 | 22.64 M | 27.92 M | 32.59 M |
| - Rx Rate (Fps) | 0 | 51 | 0 | 5,319 | 3,343 | 3,133 |
| - Flood Count (Frames) | 58 | 56 | 56 | 33 | 42 | 32 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,134 | 0 | 0 | 151,315 | 100,136 | 93,782 |
| - Rx Rate (L1) (Bit/s) | 47.8 K | 0 | 0 | 21.47 M | 27.88 M | 32.51 M |
| - Rx Rate (Fps) | 71 | 0 | 0 | 5,044 | 3,338 | 3,126 |
| - Flood Count (Frames) | 60 | 58 | 56 | 35 | 35 | 39 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 0 | 0 | 0 | 159,172 | 100,284 | 64,085 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 0 | 22.58 M | 27.92 M | 22.22 M |
| - Rx Rate (Fps) | 0 | 0 | 0 | 5,306 | 3,343 | 2,136 |
| - Flood Count (Frames) | 58 | 60 | 59 | 42 | 43 | 37 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,134 | 1,523 | 0 | 158,711 | 100,165 | 90,246 |
| - Rx Rate (L1) (Bit/s) | 47.8 K | 60.11 K | 0 | 22.52 M | 27.89 M | 31.29 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,290 | 3,339 | 3,008 |
| - Flood Count (Frames) | 57 | 57 | 58 | 39 | 43 | 33 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,133 | 0 | 1 | 159,467 | 100,215 | 93,996 |
| - Rx Rate (L1) (Bit/s) | 47.78 K | 0 | 73.6 | 22.62 M | 27.9 M | 32.59 M |
| - Rx Rate (Fps) | 71 | 0 | 0 | 5,316 | 3,341 | 3,133 |
| - Flood Count (Frames) | 59 | 58 | 58 | 38 | 36 | 28 |
| P-0-2-5 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 0 | 0 | 0 | 159,991 | 100,315 | 94,132 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 0 | 22.7 M | 27.93 M | 32.63 M |
| - Rx Rate (Fps) | 0 | 0 | 0 | 5,333 | 3,344 | 3,138 |
| - Flood Count (Frames) | 61 | 58 | 58 | 41 | 38 | 32 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 2,133 | 1,527 | 0 | 159,947 | 100,599 | 94,349 |
| - Rx Rate (L1) (Bit/s) | 47.78 K | 60.27 K | 0 | 22.69 M | 28.01 M | 32.71 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,332 | 3,353 | 3,145 |
| - Flood Count (Frames) | 58 | 56 | 58 | 30 | 29 | 36 |
| **P-0-4-1** | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,131 | 1,531 | 0 | 158,505 | 99,856 | 94,286 |
| - Rx Rate (L1) (Bit/s) | 47.73 K | 60.42 K | 0 | 22.49 M | 27.8 M | 32.69 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,284 | 3,329 | 3,143 |
| - Flood Count (Frames) | 56 | 58 | 57 | 41 | 37 | 31 |
| **P-0-4-2** | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,133 | 1,525 | 0 | 158,762 | 99,650 | 94,062 |
| - Rx Rate (L1) (Bit/s) | 47.78 K | 60.19 K | 0 | 22.52 M | 27.74 M | 32.61 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,292 | 3,322 | 3,135 |
| - Flood Count (Frames) | 55 | 59 | 56 | 33 | 33 | 32 |
| **P-0-4-3** | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,132 | 1,536 | 0 | 159,220 | 100,255 | 94,451 |
| - Rx Rate (L1) (Bit/s) | 47.76 K | 60.62 K | 0 | 22.59 M | 27.91 M | 32.74 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,307 | 3,342 | 3,148 |
| - Flood Count (Frames) | 57 | 56 | 57 | 32 | 40 | 35 |
| **P-0-4-4** | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,133 | 1,525 | 0 | 159,373 | 100,332 | 94,183 |
| - Rx Rate (L1) (Bit/s) | 47.78 K | 60.19 K | 0 | 22.61 M | 27.93 M | 32.65 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,312 | 3,344 | 3,139 |
| - Flood Count (Frames) | 57 | 55 | 56 | 32 | 33 | 38 |
| **P-0-4-5** | | | | | | |
| - Tx (Frames) | 35,714,285 | 20,270,270 | 10,869,565 | 5,639,097 | 2,873,563 | 2,307,692 |
| - Tx Rate (L1) (Bit/s) | 800 M | 800 M | 800 M | 800 M | 800 M | 800 M |
| - Tx Rate (Fps) | 1,190,476 | 675,676 | 362,319 | 187,970 | 95,785 | 76,923 |
| - Rx (Frames) | 2,134 | 1,532 | 1 | 158,851 | 99,763 | 94,118 |
| - Rx Rate (L1) (Bit/s) | 47.8 K | 60.46 K | 73.6 | 22.54 M | 27.77 M | 32.63 M |
| - Rx Rate (Fps) | 71 | 51 | 0 | 5,295 | 3,325 | 3,137 |
| - Flood Count (Frames) | 56 | 56 | 58 | 33 | 44 | 34 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 80 % |
| Tx Rate (L1) (Bit/s) | 14.4 G |
| Tx Rate (Fps) | 1,170,351 |
| Rx Rate (Percent) | 6.46 % |
| Rx Rate (L1) (Bit/s) | 1.16 G |
| Rx Rate (Fps) | 94.58 K |
| Loss Rate (Percent) | 91.92 % |
| Loss (Frames) | 32,273,214 |
| P-0-0-0 | |
| - Tx (Frames) | 1,950,580 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,019 |
| - Rx (Frames) | 2,435,578 |
| - Rx Rate (L1) (Bit/s) | 998.91 M |
| - Rx Rate (Fps) | 81,186 |
| - Flood Count (Frames) | 56 |
| P-0-0-1 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 22,137 |
| - Rx Rate (L1) (Bit/s) | 9.08 M |

| | |
|---|---:|
| - Rx Rate (Fps) | 738 |
| - Flood Count (Frames) | 17 |
| P-0-0-2 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 23,672 |
| - Rx Rate (L1) (Bit/s) | 9.71 M |
| - Rx Rate (Fps) | 789 |
| - Flood Count (Frames) | 19 |
| P-0-0-3 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,029 |
| - Rx Rate (L1) (Bit/s) | 9.86 M |
| - Rx Rate (Fps) | 801 |
| - Flood Count (Frames) | 19 |
| P-0-0-4 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 23,887 |
| - Rx Rate (L1) (Bit/s) | 9.8 M |
| - Rx Rate (Fps) | 796 |
| - Flood Count (Frames) | 18 |
| P-0-0-5 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,026 |
| - Rx Rate (L1) (Bit/s) | 9.85 M |
| - Rx Rate (Fps) | 801 |
| - Flood Count (Frames) | 19 |
| P-0-2-0 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 21,159 |
| - Rx Rate (L1) (Bit/s) | 8.68 M |
| - Rx Rate (Fps) | 705 |
| - Flood Count (Frames) | 17 |
| P-0-2-1 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 23,971 |
| - Rx Rate (L1) (Bit/s) | 9.83 M |
| - Rx Rate (Fps) | 799 |
| - Flood Count (Frames) | 23 |
| P-0-2-2 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 23,651 |
| - Rx Rate (L1) (Bit/s) | 9.7 M |
| - Rx Rate (Fps) | 788 |
| - Flood Count (Frames) | 23 |
| P-0-2-3 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 22,527 |
| - Rx Rate (L1) (Bit/s) | 9.24 M |
| - Rx Rate (Fps) | 751 |
| - Flood Count (Frames) | 20 |
| P-0-2-4 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 23,919 |

| | |
|---|---|
| - Rx Rate (L1) (Bit/s) | 9.81 M |
| - Rx Rate (Fps) | 797 |
| - Flood Count (Frames) | 23 |
| P-0-2-5 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,054 |
| - Rx Rate (L1) (Bit/s) | 9.87 M |
| - Rx Rate (Fps) | 802 |
| - Flood Count (Frames) | 18 |
| P-0-4-0 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 23,944 |
| - Rx Rate (L1) (Bit/s) | 9.82 M |
| - Rx Rate (Fps) | 798 |
| - Flood Count (Frames) | 19 |
| P-0-4-1 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,218 |
| - Rx Rate (L1) (Bit/s) | 9.93 M |
| - Rx Rate (Fps) | 807 |
| - Flood Count (Frames) | 18 |
| P-0-4-2 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,061 |
| - Rx Rate (L1) (Bit/s) | 9.87 M |
| - Rx Rate (Fps) | 802 |
| - Flood Count (Frames) | 19 |
| P-0-4-3 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,201 |
| - Rx Rate (L1) (Bit/s) | 9.93 M |
| - Rx Rate (Fps) | 807 |
| - Flood Count (Frames) | 16 |
| P-0-4-4 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,212 |
| - Rx Rate (L1) (Bit/s) | 9.93 M |
| - Rx Rate (Fps) | 807 |
| - Flood Count (Frames) | 15 |
| P-0-4-5 | |
| - Tx (Frames) | 1,950,585 |
| - Tx Rate (L1) (Bit/s) | 800 M |
| - Tx Rate (Fps) | 65,020 |
| - Rx (Frames) | 24,065 |
| - Rx Rate (L1) (Bit/s) | 9.87 M |
| - Rx Rate (Fps) | 802 |
| - Flood Count (Frames) | 18 |

Part.Mesh, 1:N: Loss by Frame Size at 80.00% Rate

## Results for 90.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 90 % | 90 % | 90 % | 90 % | 90 % | 90 % |
| Tx Rate (L1) (Bit/s) | 16.2 G | 16.2 G | 16.2 G | 16.2 G | 16.2 G | 16.2 G |
| Tx Rate (Fps) | 24,107,142 | 13,682,432 | 7,336,956 | 3,806,390 | 1,939,655 | 1,557,691 |
| Rx Rate (Percent) | 0 % | 0.01 % | 0.02 % | 7.63 % | 8.04 % | 0 % |
| Rx Rate (L1) (Bit/s) | 0 | 1.86 M | 3.44 M | 1.37 G | 1.45 G | 0 |
| Rx Rate (Fps) | 0 | 1.57 K | 1.56 K | 322.87 K | 173.23 K | 0 |
| Loss Rate (Percent) | 100 % | 99.99 % | 99.98 % | 91.52 % | 91.07 % | 100 % |
| Loss (Frames) | 723,214,272 | 410,425,952 | 220,061,885 | 104,505,635 | 52,992,701 | 46,730,739 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 40,178,565 | 22,804,038 | 12,228,253 | 6,343,975 | 3,232,754 | 2,596,138 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 899.99 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,608 | 211,466 | 107,758 | 86,538 |
| - Rx (Frames) | 0 | 31,630 | 32,755 | 7,007,602 | 3,584,156 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 1.25 M | 2.41 M | 994.15 M | 997.83 M | 0 |
| - Rx Rate (Fps) | 0 | 1,054 | 1,092 | 233,587 | 119,472 | 0 |
| - Flood Count (Frames) | 1 | 60 | 60 | 61 | 57 | 1 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,184 | 1,009 | 157,770 | 95,346 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.73 K | 74.26 K | 22.38 M | 26.54 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 34 | 5,259 | 3,178 | 0 |
| - Flood Count (Frames) | 1 | 58 | 58 | 31 | 34 | 47 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,183 | 0 | 158,308 | 94,627 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.69 K | 0 | 22.46 M | 26.34 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 0 | 5,277 | 3,154 | 0 |
| - Flood Count (Frames) | 60 | 59 | 1 | 32 | 36 | 43 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,180 | 999 | 157,890 | 94,793 | 0 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 0 | 46.57 K | 73.53 K | 22.4 M | 26.39 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,263 | 3,160 | 0 |
| - Flood Count (Frames) | 61 | 61 | 59 | 33 | 31 | 42 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 0 | 0 | 157,950 | 95,314 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 0 | 22.41 M | 26.54 M | 0 |
| - Rx Rate (Fps) | 0 | 0 | 0 | 5,265 | 3,177 | 0 |
| - Flood Count (Frames) | 61 | 0 | 1 | 31 | 35 | 45 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,179 | 1,001 | 158,017 | 94,628 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.53 K | 73.67 K | 22.42 M | 26.34 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,267 | 3,154 | 0 |
| - Flood Count (Frames) | 61 | 60 | 58 | 37 | 36 | 1 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 0 | 1,003 | 157,690 | 94,858 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 73.82 K | 22.37 M | 26.41 M | 0 |
| - Rx Rate (Fps) | 0 | 0 | 33 | 5,256 | 3,162 | 0 |
| - Flood Count (Frames) | 59 | 1 | 59 | 34 | 39 | 1 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,184 | 2 | 157,637 | 95,211 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.73 K | 147.2 | 22.36 M | 26.51 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 0 | 5,255 | 3,174 | 0 |
| - Flood Count (Frames) | 60 | 58 | 56 | 38 | 33 | 1 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,186 | 1,006 | 157,996 | 92,811 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.81 K | 74.04 K | 22.41 M | 25.84 M | 0 |
| - Rx Rate (Fps) | 0 | 40 | 34 | 5,267 | 3,094 | 0 |
| - Flood Count (Frames) | 1 | 59 | 57 | 31 | 41 | 1 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 0 | 1,001 | 155,455 | 95,227 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 73.67 K | 22.05 M | 26.51 M | 0 |
| - Rx Rate (Fps) | 0 | 0 | 33 | 5,182 | 3,174 | 0 |
| - Flood Count (Frames) | 61 | 1 | 59 | 32 | 33 | 42 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 0 | 1,001 | 157,949 | 94,268 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 73.67 K | 22.41 M | 26.24 M | 0 |
| - Rx Rate (Fps) | 0 | 0 | 33 | 5,265 | 3,142 | 0 |
| - Flood Count (Frames) | 57 | 57 | 58 | 34 | 30 | 43 |
| P-0-2-5 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,184 | 1,000 | 158,288 | 94,980 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.73 K | 73.6 K | 22.46 M | 26.44 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,276 | 3,166 | 0 |
| - Flood Count (Frames) | 57 | 59 | 57 | 34 | 34 | 51 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 0 | 1,184 | 1,002 | 156,834 | 95,061 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.73 K | 73.75 K | 22.25 M | 26.46 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,228 | 3,169 | 0 |
| - Flood Count (Frames) | 59 | 56 | 56 | 32 | 31 | 43 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,181 | 1,002 | 156,812 | 95,023 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.61 K | 73.75 K | 22.25 M | 26.45 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,227 | 3,167 | 0 |
| - Flood Count (Frames) | 60 | 58 | 57 | 28 | 31 | 43 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,179 | 1,001 | 157,980 | 95,319 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.53 K | 73.67 K | 22.41 M | 26.54 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,266 | 3,177 | 0 |
| - Flood Count (Frames) | 59 | 56 | 55 | 39 | 28 | 41 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,183 | 1,000 | 157,286 | 95,246 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.69 K | 73.6 K | 22.31 M | 26.52 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,243 | 3,175 | 0 |
| - Flood Count (Frames) | 58 | 53 | 60 | 24 | 29 | 50 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,186 | 1,003 | 157,039 | 95,021 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.81 K | 73.82 K | 22.28 M | 26.45 M | 0 |
| - Rx Rate (Fps) | 0 | 40 | 33 | 5,235 | 3,167 | 0 |
| - Flood Count (Frames) | 56 | 60 | 59 | 35 | 35 | 34 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 40,178,571 | 22,804,054 | 12,228,260 | 6,343,984 | 3,232,758 | 2,596,153 |
| - Tx Rate (L1) (Bit/s) | 900 M | 900 M | 900 M | 900 M | 900 M | 900 M |
| - Tx Rate (Fps) | 1,339,286 | 760,135 | 407,609 | 211,466 | 107,759 | 86,538 |
| - Rx (Frames) | 0 | 1,181 | 1,003 | 157,565 | 95,050 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 46.61 K | 73.82 K | 22.35 M | 26.46 M | 0 |
| - Rx Rate (Fps) | 0 | 39 | 33 | 5,252 | 3,168 | 0 |
| - Flood Count (Frames) | 56 | 56 | 56 | 35 | 27 | 46 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 90 % |
| Tx Rate (L1) (Bit/s) | 16.2 G |
| Tx Rate (Fps) | 1,316,644 |
| Rx Rate (Percent) | 6.46 % |
| Rx Rate (L1) (Bit/s) | 1.16 G |
| Rx Rate (Fps) | 94.5 K |
| Loss Rate (Percent) | 92.82 % |
| Loss (Frames) | 36,664,434 |
| P-0-0-0 | |
| - Tx (Frames) | 2,194,394 |
| - Tx Rate (L1) (Bit/s) | 899.99 M |
| - Tx Rate (Fps) | 73,146 |
| - Rx (Frames) | 2,435,681 |
| - Rx Rate (L1) (Bit/s) | 998.95 M |
| - Rx Rate (Fps) | 81,189 |
| - Flood Count (Frames) | 59 |
| P-0-0-1 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 0 |
| - Rx Rate (L1) (Bit/s) | 0 |

| | |
|---|---|
| - Rx Rate (Fps) | 0 |
| - Flood Count (Frames) | 1 |
| P-0-0-2 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,839 |
| - Rx Rate (L1) (Bit/s) | 10.19 M |
| - Rx Rate (Fps) | 828 |
| - Flood Count (Frames) | 22 |
| P-0-0-3 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,921 |
| - Rx Rate (L1) (Bit/s) | 10.22 M |
| - Rx Rate (Fps) | 831 |
| - Flood Count (Frames) | 24 |
| P-0-0-4 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 25,076 |
| - Rx Rate (L1) (Bit/s) | 10.28 M |
| - Rx Rate (Fps) | 836 |
| - Flood Count (Frames) | 27 |
| P-0-0-5 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,871 |
| - Rx Rate (L1) (Bit/s) | 10.2 M |
| - Rx Rate (Fps) | 829 |
| - Flood Count (Frames) | 22 |
| P-0-2-0 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,789 |
| - Rx Rate (L1) (Bit/s) | 10.17 M |
| - Rx Rate (Fps) | 826 |
| - Flood Count (Frames) | 24 |
| P-0-2-1 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 25,146 |
| - Rx Rate (L1) (Bit/s) | 10.31 M |
| - Rx Rate (Fps) | 838 |
| - Flood Count (Frames) | 24 |
| P-0-2-2 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,727 |
| - Rx Rate (L1) (Bit/s) | 10.14 M |
| - Rx Rate (Fps) | 824 |
| - Flood Count (Frames) | 23 |
| P-0-2-3 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,960 |
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 832 |
| - Flood Count (Frames) | 25 |
| P-0-2-4 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,958 |

| | |
|---|---:|
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 832 |
| - Flood Count (Frames) | 28 |
| P-0-2-5 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,783 |
| - Rx Rate (L1) (Bit/s) | 10.16 M |
| - Rx Rate (Fps) | 826 |
| - Flood Count (Frames) | 28 |
| P-0-4-0 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 25,065 |
| - Rx Rate (L1) (Bit/s) | 10.28 M |
| - Rx Rate (Fps) | 836 |
| - Flood Count (Frames) | 31 |
| P-0-4-1 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,987 |
| - Rx Rate (L1) (Bit/s) | 10.25 M |
| - Rx Rate (Fps) | 833 |
| - Flood Count (Frames) | 21 |
| P-0-4-2 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,901 |
| - Rx Rate (L1) (Bit/s) | 10.21 M |
| - Rx Rate (Fps) | 830 |
| - Flood Count (Frames) | 24 |
| P-0-4-3 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 25,064 |
| - Rx Rate (L1) (Bit/s) | 10.28 M |
| - Rx Rate (Fps) | 835 |
| - Flood Count (Frames) | 29 |
| P-0-4-4 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 25,156 |
| - Rx Rate (L1) (Bit/s) | 10.32 M |
| - Rx Rate (Fps) | 839 |
| - Flood Count (Frames) | 30 |
| P-0-4-5 | |
| - Tx (Frames) | 2,194,408 |
| - Tx Rate (L1) (Bit/s) | 900 M |
| - Tx Rate (Fps) | 73,147 |
| - Rx (Frames) | 24,972 |
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 832 |
| - Flood Count (Frames) | 24 |

Part.Mesh, 1:N: Loss by Frame Size at 90.00% Rate

## Results for 100.00% Rate

| Frame Size | 64 | 128 | 256 | 512 | 1024 | 1280 |
|---|---|---|---|---|---|---|
| Result State | PASS | PASS | PASS | PASS | PASS | PASS |
| Iter. # | 1 | 1 | 1 | 1 | 1 | 1 |
| Tx Rate (Percent) | 100 % | 100 % | 100 % | 100 % | 100 % | 100 % |
| Tx Rate (L1) (Bit/s) | 18 G | 18 G | 18 G | 18 G | 18 G | 18 G |
| Tx Rate (Fps) | 26,785,714 | 15,202,702 | 8,152,173 | 4,229,323 | 2,155,172 | 1,730,769 |
| Rx Rate (Percent) | 0 % | 0.01 % | 0 % | 7.71 % | 8.02 % | 7.82 % |
| Rx Rate (L1) (Bit/s) | 654.04 K | 1.44 M | 0 | 1.39 G | 1.44 G | 1.41 G |
| Rx Rate (Fps) | 973.27 | 1.22 K | 0 | 325.93 K | 172.83 K | 135.28 K |
| Loss Rate (Percent) | 100 % | 99.99 % | 100 % | 92.29 % | 91.98 % | 92.18 % |
| Loss (Frames) | 803,542,221 | 456,044,603 | 244,565,196 | 117,101,670 | 59,470,277 | 47,864,750 |
| P-0-0-0 | | | | | | |
| - Tx (Frames) | 44,642,850 | 25,337,837 | 13,586,944 | 7,048,863 | 3,591,947 | 2,884,611 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,898 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 17,620 | 24,540 | 0 | 7,007,474 | 3,584,228 | 2,880,383 |
| - Rx Rate (L1) (Bit/s) | 394.69 K | 968.51 K | 0 | 994.13 M | 997.85 M | 998.53 M |
| - Rx Rate (Fps) | 587 | 818 | 0 | 233,582 | 119,474 | 96,013 |
| - Flood Count (Frames) | 77 | 59 | 1 | 60 | 61 | 75 |
| P-0-0-1 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 778 | 919 | 0 | 0 | 100,147 | 0 |
| - Rx Rate (L1) (Bit/s) | 17.43 K | 36.27 K | 0 | 0 | 27.88 M | 0 |
| - Rx Rate (Fps) | 26 | 31 | 0 | 0 | 3,338 | 0 |
| - Flood Count (Frames) | 77 | 60 | 58 | 1 | 34 | 1 |
| P-0-0-2 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 775 | 916 | 0 | 198,126 | 100,152 | 90,205 |
| - Rx Rate (L1) (Bit/s) | 17.36 K | 36.15 K | 0 | 28.11 M | 27.88 M | 31.27 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,604 | 3,338 | 3,007 |
| - Flood Count (Frames) | 58 | 60 | 1 | 36 | 27 | 44 |
| P-0-0-3 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 777 | 916 | 0 | 200,381 | 0 | 90,924 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx Rate (L1) (Bit/s) | 17.4 K | 36.15 K | 0 | 28.43 M | 0 | 31.52 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,679 | 0 | 3,031 |
| - Flood Count (Frames) | 60 | 60 | 58 | 30 | 1 | 35 |
| P-0-0-4 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 0 | 916 | 0 | 192,824 | 100,042 | 89,869 |
| - Rx Rate (L1) (Bit/s) | 0 | 36.15 K | 0 | 27.36 M | 27.85 M | 31.15 M |
| - Rx Rate (Fps) | 0 | 31 | 0 | 6,427 | 3,335 | 2,996 |
| - Flood Count (Frames) | 1 | 75 | 76 | 29 | 25 | 41 |
| P-0-0-5 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 773 | 918 | 0 | 0 | 99,963 | 90,843 |
| - Rx Rate (L1) (Bit/s) | 17.32 K | 36.23 K | 0 | 0 | 27.83 M | 31.49 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 0 | 3,332 | 3,028 |
| - Flood Count (Frames) | 58 | 58 | 59 | 1 | 28 | 39 |
| P-0-2-0 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 771 | 916 | 0 | 195,959 | 100,068 | 0 |
| - Rx Rate (L1) (Bit/s) | 17.27 K | 36.15 K | 0 | 27.8 M | 27.86 M | 0 |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,532 | 3,336 | 0 |
| - Flood Count (Frames) | 58 | 75 | 58 | 33 | 31 | 1 |
| P-0-2-1 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 766 | 915 | 0 | 199,595 | 99,804 | 90,484 |
| - Rx Rate (L1) (Bit/s) | 17.16 K | 36.11 K | 0 | 28.32 M | 27.79 M | 31.37 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,653 | 3,327 | 3,016 |
| - Flood Count (Frames) | 59 | 58 | 58 | 36 | 27 | 45 |
| P-0-2-2 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 0 | 0 | 0 | 0 | 99,815 | 0 |
| - Rx Rate (L1) (Bit/s) | 0 | 0 | 0 | 0 | 27.79 M | 0 |
| - Rx Rate (Fps) | 0 | 0 | 0 | 0 | 3,327 | 0 |
| - Flood Count (Frames) | 1 | 1 | 58 | 1 | 35 | 1 |
| P-0-2-3 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 769 | 0 | 0 | 201,349 | 100,048 | 90,184 |
| - Rx Rate (L1) (Bit/s) | 17.23 K | 0 | 0 | 28.56 M | 27.85 M | 31.26 M |
| - Rx Rate (Fps) | 26 | 0 | 0 | 6,712 | 3,335 | 3,006 |
| - Flood Count (Frames) | 59 | 1 | 1 | 33 | 36 | 33 |
| P-0-2-4 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 770 | 0 | 0 | 199,001 | 100,133 | 0 |
| - Rx Rate (L1) (Bit/s) | 17.25 K | 0 | 0 | 28.23 M | 27.88 M | 0 |
| - Rx Rate (Fps) | 26 | 0 | 0 | 6,633 | 3,338 | 0 |
| - Flood Count (Frames) | 59 | 1 | 59 | 33 | 27 | 1 |
| P-0-2-5 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 771 | 0 | 0 | 192,368 | 99,805 | 90,067 |
| - Rx Rate (L1) (Bit/s) | 17.27 K | 0 | 0 | 27.29 M | 27.79 M | 31.22 M |
| - Rx Rate (Fps) | 26 | 0 | 0 | 6,412 | 3,327 | 3,002 |
| - Flood Count (Frames) | 57 | 1 | 60 | 30 | 24 | 44 |
| P-0-4-0 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |

| | | | | | | |
|---|---|---|---|---|---|---|
| - Rx (Frames) | 770 | 918 | 0 | 202,858 | 100,137 | 91,486 |
| - Rx Rate (L1) (Bit/s) | 17.25 K | 36.23 K | 0 | 28.78 M | 27.88 M | 31.72 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,762 | 3,338 | 3,050 |
| - Flood Count (Frames) | 58 | 56 | 58 | 31 | 32 | 30 |
| P-0-4-1 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 772 | 919 | 0 | 195,586 | 100,009 | 90,307 |
| - Rx Rate (L1) (Bit/s) | 17.29 K | 36.27 K | 0 | 27.75 M | 27.84 M | 31.31 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,520 | 3,334 | 3,010 |
| - Flood Count (Frames) | 58 | 59 | 59 | 26 | 25 | 29 |
| P-0-4-2 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 770 | 919 | 0 | 197,736 | 100,080 | 91,401 |
| - Rx Rate (L1) (Bit/s) | 17.25 K | 36.27 K | 0 | 28.05 M | 27.86 M | 31.69 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,591 | 3,336 | 3,047 |
| - Flood Count (Frames) | 58 | 55 | 57 | 34 | 29 | 36 |
| P-0-4-3 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 771 | 916 | 0 | 199,177 | 100,161 | 90,720 |
| - Rx Rate (L1) (Bit/s) | 17.27 K | 36.15 K | 0 | 28.26 M | 27.88 M | 31.45 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,639 | 3,339 | 3,024 |
| - Flood Count (Frames) | 58 | 58 | 57 | 34 | 24 | 31 |
| P-0-4-4 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 773 | 916 | 0 | 196,815 | 100,147 | 91,059 |
| - Rx Rate (L1) (Bit/s) | 17.32 K | 36.15 K | 0 | 27.92 M | 27.88 M | 31.57 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,561 | 3,338 | 3,035 |
| - Flood Count (Frames) | 61 | 56 | 56 | 33 | 30 | 35 |
| P-0-4-5 | | | | | | |
| - Tx (Frames) | 44,642,857 | 25,337,837 | 13,586,956 | 7,048,872 | 3,591,954 | 2,884,615 |
| - Tx Rate (L1) (Bit/s) | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M | 1000 M |
| - Tx Rate (Fps) | 1,488,095 | 844,595 | 452,899 | 234,962 | 119,732 | 96,154 |
| - Rx (Frames) | 772 | 919 | 0 | 198,768 | 100,149 | 90,384 |
| - Rx Rate (L1) (Bit/s) | 17.29 K | 36.27 K | 0 | 28.2 M | 27.88 M | 31.33 M |
| - Rx Rate (Fps) | 26 | 31 | 0 | 6,626 | 3,338 | 3,013 |
| - Flood Count (Frames) | 57 | 58 | 55 | 38 | 28 | 36 |

| Frame Size | 1518 |
|---|---|
| Result State | PASS |
| Iter. # | 1 |
| Tx Rate (Percent) | 100 % |
| Tx Rate (L1) (Bit/s) | 18 G |
| Tx Rate (Fps) | 1,462,938 |
| Rx Rate (Percent) | 5.98 % |
| Rx Rate (L1) (Bit/s) | 1.08 G |
| Rx Rate (Fps) | 87.43 K |
| Loss Rate (Percent) | 94.02 % |
| Loss (Frames) | 41,265,173 |
| P-0-0-0 | |
| - Tx (Frames) | 2,438,225 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 2,248,067 |
| - Rx Rate (L1) (Bit/s) | 922.01 M |
| - Rx Rate (Fps) | 74,936 |
| - Flood Count (Frames) | 50 |
| P-0-0-1 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 25,021 |
| - Rx Rate (L1) (Bit/s) | 10.26 M |

| | |
|---|---:|
| - Rx Rate (Fps) | 834 |
| - Flood Count (Frames) | 22 |
| P-0-0-2 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,831 |
| - Rx Rate (L1) (Bit/s) | 10.18 M |
| - Rx Rate (Fps) | 828 |
| - Flood Count (Frames) | 20 |
| P-0-0-3 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 0 |
| - Rx Rate (L1) (Bit/s) | 0 |
| - Rx Rate (Fps) | 0 |
| - Flood Count (Frames) | 1 |
| P-0-0-4 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,979 |
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 833 |
| - Flood Count (Frames) | 19 |
| P-0-0-5 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,999 |
| - Rx Rate (L1) (Bit/s) | 10.25 M |
| - Rx Rate (Fps) | 833 |
| - Flood Count (Frames) | 21 |
| P-0-2-0 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,974 |
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 832 |
| - Flood Count (Frames) | 19 |
| P-0-2-1 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,972 |
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 832 |
| - Flood Count (Frames) | 22 |
| P-0-2-2 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,857 |
| - Rx Rate (L1) (Bit/s) | 10.19 M |
| - Rx Rate (Fps) | 829 |
| - Flood Count (Frames) | 15 |
| P-0-2-3 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 0 |
| - Rx Rate (L1) (Bit/s) | 0 |
| - Rx Rate (Fps) | 0 |
| - Flood Count (Frames) | 1 |
| P-0-2-4 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,921 |

| | |
|---|---|
| - Rx Rate (L1) (Bit/s) | 10.22 M |
| - Rx Rate (Fps) | 831 |
| - Flood Count (Frames) | 16 |
| P-0-2-5 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 25,022 |
| - Rx Rate (L1) (Bit/s) | 10.26 M |
| - Rx Rate (Fps) | 834 |
| - Flood Count (Frames) | 19 |
| P-0-4-0 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 25,131 |
| - Rx Rate (L1) (Bit/s) | 10.31 M |
| - Rx Rate (Fps) | 838 |
| - Flood Count (Frames) | 20 |
| P-0-4-1 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,943 |
| - Rx Rate (L1) (Bit/s) | 10.23 M |
| - Rx Rate (Fps) | 831 |
| - Flood Count (Frames) | 21 |
| P-0-4-2 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 25,109 |
| - Rx Rate (L1) (Bit/s) | 10.3 M |
| - Rx Rate (Fps) | 837 |
| - Flood Count (Frames) | 16 |
| P-0-4-3 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 25,213 |
| - Rx Rate (L1) (Bit/s) | 10.34 M |
| - Rx Rate (Fps) | 840 |
| - Flood Count (Frames) | 21 |
| P-0-4-4 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,958 |
| - Rx Rate (L1) (Bit/s) | 10.24 M |
| - Rx Rate (Fps) | 832 |
| - Flood Count (Frames) | 24 |
| P-0-4-5 | |
| - Tx (Frames) | 2,438,231 |
| - Tx Rate (L1) (Bit/s) | 1000 M |
| - Tx Rate (Fps) | 81,274 |
| - Rx (Frames) | 24,982 |
| - Rx Rate (L1) (Bit/s) | 10.25 M |
| - Rx Rate (Fps) | 833 |
| - Flood Count (Frames) | 21 |

Part.Mesh, 1:N: Loss by Frame Size at 100.00% Rate