Xena2889 Test Report

Test Summary

Test company:	Teledyne LeCroy
Customer:	Xena Networks

Test Date and Time:	2024-10-10, 11:30
Test Duration:	02:29:38 (h:m:s)
Generated By:	Xena2889 v1.46, running on 'Microsoft Windows 10 Enterprise LTSC 2021'

Comments:	Components: - host: aconbg027 (Windows 10 Enterprise LTSC) - chassis: XenaBay (140.181.139.228) - configuration: github.com/GSI-CS-CO/network_testing/wr_RFC_2889/xena_cfg/RFC_2889_4_switches_Xena.x2889 DUT: - WRS: scb v3.4, Creotech - name: nwt0010/16/296/297 - fw: v7.0 - dot-config: default

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh	Disabled
Rate Test: Part.Mesh, 1:N	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Rate Test: Part.Mesh, N->N	Disabled
Congestion Control:	Disabled
Forward Pressure:	Disabled
Maximum Forwarding Rate:	Disabled
Address Caching Capacity:	Disabled
Address Learning Rate:	Disabled
Errored Frames Filtering:	Disabled
Broadcast Forwarding:	Disabled

Test Options

Packet Sizes Used:	64,128,256,512,1024,1280,1518
Rate Type:	Fraction
Fraction per Port:	100,00%
Latency Measurement Mode:	Last-To-Last
Toggle Port Sync States:	Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	xenatos	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration:	30 seconds
Iteration:	1
Topology:	Blocks
Direction:	Bidirectional

Throughput Options

Initial Rate:	1,00%
Maximum Rate:	100,00%
Minimum Rate:	0,01%
Resolution:	0,01%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	FAIL	FAIL	PASS	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	1 %	0,025 %	0,018 %	0,018 %	0,135 %	0,018 %
Tx Rate (L1) (Bit/s)	162 M	4,13 M	2,87 M	2,87 M	21,82 M	2,87 M
Tx Rate (Fps)	241.071	3.485	1.301	675	2.613	276
Rx Rate (Percent)	1 %	0,03 %	0,01 %	0,02 %	0,13 %	0,02 %
Rx Rate (L1) (Bit/s)	162 M	4,13 M	1,85 M	2,84 M	21,82 M	2,85 M
Rx Rate (Fps)	241,07 K	3,49 K	835,67	667,9	2,61 K	274,43
Loss Rate (Percent)	0 %	0 %	35,74 %	1,04 %	0 %	0,56 %
Loss (Frames)	0	0	13.945	210	0	46
P-0-0-0						
- Tx (Frames)	401.778	5.797	2.159	1.122	4.352	459
- Tx Rate (L1) (Bit/s)	9 M	228,79 K	158,9 K	159,17 K	1,21 M	159,12 K
- Tx Rate (Fps)	13.393	193	72	37	145	15
- Rx (Frames)	6.830.345	98.753	23.653	18.927	74.035	7.776
- Rx Rate (L1) (Bit/s)	153 M	3,9 M	1,74 M	2,69 M	20,61 M	2,7 M
- Rx Rate (Fps)	227.678	3.292	788	631	2.468	259
- Flood Count (Frames)	60	61	57	55	59	63
P-0-0-1						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1

- Flood Count (Frames)	59	59	57	60	60	58
P-0-0-2						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	60	59	61	59	58	61
P-0-0-3						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	61	58	60	60	58	60
P-0-0-4						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	62	60	60	58	60	59
P-0-0-5						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	59	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	8,37 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	59	58	57	58	58	60
P-0-2-0						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	58	58	58	58	61	61
P-0-2-1						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	61	256	25
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	8,65 K	71,27 K	8,67 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	58	59	55	56	57	58
P-0-2-2						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	59	58	55	56	57	59
P-0-2-3						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	60	60	59	61	60	57
P-0-2-4						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K

- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	61	59	57	55	59	58
P-0-2-5						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	83	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,11 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	60	60	59	60	60	58
P-0-4-0						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	84	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,18 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	58	57	59	59	58	55
P-0-4-1						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	84	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,18 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	58	56	55	59	57	61
P-0-4-2						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	84	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,18 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	56	55	59	59	60	56
P-0-4-3						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	84	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,18 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	58	55	58	53	57	58
P-0-4-4						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	84	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,18 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	55	58	59	58	55	57
P-0-4-5						
- Tx (Frames)	401.785	5.809	2.168	1.125	4.355	460
- Tx Rate (L1) (Bit/s)	9 M	229,26 K	159,56 K	159,6 K	1,21 M	159,47 K
- Tx Rate (Fps)	13.393	194	72	38	145	15
- Rx (Frames)	23.634	341	84	66	256	27
- Rx Rate (L1) (Bit/s)	529,4 K	13,46 K	6,18 K	9,36 K	71,27 K	9,36 K
- Rx Rate (Fps)	788	11	3	2	9	1
- Flood Count (Frames)	57	58	58	58	55	58

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	0,072 %
Tx Rate (L1) (Bit/s)	11,64 M
Tx Rate (Fps)	946
Rx Rate (Percent)	0,07 %
Rx Rate (L1) (Bit/s)	11,64 M
Rx Rate (Fps)	945,77
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	1.564
- Tx Rate (L1) (Bit/s)	641,45 K
- Tx Rate (Fps)	52
- Rx (Frames)	26.809
- Rx Rate (L1) (Bit/s)	11 M
- Rx Rate (Fps)	894
- Flood Count (Frames)	59
P-0-0-1	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	60
P-0-0-2	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	59
P-0-0-3	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	60
P-0-0-4	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	59
P-0-0-5	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	60
P-0-2-0	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	59
P-0-2-1	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	57
P-0-2-2	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3

- Flood Count (Frames)	60
P-0-2-3	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	59
P-0-2-4	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	61
P-0-2-5	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	57
P-0-4-0	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	57
P-0-4-2	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K
- Rx Rate (Fps)	3
- Flood Count (Frames)	57
P-0-4-5	
- Tx (Frames)	1.577
- Tx Rate (L1) (Bit/s)	646,78 K
- Tx Rate (Fps)	53
- Rx (Frames)	92
- Rx Rate (L1) (Bit/s)	37,73 K

- Rx Rate (Fps)	3
- Flood Count (Frames)	57

Note: One or more of the rate tests did not pass the test criteria!

Part.Mesh, 1:N: Throughput by Frame Size vs Theoretical Max

Forwarding Test Results

Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Tx Rate (Fps)	2.410.714	1.368.243	733.695	380.639	193.965	155.769
Rx Rate (Percent)	5,85 %	5,96 %	5,84 %	6,07 %	6,09 %	6,09 %
Rx Rate (L1) (Bit/s)	947,2 M	965,43 M	945,57 M	983,71 M	985,86 M	986,51 M
Rx Rate (Fps)	1,41 M	815,4 K	428,25 K	231,13 K	118,04 K	94,86 K
Loss Rate (Percent)	41,53 %	40,41 %	41,63 %	39,28 %	39,14 %	39,1 %
Loss (Frames)	30.035.786	16.585.375	9.163.399	4.485.109	2.277.787	1.827.370
P-0-0-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	38.368.715	22.216.567	11.672.593	6.300.606	3.222.768	2.589.487
- Rx Rate (L1) (Bit/s)	859,46 M	876,81 M	859,1 M	893,85 M	897,22 M	897,69 M
- Rx Rate (Fps)	1.278.957	740.552	389.086	210.020	107.426	86.316
- Flood Count (Frames)	58	60	61	85	60	61
P-0-0-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	219.956	121.774	69.580	36.845	14.136	14.802
- Rx Rate (L1) (Bit/s)	4,93 M	4,81 M	5,12 M	5,23 M	3,94 M	5,13 M
- Rx Rate (Fps)	7.332	4.059	2.319	1.228	471	493
- Flood Count (Frames)	57	58	57	58	59	86
P-0-0-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M

- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.328	134.141	69.580	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.878	4.471	2.319	1.244	634	509
- Flood Count (Frames)	57	56	59	60	63	60
P-0-0-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	210.236	134.141	69.536	37.317	19.016	13.618
- Rx Rate (L1) (Bit/s)	4,71 M	5,29 M	5,12 M	5,29 M	5,29 M	4,72 M
- Rx Rate (Fps)	7.008	4.471	2.318	1.244	634	454
- Flood Count (Frames)	58	58	61	56	60	58
P-0-0-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.290	128.943	69.580	36.840	19.016	13.991
- Rx Rate (L1) (Bit/s)	5,29 M	5,09 M	5,12 M	5,23 M	5,29 M	4,85 M
- Rx Rate (Fps)	7.876	4.298	2.319	1.228	634	466
- Flood Count (Frames)	61	58	60	61	61	56
P-0-0-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.286	134.141	69.580	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.876	4.471	2.319	1.244	634	509
- Flood Count (Frames)	59	57	63	58	59	59
P-0-2-0						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	212.823	134.141	69.580	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	4,77 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.094	4.471	2.319	1.244	634	509
- Flood Count (Frames)	57	58	86	61	61	60
P-0-2-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.259	134.141	69.580	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.875	4.471	2.319	1.244	634	509
- Flood Count (Frames)	58	83	59	60	60	60
P-0-2-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	218.935	134.141	61.615	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	4,9 M	5,29 M	4,53 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.298	4.471	2.054	1.244	634	509
- Flood Count (Frames)	57	56	58	56	55	60
P-0-2-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	219.874	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	4,93 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.329	4.471	2.319	1.244	634	509
- Flood Count (Frames)	56	58	58	86	63	87
P-0-2-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.257	124.909	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	4,93 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.875	4.164	2.319	1.244	634	509
- Flood Count (Frames)	59	58	58	85	59	61
P-0-2-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615

- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.262	125.881	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	4,97 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.875	4.196	2.319	1.244	634	509
- Flood Count (Frames)	59	59	59	59	85	61
P-0-4-0						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.249	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.875	4.471	2.319	1.244	634	509
- Flood Count (Frames)	61	60	61	62	64	56
P-0-4-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.247	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.875	4.471	2.319	1.244	634	509
- Flood Count (Frames)	56	58	55	58	55	55
P-0-4-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.228	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.874	4.471	2.319	1.244	634	509
- Flood Count (Frames)	56	55	58	56	60	58
P-0-4-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.225	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.874	4.471	2.319	1.244	634	509
- Flood Count (Frames)	58	58	58	57	59	58
P-0-4-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.228	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.874	4.471	2.319	1.244	634	509
- Flood Count (Frames)	55	57	55	57	57	56
P-0-4-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.233	134.141	69.581	37.317	19.016	15.271
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,12 M	5,29 M	5,29 M	5,29 M
- Rx Rate (Fps)	7.874	4.471	2.319	1.244	634	509
- Flood Count (Frames)	54	55	57	57	58	57

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,62 G
Tx Rate (Fps)	131.664
Rx Rate (Percent)	5,19 %
Rx Rate (L1) (Bit/s)	840,75 M
Rx Rate (Fps)	68,33 K
Loss Rate (Percent)	48,1 %
Loss (Frames)	1.899.966
P-0-0-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315

- Rx (Frames)	1.947.279
- Rx Rate (L1) (Bit/s)	798,64 M
- Rx Rate (Fps)	64.909
- Flood Count (Frames)	60
P-0-0-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	5.864
- Rx Rate (L1) (Bit/s)	2,41 M
- Rx Rate (Fps)	195
- Flood Count (Frames)	46
P-0-0-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.017
- Rx Rate (L1) (Bit/s)	2,47 M
- Rx Rate (Fps)	201
- Flood Count (Frames)	40
P-0-0-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.052
- Rx Rate (L1) (Bit/s)	2,48 M
- Rx Rate (Fps)	202
- Flood Count (Frames)	45
P-0-0-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	5.945
- Rx Rate (L1) (Bit/s)	2,44 M
- Rx Rate (Fps)	198
- Flood Count (Frames)	42
P-0-0-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.055
- Rx Rate (L1) (Bit/s)	2,48 M
- Rx Rate (Fps)	202
- Flood Count (Frames)	41
P-0-2-0	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.025
- Rx Rate (L1) (Bit/s)	2,47 M
- Rx Rate (Fps)	201
- Flood Count (Frames)	43
P-0-2-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.080
- Rx Rate (L1) (Bit/s)	2,49 M
- Rx Rate (Fps)	203
- Flood Count (Frames)	40
P-0-2-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	5.890
- Rx Rate (L1) (Bit/s)	2,42 M
- Rx Rate (Fps)	196
- Flood Count (Frames)	50
P-0-2-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M

- Tx Rate (Fps)	7.315
- Rx (Frames)	6.102
- Rx Rate (L1) (Bit/s)	2,5 M
- Rx Rate (Fps)	203
- Flood Count (Frames)	42
P-0-2-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.080
- Rx Rate (L1) (Bit/s)	2,49 M
- Rx Rate (Fps)	203
- Flood Count (Frames)	41
P-0-2-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.136
- Rx Rate (L1) (Bit/s)	2,52 M
- Rx Rate (Fps)	205
- Flood Count (Frames)	40
P-0-4-0	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.088
- Rx Rate (L1) (Bit/s)	2,5 M
- Rx Rate (Fps)	203
- Flood Count (Frames)	43
P-0-4-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.068
- Rx Rate (L1) (Bit/s)	2,49 M
- Rx Rate (Fps)	202
- Flood Count (Frames)	44
P-0-4-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.027
- Rx Rate (L1) (Bit/s)	2,47 M
- Rx Rate (Fps)	201
- Flood Count (Frames)	39
P-0-4-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.050
- Rx Rate (L1) (Bit/s)	2,48 M
- Rx Rate (Fps)	202
- Flood Count (Frames)	45
P-0-4-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.088
- Rx Rate (L1) (Bit/s)	2,5 M
- Rx Rate (Fps)	203
- Flood Count (Frames)	41
P-0-4-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	6.104
- Rx Rate (L1) (Bit/s)	2,5 M
- Rx Rate (Fps)	203
- Flood Count (Frames)	42

Part.Mesh, 1:N: Loss by Frame Size at 10,00% Rate

Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G
Tx Rate (Fps)	4.821.428	2.736.485	1.467.391	761.278	387.930	311.537
Rx Rate (Percent)	0,02 %	6,52 %	6,56 %	6,63 %	6,63 %	6,64 %
Rx Rate (L1) (Bit/s)	3,2 M	1,06 G	1,06 G	1,07 G	1,07 G	1,08 G
Rx Rate (Fps)	4,77 K	892,28 K	481,36 K	252,26 K	128,68 K	103,39 K
Loss Rate (Percent)	99,9 %	67,39 %	67,2 %	66,86 %	66,83 %	66,81 %
Loss (Frames)	144.499.889	55.326.285	29.580.785	15.270.396	7.777.615	6.244.295
P-0-0-0						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	125.445	22.233.454	12.070.197	6.305.567	3.224.919	2.591.066
- Rx Rate (L1) (Bit/s)	2,81 M	877,48 M	888,37 M	894,55 M	897,82 M	898,24 M
- Rx Rate (Fps)	4.182	741.115	402.340	210.186	107.497	86.369
- Flood Count (Frames)	58	59	60	61	60	60
P-0-0-1						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.120	268.282	143.861	74.635	38.032	24.798
- Rx Rate (L1) (Bit/s)	25,09 K	10,59 M	10,59 M	10,59 M	10,59 M	8,6 M
- Rx Rate (Fps)	37	8.943	4.795	2.488	1.268	827
- Flood Count (Frames)	58	59	58	62	59	57
P-0-0-2						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.145	242.313	143.861	74.635	38.032	30.413
- Rx Rate (L1) (Bit/s)	25,65 K	9,56 M	10,59 M	10,59 M	10,59 M	10,54 M
- Rx Rate (Fps)	38	8.077	4.795	2.488	1.268	1.014
- Flood Count (Frames)	59	60	63	59	60	58
P-0-0-3						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1	268.282	143.861	74.635	36.508	30.542

- Rx Rate (L1) (Bit/s)	22,4	10,59 M	10,59 M	10,59 M	10,16 M	10,59 M
- Rx Rate (Fps)	0	8.943	4.795	2.488	1.217	1.018
- Flood Count (Frames)	57	60	62	59	56	61
P-0-0-4						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.278	268.282	143.861	68.204	38.032	30.542
- Rx Rate (L1) (Bit/s)	28,63 K	10,59 M	10,59 M	9,68 M	10,59 M	10,59 M
- Rx Rate (Fps)	43	8.943	4.795	2.273	1.268	1.018
- Flood Count (Frames)	58	61	61	60	60	61
P-0-0-5						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.160	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	25,98 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	39	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	56	58	60	59	59	61
P-0-2-0						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.179	268.282	128.597	74.635	38.032	30.413
- Rx Rate (L1) (Bit/s)	26,41 K	10,59 M	9,46 M	10,59 M	10,59 M	10,54 M
- Rx Rate (Fps)	39	8.943	4.287	2.488	1.268	1.014
- Flood Count (Frames)	60	60	58	60	60	58
P-0-2-1						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.128	268.282	131.979	74.635	32.427	30.542
- Rx Rate (L1) (Bit/s)	25,27 K	10,59 M	9,71 M	10,59 M	9,03 M	10,59 M
- Rx Rate (Fps)	38	8.943	4.399	2.488	1.081	1.018
- Flood Count (Frames)	56	59	60	58	58	59
P-0-2-2						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.125	268.282	98.354	74.635	36.926	28.909
- Rx Rate (L1) (Bit/s)	25,2 K	10,59 M	7,24 M	10,59 M	10,28 M	10,02 M
- Rx Rate (Fps)	38	8.943	3.278	2.488	1.231	964
- Flood Count (Frames)	55	55	59	61	58	58
P-0-2-3						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	4	268.282	143.861	74.635	38.032	29.726
- Rx Rate (L1) (Bit/s)	89,6	10,59 M	10,59 M	10,59 M	10,59 M	10,31 M
- Rx Rate (Fps)	0	8.943	4.795	2.488	1.268	991
- Flood Count (Frames)	57	58	61	61	60	61
P-0-2-4						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.138	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	25,49 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	38	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	57	61	60	60	58	59
P-0-2-5						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.238	268.282	141.616	74.635	35.100	30.542
- Rx Rate (L1) (Bit/s)	27,73 K	10,59 M	10,42 M	10,59 M	9,77 M	10,59 M
- Rx Rate (Fps)	41	8.943	4.721	2.488	1.170	1.018
- Flood Count (Frames)	62	61	59	60	60	58
P-0-4-0						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308

- Rx (Frames)	1.207	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	27,04 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	40	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	58	57	60	62	58	58
P-0-4-1						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.173	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	26,28 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	39	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	57	55	58	58	57	59
P-0-4-2						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.179	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	26,41 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	39	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	61	55	59	59	59	61
P-0-4-3						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.173	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	26,28 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	39	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	58	57	58	58	61	58
P-0-4-4						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.157	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	25,92 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	39	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	58	58	56	59	60	57
P-0-4-5						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	1.112	268.282	143.861	74.635	38.032	30.542
- Rx Rate (L1) (Bit/s)	24,91 K	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M
- Rx Rate (Fps)	37	8.943	4.795	2.488	1.268	1.018
- Flood Count (Frames)	58	58	58	56	57	59

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,24 G
Tx Rate (Fps)	263.328
Rx Rate (Percent)	5,88 %
Rx Rate (L1) (Bit/s)	952,57 M
Rx Rate (Fps)	77,42 K
Loss Rate (Percent)	70,6 %
Loss (Frames)	5.577.263
P-0-0-0	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	2.191.213
- Rx Rate (L1) (Bit/s)	898,69 M
- Rx Rate (Fps)	73.040
- Flood Count (Frames)	60
P-0-0-1	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.216
- Rx Rate (L1) (Bit/s)	2,96 M

- Rx Rate (Fps)	241
- Flood Count (Frames)	25
P-0-0-2	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.772
- Rx Rate (L1) (Bit/s)	3,19 M
- Rx Rate (Fps)	259
- Flood Count (Frames)	33
P-0-0-3	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.749
- Rx Rate (L1) (Bit/s)	3,18 M
- Rx Rate (Fps)	258
- Flood Count (Frames)	29
P-0-0-4	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.798
- Rx Rate (L1) (Bit/s)	3,2 M
- Rx Rate (Fps)	260
- Flood Count (Frames)	31
P-0-0-5	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	6.923
- Rx Rate (L1) (Bit/s)	2,84 M
- Rx Rate (Fps)	231
- Flood Count (Frames)	31
P-0-2-0	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.803
- Rx Rate (L1) (Bit/s)	3,2 M
- Rx Rate (Fps)	260
- Flood Count (Frames)	32
P-0-2-1	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.320
- Rx Rate (L1) (Bit/s)	3 M
- Rx Rate (Fps)	244
- Flood Count (Frames)	31
P-0-2-2	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.433
- Rx Rate (L1) (Bit/s)	3,05 M
- Rx Rate (Fps)	248
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.973
- Rx Rate (L1) (Bit/s)	3,27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.907

- Rx Rate (L1) (Bit/s)	3,24 M
- Rx Rate (Fps)	264
- Flood Count (Frames)	28
P-0-2-5	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.981
- Rx Rate (L1) (Bit/s)	3,27 M
- Rx Rate (Fps)	266
- Flood Count (Frames)	24
P-0-4-0	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.954
- Rx Rate (L1) (Bit/s)	3,26 M
- Rx Rate (Fps)	265
- Flood Count (Frames)	24
P-0-4-1	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	8.019
- Rx Rate (L1) (Bit/s)	3,29 M
- Rx Rate (Fps)	267
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.956
- Rx Rate (L1) (Bit/s)	3,26 M
- Rx Rate (Fps)	265
- Flood Count (Frames)	29
P-0-4-3	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.897
- Rx Rate (L1) (Bit/s)	3,24 M
- Rx Rate (Fps)	263
- Flood Count (Frames)	30
P-0-4-4	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.871
- Rx Rate (L1) (Bit/s)	3,23 M
- Rx Rate (Fps)	262
- Flood Count (Frames)	29
P-0-4-5	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	7.801
- Rx Rate (L1) (Bit/s)	3,2 M
- Rx Rate (Fps)	260
- Flood Count (Frames)	28

Part.Mesh, 1:N: Loss by Frame Size at 20,00% Rate

Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G
Tx Rate (Fps)	7.232.142	4.104.729	2.201.086	1.141.917	581.896	467.307
Rx Rate (Percent)	0,01 %	6,75 %	6,71 %	7,16 %	6,59 %	7,2 %
Rx Rate (L1) (Bit/s)	2,26 M	1,09 G	1,09 G	1,16 G	1,07 G	1,17 G
Rx Rate (Fps)	3,37 K	923,65 K	492,01 K	272,49 K	127,82 K	112,22 K
Loss Rate (Percent)	99,95 %	77,5 %	77,65 %	76,14 %	78,03 %	75,99 %
Loss (Frames)	216.863.183	95.432.368	51.272.228	26.082.948	13.622.389	10.652.519
P-0-0-0						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	84.826	22.237.454	11.320.213	6.306.918	2.948.131	2.592.245
- Rx Rate (L1) (Bit/s)	1,9 M	877,64 M	833,17 M	894,74 M	820,76 M	898,64 M
- Rx Rate (Fps)	2.828	741.248	377.340	210.231	98.271	86.408
- Flood Count (Frames)	58	60	58	58	58	58
P-0-0-1						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	0	327.896	202.361	111.952	52.138	45.814
- Rx Rate (L1) (Bit/s)	0	12,94 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	0	10.930	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	52	61	59	62	60
P-0-0-2						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.159	240.246	202.361	111.952	52.138	45.814
- Rx Rate (L1) (Bit/s)	25,96 K	9,48 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	8.008	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	50	58	60	61	60
P-0-0-3						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.160	327.846	202.361	111.952	52.138	45.814

- Rx Rate (L1) (Bit/s)	25,98 K	12,94 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.928	6.745	3.732	1.738	1.527
- Flood Count (Frames)	61	52	61	60	57	61
P-0-0-4						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.161	327.626	202.361	111.952	52.138	45.814
- Rx Rate (L1) (Bit/s)	26,01 K	12,93 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.921	6.745	3.732	1.738	1.527
- Flood Count (Frames)	60	50	58	60	60	60
P-0-0-5						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.162	327.721	202.361	111.952	52.138	45.814
- Rx Rate (L1) (Bit/s)	26,03 K	12,93 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.924	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	51	60	58	61	64
P-0-2-0						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.160	327.487	202.362	76.401	52.138	45.814
- Rx Rate (L1) (Bit/s)	25,98 K	12,92 M	14,89 M	10,84 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.916	6.745	2.547	1.738	1.527
- Flood Count (Frames)	62	52	61	62	58	61
P-0-2-1						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	0	327.572	202.362	111.952	52.138	44.435
- Rx Rate (L1) (Bit/s)	0	12,93 M	14,89 M	15,88 M	14,52 M	15,4 M
- Rx Rate (Fps)	0	10.919	6.745	3.732	1.738	1.481
- Flood Count (Frames)	61	55	59	58	59	59
P-0-2-2						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.161	327.148	202.362	111.952	52.138	43.453
- Rx Rate (L1) (Bit/s)	26,01 K	12,91 M	14,89 M	15,88 M	14,52 M	15,06 M
- Rx Rate (Fps)	39	10.905	6.745	3.732	1.738	1.448
- Flood Count (Frames)	56	52	56	58	61	62
P-0-2-3						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	0	327.058	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	0	12,91 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	0	10.902	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	55	58	58	58	60
P-0-2-4						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.161	327.019	202.362	111.952	52.139	45.172
- Rx Rate (L1) (Bit/s)	26,01 K	12,91 M	14,89 M	15,88 M	14,52 M	15,66 M
- Rx Rate (Fps)	39	10.901	6.745	3.732	1.738	1.506
- Flood Count (Frames)	60	54	57	58	59	61
P-0-2-5						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.162	327.053	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,03 K	12,91 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.902	6.745	3.732	1.738	1.527
- Flood Count (Frames)	61	49	58	58	61	62
P-0-4-0						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962

- Rx (Frames)	1.161	326.580	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,01 K	12,89 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.886	6.745	3.732	1.738	1.527
- Flood Count (Frames)	57	55	61	55	62	56
P-0-4-1						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.164	326.068	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,07 K	12,87 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.869	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	50	59	60	55	58
P-0-4-2						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.162	326.117	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,03 K	12,87 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.871	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	53	59	58	56	56
P-0-4-3						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.162	326.373	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,03 K	12,88 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.879	6.745	3.732	1.738	1.527
- Flood Count (Frames)	55	52	61	58	56	58
P-0-4-4						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.163	326.293	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,05 K	12,88 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.876	6.745	3.732	1.738	1.527
- Flood Count (Frames)	58	49	57	61	59	57
P-0-4-5						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	1.161	325.955	202.362	111.952	52.139	45.814
- Rx Rate (L1) (Bit/s)	26,01 K	12,86 M	14,89 M	15,88 M	14,52 M	15,88 M
- Rx Rate (Fps)	39	10.865	6.745	3.732	1.738	1.527
- Flood Count (Frames)	57	43	59	56	57	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	4,86 G
Tx Rate (Fps)	394.993
Rx Rate (Percent)	5,87 %
Rx Rate (L1) (Bit/s)	950,6 M
Rx Rate (Fps)	77,26 K
Loss Rate (Percent)	80,44 %
Loss (Frames)	9.531.990
P-0-0-0	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	2.192.133
- Rx Rate (L1) (Bit/s)	899,07 M
- Rx Rate (Fps)	73.071
- Flood Count (Frames)	60
P-0-0-1	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.614
- Rx Rate (L1) (Bit/s)	3,12 M

- Rx Rate (Fps)	254
- Flood Count (Frames)	36
P-0-0-2	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	5.492
- Rx Rate (L1) (Bit/s)	2,25 M
- Rx Rate (Fps)	183
- Flood Count (Frames)	29
P-0-0-3	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.593
- Rx Rate (L1) (Bit/s)	3,11 M
- Rx Rate (Fps)	253
- Flood Count (Frames)	31
P-0-0-4	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.534
- Rx Rate (L1) (Bit/s)	3,09 M
- Rx Rate (Fps)	251
- Flood Count (Frames)	30
P-0-0-5	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.583
- Rx Rate (L1) (Bit/s)	3,11 M
- Rx Rate (Fps)	253
- Flood Count (Frames)	36
P-0-2-0	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.568
- Rx Rate (L1) (Bit/s)	3,1 M
- Rx Rate (Fps)	252
- Flood Count (Frames)	34
P-0-2-1	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	6.687
- Rx Rate (L1) (Bit/s)	2,74 M
- Rx Rate (Fps)	223
- Flood Count (Frames)	32
P-0-2-2	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.486
- Rx Rate (L1) (Bit/s)	3,07 M
- Rx Rate (Fps)	250
- Flood Count (Frames)	31
P-0-2-3	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.606
- Rx Rate (L1) (Bit/s)	3,12 M
- Rx Rate (Fps)	254
- Flood Count (Frames)	34
P-0-2-4	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.512

- Rx Rate (L1) (Bit/s)	3,08 M
- Rx Rate (Fps)	250
- Flood Count (Frames)	31
P-0-2-5	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.636
- Rx Rate (L1) (Bit/s)	3,13 M
- Rx Rate (Fps)	255
- Flood Count (Frames)	30
P-0-4-0	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.577
- Rx Rate (L1) (Bit/s)	3,11 M
- Rx Rate (Fps)	253
- Flood Count (Frames)	32
P-0-4-1	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.539
- Rx Rate (L1) (Bit/s)	3,09 M
- Rx Rate (Fps)	251
- Flood Count (Frames)	32
P-0-4-2	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.531
- Rx Rate (L1) (Bit/s)	3,09 M
- Rx Rate (Fps)	251
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.504
- Rx Rate (L1) (Bit/s)	3,08 M
- Rx Rate (Fps)	250
- Flood Count (Frames)	29
P-0-4-4	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.537
- Rx Rate (L1) (Bit/s)	3,09 M
- Rx Rate (Fps)	251
- Flood Count (Frames)	32
P-0-4-5	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	7.660
- Rx Rate (L1) (Bit/s)	3,14 M
- Rx Rate (Fps)	255
- Flood Count (Frames)	33

Part.Mesh, 1:N: Loss by Frame Size at 30,00% Rate

Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G
Tx Rate (Fps)	9.642.857	5.472.972	2.934.782	1.522.556	775.861	623.076
Rx Rate (Percent)	0,01 %	0,01 %	7,28 %	7,72 %	7,74 %	7,77 %
Rx Rate (L1) (Bit/s)	1,68 M	1,25 M	1,18 G	1,25 G	1,25 G	1,26 G
Rx Rate (Fps)	2,49 K	1,05 K	534,42 K	293,85 K	150,05 K	120,99 K
Loss Rate (Percent)	99,97 %	99,98 %	81,79 %	80,7 %	80,66 %	80,58 %
Loss (Frames)	289.210.885	164.157.518	72.010.801	36.861.213	18.774.211	15.062.531
P-0-0-0						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	59.578	31.640	12.074.529	6.307.730	3.226.131	2.593.616
- Rx Rate (L1) (Bit/s)	1,33 M	1,25 M	888,69 M	894,86 M	898,15 M	899,12 M
- Rx Rate (Fps)	1.986	1.055	402.484	210.258	107.538	86.454
- Flood Count (Frames)	60	58	58	58	59	61
P-0-0-1						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.016	0	232.983	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,76 K	0	17,15 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.766	4.976	2.535	2.036
- Flood Count (Frames)	59	60	46	63	60	61
P-0-0-2						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.017	0	233.195	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,78 K	0	17,16 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.773	4.976	2.535	2.036
- Flood Count (Frames)	59	60	54	59	55	58
P-0-0-3						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.016	0	232.670	149.270	76.064	61.085

- Rx Rate (L1) (Bit/s)	22,76 K	0	17,12 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.756	4.976	2.535	2.036
- Flood Count (Frames)	58	59	53	60	61	58
P-0-0-4						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.017	0	232.788	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,78 K	0	17,13 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.760	4.976	2.535	2.036
- Flood Count (Frames)	61	62	50	58	60	58
P-0-0-5						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	232.839	139.084	76.064	61.085
- Rx Rate (L1) (Bit/s)	0	0	17,14 M	19,73 M	21,18 M	21,18 M
- Rx Rate (Fps)	0	0	7.761	4.636	2.535	2.036
- Flood Count (Frames)	58	58	51	60	57	58
P-0-2-0						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.016	0	232.541	137.142	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,76 K	0	17,12 M	19,46 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.751	4.571	2.535	2.036
- Flood Count (Frames)	60	56	45	60	59	62
P-0-2-1						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.017	0	232.571	149.270	58.473	61.085
- Rx Rate (L1) (Bit/s)	22,78 K	0	17,12 M	21,18 M	16,28 M	21,18 M
- Rx Rate (Fps)	34	0	7.752	4.976	1.949	2.036
- Flood Count (Frames)	61	58	52	63	59	59
P-0-2-2						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.015	0	232.567	141.722	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,74 K	0	17,12 M	20,11 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.752	4.724	2.535	2.036
- Flood Count (Frames)	60	58	45	60	58	58
P-0-2-3						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.016	0	232.538	149.270	76.064	58.775
- Rx Rate (L1) (Bit/s)	22,76 K	0	17,11 M	21,18 M	21,18 M	20,38 M
- Rx Rate (Fps)	34	0	7.751	4.976	2.535	1.959
- Flood Count (Frames)	58	59	45	58	58	59
P-0-2-4						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.018	0	231.889	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,8 K	0	17,07 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.730	4.976	2.535	2.036
- Flood Count (Frames)	62	58	47	61	60	60
P-0-2-5						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	232.330	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	0	0	17,1 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	0	0	7.744	4.976	2.535	2.036
- Flood Count (Frames)	59	61	45	61	58	58
P-0-4-0						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615

- Rx (Frames)	1.016	1	232.973	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,76 K	39,47	17,15 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.766	4.976	2.535	2.036
- Flood Count (Frames)	57	62	49	61	59	57
P-0-4-1						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.015	0	233.334	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,74 K	0	17,17 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.778	4.976	2.535	2.036
- Flood Count (Frames)	58	57	45	56	57	58
P-0-4-2						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.015	0	233.136	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,74 K	0	17,16 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.771	4.976	2.535	2.036
- Flood Count (Frames)	56	58	49	58	59	58
P-0-4-3						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.015	1	233.139	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,74 K	39,47	17,16 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.771	4.976	2.535	2.036
- Flood Count (Frames)	57	58	47	57	58	59
P-0-4-4						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.015	0	233.216	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,74 K	0	17,16 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.774	4.976	2.535	2.036
- Flood Count (Frames)	56	58	46	58	58	60
P-0-4-5						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	1.015	2	233.420	149.270	76.064	61.085
- Rx Rate (L1) (Bit/s)	22,74 K	78,93	17,18 M	21,18 M	21,18 M	21,18 M
- Rx Rate (Fps)	34	0	7.781	4.976	2.535	2.036
- Flood Count (Frames)	58	55	47	56	59	61

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	6,48 G
Tx Rate (Fps)	526.658
Rx Rate (Percent)	6,08 %
Rx Rate (L1) (Bit/s)	984,27 M
Rx Rate (Fps)	80 K
Loss Rate (Percent)	84,81 %
Loss (Frames)	13.399.855
P-0-0-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	2.192.526
- Rx Rate (L1) (Bit/s)	899,23 M
- Rx Rate (Fps)	73.084
- Flood Count (Frames)	59
P-0-0-1	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.391
- Rx Rate (L1) (Bit/s)	5,08 M

- Rx Rate (Fps)	413
- Flood Count (Frames)	28
P-0-0-2	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.408
- Rx Rate (L1) (Bit/s)	5,09 M
- Rx Rate (Fps)	414
- Flood Count (Frames)	24
P-0-0-3	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.517
- Rx Rate (L1) (Bit/s)	5,13 M
- Rx Rate (Fps)	417
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.439
- Rx Rate (L1) (Bit/s)	5,1 M
- Rx Rate (Fps)	415
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.461
- Rx Rate (L1) (Bit/s)	5,11 M
- Rx Rate (Fps)	415
- Flood Count (Frames)	26
P-0-2-0	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	10.903
- Rx Rate (L1) (Bit/s)	4,47 M
- Rx Rate (Fps)	363
- Flood Count (Frames)	28
P-0-2-1	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	9.720
- Rx Rate (L1) (Bit/s)	3,99 M
- Rx Rate (Fps)	324
- Flood Count (Frames)	28
P-0-2-2	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.331
- Rx Rate (L1) (Bit/s)	5,06 M
- Rx Rate (Fps)	411
- Flood Count (Frames)	26
P-0-2-3	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.426
- Rx Rate (L1) (Bit/s)	5,1 M
- Rx Rate (Fps)	414
- Flood Count (Frames)	30
P-0-2-4	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.437

- Rx Rate (L1) (Bit/s)	5,1 M
- Rx Rate (Fps)	415
- Flood Count (Frames)	29
P-0-2-5	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.444
- Rx Rate (L1) (Bit/s)	5,1 M
- Rx Rate (Fps)	415
- Flood Count (Frames)	28
P-0-4-0	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.477
- Rx Rate (L1) (Bit/s)	5,12 M
- Rx Rate (Fps)	416
- Flood Count (Frames)	29
P-0-4-1	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.413
- Rx Rate (L1) (Bit/s)	5,09 M
- Rx Rate (Fps)	414
- Flood Count (Frames)	24
P-0-4-2	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.554
- Rx Rate (L1) (Bit/s)	5,15 M
- Rx Rate (Fps)	418
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.411
- Rx Rate (L1) (Bit/s)	5,09 M
- Rx Rate (Fps)	414
- Flood Count (Frames)	26
P-0-4-4	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.487
- Rx Rate (L1) (Bit/s)	5,12 M
- Rx Rate (Fps)	416
- Flood Count (Frames)	24
P-0-4-5	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	12.532
- Rx Rate (L1) (Bit/s)	5,14 M
- Rx Rate (Fps)	418
- Flood Count (Frames)	24

Part.Mesh, 1:N: Loss by Frame Size at 40,00% Rate

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.845
Rx Rate (Percent)	0,01 %	0,02 %	7,54 %	7,73 %	8,1 %	8,15 %
Rx Rate (L1) (Bit/s)	1,32 M	2,94 M	1,22 G	1,25 G	1,31 G	1,32 G
Rx Rate (Fps)	1,97 K	2,48 K	553,44 K	294,16 K	157,12 K	127 K
Loss Rate (Percent)	99,98 %	99,96 %	84,91 %	84,54 %	83,8 %	83,69 %
Loss (Frames)	361.548.164	205.161.930	93.451.200	48.270.902	24.381.162	19.555.511
P-0-0-0						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	43.280	58.338	12.074.812	6.307.754	3.225.958	2.592.574
- Rx Rate (L1) (Bit/s)	969,47 K	2,3 M	888,71 M	894,86 M	898,11 M	898,76 M
- Rx Rate (Fps)	1.443	1.945	402.494	210.258	107.532	86.419
- Flood Count (Frames)	61	57	58	60	59	60
P-0-0-1						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.046	1.085	268.123	149.680	81.138	72.243
- Rx Rate (L1) (Bit/s)	23,43 K	42,82 K	19,73 M	21,23 M	22,59 M	25,04 M
- Rx Rate (Fps)	35	36	8.937	4.989	2.705	2.408
- Flood Count (Frames)	60	61	50	44	51	58
P-0-0-2						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	0	1.082	267.724	149.604	88.661	64.598
- Rx Rate (L1) (Bit/s)	0	42,7 K	19,7 M	21,22 M	24,68 M	22,39 M
- Rx Rate (Fps)	0	36	8.924	4.987	2.955	2.153
- Flood Count (Frames)	58	61	48	45	52	60
P-0-0-3						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.046	0	267.321	149.749	88.398	72.253

- Rx Rate (L1) (Bit/s)	23,43 K	0	19,67 M	21,24 M	24,61 M	25,05 M
- Rx Rate (Fps)	35	0	8.911	4.992	2.947	2.408
- Flood Count (Frames)	61	59	46	48	59	58
P-0-0-4						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.046	1.088	267.357	149.779	88.592	67.943
- Rx Rate (L1) (Bit/s)	23,43 K	42,94 K	19,68 M	21,25 M	24,66 M	23,55 M
- Rx Rate (Fps)	35	36	8.912	4.993	2.953	2.265
- Flood Count (Frames)	56	59	51	44	56	59
P-0-0-5						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.046	1.082	267.156	149.808	88.540	72.336
- Rx Rate (L1) (Bit/s)	23,43 K	42,7 K	19,66 M	21,25 M	24,65 M	25,08 M
- Rx Rate (Fps)	35	36	8.905	4.994	2.951	2.411
- Flood Count (Frames)	56	60	53	34	54	58
P-0-2-0						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.043	1.080	267.156	130.623	88.584	72.261
- Rx Rate (L1) (Bit/s)	23,36 K	42,62 K	19,66 M	18,53 M	24,66 M	25,05 M
- Rx Rate (Fps)	35	36	8.905	4.354	2.953	2.409
- Flood Count (Frames)	59	57	43	40	60	60
P-0-2-1						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.042	1.079	266.991	149.511	88.578	72.324
- Rx Rate (L1) (Bit/s)	23,34 K	42,58 K	19,65 M	21,21 M	24,66 M	25,07 M
- Rx Rate (Fps)	35	36	8.900	4.984	2.953	2.411
- Flood Count (Frames)	60	61	51	47	57	59
P-0-2-2						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.044	0	267.141	149.735	88.515	72.288
- Rx Rate (L1) (Bit/s)	23,39 K	0	19,66 M	21,24 M	24,64 M	25,06 M
- Rx Rate (Fps)	35	0	8.905	4.991	2.951	2.410
- Flood Count (Frames)	103	58	44	46	53	58
P-0-2-3						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.043	1.077	267.136	139.976	88.536	72.325
- Rx Rate (L1) (Bit/s)	23,36 K	42,51 K	19,66 M	19,86 M	24,65 M	25,07 M
- Rx Rate (Fps)	35	36	8.905	4.666	2.951	2.411
- Flood Count (Frames)	59	58	48	46	53	55
P-0-2-4						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.045	1.083	251.274	149.547	88.541	72.343
- Rx Rate (L1) (Bit/s)	23,41 K	42,74 K	18,49 M	21,22 M	24,65 M	25,08 M
- Rx Rate (Fps)	35	36	8.376	4.985	2.951	2.411
- Flood Count (Frames)	57	61	50	47	58	56
P-0-2-5						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	0	1.086	266.902	149.511	77.724	72.216
- Rx Rate (L1) (Bit/s)	0	42,86 K	19,64 M	21,21 M	21,64 M	25,03 M
- Rx Rate (Fps)	0	36	8.897	4.984	2.591	2.407
- Flood Count (Frames)	58	58	48	43	57	58
P-0-4-0						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269

- Rx (Frames)	1.044	1.075	267.061	149.883	88.716	72.413
- Rx Rate (L1) (Bit/s)	23,39 K	42,43 K	19,66 M	21,26 M	24,7 M	25,1 M
- Rx Rate (Fps)	35	36	8.902	4.996	2.957	2.414
- Flood Count (Frames)	60	59	54	51	60	57
P-0-4-1						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.045	1.076	267.260	149.864	88.563	72.319
- Rx Rate (L1) (Bit/s)	23,41 K	42,47 K	19,67 M	21,26 M	24,66 M	25,07 M
- Rx Rate (Fps)	35	36	8.909	4.995	2.952	2.411
- Flood Count (Frames)	59	56	46	38	51	56
P-0-4-2						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.045	1.077	267.311	149.961	88.720	72.403
- Rx Rate (L1) (Bit/s)	23,41 K	42,51 K	19,67 M	21,27 M	24,7 M	25,1 M
- Rx Rate (Fps)	35	36	8.910	4.999	2.957	2.413
- Flood Count (Frames)	57	59	45	44	52	58
P-0-4-3						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.047	1.078	267.396	150.058	88.586	72.289
- Rx Rate (L1) (Bit/s)	23,45 K	42,55 K	19,68 M	21,29 M	24,66 M	25,06 M
- Rx Rate (Fps)	35	36	8.913	5.002	2.953	2.410
- Flood Count (Frames)	56	56	47	46	55	54
P-0-4-4						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.047	1.081	267.494	149.830	88.631	72.365
- Rx Rate (L1) (Bit/s)	23,45 K	42,66 K	19,69 M	21,26 M	24,67 M	25,09 M
- Rx Rate (Fps)	35	36	8.916	4.994	2.954	2.412
- Flood Count (Frames)	59	59	49	41	50	52
P-0-4-5						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	1.046	1.081	267.513	150.068	88.677	72.357
- Rx Rate (L1) (Bit/s)	23,43 K	42,66 K	19,69 M	21,29 M	24,69 M	25,08 M
- Rx Rate (Fps)	35	36	8.917	5.002	2.956	2.412
- Flood Count (Frames)	56	59	48	45	53	57

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.322
Rx Rate (Percent)	6,18 %
Rx Rate (L1) (Bit/s)	1 G
Rx Rate (Fps)	81,38 K
Loss Rate (Percent)	87,64 %
Loss (Frames)	17.308.299
P-0-0-0	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	2.192.448
- Rx Rate (L1) (Bit/s)	899,2 M
- Rx Rate (Fps)	73.082
- Flood Count (Frames)	62
P-0-0-1	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.569
- Rx Rate (L1) (Bit/s)	5,98 M

- Rx Rate (Fps)	486
- Flood Count (Frames)	33
P-0-0-2	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.478
- Rx Rate (L1) (Bit/s)	5,94 M
- Rx Rate (Fps)	483
- Flood Count (Frames)	32
P-0-0-3	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.620
- Rx Rate (L1) (Bit/s)	6 M
- Rx Rate (Fps)	487
- Flood Count (Frames)	30
P-0-0-4	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.701
- Rx Rate (L1) (Bit/s)	6,03 M
- Rx Rate (Fps)	490
- Flood Count (Frames)	29
P-0-0-5	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.631
- Rx Rate (L1) (Bit/s)	6 M
- Rx Rate (Fps)	488
- Flood Count (Frames)	29
P-0-2-0	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.557
- Rx Rate (L1) (Bit/s)	5,97 M
- Rx Rate (Fps)	485
- Flood Count (Frames)	31
P-0-2-1	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.690
- Rx Rate (L1) (Bit/s)	6,02 M
- Rx Rate (Fps)	490
- Flood Count (Frames)	28
P-0-2-2	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.137
- Rx Rate (L1) (Bit/s)	5,8 M
- Rx Rate (Fps)	471
- Flood Count (Frames)	36
P-0-2-3	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.584
- Rx Rate (L1) (Bit/s)	5,98 M
- Rx Rate (Fps)	486
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.770

- Rx Rate (L1) (Bit/s)	6,06 M
- Rx Rate (Fps)	492
- Flood Count (Frames)	28
P-0-2-5	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.560
- Rx Rate (L1) (Bit/s)	5,97 M
- Rx Rate (Fps)	485
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.631
- Rx Rate (L1) (Bit/s)	6 M
- Rx Rate (Fps)	488
- Flood Count (Frames)	31
P-0-4-1	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.931
- Rx Rate (L1) (Bit/s)	6,12 M
- Rx Rate (Fps)	498
- Flood Count (Frames)	29
P-0-4-2	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.725
- Rx Rate (L1) (Bit/s)	6,04 M
- Rx Rate (Fps)	491
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.689
- Rx Rate (L1) (Bit/s)	6,02 M
- Rx Rate (Fps)	490
- Flood Count (Frames)	31
P-0-4-4	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.845
- Rx Rate (L1) (Bit/s)	6,09 M
- Rx Rate (Fps)	495
- Flood Count (Frames)	32
P-0-4-5	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	14.800
- Rx Rate (L1) (Bit/s)	6,07 M
- Rx Rate (Fps)	493
- Flood Count (Frames)	27

Part.Mesh, 1:N: Loss by Frame Size at 50,00% Rate

Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	9,72 G	9,72 G	9,72 G	9,72 G	9,72 G	9,72 G
Tx Rate (Fps)	14.464.285	8.209.459	4.402.173	2.283.834	1.163.793	934.615
Rx Rate (Percent)	0,01 %	0,02 %	2,2 %	7,79 %	7,66 %	8,17 %
Rx Rate (L1) (Bit/s)	1,28 M	2,8 M	357,04 M	1,26 G	1,24 G	1,32 G
Rx Rate (Fps)	1,9 K	2,36 K	161,7 K	296,43 K	148,57 K	127,21 K
Loss Rate (Percent)	99,99 %	99,97 %	96,33 %	87,02 %	87,23 %	86,39 %
Loss (Frames)	433.871.458	246.212.827	127.214.071	59.622.127	30.456.763	24.222.171
P-0-0-0						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	40.671	53.417	3.519.793	6.306.638	3.225.942	2.592.846
- Rx Rate (L1) (Bit/s)	911,03 K	2,11 M	259,06 M	894,7 M	898,1 M	898,85 M
- Rx Rate (Fps)	1.356	1.781	117.326	210.221	107.531	86.428
- Flood Count (Frames)	60	58	61	59	58	59
P-0-0-1						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	1.248	84.197	145.413	73.292	73.290
- Rx Rate (L1) (Bit/s)	0	49,25 K	6,2 M	20,63 M	20,4 M	25,41 M
- Rx Rate (Fps)	0	42	2.807	4.847	2.443	2.443
- Flood Count (Frames)	59	56	58	41	47	47
P-0-0-2						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.264	1.256	84.322	154.800	72.030	73.327
- Rx Rate (L1) (Bit/s)	28,31 K	49,57 K	6,21 M	21,96 M	20,05 M	25,42 M
- Rx Rate (Fps)	42	42	2.811	5.160	2.401	2.444
- Flood Count (Frames)	61	61	59	41	40	44
P-0-0-3						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.264	1.240	636	147.782	73.256	61.485

- Rx Rate (L1) (Bit/s)	28,31 K	48,94 K	46,81 K	20,97 M	20,39 M	21,31 M
- Rx Rate (Fps)	42	41	21	4.926	2.442	2.050
- Flood Count (Frames)	60	61	57	45	49	51
P-0-0-4						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.264	1.249	84.701	154.751	73.073	73.289
- Rx Rate (L1) (Bit/s)	28,31 K	49,29 K	6,23 M	21,95 M	20,34 M	25,41 M
- Rx Rate (Fps)	42	42	2.823	5.158	2.436	2.443
- Flood Count (Frames)	58	60	56	41	48	50
P-0-0-5						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	1.253	84.929	121.973	72.753	73.271
- Rx Rate (L1) (Bit/s)	0	49,45 K	6,25 M	17,3 M	20,25 M	25,4 M
- Rx Rate (Fps)	0	42	2.831	4.066	2.425	2.442
- Flood Count (Frames)	60	59	59	39	38	49
P-0-2-0						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.264	1.247	84.691	154.860	73.157	73.258
- Rx Rate (L1) (Bit/s)	28,31 K	49,21 K	6,23 M	21,97 M	20,37 M	25,4 M
- Rx Rate (Fps)	42	42	2.823	5.162	2.439	2.442
- Flood Count (Frames)	59	59	60	42	37	47
P-0-2-1						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.265	0	84.926	154.834	71.296	73.213
- Rx Rate (L1) (Bit/s)	28,34 K	0	6,25 M	21,97 M	19,85 M	25,38 M
- Rx Rate (Fps)	42	0	2.831	5.161	2.377	2.440
- Flood Count (Frames)	60	57	58	47	41	47
P-0-2-2						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.264	1.252	84.919	154.847	62.888	61.576
- Rx Rate (L1) (Bit/s)	28,31 K	49,41 K	6,25 M	21,97 M	17,51 M	21,35 M
- Rx Rate (Fps)	42	42	2.831	5.162	2.096	2.053
- Flood Count (Frames)	62	59	61	43	42	50
P-0-2-3						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.264	0	61.987	154.718	73.047	73.065
- Rx Rate (L1) (Bit/s)	28,31 K	0	4,56 M	21,95 M	20,34 M	25,33 M
- Rx Rate (Fps)	42	0	2.066	5.157	2.435	2.436
- Flood Count (Frames)	58	60	58	41	36	46
P-0-2-4						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	1.259	84.921	154.713	72.988	73.171
- Rx Rate (L1) (Bit/s)	0	49,69 K	6,25 M	21,95 M	20,32 M	25,37 M
- Rx Rate (Fps)	0	42	2.831	5.157	2.433	2.439
- Flood Count (Frames)	59	60	59	42	47	51
P-0-2-5						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	85.069	154.630	73.077	73.364
- Rx Rate (L1) (Bit/s)	0	0	6,26 M	21,94 M	20,34 M	25,43 M
- Rx Rate (Fps)	0	0	2.836	5.154	2.436	2.445
- Flood Count (Frames)	60	57	60	46	44	45
P-0-4-0						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923

- Rx (Frames)	1.263	1.252	84.664	155.209	73.148	73.267
- Rx Rate (L1) (Bit/s)	28,29 K	49,41 K	6,23 M	22,02 M	20,36 M	25,4 M
- Rx Rate (Fps)	42	42	2.822	5.174	2.438	2.442
- Flood Count (Frames)	58	58	57	43	41	51
P-0-4-1						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.262	1.254	84.348	155.563	73.467	73.497
- Rx Rate (L1) (Bit/s)	28,27 K	49,49 K	6,21 M	22,07 M	20,45 M	25,48 M
- Rx Rate (Fps)	42	42	2.812	5.185	2.449	2.450
- Flood Count (Frames)	55	58	58	37	42	50
P-0-4-2						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.263	1.254	84.291	155.523	73.335	73.665
- Rx Rate (L1) (Bit/s)	28,29 K	49,49 K	6,2 M	22,06 M	20,42 M	25,54 M
- Rx Rate (Fps)	42	42	2.810	5.184	2.445	2.456
- Flood Count (Frames)	55	58	57	40	39	45
P-0-4-3						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.262	1.250	84.318	155.610	73.307	73.643
- Rx Rate (L1) (Bit/s)	28,27 K	49,33 K	6,21 M	22,08 M	20,41 M	25,53 M
- Rx Rate (Fps)	42	42	2.811	5.187	2.444	2.455
- Flood Count (Frames)	57	58	57	38	48	45
P-0-4-4						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.262	1.248	84.227	155.591	73.513	73.502
- Rx Rate (L1) (Bit/s)	28,27 K	49,25 K	6,2 M	22,07 M	20,47 M	25,48 M
- Rx Rate (Fps)	42	42	2.808	5.186	2.450	2.450
- Flood Count (Frames)	60	58	59	40	44	54
P-0-4-5						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	1.263	1.254	84.187	155.433	73.452	73.540
- Rx Rate (L1) (Bit/s)	28,29 K	49,49 K	6,2 M	22,05 M	20,45 M	25,49 M
- Rx Rate (Fps)	42	42	2.806	5.181	2.448	2.451
- Flood Count (Frames)	58	58	60	44	40	44

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	9,72 G
Tx Rate (Fps)	789.986
Rx Rate (Percent)	6,25 %
Rx Rate (L1) (Bit/s)	1,01 G
Rx Rate (Fps)	82,31 K
Loss Rate (Percent)	89,58 %
Loss (Frames)	21.230.258
P-0-0-0	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	2.192.783
- Rx Rate (L1) (Bit/s)	899,33 M
- Rx Rate (Fps)	73.093
- Flood Count (Frames)	58
P-0-0-1	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.507
- Rx Rate (L1) (Bit/s)	6,77 M

- Rx Rate (Fps)	550
- Flood Count (Frames)	27
P-0-0-2	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.637
- Rx Rate (L1) (Bit/s)	6,82 M
- Rx Rate (Fps)	555
- Flood Count (Frames)	26
P-0-0-3	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.427
- Rx Rate (L1) (Bit/s)	6,74 M
- Rx Rate (Fps)	548
- Flood Count (Frames)	28
P-0-0-4	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.554
- Rx Rate (L1) (Bit/s)	6,79 M
- Rx Rate (Fps)	552
- Flood Count (Frames)	25
P-0-0-5	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.397
- Rx Rate (L1) (Bit/s)	6,72 M
- Rx Rate (Fps)	547
- Flood Count (Frames)	27
P-0-2-0	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	14.600
- Rx Rate (L1) (Bit/s)	5,99 M
- Rx Rate (Fps)	487
- Flood Count (Frames)	28
P-0-2-1	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.576
- Rx Rate (L1) (Bit/s)	6,8 M
- Rx Rate (Fps)	553
- Flood Count (Frames)	24
P-0-2-2	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.266
- Rx Rate (L1) (Bit/s)	6,67 M
- Rx Rate (Fps)	542
- Flood Count (Frames)	25
P-0-2-3	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	13.920
- Rx Rate (L1) (Bit/s)	5,71 M
- Rx Rate (Fps)	464
- Flood Count (Frames)	22
P-0-2-4	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.426

- Rx Rate (L1) (Bit/s)	6,74 M
- Rx Rate (Fps)	548
- Flood Count (Frames)	23
P-0-2-5	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.679
- Rx Rate (L1) (Bit/s)	6,84 M
- Rx Rate (Fps)	556
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.585
- Rx Rate (L1) (Bit/s)	6,8 M
- Rx Rate (Fps)	553
- Flood Count (Frames)	25
P-0-4-1	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.633
- Rx Rate (L1) (Bit/s)	6,82 M
- Rx Rate (Fps)	554
- Flood Count (Frames)	26
P-0-4-2	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.432
- Rx Rate (L1) (Bit/s)	6,74 M
- Rx Rate (Fps)	548
- Flood Count (Frames)	25
P-0-4-3	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.793
- Rx Rate (L1) (Bit/s)	6,89 M
- Rx Rate (Fps)	560
- Flood Count (Frames)	29
P-0-4-4	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.399
- Rx Rate (L1) (Bit/s)	6,73 M
- Rx Rate (Fps)	547
- Flood Count (Frames)	23
P-0-4-5	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	16.709
- Rx Rate (L1) (Bit/s)	6,85 M
- Rx Rate (Fps)	557
- Flood Count (Frames)	26

Part.Mesh, 1:N: Loss by Frame Size at 60,00% Rate

Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	11,34 G	11,34 G	11,34 G	11,34 G	11,34 G	11,34 G
Tx Rate (Fps)	16.875.000	9.577.702	5.135.869	2.664.473	1.357.758	1.090.384
Rx Rate (Percent)	0 %	0,02 %	0,03 %	8,11 %	8,36 %	8,67 %
Rx Rate (L1) (Bit/s)	368,55 K	2,48 M	4,22 M	1,31 G	1,35 G	1,41 G
Rx Rate (Fps)	548,43	2,09 K	1,91 K	308,65 K	162,1 K	135,13 K
Loss Rate (Percent)	100 %	99,98 %	99,96 %	88,42 %	88,06 %	87,61 %
Loss (Frames)	506.233.534	287.268.336	154.018.675	70.674.662	35.869.661	28.657.637
P-0-0-0						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	16.451	44.116	43.060	6.308.220	3.226.548	2.592.894
- Rx Rate (L1) (Bit/s)	368,5 K	1,74 M	3,17 M	894,93 M	898,27 M	898,87 M
- Rx Rate (Fps)	548	1.471	1.435	210.274	107.552	86.430
- Flood Count (Frames)	60	60	61	60	59	62
P-0-0-1						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.439	944	174.230	96.505	86.515
- Rx Rate (L1) (Bit/s)	0	56,79 K	69,48 K	24,72 M	26,87 M	29,99 M
- Rx Rate (Fps)	0	48	31	5.808	3.217	2.884
- Flood Count (Frames)	58	60	61	37	41	40
P-0-0-2						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	954	174.427	96.526	86.233
- Rx Rate (L1) (Bit/s)	0	0	70,21 K	24,75 M	26,87 M	29,89 M
- Rx Rate (Fps)	0	0	32	5.814	3.218	2.874
- Flood Count (Frames)	57	60	59	38	42	41
P-0-0-3						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	969	167.548	93.225	86.518

- Rx Rate (L1) (Bit/s)	0	0	71,32 K	23,77 M	25,95 M	29,99 M
- Rx Rate (Fps)	0	0	32	5.585	3.108	2.884
- Flood Count (Frames)	58	58	59	34	38	39
P-0-0-4						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	951	175.390	96.451	86.266
- Rx Rate (L1) (Bit/s)	0	0	69,99 K	24,88 M	26,85 M	29,91 M
- Rx Rate (Fps)	0	0	32	5.846	3.215	2.876
- Flood Count (Frames)	59	61	59	38	39	39
P-0-0-5						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.441	948	175.599	96.610	86.537
- Rx Rate (L1) (Bit/s)	0	56,87 K	69,77 K	24,91 M	26,9 M	30 M
- Rx Rate (Fps)	0	48	32	5.853	3.220	2.885
- Flood Count (Frames)	61	56	59	35	40	40
P-0-2-0						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.289	958	175.689	96.318	86.464
- Rx Rate (L1) (Bit/s)	0	50,87 K	70,51 K	24,92 M	26,81 M	29,97 M
- Rx Rate (Fps)	0	43	32	5.856	3.211	2.882
- Flood Count (Frames)	60	60	58	44	39	42
P-0-2-1						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.446	0	173.571	93.775	81.666
- Rx Rate (L1) (Bit/s)	0	57,07 K	0	24,62 M	26,11 M	28,31 M
- Rx Rate (Fps)	0	48	0	5.786	3.126	2.722
- Flood Count (Frames)	61	58	60	38	41	43
P-0-2-2						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.439	977	175.843	96.618	86.322
- Rx Rate (L1) (Bit/s)	0	56,79 K	71,91 K	24,95 M	26,9 M	29,92 M
- Rx Rate (Fps)	0	48	33	5.861	3.221	2.877
- Flood Count (Frames)	58	60	61	43	40	35
P-0-2-3						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	964	164.127	96.515	86.496
- Rx Rate (L1) (Bit/s)	0	0	70,95 K	23,28 M	26,87 M	29,99 M
- Rx Rate (Fps)	0	0	32	5.471	3.217	2.883
- Flood Count (Frames)	60	60	59	41	39	41
P-0-2-4						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.440	0	175.799	96.500	81.401
- Rx Rate (L1) (Bit/s)	0	56,83 K	0	24,94 M	26,87 M	28,22 M
- Rx Rate (Fps)	0	48	0	5.860	3.217	2.713
- Flood Count (Frames)	61	58	60	39	40	45
P-0-2-5						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	1	1.445	963	166.573	96.356	86.394
- Rx Rate (L1) (Bit/s)	22,4	57,03 K	70,88 K	23,63 M	26,83 M	29,95 M
- Rx Rate (Fps)	0	48	32	5.552	3.212	2.880
- Flood Count (Frames)	63	58	59	40	36	35
P-0-4-0						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577

- Rx (Frames)	0	1.448	951	175.390	96.938	86.673
- Rx Rate (L1) (Bit/s)	0	57,15 K	69,99 K	24,88 M	26,99 M	30,05 M
- Rx Rate (Fps)	0	48	32	5.846	3.231	2.889
- Flood Count (Frames)	57	60	55	42	40	45
P-0-4-1						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.445	947	176.543	96.770	86.738
- Rx Rate (L1) (Bit/s)	0	57,03 K	69,7 K	25,05 M	26,94 M	30,07 M
- Rx Rate (Fps)	0	48	32	5.885	3.226	2.891
- Flood Count (Frames)	57	58	57	40	41	42
P-0-4-2						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.447	949	176.189	96.579	86.793
- Rx Rate (L1) (Bit/s)	0	57,11 K	69,85 K	25 M	26,89 M	30,09 M
- Rx Rate (Fps)	0	48	32	5.873	3.219	2.893
- Flood Count (Frames)	55	59	59	33	40	50
P-0-4-3						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.443	963	174.904	96.935	86.591
- Rx Rate (L1) (Bit/s)	0	56,95 K	70,88 K	24,81 M	26,99 M	30,02 M
- Rx Rate (Fps)	0	48	32	5.830	3.231	2.886
- Flood Count (Frames)	58	56	55	31	38	39
P-0-4-4						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	0	1.438	948	174.472	97.013	86.612
- Rx Rate (L1) (Bit/s)	0	56,75 K	69,77 K	24,75 M	27,01 M	30,03 M
- Rx Rate (Fps)	0	48	32	5.816	3.234	2.887
- Flood Count (Frames)	55	58	55	34	43	37
P-0-4-5						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	1	1.447	945	175.011	96.905	86.769
- Rx Rate (L1) (Bit/s)	22,4	57,11 K	69,55 K	24,83 M	26,98 M	30,08 M
- Rx Rate (Fps)	0	48	32	5.834	3.230	2.892
- Flood Count (Frames)	58	57	60	34	37	42

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	11,34 G
Tx Rate (Fps)	921.650
Rx Rate (Percent)	6,28 %
Rx Rate (L1) (Bit/s)	1,02 G
Rx Rate (Fps)	82,74 K
Loss Rate (Percent)	91,02 %
Loss (Frames)	25.167.204
P-0-0-0	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	2.192.678
- Rx Rate (L1) (Bit/s)	899,29 M
- Rx Rate (Fps)	73.089
- Flood Count (Frames)	60
P-0-0-1	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.420
- Rx Rate (L1) (Bit/s)	7,14 M

- Rx Rate (Fps)	581
- Flood Count (Frames)	29
P-0-0-2	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.410
- Rx Rate (L1) (Bit/s)	7,14 M
- Rx Rate (Fps)	580
- Flood Count (Frames)	28
P-0-0-3	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.563
- Rx Rate (L1) (Bit/s)	7,2 M
- Rx Rate (Fps)	585
- Flood Count (Frames)	25
P-0-0-4	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.354
- Rx Rate (L1) (Bit/s)	7,12 M
- Rx Rate (Fps)	578
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.491
- Rx Rate (L1) (Bit/s)	7,17 M
- Rx Rate (Fps)	583
- Flood Count (Frames)	30
P-0-2-0	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.445
- Rx Rate (L1) (Bit/s)	7,15 M
- Rx Rate (Fps)	582
- Flood Count (Frames)	28
P-0-2-1	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	11.029
- Rx Rate (L1) (Bit/s)	4,52 M
- Rx Rate (Fps)	368
- Flood Count (Frames)	25
P-0-2-2	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	16.648
- Rx Rate (L1) (Bit/s)	6,83 M
- Rx Rate (Fps)	555
- Flood Count (Frames)	26
P-0-2-3	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.527
- Rx Rate (L1) (Bit/s)	7,19 M
- Rx Rate (Fps)	584
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.281

- Rx Rate (L1) (Bit/s)	7,09 M
- Rx Rate (Fps)	576
- Flood Count (Frames)	30
P-0-2-5	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	16.705
- Rx Rate (L1) (Bit/s)	6,85 M
- Rx Rate (Fps)	557
- Flood Count (Frames)	27
P-0-4-0	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.623
- Rx Rate (L1) (Bit/s)	7,23 M
- Rx Rate (Fps)	587
- Flood Count (Frames)	31
P-0-4-1	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.646
- Rx Rate (L1) (Bit/s)	7,24 M
- Rx Rate (Fps)	588
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.467
- Rx Rate (L1) (Bit/s)	7,16 M
- Rx Rate (Fps)	582
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.660
- Rx Rate (L1) (Bit/s)	7,24 M
- Rx Rate (Fps)	589
- Flood Count (Frames)	31
P-0-4-4	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.739
- Rx Rate (L1) (Bit/s)	7,28 M
- Rx Rate (Fps)	591
- Flood Count (Frames)	31
P-0-4-5	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	17.624
- Rx Rate (L1) (Bit/s)	7,23 M
- Rx Rate (Fps)	587
- Flood Count (Frames)	27

Part.Mesh, 1:N: Loss by Frame Size at 70,00% Rate

Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	12,96 G	12,96 G	12,96 G	12,96 G	12,96 G	12,96 G
Tx Rate (Fps)	19.285.714	10.945.945	5.869.565	3.045.112	1.551.723	1.246.153
Rx Rate (Percent)	0 %	0,01 %	0,02 %	7,57 %	7,85 %	8,53 %
Rx Rate (L1) (Bit/s)	280,04 K	1,9 M	3,64 M	1,23 G	1,27 G	1,38 G
Rx Rate (Fps)	416,73	1,61 K	1,65 K	288,17 K	152,36 K	132,83 K
Loss Rate (Percent)	100 %	99,99 %	99,97 %	90,54 %	90,18 %	89,34 %
Loss (Frames)	578.558.919	328.330.129	176.037.533	82.708.224	41.981.013	33.399.755
P-0-0-0						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	12.500	32.256	34.922	6.308.835	3.047.234	2.592.960
- Rx Rate (L1) (Bit/s)	280 K	1,27 M	2,57 M	895,01 M	848,35 M	898,89 M
- Rx Rate (Fps)	417	1.075	1.164	210.295	101.574	86.432
- Flood Count (Frames)	61	60	60	61	62	62
P-0-0-1						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	850	144.417	89.349	82.070
- Rx Rate (L1) (Bit/s)	0	0	62,56 K	20,49 M	24,87 M	28,45 M
- Rx Rate (Fps)	0	0	28	4.814	2.978	2.736
- Flood Count (Frames)	58	60	57	44	33	37
P-0-0-2						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.144	851	144.698	89.650	82.206
- Rx Rate (L1) (Bit/s)	0	45,15 K	62,63 K	20,53 M	24,96 M	28,5 M
- Rx Rate (Fps)	0	38	28	4.823	2.988	2.740
- Flood Count (Frames)	60	60	58	42	41	40
P-0-0-3						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.140	851	117.646	89.599	82.266

- Rx Rate (L1) (Bit/s)	0	44,99 K	62,63 K	16,69 M	24,94 M	28,52 M
- Rx Rate (Fps)	0	38	28	3.922	2.987	2.742
- Flood Count (Frames)	61	61	58	40	40	31
P-0-0-4						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.138	849	145.284	89.407	82.309
- Rx Rate (L1) (Bit/s)	0	44,91 K	62,49 K	20,61 M	24,89 M	28,53 M
- Rx Rate (Fps)	0	38	28	4.843	2.980	2.744
- Flood Count (Frames)	60	59	58	42	38	41
P-0-0-5						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.142	862	97.806	89.690	82.311
- Rx Rate (L1) (Bit/s)	0	45,07 K	63,44 K	13,88 M	24,97 M	28,53 M
- Rx Rate (Fps)	0	38	29	3.260	2.990	2.744
- Flood Count (Frames)	60	61	58	39	40	40
P-0-2-0						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.143	856	145.679	89.617	74.627
- Rx Rate (L1) (Bit/s)	0	45,11 K	63 K	20,67 M	24,95 M	25,87 M
- Rx Rate (Fps)	0	38	29	4.856	2.987	2.488
- Flood Count (Frames)	59	58	62	35	36	41
P-0-2-1						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	852	97.747	89.753	82.251
- Rx Rate (L1) (Bit/s)	0	0	62,71 K	13,87 M	24,99 M	28,51 M
- Rx Rate (Fps)	0	0	28	3.258	2.992	2.742
- Flood Count (Frames)	62	61	60	41	36	34
P-0-2-2						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.141	863	145.170	89.591	82.378
- Rx Rate (L1) (Bit/s)	0	45,03 K	63,52 K	20,59 M	24,94 M	28,56 M
- Rx Rate (Fps)	0	38	29	4.839	2.986	2.746
- Flood Count (Frames)	61	59	59	39	39	35
P-0-2-3						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.141	861	135.546	89.620	82.337
- Rx Rate (L1) (Bit/s)	0	45,03 K	63,37 K	19,23 M	24,95 M	28,54 M
- Rx Rate (Fps)	0	38	29	4.518	2.987	2.745
- Flood Count (Frames)	61	61	60	43	41	35
P-0-2-4						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.143	839	143.666	89.591	82.165
- Rx Rate (L1) (Bit/s)	0	45,11 K	61,75 K	20,38 M	24,94 M	28,48 M
- Rx Rate (Fps)	0	38	28	4.789	2.986	2.739
- Flood Count (Frames)	58	60	60	40	41	37
P-0-2-5						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	865	145.314	89.267	82.252
- Rx Rate (L1) (Bit/s)	0	0	63,66 K	20,62 M	24,85 M	28,51 M
- Rx Rate (Fps)	0	0	29	4.844	2.976	2.742
- Flood Count (Frames)	60	60	58	44	40	43
P-0-4-0						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231

- Rx (Frames)	0	1.140	850	145.981	90.098	82.553
- Rx Rate (L1) (Bit/s)	0	44,99 K	62,56 K	20,71 M	25,08 M	28,62 M
- Rx Rate (Fps)	0	38	28	4.866	3.003	2.752
- Flood Count (Frames)	57	59	63	40	34	37
P-0-4-1						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	1	1.138	842	145.708	89.760	82.350
- Rx Rate (L1) (Bit/s)	22,4	44,91 K	61,97 K	20,67 M	24,99 M	28,55 M
- Rx Rate (Fps)	0	38	28	4.857	2.992	2.745
- Flood Count (Frames)	55	61	60	43	33	35
P-0-4-2						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.141	841	144.964	89.571	82.225
- Rx Rate (L1) (Bit/s)	0	45,03 K	61,9 K	20,57 M	24,94 M	28,5 M
- Rx Rate (Fps)	0	38	28	4.832	2.986	2.741
- Flood Count (Frames)	55	58	57	41	42	40
P-0-4-3						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.141	849	145.107	89.682	82.768
- Rx Rate (L1) (Bit/s)	0	45,03 K	62,49 K	20,59 M	24,97 M	28,69 M
- Rx Rate (Fps)	0	38	28	4.837	2.989	2.759
- Flood Count (Frames)	55	58	59	42	40	32
P-0-4-4						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	1.136	853	145.830	89.760	82.422
- Rx Rate (L1) (Bit/s)	0	44,83 K	62,78 K	20,69 M	24,99 M	28,57 M
- Rx Rate (Fps)	0	38	28	4.861	2.992	2.747
- Flood Count (Frames)	55	58	57	41	42	37
P-0-4-5						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	1	1.145	846	145.737	89.443	82.393
- Rx Rate (L1) (Bit/s)	22,4	45,19 K	62,27 K	20,68 M	24,9 M	28,56 M
- Rx Rate (Fps)	0	38	28	4.858	2.981	2.746
- Flood Count (Frames)	55	59	58	44	38	37

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	12,96 G
Tx Rate (Fps)	1.053.315
Rx Rate (Percent)	6,47 %
Rx Rate (L1) (Bit/s)	1,05 G
Rx Rate (Fps)	85,16 K
Loss Rate (Percent)	91,91 %
Loss (Frames)	29.044.573
P-0-0-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	2.192.490
- Rx Rate (L1) (Bit/s)	899,21 M
- Rx Rate (Fps)	73.083
- Flood Count (Frames)	59
P-0-0-1	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.285
- Rx Rate (L1) (Bit/s)	8,73 M

- Rx Rate (Fps)	710
- Flood Count (Frames)	32
P-0-0-2	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.161
- Rx Rate (L1) (Bit/s)	8,68 M
- Rx Rate (Fps)	705
- Flood Count (Frames)	32
P-0-0-3	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.108
- Rx Rate (L1) (Bit/s)	8,66 M
- Rx Rate (Fps)	704
- Flood Count (Frames)	35
P-0-0-4	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.223
- Rx Rate (L1) (Bit/s)	8,7 M
- Rx Rate (Fps)	707
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.126
- Rx Rate (L1) (Bit/s)	8,66 M
- Rx Rate (Fps)	704
- Flood Count (Frames)	28
P-0-2-0	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.542
- Rx Rate (L1) (Bit/s)	8,84 M
- Rx Rate (Fps)	718
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.315
- Rx Rate (L1) (Bit/s)	8,74 M
- Rx Rate (Fps)	711
- Flood Count (Frames)	30
P-0-2-2	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.317
- Rx Rate (L1) (Bit/s)	8,74 M
- Rx Rate (Fps)	711
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.220
- Rx Rate (L1) (Bit/s)	8,7 M
- Rx Rate (Fps)	707
- Flood Count (Frames)	27
P-0-2-4	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.389

- Rx Rate (L1) (Bit/s)	8,77 M
- Rx Rate (Fps)	713
- Flood Count (Frames)	31
P-0-2-5	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.458
- Rx Rate (L1) (Bit/s)	8,8 M
- Rx Rate (Fps)	715
- Flood Count (Frames)	31
P-0-4-0	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.273
- Rx Rate (L1) (Bit/s)	8,72 M
- Rx Rate (Fps)	709
- Flood Count (Frames)	27
P-0-4-1	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.555
- Rx Rate (L1) (Bit/s)	8,84 M
- Rx Rate (Fps)	719
- Flood Count (Frames)	24
P-0-4-2	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.290
- Rx Rate (L1) (Bit/s)	8,73 M
- Rx Rate (Fps)	710
- Flood Count (Frames)	31
P-0-4-3	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.454
- Rx Rate (L1) (Bit/s)	8,8 M
- Rx Rate (Fps)	715
- Flood Count (Frames)	28
P-0-4-4	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.467
- Rx Rate (L1) (Bit/s)	8,8 M
- Rx Rate (Fps)	716
- Flood Count (Frames)	34
P-0-4-5	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	21.218
- Rx Rate (L1) (Bit/s)	8,7 M
- Rx Rate (Fps)	707
- Flood Count (Frames)	23

Part.Mesh, 1:N: Loss by Frame Size at 80,00% Rate

Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	14,58 G	14,58 G	14,58 G	14,58 G	14,58 G	14,58 G
Tx Rate (Fps)	21.696.428	12.314.189	6.603.260	3.425.752	1.745.689	1.401.923
Rx Rate (Percent)	0 %	0 %	0,02 %	7,87 %	8,08 %	8,15 %
Rx Rate (L1) (Bit/s)	756,07 K	0	3,94 M	1,28 G	1,31 G	1,32 G
Rx Rate (Fps)	1,13 K	0	1,78 K	299,66 K	156,81 K	126,89 K
Loss Rate (Percent)	99,99 %	100 %	99,97 %	91,25 %	91,02 %	90,95 %
Loss (Frames)	650.859.085	369.425.657	198.044.332	93.782.622	47.666.400	38.250.858
P-0-0-0						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	21.962	0	39.319	6.308.427	3.226.376	2.592.087
- Rx Rate (L1) (Bit/s)	491,95 K	0	2,89 M	894,96 M	898,22 M	898,59 M
- Rx Rate (Fps)	732	0	1.311	210.281	107.546	86.403
- Flood Count (Frames)	60	2	58	62	60	60
P-0-0-1						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	841	0	1.089	177.924	0	0
- Rx Rate (L1) (Bit/s)	18,84 K	0	80,15 K	25,24 M	0	0
- Rx Rate (Fps)	28	0	36	5.931	0	0
- Flood Count (Frames)	61	59	61	43	2	2
P-0-0-2						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	841	0	1.090	178.616	98.345	0
- Rx Rate (L1) (Bit/s)	18,84 K	0	80,22 K	25,34 M	27,38 M	0
- Rx Rate (Fps)	28	0	36	5.954	3.278	0
- Flood Count (Frames)	61	59	59	46	43	2
P-0-0-3						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	844	0	1.095	178.977	100.317	0

- Rx Rate (L1) (Bit/s)	18,91 K	0	80,59 K	25,39 M	27,93 M	0
- Rx Rate (Fps)	28	0	37	5.966	3.344	0
- Flood Count (Frames)	58	60	59	40	35	2
P-0-0-4						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	844	0	1.102	178.277	96.372	85.901
- Rx Rate (L1) (Bit/s)	18,91 K	0	81,11 K	25,29 M	26,83 M	29,78 M
- Rx Rate (Fps)	28	0	37	5.943	3.212	2.863
- Flood Count (Frames)	61	59	62	42	48	45
P-0-0-5						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	0	0	1	0	0	86.637
- Rx Rate (L1) (Bit/s)	0	0	73,6	0	0	30,03 M
- Rx Rate (Fps)	0	0	0	0	0	2.888
- Flood Count (Frames)	2	2	59	2	2	45
P-0-2-0						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	842	0	0	0	98.419	86.319
- Rx Rate (L1) (Bit/s)	18,86 K	0	0	0	27,4 M	29,92 M
- Rx Rate (Fps)	28	0	0	0	3.281	2.877
- Flood Count (Frames)	58	58	2	2	41	52
P-0-2-1						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	841	0	1.095	181.730	99.119	86.655
- Rx Rate (L1) (Bit/s)	18,84 K	0	80,59 K	25,78 M	27,59 M	30,04 M
- Rx Rate (Fps)	28	0	37	6.058	3.304	2.889
- Flood Count (Frames)	60	58	61	46	44	45
P-0-2-2						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	840	0	1.089	181.180	97.025	86.600
- Rx Rate (L1) (Bit/s)	18,82 K	0	80,15 K	25,7 M	27,01 M	30,02 M
- Rx Rate (Fps)	28	0	36	6.039	3.234	2.887
- Flood Count (Frames)	56	58	57	42	51	44
P-0-2-3						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	842	0	1.089	176.685	99.948	86.677
- Rx Rate (L1) (Bit/s)	18,86 K	0	80,15 K	25,07 M	27,83 M	30,05 M
- Rx Rate (Fps)	28	0	36	5.890	3.332	2.889
- Flood Count (Frames)	55	1	61	41	42	50
P-0-2-4						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	0	0	0	178.696	98.387	86.851
- Rx Rate (L1) (Bit/s)	0	0	0	25,35 M	27,39 M	30,11 M
- Rx Rate (Fps)	0	0	0	5.957	3.280	2.895
- Flood Count (Frames)	2	60	2	41	45	47
P-0-2-5						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	0	0	0	179.323	97.580	86.715
- Rx Rate (L1) (Bit/s)	0	0	0	25,44 M	27,17 M	30,06 M
- Rx Rate (Fps)	0	0	0	5.977	3.253	2.891
- Flood Count (Frames)	61	58	2	40	43	49
P-0-4-0						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885

- Rx (Frames)	848	0	1.091	177.496	99.566	87.035
- Rx Rate (L1) (Bit/s)	19 K	0	80,3 K	25,18 M	27,72 M	30,17 M
- Rx Rate (Fps)	28	0	36	5.917	3.319	2.901
- Flood Count (Frames)	59	55	59	42	40	47
P-0-4-1						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	846	0	1.079	178.781	98.470	87.225
- Rx Rate (L1) (Bit/s)	18,95 K	0	79,41 K	25,36 M	27,41 M	30,24 M
- Rx Rate (Fps)	28	0	36	5.959	3.282	2.908
- Flood Count (Frames)	56	60	57	44	44	50
P-0-4-2						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	841	0	1.084	178.833	97.965	86.802
- Rx Rate (L1) (Bit/s)	18,84 K	0	79,78 K	25,37 M	27,27 M	30,09 M
- Rx Rate (Fps)	28	0	36	5.961	3.266	2.893
- Flood Count (Frames)	60	58	60	43	47	49
P-0-4-3						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	840	0	1.079	177.930	99.495	87.483
- Rx Rate (L1) (Bit/s)	18,82 K	0	79,41 K	25,24 M	27,7 M	30,33 M
- Rx Rate (Fps)	28	0	36	5.931	3.317	2.916
- Flood Count (Frames)	60	58	58	34	37	47
P-0-4-4						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	840	0	1.089	178.586	98.418	86.685
- Rx Rate (L1) (Bit/s)	18,82 K	0	80,15 K	25,34 M	27,4 M	30,05 M
- Rx Rate (Fps)	28	0	36	5.953	3.281	2.890
- Flood Count (Frames)	57	56	57	43	50	51
P-0-4-5						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	841	0	1.081	178.465	98.474	87.147
- Rx Rate (L1) (Bit/s)	18,84 K	0	79,56 K	25,32 M	27,42 M	30,21 M
- Rx Rate (Fps)	28	0	36	5.949	3.282	2.905
- Flood Count (Frames)	57	57	55	42	37	48

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	14,58 G
Tx Rate (Fps)	1.184.980
Rx Rate (Percent)	0 %
Rx Rate (L1) (Bit/s)	0
Rx Rate (Fps)	0
Loss Rate (Percent)	100 %
Loss (Frames)	35.549.397
P-0-0-0	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-1	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	1
P-0-0-2	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	30
P-0-0-3	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	34
P-0-0-4	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	29
P-0-0-5	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	34
P-0-2-0	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	28
P-0-2-1	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	31
P-0-2-2	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	29
P-0-2-3	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	33
P-0-2-4	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0

- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	34
P-0-2-5	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	30
P-0-4-0	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	29
P-0-4-1	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	29
P-0-4-2	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	30
P-0-4-3	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	31
P-0-4-4	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	31
P-0-4-5	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	31

Part.Mesh, 1:N: Loss by Frame Size at 90,00% Rate

Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.691
Rx Rate (Percent)	0 %	0,01 %	0 %	7,69 %	8,04 %	8,12 %
Rx Rate (L1) (Bit/s)	746,97 K	1,7 M	0	1,25 G	1,3 G	1,31 G
Rx Rate (Fps)	1,11 K	1,43 K	0	292,71 K	155,96 K	126,41 K
Loss Rate (Percent)	100 %	99,99 %	100 %	92,31 %	91,96 %	91,88 %
Loss (Frames)	723.180.925	410.429.975	220.108.673	105.410.547	53.510.815	42.938.471
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	18.384	24.527	0	6.308.300	3.226.347	2.592.671
- Rx Rate (L1) (Bit/s)	411,8 K	968 K	0	894,94 M	898,22 M	898,79 M
- Rx Rate (Fps)	613	818	0	210.277	107.545	86.422
- Flood Count (Frames)	59	82	1	62	59	59
P-0-0-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	939	1.163	0	155.331	0	75.142
- Rx Rate (L1) (Bit/s)	21,03 K	45,9 K	0	22,04 M	0	26,05 M
- Rx Rate (Fps)	31	39	0	5.178	0	2.505
- Flood Count (Frames)	59	58	58	34	2	45
P-0-0-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	942	1.156	0	156.095	97.008	75.362
- Rx Rate (L1) (Bit/s)	21,1 K	45,62 K	0	22,14 M	27,01 M	26,13 M
- Rx Rate (Fps)	31	39	0	5.203	3.234	2.512
- Flood Count (Frames)	58	58	58	33	45	46
P-0-0-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	943	1.152	0	153.287	96.676	75.368

- Rx Rate (L1) (Bit/s)	21,12 K	45,47 K	0	21,75 M	26,91 M	26,13 M
- Rx Rate (Fps)	31	38	0	5.110	3.223	2.512
- Flood Count (Frames)	59	60	61	29	39	50
P-0-0-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	936	1.152	0	155.376	96.650	75.397
- Rx Rate (L1) (Bit/s)	20,97 K	45,47 K	0	22,04 M	26,91 M	26,14 M
- Rx Rate (Fps)	31	38	0	5.179	3.222	2.513
- Flood Count (Frames)	60	60	60	31	41	37
P-0-0-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	934	1.153	0	155.268	97.021	75.400
- Rx Rate (L1) (Bit/s)	20,92 K	45,51 K	0	22,03 M	27,01 M	26,14 M
- Rx Rate (Fps)	31	38	0	5.176	3.234	2.513
- Flood Count (Frames)	87	85	60	43	55	38
P-0-2-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	0	0	153.913	96.692	73.628
- Rx Rate (L1) (Bit/s)	20,9 K	0	0	21,84 M	26,92 M	25,52 M
- Rx Rate (Fps)	31	0	0	5.130	3.223	2.454
- Flood Count (Frames)	59	2	86	38	38	43
P-0-2-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	1.140	0	150.306	95.627	75.413
- Rx Rate (L1) (Bit/s)	0	44,99 K	0	21,32 M	26,62 M	26,14 M
- Rx Rate (Fps)	0	38	0	5.010	3.188	2.514
- Flood Count (Frames)	2	58	60	31	41	41
P-0-2-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	929	1.155	0	153.148	96.774	0
- Rx Rate (L1) (Bit/s)	20,81 K	45,58 K	0	21,73 M	26,94 M	0
- Rx Rate (Fps)	31	39	0	5.105	3.226	0
- Flood Count (Frames)	59	60	58	36	36	2
P-0-2-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	929	1.153	0	155.770	0	75.401
- Rx Rate (L1) (Bit/s)	20,81 K	45,51 K	0	22,1 M	0	26,14 M
- Rx Rate (Fps)	31	38	0	5.192	0	2.513
- Flood Count (Frames)	59	88	1	36	2	42
P-0-2-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	934	1.153	0	154.493	97.015	73.312
- Rx Rate (L1) (Bit/s)	20,92 K	45,51 K	0	21,92 M	27,01 M	25,41 M
- Rx Rate (Fps)	31	38	0	5.150	3.234	2.444
- Flood Count (Frames)	83	60	1	31	36	35
P-0-2-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	934	1.153	0	0	96.946	73.745
- Rx Rate (L1) (Bit/s)	20,92 K	45,51 K	0	0	26,99 M	25,56 M
- Rx Rate (Fps)	31	38	0	0	3.232	2.458
- Flood Count (Frames)	59	61	83	2	41	41
P-0-4-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538

- Rx (Frames)	936	1.155	0	153.840	96.882	75.076
- Rx Rate (L1) (Bit/s)	20,97 K	45,58 K	0	21,82 M	26,97 M	26,03 M
- Rx Rate (Fps)	31	39	0	5.128	3.229	2.503
- Flood Count (Frames)	58	58	55	27	41	37
P-0-4-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	935	1.155	0	159.756	97.120	75.421
- Rx Rate (L1) (Bit/s)	20,94 K	45,58 K	0	22,66 M	27,04 M	26,15 M
- Rx Rate (Fps)	31	39	0	5.325	3.237	2.514
- Flood Count (Frames)	57	56	59	30	42	38
P-0-4-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	935	1.151	0	151.232	96.943	75.067
- Rx Rate (L1) (Bit/s)	20,94 K	45,43 K	0	21,45 M	26,99 M	26,02 M
- Rx Rate (Fps)	31	38	0	5.041	3.231	2.502
- Flood Count (Frames)	59	61	58	25	33	32
P-0-4-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	935	1.153	0	155.751	97.083	75.393
- Rx Rate (L1) (Bit/s)	20,94 K	45,51 K	0	22,1 M	27,03 M	26,14 M
- Rx Rate (Fps)	31	38	0	5.192	3.236	2.513
- Flood Count (Frames)	60	57	61	30	35	40
P-0-4-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	934	1.154	0	156.352	96.956	75.115
- Rx Rate (L1) (Bit/s)	20,92 K	45,54 K	0	22,18 M	26,99 M	26,04 M
- Rx Rate (Fps)	31	38	0	5.212	3.232	2.504
- Flood Count (Frames)	61	56	61	34	37	45
P-0-4-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	935	1.156	0	152.938	97.085	75.357
- Rx Rate (L1) (Bit/s)	20,94 K	45,62 K	0	21,7 M	27,03 M	26,12 M
- Rx Rate (Fps)	31	39	0	5.098	3.236	2.512
- Flood Count (Frames)	61	59	58	33	46	43

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.644
Rx Rate (Percent)	6,11 %
Rx Rate (L1) (Bit/s)	989,46 M
Rx Rate (Fps)	80,42 K
Loss Rate (Percent)	93,89 %
Loss (Frames)	37.086.788
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	1.973.665
- Rx Rate (L1) (Bit/s)	809,47 M
- Rx Rate (Fps)	65.789
- Flood Count (Frames)	88
P-0-0-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.239
- Rx Rate (L1) (Bit/s)	11,99 M

- Rx Rate (Fps)	975
- Flood Count (Frames)	33
P-0-0-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.237
- Rx Rate (L1) (Bit/s)	11,99 M
- Rx Rate (Fps)	975
- Flood Count (Frames)	28
P-0-0-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.158
- Rx Rate (L1) (Bit/s)	11,96 M
- Rx Rate (Fps)	972
- Flood Count (Frames)	26
P-0-0-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.167
- Rx Rate (L1) (Bit/s)	11,96 M
- Rx Rate (Fps)	972
- Flood Count (Frames)	26
P-0-0-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.386
- Rx Rate (L1) (Bit/s)	12,05 M
- Rx Rate (Fps)	980
- Flood Count (Frames)	32
P-0-2-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.124
- Rx Rate (L1) (Bit/s)	11,94 M
- Rx Rate (Fps)	971
- Flood Count (Frames)	27
P-0-2-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.274
- Rx Rate (L1) (Bit/s)	12,01 M
- Rx Rate (Fps)	976
- Flood Count (Frames)	25
P-0-2-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.235
- Rx Rate (L1) (Bit/s)	11,99 M
- Rx Rate (Fps)	975
- Flood Count (Frames)	27
P-0-2-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.222
- Rx Rate (L1) (Bit/s)	11,98 M
- Rx Rate (Fps)	974
- Flood Count (Frames)	28
P-0-2-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0

- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-2-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	2
P-0-4-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.286
- Rx Rate (L1) (Bit/s)	12,01 M
- Rx Rate (Fps)	976
- Flood Count (Frames)	31
P-0-4-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.443
- Rx Rate (L1) (Bit/s)	12,08 M
- Rx Rate (Fps)	981
- Flood Count (Frames)	27
P-0-4-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.188
- Rx Rate (L1) (Bit/s)	11,97 M
- Rx Rate (Fps)	973
- Flood Count (Frames)	26
P-0-4-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.261
- Rx Rate (L1) (Bit/s)	12 M
- Rx Rate (Fps)	975
- Flood Count (Frames)	25
P-0-4-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.422
- Rx Rate (L1) (Bit/s)	12,07 M
- Rx Rate (Fps)	981
- Flood Count (Frames)	29
P-0-4-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	29.235
- Rx Rate (L1) (Bit/s)	11,99 M
- Rx Rate (Fps)	975
- Flood Count (Frames)	25

Part.Mesh, 1:N: Loss by Frame Size at 100,00% Rate