Valkyrie2889 Test Report

Test Summary

Test company: Xena Networks
Customer: GSI TOS

Test Date and Time: 2023-11-13, 17:39
Test Duration: 01:56:57 (h:m:s)
Generated By: Valkyrie2889 v1.40, running on 'Microsoft Windows 8.1 Enterprise Evaluation'

Comments: Partial test
                           - host: acopc061 (VB guest Win81)
                           - chassis: Xenabay (140.181.139.228)
                           - configuration: https://github.com/GSI-CS-CO/network_testing

                           DUT
                           - WRS: backplane v3.30, scb v3.4, Creotech
                           - name: nwt0010/0016/0296/0297
                           - fw: v6.1
                           - dot-config: default

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh   Disabled
Rate Test: Part.Mesh, 1:N Disabled
Rate Test: Part.Mesh, N->N Enabled
- Throughput   Enabled
- Forwarding   Enabled

Congestion Control: Disabled
Forward Pressure: Disabled
Maximum Forwarding Rate: Disabled
Address Caching Capacity: Disabled
Address Learning Rate: Disabled
Errored Frames Filtering: Disabled
Broadcast Forwarding: Disabled

Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518

Rate Type: Fraction
Fraction per Port: 100.00%

Latency Measurement Mode: Last-To-Last
Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	xenatos	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Part.Mesh, N->N Results

Test Setup

Duration:	30 seconds
Iteration:	1

Topology:	Blocks
Direction:	East-to-West

Throughput Options

Initial Rate:	1.00%
Maximum Rate:	100.00%
Minimum Rate:	0.01%
Resolution:	0.01%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	FAIL	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	0.505 %	0.413 %	0.258 %	0.072 %	0.018 %	0.506 %
Tx Rate (L1) (Bit/s)	45.45 M	37.14 M	23.2 M	6.47 M	1.58 M	45.52 M
Tx Rate (Fps)	67,632	31,366	10,506	1,520	189	4,377
Rx Rate (Percent)	0.51 %	0.41 %	0.26 %	0.07 %	0.02 %	0.51 %
Rx Rate (L1) (Bit/s)	45.45 M	37.14 M	23.2 M	6.47 M	1.53 M	45.52 M
Rx Rate (Fps)	67.63 K	31.37 K	10.51 K	1.52 K	183.27	4.38 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	3.03 %	0 %
Loss (Frames)	0	0	0	0	172	0
P-0-0-0						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	225,441	104,553	35,019	5,067	630	14,589
- Tx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	175.39 K	5.06 M
- Tx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	591	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	164.53 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	59	58	57	58	56	59
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	607	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	168.99 K	5.06 M

- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	58	61	59	59	59	56
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	614	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	170.94 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	58	61	59	61	58	58
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	614	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	170.94 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	56	56	60	53	55	61
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	614	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	170.94 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	54	54	55	55	59	56
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	614	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	170.94 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	56	57	55	55	55	56
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	614	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	170.94 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	20	486
- Flood Count (Frames)	55	58	55	59	57	55
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	615	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	171.22 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Flood Count (Frames)	55	60	58	58	56	55
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	225,441	104,553	35,019	5,067	615	14,589
- Rx Rate (L1) (Bit/s)	5.05 M	4.13 M	2.58 M	718.84 K	171.22 K	5.06 M
- Rx Rate (Fps)	7,515	3,485	1,167	169	21	486
- Flood Count (Frames)	57	57	59	55	55	57

Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	0.018 %
Tx Rate (L1) (Bit/s)	1.59 M
Tx Rate (Fps)	130
Rx Rate (Percent)	0.02 %
Rx Rate (L1) (Bit/s)	1.59 M
Rx Rate (Fps)	129.2
Loss Rate (Percent)	0.31 %
Loss (Frames)	12

P-0-0-0	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	432
- Tx Rate (L1) (Bit/s)	177.18 K
- Tx Rate (Fps)	14
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	430
- Rx Rate (L1) (Bit/s)	176.36 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	60
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	430
- Rx Rate (L1) (Bit/s)	176.36 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	59
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	430
- Rx Rate (L1) (Bit/s)	176.36 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	59
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	431
- Rx Rate (L1) (Bit/s)	176.77 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	57
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	431
- Rx Rate (L1) (Bit/s)	176.77 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	431
- Rx Rate (L1) (Bit/s)	176.77 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	431
- Rx Rate (L1) (Bit/s)	176.77 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	56
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	431
- Rx Rate (L1) (Bit/s)	176.77 K
- Rx Rate (Fps)	14
- Flood Count (Frames)	55
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	431
- Rx Rate (L1) (Bit/s)	176.77 K

- Rx Rate (Fps)	14
- Flood Count (Frames)	56

Note: One or more of the rate tests did not pass the test criteria!

Forwarding Test Results

Results for 10.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899.99 M	899.99 M	899.99 M
Tx Rate (Fps)	1,339,284	760,134	407,608	211,464	107,757	86,538
Rx Rate (Percent)	9.88 %	9.89 %	9.99 %	9.79 %	9.97 %	9.89 %
Rx Rate (L1) (Bit/s)	888.99 M	889.77 M	899.34 M	881.34 M	897.35 M	890.23 M
Rx Rate (Fps)	1.32 M	751.49 K	407.31 K	207.08 K	107.44 K	85.6 K
Loss Rate (Percent)	1.22 %	1.14 %	0.07 %	2.07 %	0.29 %	1.08 %
Loss (Frames)	491,471	259,191	8,979	131,458	9,476	28,167
P-0-0-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4,464,279	2,533,779	1,358,694	704,880	359,190	288,459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148,809	84,459	45,290	23,496	11,973	9,615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,363,722	2,361,389	1,358,694	661,105	359,190	285,328
- Rx Rate (L1) (Bit/s)	97.75 M	93.2 M	100 M	93.79 M	100 M	98.91 M
- Rx Rate (Fps)	145,457	78,713	45,290	22,037	11,973	9,511
- Flood Count (Frames)	58	60	58	58	58	57
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,797	2,522,928	1,349,715	661,061	349,714	285,328
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	99.34 M	93.78 M	97.36 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	44,991	22,035	11,657	9,511
- Flood Count (Frames)	58	62	61	55	59	55
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,104,754	2,522,929	1,358,694	661,016	359,190	285,329
- Rx Rate (L1) (Bit/s)	91.95 M	99.57 M	100 M	93.78 M	100 M	98.91 M
- Rx Rate (Fps)	136,825	84,098	45,290	22,034	11,973	9,511
- Flood Count (Frames)	58	59	62	57	58	57
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,793	2,522,929	1,358,694	704,880	359,190	285,329
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	100 M	100 M	100 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	45,290	23,496	11,973	9,511
- Flood Count (Frames)	61	56	56	58	56	53
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,793	2,522,929	1,358,694	704,880	359,190	285,329
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	100 M	100 M	100 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	45,290	23,496	11,973	9,511
- Flood Count (Frames)	57	55	58	55	56	56
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,791	2,522,929	1,358,694	704,880	359,190	285,329
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	100 M	100 M	100 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	45,290	23,496	11,973	9,511
- Flood Count (Frames)	56	58	59	56	55	54
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,797	2,522,929	1,358,694	704,880	359,190	285,330
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	100 M	100 M	100 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	45,290	23,496	11,973	9,511
- Flood Count (Frames)	58	58	56	55	59	55
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,796	2,522,929	1,358,694	704,880	359,190	285,331
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	100 M	100 M	100 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	45,290	23,496	11,973	9,511
- Flood Count (Frames)	59	58	56	58	56	56
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,459,797	2,522,929	1,358,694	704,880	359,190	285,331
- Rx Rate (L1) (Bit/s)	99.9 M	99.57 M	100 M	100 M	100 M	98.91 M
- Rx Rate (Fps)	148,660	84,098	45,290	23,496	11,973	9,511
- Flood Count (Frames)	55	61	56	53	57	52

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899.98 M
Tx Rate (Fps)	73,146
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	899.98 M
Rx Rate (Fps)	73.15 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127

- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243,819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8,127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	63
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	61
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	61
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	60
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	58
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	58
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	60
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243,819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8,127
- Flood Count (Frames)	60

Part.Mesh, N->N: Loss by Frame Size at 10.00% Rate

Results for 20.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G	1.8 G
Tx Rate (Fps)	2,678,570	1,520,270	815,216	422,931	215,517	173,075
Rx Rate (Percent)	10.61 %	10.83 %	10.96 %	11.03 %	10.88 %	10.59 %
Rx Rate (L1) (Bit/s)	954.98 M	974.42 M	986.05 M	993.02 M	979.3 M	953.37 M
Rx Rate (Fps)	1.42 M	822.99 K	446.58 K	233.32 K	117.25 K	91.67 K
Loss Rate (Percent)	46.95 %	45.87 %	45.22 %	44.83 %	45.59 %	47.03 %
Loss (Frames)	37,723,885	20,918,514	11,059,010	5,688,233	2,947,897	2,442,154
P-0-0-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8,928,567	5,067,567	2,717,388	1,409,769	718,389	576,918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297,619	168,919	90,580	46,992	23,946	19,231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,741,635	2,740,838	1,489,583	777,827	397,632	193,428
- Rx Rate (L1) (Bit/s)	106.21 M	108.17 M	109.63 M	110.35 M	110.7 M	67.06 M
- Rx Rate (Fps)	158,055	91,361	49,653	25,928	13,254	6,448
- Flood Count (Frames)	54	53	59	57	58	48
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,750,013	2,745,661	1,489,507	778,397	397,715	318,943
- Rx Rate (L1) (Bit/s)	106.4 M	108.36 M	109.63 M	110.43 M	110.72 M	110.57 M
- Rx Rate (Fps)	158,334	91,522	49,650	25,947	13,257	10,631
- Flood Count (Frames)	54	52	59	58	58	54
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,775,860	2,744,928	1,487,384	778,335	338,619	319,679
- Rx Rate (L1) (Bit/s)	106.98 M	108.33 M	109.47 M	110.42 M	94.27 M	110.82 M
- Rx Rate (Fps)	159,195	91,498	49,579	25,945	11,287	10,656
- Flood Count (Frames)	52	49	59	57	56	49
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	4,734,349	2,743,494	1,485,250	777,784	397,385	319,426
- Rx Rate (L1) (Bit/s)	106.05 M	108.28 M	109.31 M	110.34 M	110.63 M	110.73 M
- Rx Rate (Fps)	157,812	91,450	49,508	25,926	13,246	10,648
- Flood Count (Frames)	51	53	58	57	53	46
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,726,703	2,742,250	1,486,812	777,231	397,410	319,576
- Rx Rate (L1) (Bit/s)	105.88 M	108.23 M	109.43 M	110.26 M	110.64 M	110.79 M
- Rx Rate (Fps)	157,557	91,408	49,560	25,908	13,247	10,653
- Flood Count (Frames)	49	47	59	58	55	48
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,714,490	2,748,611	1,490,382	777,426	397,742	319,794
- Rx Rate (L1) (Bit/s)	105.6 M	108.48 M	109.69 M	110.29 M	110.73 M	110.86 M
- Rx Rate (Fps)	157,150	91,620	49,679	25,914	13,258	10,660
- Flood Count (Frames)	49	49	56	54	57	51
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,738,827	2,745,297	1,490,397	777,465	397,150	319,688
- Rx Rate (L1) (Bit/s)	106.15 M	108.35 M	109.69 M	110.3 M	110.57 M	110.83 M
- Rx Rate (Fps)	157,961	91,510	49,680	25,916	13,238	10,656
- Flood Count (Frames)	50	51	57	59	53	51
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,729,824	2,742,045	1,488,971	777,500	397,155	319,816
- Rx Rate (L1) (Bit/s)	105.95 M	108.22 M	109.59 M	110.3 M	110.57 M	110.87 M
- Rx Rate (Fps)	157,661	91,402	49,632	25,917	13,239	10,661
- Flood Count (Frames)	49	47	57	57	54	51
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,721,517	2,736,465	1,489,196	777,723	396,796	319,758
- Rx Rate (L1) (Bit/s)	105.76 M	108 M	109.6 M	110.33 M	110.47 M	110.85 M
- Rx Rate (Fps)	157,384	91,216	49,640	25,924	13,227	10,659
- Flood Count (Frames)	52	52	56	56	53	52

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1.8 G
Tx Rate (Fps)	146,291
Rx Rate (Percent)	10.88 %
Rx Rate (L1) (Bit/s)	979.5 M
Rx Rate (Fps)	79.61 K
Loss Rate (Percent)	45.58 %
Loss (Frames)	2,000,490
P-0-0-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487,638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16,255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,214
- Rx Rate (L1) (Bit/s)	110.82 M
- Rx Rate (Fps)	9,007
- Flood Count (Frames)	52
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	225,324

- Rx Rate (L1) (Bit/s)	92.41 M
- Rx Rate (Fps)	7,511
- Flood Count (Frames)	49
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,307
- Rx Rate (L1) (Bit/s)	110.86 M
- Rx Rate (Fps)	9,010
- Flood Count (Frames)	51
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,400
- Rx Rate (L1) (Bit/s)	110.9 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	51
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,400
- Rx Rate (L1) (Bit/s)	110.9 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	51
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,383
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	49
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,453
- Rx Rate (L1) (Bit/s)	110.92 M
- Rx Rate (Fps)	9,015
- Flood Count (Frames)	48
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,394
- Rx Rate (L1) (Bit/s)	110.9 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	49
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,377
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	50

Part.Mesh, N->N: Loss by Frame Size at 20.00% Rate

Results for 30.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G	2.7 G
Tx Rate (Fps)	4,017,857	2,280,404	1,222,825	634,397	323,274	259,613
Rx Rate (Percent)	10.45 %	10.83 %	10.96 %	11.04 %	11.08 %	10.9 %
Rx Rate (L1) (Bit/s)	940.42 M	974.43 M	986.51 M	993.2 M	996.82 M	980.65 M
Rx Rate (Fps)	1.4 M	823 K	446.79 K	233.36 K	119.35 K	94.29 K
Loss Rate (Percent)	65.17 %	63.91 %	63.46 %	63.21 %	63.08 %	63.68 %
Loss (Frames)	78,552,544	43,722,142	23,281,069	12,030,985	6,117,693	4,959,589
P-0-0-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	13,392,855	7,601,346	4,076,082	2,114,658	1,077,579	865,377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446,429	253,378	135,869	70,489	35,919	28,846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,759,395	2,738,390	1,491,030	783,257	397,919	286,588
- Rx Rate (L1) (Bit/s)	106.61 M	108.08 M	109.74 M	111.12 M	110.78 M	99.35 M
- Rx Rate (Fps)	158,647	91,280	49,701	26,109	13,264	9,553
- Flood Count (Frames)	52	57	51	53	55	60
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,720,707	2,735,267	1,488,924	777,763	396,666	320,680
- Rx Rate (L1) (Bit/s)	105.74 M	107.95 M	109.58 M	110.34 M	110.43 M	111.17 M
- Rx Rate (Fps)	157,357	91,176	49,631	25,925	13,222	10,689
- Flood Count (Frames)	52	57	52	52	55	58
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,059,135	2,737,493	1,486,594	774,172	398,537	303,196
- Rx Rate (L1) (Bit/s)	90.92 M	108.04 M	109.41 M	109.83 M	110.95 M	105.11 M
- Rx Rate (Fps)	135,305	91,250	49,553	25,806	13,285	10,107
- Flood Count (Frames)	48	59	53	52	51	60
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	4,687,829	2,743,932	1,486,582	775,916	398,286	319,996
- Rx Rate (L1) (Bit/s)	105.01 M	108.29 M	109.41 M	110.08 M	110.88 M	110.93 M
- Rx Rate (Fps)	156,261	91,464	49,553	25,864	13,276	10,667
- Flood Count (Frames)	48	53	53	51	50	59
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,757,947	2,732,935	1,486,844	771,192	396,946	319,913
- Rx Rate (L1) (Bit/s)	106.58 M	107.86 M	109.43 M	109.41 M	110.51 M	110.9 M
- Rx Rate (Fps)	158,598	91,098	49,561	25,706	13,232	10,664
- Flood Count (Frames)	49	52	47	48	53	56
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,771,895	2,740,477	1,492,804	774,379	399,206	320,588
- Rx Rate (L1) (Bit/s)	106.89 M	108.16 M	109.87 M	109.86 M	111.14 M	111.14 M
- Rx Rate (Fps)	159,063	91,349	49,760	25,813	13,307	10,686
- Flood Count (Frames)	46	54	49	50	53	55
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,764,898	2,749,815	1,491,311	782,624	398,198	319,439
- Rx Rate (L1) (Bit/s)	106.73 M	108.53 M	109.76 M	111.03 M	110.86 M	110.74 M
- Rx Rate (Fps)	158,830	91,661	49,710	26,087	13,273	10,648
- Flood Count (Frames)	46	54	48	48	54	55
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,739,014	2,761,300	1,491,786	781,205	396,146	319,566
- Rx Rate (L1) (Bit/s)	106.15 M	108.98 M	109.8 M	110.83 M	110.29 M	110.78 M
- Rx Rate (Fps)	157,967	92,043	49,726	26,040	13,205	10,652
- Flood Count (Frames)	49	54	48	48	52	58
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,722,331	2,750,363	1,487,794	780,429	398,614	318,838
- Rx Rate (L1) (Bit/s)	105.78 M	108.55 M	109.5 M	110.72 M	110.97 M	110.53 M
- Rx Rate (Fps)	157,411	91,679	49,593	26,014	13,287	10,628
- Flood Count (Frames)	48	56	48	54	50	55

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2.7 G
Tx Rate (Fps)	219,440
Rx Rate (Percent)	11.08 %
Rx Rate (L1) (Bit/s)	997.58 M
Rx Rate (Fps)	81.08 K
Loss Rate (Percent)	63.05 %
Loss (Frames)	4,150,853
P-0-0-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	731,466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24,382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,523
- Rx Rate (L1) (Bit/s)	110.95 M
- Rx Rate (Fps)	9,017
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,915

- Rx Rate (L1) (Bit/s)	110.29 M
- Rx Rate (Fps)	8,964
- Flood Count (Frames)	52
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,718
- Rx Rate (L1) (Bit/s)	111.03 M
- Rx Rate (Fps)	9,024
- Flood Count (Frames)	55
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,980
- Rx Rate (L1) (Bit/s)	111.14 M
- Rx Rate (Fps)	9,033
- Flood Count (Frames)	52
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,420
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	52
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,002
- Rx Rate (L1) (Bit/s)	110.74 M
- Rx Rate (Fps)	9,000
- Flood Count (Frames)	52
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,336
- Rx Rate (L1) (Bit/s)	110.87 M
- Rx Rate (Fps)	9,011
- Flood Count (Frames)	53
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,178
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	54
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,269
- Rx Rate (L1) (Bit/s)	110.85 M
- Rx Rate (Fps)	9,009
- Flood Count (Frames)	53

Part.Mesh, N->N: Loss by Frame Size at 30.00% Rate

Results for 40.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G	3.6 G
Tx Rate (Fps)	5,357,140	3,040,540	1,630,433	845,864	431,033	346,154
Rx Rate (Percent)	0.03 %	10.81 %	10.96 %	11.04 %	11.08 %	10.98 %
Rx Rate (L1) (Bit/s)	2.82 M	972.78 M	986.39 M	993.16 M	996.93 M	988.26 M
Rx Rate (Fps)	4.2 K	821.6 K	446.73 K	233.36 K	119.36 K	95.03 K
Loss Rate (Percent)	99.92 %	72.98 %	72.6 %	72.41 %	72.31 %	72.55 %
Loss (Frames)	160,588,288	66,568,135	35,510,995	18,375,247	9,350,075	7,533,849
P-0-0-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17,857,134	10,135,134	5,434,776	2,819,547	1,436,778	1,153,845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595,238	337,838	181,159	93,985	47,893	38,462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14,481	2,742,768	1,489,128	779,719	399,051	319,535
- Rx Rate (L1) (Bit/s)	324.37 K	108.25 M	109.6 M	110.62 M	111.1 M	110.77 M
- Rx Rate (Fps)	483	91,426	49,638	25,991	13,302	10,651
- Flood Count (Frames)	58	56	54	49	49	54
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15,507	2,695,443	1,485,250	778,996	397,034	320,228
- Rx Rate (L1) (Bit/s)	347.36 K	106.38 M	109.31 M	110.51 M	110.53 M	111.01 M
- Rx Rate (Fps)	517	89,848	49,508	25,967	13,234	10,674
- Flood Count (Frames)	60	53	54	49	49	52
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,246	2,739,067	1,477,470	779,995	398,116	292,347
- Rx Rate (L1) (Bit/s)	72.71 K	108.1 M	108.74 M	110.66 M	110.84 M	101.35 M
- Rx Rate (Fps)	108	91,302	49,249	26,000	13,271	9,745
- Flood Count (Frames)	60	54	54	48	48	53
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	17,171	2,747,701	1,485,646	776,231	397,985	319,562
- Rx Rate (L1) (Bit/s)	384.63 K	108.44 M	109.34 M	110.12 M	110.8 M	110.78 M
- Rx Rate (Fps)	572	91,590	49,522	25,874	13,266	10,652
- Flood Count (Frames)	55	53	52	49	50	48
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	16,477	2,758,639	1,489,796	776,577	397,362	319,106
- Rx Rate (L1) (Bit/s)	369.08 K	108.87 M	109.65 M	110.17 M	110.63 M	110.62 M
- Rx Rate (Fps)	549	91,955	49,660	25,886	13,245	10,637
- Flood Count (Frames)	56	51	51	48	47	52
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15,815	2,749,881	1,489,702	775,864	397,037	318,851
- Rx Rate (L1) (Bit/s)	354.26 K	108.53 M	109.64 M	110.07 M	110.54 M	110.54 M
- Rx Rate (Fps)	527	91,663	49,657	25,862	13,235	10,628
- Flood Count (Frames)	59	51	52	46	46	53
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14,877	2,740,146	1,492,462	777,559	397,500	320,208
- Rx Rate (L1) (Bit/s)	333.24 K	108.14 M	109.85 M	110.31 M	110.66 M	111.01 M
- Rx Rate (Fps)	496	91,338	49,749	25,919	13,250	10,674
- Flood Count (Frames)	60	51	53	48	46	51
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14,401	2,733,532	1,495,282	777,321	398,368	320,170
- Rx Rate (L1) (Bit/s)	322.58 K	107.88 M	110.05 M	110.28 M	110.91 M	110.99 M
- Rx Rate (Fps)	480	91,118	49,843	25,911	13,279	10,672
- Flood Count (Frames)	59	52	55	49	46	50
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13,943	2,740,894	1,497,253	778,414	398,474	320,749
- Rx Rate (L1) (Bit/s)	312.32 K	108.17 M	110.2 M	110.43 M	110.94 M	111.19 M
- Rx Rate (Fps)	465	91,363	49,908	25,947	13,282	10,692
- Flood Count (Frames)	59	52	50	49	46	54

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3.6 G
Tx Rate (Fps)	292,586
Rx Rate (Percent)	11.01 %
Rx Rate (L1) (Bit/s)	990.8 M
Rx Rate (Fps)	80.53 K
Loss Rate (Percent)	72.48 %
Loss (Frames)	6,361,765
P-0-0-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975,285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32,510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,337
- Rx Rate (L1) (Bit/s)	110.46 M
- Rx Rate (Fps)	8,978
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,528

- Rx Rate (L1) (Bit/s)	110.95 M
- Rx Rate (Fps)	9,018
- Flood Count (Frames)	55
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252,259
- Rx Rate (L1) (Bit/s)	103.46 M
- Rx Rate (Fps)	8,409
- Flood Count (Frames)	56
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,782
- Rx Rate (L1) (Bit/s)	111.06 M
- Rx Rate (Fps)	9,026
- Flood Count (Frames)	57
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,695
- Rx Rate (L1) (Bit/s)	111.02 M
- Rx Rate (Fps)	9,023
- Flood Count (Frames)	54
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,516
- Rx Rate (L1) (Bit/s)	110.95 M
- Rx Rate (Fps)	9,017
- Flood Count (Frames)	54
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,381
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,013
- Flood Count (Frames)	49
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,889
- Rx Rate (L1) (Bit/s)	111.1 M
- Rx Rate (Fps)	9,030
- Flood Count (Frames)	49
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,413
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	50

Part.Mesh, N->N: Loss by Frame Size at 40.00% Rate

Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G	4.5 G
Tx Rate (Fps)	6,696,427	3,800,674	2,038,041	1,057,331	538,793	432,691
Rx Rate (Percent)	0.01 %	10.82 %	10.92 %	10.94 %	11.08 %	11.09 %
Rx Rate (L1) (Bit/s)	1.22 M	973.81 M	982.49 M	984.69 M	996.82 M	997.78 M
Rx Rate (Fps)	1.81 K	822.48 K	444.97 K	231.37 K	119.35 K	95.94 K
Loss Rate (Percent)	99.97 %	78.36 %	78.17 %	78.12 %	77.85 %	77.83 %
Loss (Frames)	200,838,407	89,345,859	47,792,150	24,778,956	12,583,244	10,102,536
P-0-0-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	22,321,422	12,668,913	6,793,470	3,524,436	1,795,977	1,442,304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744,047	422,297	226,449	117,481	59,866	48,077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,037	2,729,514	1,484,842	779,320	397,080	321,712
- Rx Rate (L1) (Bit/s)	135.23 K	107.72 M	109.28 M	110.56 M	110.55 M	111.53 M
- Rx Rate (Fps)	201	90,984	49,495	25,977	13,236	10,724
- Flood Count (Frames)	57	51	54	58	58	56
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,038	2,723,232	1,489,401	720,095	397,031	320,162
- Rx Rate (L1) (Bit/s)	135.25 K	107.48 M	109.62 M	102.16 M	110.53 M	110.99 M
- Rx Rate (Fps)	201	90,774	49,647	24,003	13,234	10,672
- Flood Count (Frames)	58	55	54	57	54	54
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,104	2,768,418	1,435,974	780,679	397,353	319,009
- Rx Rate (L1) (Bit/s)	136.73 K	109.26 M	105.69 M	110.75 M	110.62 M	110.59 M
- Rx Rate (Fps)	203	92,281	47,866	26,023	13,245	10,634
- Flood Count (Frames)	58	54	60	56	56	53
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	6,128	2,748,938	1,492,240	778,249	398,711	318,981
- Rx Rate (L1) (Bit/s)	137.27 K	108.49 M	109.83 M	110.41 M	111 M	110.58 M
- Rx Rate (Fps)	204	91,631	49,741	25,942	13,290	10,633
- Flood Count (Frames)	59	54	54	56	54	56
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,034	2,741,917	1,493,178	778,205	398,692	318,937
- Rx Rate (L1) (Bit/s)	135.16 K	108.21 M	109.9 M	110.4 M	111 M	110.56 M
- Rx Rate (Fps)	201	91,397	49,773	25,940	13,290	10,631
- Flood Count (Frames)	58	51	53	55	53	48
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,988	2,738,572	1,490,042	776,018	398,489	319,246
- Rx Rate (L1) (Bit/s)	134.13 K	108.08 M	109.67 M	110.09 M	110.94 M	110.67 M
- Rx Rate (Fps)	200	91,286	49,668	25,867	13,283	10,642
- Flood Count (Frames)	58	56	53	57	56	51
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,977	2,730,332	1,490,705	775,629	397,853	319,393
- Rx Rate (L1) (Bit/s)	133.88 K	107.76 M	109.72 M	110.04 M	110.76 M	110.72 M
- Rx Rate (Fps)	199	91,011	49,690	25,854	13,262	10,646
- Flood Count (Frames)	57	54	54	58	55	51
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,015	2,742,756	1,485,200	775,584	397,802	320,642
- Rx Rate (L1) (Bit/s)	134.74 K	108.25 M	109.31 M	110.03 M	110.75 M	111.16 M
- Rx Rate (Fps)	201	91,425	49,507	25,853	13,260	10,688
- Flood Count (Frames)	57	54	54	56	53	54
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	6,070	2,750,679	1,487,498	777,189	397,538	320,118
- Rx Rate (L1) (Bit/s)	135.97 K	108.56 M	109.48 M	110.26 M	110.67 M	110.97 M
- Rx Rate (Fps)	202	91,689	49,583	25,906	13,251	10,671
- Flood Count (Frames)	60	56	54	58	53	50

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4.5 G
Tx Rate (Fps)	365,734
Rx Rate (Percent)	10.9 %
Rx Rate (L1) (Bit/s)	981.38 M
Rx Rate (Fps)	79.76 K
Loss Rate (Percent)	78.19 %
Loss (Frames)	8,579,183
P-0-0-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,219,113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40,637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	272,088
- Rx Rate (L1) (Bit/s)	111.59 M
- Rx Rate (Fps)	9,070
- Flood Count (Frames)	50
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	237,854

- Rx Rate (L1) (Bit/s)	97.55 M
- Rx Rate (Fps)	7,928
- Flood Count (Frames)	49
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	259,767
- Rx Rate (L1) (Bit/s)	106.54 M
- Rx Rate (Fps)	8,659
- Flood Count (Frames)	49
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,981
- Rx Rate (L1) (Bit/s)	111.55 M
- Rx Rate (Fps)	9,066
- Flood Count (Frames)	47
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	267,182
- Rx Rate (L1) (Bit/s)	109.58 M
- Rx Rate (Fps)	8,906
- Flood Count (Frames)	46
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	272,021
- Rx Rate (L1) (Bit/s)	111.56 M
- Rx Rate (Fps)	9,067
- Flood Count (Frames)	48
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	272,431
- Rx Rate (L1) (Bit/s)	111.73 M
- Rx Rate (Fps)	9,081
- Flood Count (Frames)	49
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	267,365
- Rx Rate (L1) (Bit/s)	109.66 M
- Rx Rate (Fps)	8,912
- Flood Count (Frames)	47
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	272,145
- Rx Rate (L1) (Bit/s)	111.62 M
- Rx Rate (Fps)	9,072
- Flood Count (Frames)	50

Part.Mesh, N->N: Loss by Frame Size at 50.00% Rate

Results for 60.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G	5.4 G
Tx Rate (Fps)	8,035,713	4,560,810	2,445,652	1,268,795	646,550	519,229
Rx Rate (Percent)	0.01 %	10.82 %	10.96 %	11.02 %	11.08 %	11.09 %
Rx Rate (L1) (Bit/s)	1.01 M	973.87 M	986.37 M	991.36 M	996.93 M	997.65 M
Rx Rate (Fps)	1.5 K	822.52 K	446.73 K	232.93 K	119.36 K	95.93 K
Loss Rate (Percent)	99.98 %	81.97 %	81.73 %	81.64 %	81.54 %	81.52 %
Loss (Frames)	241,026,322	112,148,627	59,967,731	31,075,841	15,815,565	12,699,022
P-0-0-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26,785,710	15,202,701	8,152,173	4,229,316	2,155,167	1,730,763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892,857	506,757	271,739	140,977	71,839	57,692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,264	2,769,707	1,485,966	765,593	397,804	319,471
- Rx Rate (L1) (Bit/s)	117.91 K	109.31 M	109.37 M	108.61 M	110.75 M	110.75 M
- Rx Rate (Fps)	175	92,324	49,532	25,520	13,260	10,649
- Flood Count (Frames)	60	56	49	60	56	59
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,359	2,750,742	1,484,400	779,956	399,452	319,484
- Rx Rate (L1) (Bit/s)	120.04 K	108.56 M	109.25 M	110.65 M	111.21 M	110.75 M
- Rx Rate (Fps)	179	91,691	49,480	25,999	13,315	10,649
- Flood Count (Frames)	61	54	50	58	55	59
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2,407	2,738,188	1,496,253	777,687	398,359	319,506
- Rx Rate (L1) (Bit/s)	53.92 K	108.07 M	110.12 M	110.33 M	110.9 M	110.76 M
- Rx Rate (Fps)	80	91,273	49,875	25,923	13,279	10,650
- Flood Count (Frames)	61	53	53	60	55	58
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	5,354	2,738,020	1,490,394	775,657	398,232	320,054
- Rx Rate (L1) (Bit/s)	119.93 K	108.06 M	109.69 M	110.04 M	110.87 M	110.95 M
- Rx Rate (Fps)	178	91,267	49,680	25,855	13,274	10,668
- Flood Count (Frames)	58	53	47	57	51	54
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,308	2,730,105	1,495,286	776,656	397,772	319,819
- Rx Rate (L1) (Bit/s)	118.9 K	107.75 M	110.05 M	110.18 M	110.74 M	110.87 M
- Rx Rate (Fps)	177	91,004	49,843	25,889	13,259	10,661
- Flood Count (Frames)	57	54	49	54	56	53
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,292	2,754,305	1,490,787	777,896	396,680	319,812
- Rx Rate (L1) (Bit/s)	118.54 K	108.7 M	109.72 M	110.36 M	110.44 M	110.87 M
- Rx Rate (Fps)	176	91,810	49,693	25,930	13,223	10,660
- Flood Count (Frames)	53	52	51	55	52	57
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,382	2,727,531	1,490,083	778,226	397,518	319,699
- Rx Rate (L1) (Bit/s)	120.56 K	107.65 M	109.67 M	110.4 M	110.67 M	110.83 M
- Rx Rate (Fps)	179	90,918	49,669	25,941	13,251	10,657
- Flood Count (Frames)	55	51	46	55	52	55
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,356	2,736,922	1,488,844	777,265	396,740	320,056
- Rx Rate (L1) (Bit/s)	119.97 K	108.02 M	109.58 M	110.27 M	110.45 M	110.95 M
- Rx Rate (Fps)	179	91,231	49,628	25,909	13,225	10,669
- Flood Count (Frames)	58	52	46	57	51	55
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5,346	2,730,162	1,479,813	779,067	398,381	319,944
- Rx Rate (L1) (Bit/s)	119.75 K	107.75 M	108.91 M	110.52 M	110.91 M	110.91 M
- Rx Rate (Fps)	178	91,005	49,327	25,969	13,279	10,665
- Flood Count (Frames)	58	55	49	53	52	56

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5.4 G
Tx Rate (Fps)	438,880
Rx Rate (Percent)	10.98 %
Rx Rate (L1) (Bit/s)	987.9 M
Rx Rate (Fps)	80.29 K
Loss Rate (Percent)	81.71 %
Loss (Frames)	10,757,667
P-0-0-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,462,932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48,764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,278
- Rx Rate (L1) (Bit/s)	110.85 M
- Rx Rate (Fps)	9,009
- Flood Count (Frames)	52
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,469

- Rx Rate (L1) (Bit/s)	110.52 M
- Rx Rate (Fps)	8,982
- Flood Count (Frames)	56
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	245,693
- Rx Rate (L1) (Bit/s)	100.77 M
- Rx Rate (Fps)	8,190
- Flood Count (Frames)	51
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,540
- Rx Rate (L1) (Bit/s)	111.37 M
- Rx Rate (Fps)	9,051
- Flood Count (Frames)	53
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,236
- Rx Rate (L1) (Bit/s)	111.24 M
- Rx Rate (Fps)	9,041
- Flood Count (Frames)	54
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	268,597
- Rx Rate (L1) (Bit/s)	110.16 M
- Rx Rate (Fps)	8,953
- Flood Count (Frames)	51
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,552
- Rx Rate (L1) (Bit/s)	110.55 M
- Rx Rate (Fps)	8,985
- Flood Count (Frames)	50
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,156
- Rx Rate (L1) (Bit/s)	111.21 M
- Rx Rate (Fps)	9,039
- Flood Count (Frames)	50
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,200
- Rx Rate (L1) (Bit/s)	111.23 M
- Rx Rate (Fps)	9,040
- Flood Count (Frames)	54

Part.Mesh, N->N: Loss by Frame Size at 60.00% Rate

Results for 70.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G	6.3 G
Tx Rate (Fps)	9,374,999	5,320,944	2,853,260	1,480,262	754,310	605,767
Rx Rate (Percent)	0.01 %	0.11 %	10.96 %	11.03 %	10.99 %	9.63 %
Rx Rate (L1) (Bit/s)	831.76 K	9.48 M	986.61 M	992.97 M	988.93 M	866.49 M
Rx Rate (Fps)	1.24 K	8.01 K	446.83 K	233.31 K	118.41 K	83.32 K
Loss Rate (Percent)	99.99 %	99.85 %	84.34 %	84.24 %	84.3 %	86.25 %
Loss (Frames)	281,212,850	159,388,019	72,192,777	37,408,539	19,077,114	15,673,506
P-0-0-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	31,249,998	17,736,480	9,510,867	4,934,205	2,514,366	2,019,222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1,041,667	591,216	317,029	164,474	83,812	67,307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,446	27,596	1,487,684	782,828	387,397	193,846
- Rx Rate (L1) (Bit/s)	99.59 K	1.09 M	109.49 M	111.06 M	107.85 M	67.2 M
- Rx Rate (Fps)	148	920	49,589	26,094	12,913	6,462
- Flood Count (Frames)	59	59	60	57	55	55
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,372	29,207	1,492,899	777,484	387,381	193,587
- Rx Rate (L1) (Bit/s)	97.93 K	1.15 M	109.88 M	110.3 M	107.85 M	67.11 M
- Rx Rate (Fps)	146	974	49,763	25,916	12,913	6,453
- Flood Count (Frames)	59	60	60	58	54	52
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,868	2,024	1,492,614	781,403	387,509	193,869
- Rx Rate (L1) (Bit/s)	41.84 K	79.88 K	109.86 M	110.86 M	107.88 M	67.21 M
- Rx Rate (Fps)	62	67	49,754	26,047	12,917	6,462
- Flood Count (Frames)	58	60	60	56	52	52
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	4,444	34,472	1,488,171	774,459	398,188	319,633
- Rx Rate (L1) (Bit/s)	99.55 K	1.36 M	109.53 M	109.87 M	110.86 M	110.81 M
- Rx Rate (Fps)	148	1,149	49,606	25,815	13,273	10,654
- Flood Count (Frames)	55	59	56	54	49	51
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,458	32,610	1,481,018	777,391	397,854	319,173
- Rx Rate (L1) (Bit/s)	99.86 K	1.29 M	109 M	110.29 M	110.76 M	110.65 M
- Rx Rate (Fps)	149	1,087	49,367	25,913	13,262	10,639
- Flood Count (Frames)	55	58	57	58	50	52
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,367	29,398	1,481,034	777,326	398,598	319,503
- Rx Rate (L1) (Bit/s)	97.82 K	1.16 M	109 M	110.28 M	110.97 M	110.76 M
- Rx Rate (Fps)	146	980	49,368	25,911	13,287	10,650
- Flood Count (Frames)	56	58	58	55	50	54
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,318	28,868	1,491,897	775,853	398,610	319,921
- Rx Rate (L1) (Bit/s)	96.72 K	1.14 M	109.8 M	110.07 M	110.97 M	110.91 M
- Rx Rate (Fps)	144	962	49,730	25,862	13,287	10,664
- Flood Count (Frames)	58	59	58	57	54	54
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,336	28,447	1,494,894	775,408	398,446	320,119
- Rx Rate (L1) (Bit/s)	97.13 K	1.12 M	110.02 M	110 M	110.93 M	110.97 M
- Rx Rate (Fps)	145	948	49,830	25,847	13,282	10,671
- Flood Count (Frames)	60	60	58	58	52	54
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4,523	27,679	1,494,815	777,154	398,197	319,841
- Rx Rate (L1) (Bit/s)	101.32 K	1.09 M	110.02 M	110.25 M	110.86 M	110.88 M
- Rx Rate (Fps)	151	923	49,827	25,905	13,273	10,661
- Flood Count (Frames)	55	59	59	55	52	54

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6.3 G
Tx Rate (Fps)	512,028
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998.39 M
Rx Rate (Fps)	81.14 K
Loss Rate (Percent)	84.15 %
Loss (Frames)	12,926,530
P-0-0-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,706,760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56,892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,178
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,037

- Rx Rate (L1) (Bit/s)	110.75 M
- Rx Rate (Fps)	9,001
- Flood Count (Frames)	57
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,043
- Rx Rate (L1) (Bit/s)	110.75 M
- Rx Rate (Fps)	9,001
- Flood Count (Frames)	53
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,060
- Rx Rate (L1) (Bit/s)	111.17 M
- Rx Rate (Fps)	9,035
- Flood Count (Frames)	52
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,655
- Rx Rate (L1) (Bit/s)	111 M
- Rx Rate (Fps)	9,022
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,475
- Rx Rate (L1) (Bit/s)	110.93 M
- Rx Rate (Fps)	9,016
- Flood Count (Frames)	52
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,422
- Rx Rate (L1) (Bit/s)	110.91 M
- Rx Rate (Fps)	9,014
- Flood Count (Frames)	50
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,737
- Rx Rate (L1) (Bit/s)	111.04 M
- Rx Rate (Fps)	9,025
- Flood Count (Frames)	51
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,703
- Rx Rate (L1) (Bit/s)	111.02 M
- Rx Rate (Fps)	9,023
- Flood Count (Frames)	50

Part.Mesh, N->N: Loss by Frame Size at 70.00% Rate

Results for 80.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G	7.2 G
Tx Rate (Fps)	10,714,283	6,081,080	3,260,868	1,691,728	862,067	692,307
Rx Rate (Percent)	0.01 %	0.01 %	10.83 %	11.04 %	11.08 %	9.4 %
Rx Rate (L1) (Bit/s)	724.55 K	1.29 M	974.78 M	993.4 M	997.02 M	846.3 M
Rx Rate (Fps)	1.08 K	1.09 K	441.48 K	233.41 K	119.38 K	81.37 K
Loss Rate (Percent)	99.99 %	99.98 %	86.46 %	86.2 %	86.15 %	88.25 %
Loss (Frames)	321,396,147	182,399,761	84,581,702	43,749,524	22,280,742	18,327,974
P-0-0-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35,714,277	20,270,268	10,869,561	5,639,094	2,873,556	2,307,690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1,190,476	675,676	362,319	187,970	95,785	76,923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,535	3,612	1,490,383	773,520	399,133	173,759
- Rx Rate (L1) (Bit/s)	79.18 K	142.55 K	109.69 M	109.74 M	111.12 M	60.24 M
- Rx Rate (Fps)	118	120	49,679	25,784	13,304	5,792
- Flood Count (Frames)	57	58	55	56	52	47
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,559	3,578	1,487,450	772,831	399,345	174,084
- Rx Rate (L1) (Bit/s)	79.72 K	141.21 K	109.48 M	109.64 M	111.18 M	60.35 M
- Rx Rate (Fps)	119	119	49,582	25,761	13,312	5,803
- Flood Count (Frames)	58	62	55	54	54	47
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,616	3,621	1,326,103	777,416	398,905	174,570
- Rx Rate (L1) (Bit/s)	81 K	142.91 K	97.6 M	110.29 M	111.06 M	60.52 M
- Rx Rate (Fps)	121	121	44,203	25,914	13,297	5,819
- Flood Count (Frames)	60	58	52	55	53	49
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	3,643	3,634	1,488,680	780,572	397,556	320,333
- Rx Rate (L1) (Bit/s)	81.6 K	143.42 K	109.57 M	110.74 M	110.68 M	111.05 M
- Rx Rate (Fps)	121	121	49,623	26,019	13,252	10,678
- Flood Count (Frames)	61	60	53	56	50	52
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,695	3,622	1,485,169	781,411	398,195	319,844
- Rx Rate (L1) (Bit/s)	82.77 K	142.95 K	109.31 M	110.86 M	110.86 M	110.88 M
- Rx Rate (Fps)	123	121	49,506	26,047	13,273	10,661
- Flood Count (Frames)	55	56	55	51	51	51
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,656	3,678	1,489,534	778,201	397,678	319,731
- Rx Rate (L1) (Bit/s)	81.89 K	145.16 K	109.63 M	110.4 M	110.71 M	110.84 M
- Rx Rate (Fps)	122	123	49,651	25,940	13,256	10,658
- Flood Count (Frames)	58	55	51	55	52	51
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,568	3,651	1,489,243	779,994	396,931	319,652
- Rx Rate (L1) (Bit/s)	79.92 K	144.09 K	109.61 M	110.66 M	110.51 M	110.81 M
- Rx Rate (Fps)	119	122	49,641	26,000	13,231	10,655
- Flood Count (Frames)	59	58	56	52	54	50
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,610	3,657	1,495,250	780,142	396,329	320,033
- Rx Rate (L1) (Bit/s)	80.86 K	144.33 K	110.05 M	110.68 M	110.34 M	110.94 M
- Rx Rate (Fps)	120	122	49,842	26,005	13,211	10,668
- Flood Count (Frames)	56	57	52	52	54	51
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,464	3,598	1,492,535	778,235	397,190	319,230
- Rx Rate (L1) (Bit/s)	77.59 K	142 K	109.85 M	110.41 M	110.58 M	110.67 M
- Rx Rate (Fps)	115	120	49,751	25,941	13,240	10,641
- Flood Count (Frames)	56	56	53	53	52	51

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7.2 G
Tx Rate (Fps)	585,174
Rx Rate (Percent)	11.09 %
Rx Rate (L1) (Bit/s)	998.2 M
Rx Rate (Fps)	81.13 K
Loss Rate (Percent)	86.14 %
Loss (Frames)	15,121,361
P-0-0-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1,950,579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65,019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,812
- Rx Rate (L1) (Bit/s)	110.66 M
- Rx Rate (Fps)	8,994
- Flood Count (Frames)	62
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,844

- Rx Rate (L1) (Bit/s)	110.67 M
- Rx Rate (Fps)	8,995
- Flood Count (Frames)	62
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,153
- Rx Rate (L1) (Bit/s)	110.8 M
- Rx Rate (Fps)	9,005
- Flood Count (Frames)	64
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,952
- Rx Rate (L1) (Bit/s)	111.13 M
- Rx Rate (Fps)	9,032
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,809
- Rx Rate (L1) (Bit/s)	111.07 M
- Rx Rate (Fps)	9,027
- Flood Count (Frames)	59
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,708
- Rx Rate (L1) (Bit/s)	111.03 M
- Rx Rate (Fps)	9,024
- Flood Count (Frames)	62
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,589
- Rx Rate (L1) (Bit/s)	110.98 M
- Rx Rate (Fps)	9,020
- Flood Count (Frames)	61
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,796
- Rx Rate (L1) (Bit/s)	111.06 M
- Rx Rate (Fps)	9,027
- Flood Count (Frames)	60
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,187
- Rx Rate (L1) (Bit/s)	110.81 M
- Rx Rate (Fps)	9,006
- Flood Count (Frames)	60

Part.Mesh, N->N: Loss by Frame Size at 80.00% Rate

Results for 90.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G	8.1 G
Tx Rate (Fps)	12,053,570	6,841,214	3,668,477	1,903,195	969,827	778,845
Rx Rate (Percent)	0.01 %	0.01 %	10.84 %	11.03 %	10.84 %	10.96 %
Rx Rate (L1) (Bit/s)	742.65 K	1.19 M	975.18 M	992.84 M	976 M	986.09 M
Rx Rate (Fps)	1.11 K	1.01 K	441.66 K	233.28 K	116.86 K	94.82 K
Loss Rate (Percent)	99.99 %	99.99 %	87.96 %	87.74 %	87.95 %	87.83 %
Loss (Frames)	361,573,931	205,206,169	96,804,512	50,097,460	25,589,041	20,520,843
P-0-0-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	40,178,565	22,804,047	12,228,255	6,343,983	3,232,755	2,596,149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1,339,286	760,135	407,609	211,466	107,759	86,538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,788	3,586	1,479,167	785,367	374,455	318,044
- Rx Rate (L1) (Bit/s)	84.85 K	141.53 K	108.87 M	111.42 M	104.25 M	110.26 M
- Rx Rate (Fps)	126	120	49,306	26,179	12,482	10,601
- Flood Count (Frames)	58	59	51	54	51	57
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,837	3,609	1,486,699	768,370	371,781	285,505
- Rx Rate (L1) (Bit/s)	85.95 K	142.44 K	109.42 M	109.01 M	103.5 M	98.98 M
- Rx Rate (Fps)	128	120	49,557	25,612	12,393	9,517
- Flood Count (Frames)	58	61	54	53	51	57
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,498	1,767	1,340,209	761,812	372,385	319,742
- Rx Rate (L1) (Bit/s)	78.36 K	69.74 K	98.64 M	108.08 M	103.67 M	110.84 M
- Rx Rate (Fps)	117	59	44,674	25,394	12,413	10,658
- Flood Count (Frames)	60	61	56	55	51	58
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	3,725	3,569	1,496,148	765,385	397,956	320,612
- Rx Rate (L1) (Bit/s)	83.44 K	140.86 K	110.12 M	108.58 M	110.79 M	111.15 M
- Rx Rate (Fps)	124	119	49,872	25,513	13,265	10,687
- Flood Count (Frames)	56	56	53	51	48	58
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,826	3,576	1,494,690	781,728	399,001	320,980
- Rx Rate (L1) (Bit/s)	85.7 K	141.13 K	110.01 M	110.9 M	111.08 M	111.27 M
- Rx Rate (Fps)	128	119	49,823	26,058	13,300	10,699
- Flood Count (Frames)	59	56	55	54	49	55
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,486	3,527	1,490,530	781,694	397,765	319,750
- Rx Rate (L1) (Bit/s)	78.09 K	139.2 K	109.7 M	110.9 M	110.74 M	110.85 M
- Rx Rate (Fps)	116	118	49,684	26,056	13,259	10,658
- Flood Count (Frames)	58	58	54	52	51	58
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,688	3,524	1,494,733	782,484	396,736	320,062
- Rx Rate (L1) (Bit/s)	82.61 K	139.08 K	110.01 M	111.01 M	110.45 M	110.95 M
- Rx Rate (Fps)	123	117	49,824	26,083	13,225	10,669
- Flood Count (Frames)	57	55	53	53	48	58
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,796	3,552	1,486,896	785,231	397,414	319,846
- Rx Rate (L1) (Bit/s)	85.03 K	140.19 K	109.44 M	111.4 M	110.64 M	110.88 M
- Rx Rate (Fps)	127	118	49,563	26,174	13,247	10,662
- Flood Count (Frames)	58	59	52	52	51	56
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,510	3,544	1,480,711	786,316	398,261	319,957
- Rx Rate (L1) (Bit/s)	78.62 K	139.87 K	108.98 M	111.55 M	110.88 M	110.92 M
- Rx Rate (Fps)	117	118	49,357	26,211	13,275	10,665
- Flood Count (Frames)	57	56	52	57	53	59

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8.1 G
Tx Rate (Fps)	658,322
Rx Rate (Percent)	11.05 %
Rx Rate (L1) (Bit/s)	994.72 M
Rx Rate (Fps)	80.85 K
Loss Rate (Percent)	87.72 %
Loss (Frames)	17,324,305
P-0-0-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,194,407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73,147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	261,223
- Rx Rate (L1) (Bit/s)	107.14 M
- Rx Rate (Fps)	8,707
- Flood Count (Frames)	53
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,951

- Rx Rate (L1) (Bit/s)	110.72 M
- Rx Rate (Fps)	8,998
- Flood Count (Frames)	52
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,534
- Rx Rate (L1) (Bit/s)	110.54 M
- Rx Rate (Fps)	8,984
- Flood Count (Frames)	51
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,364
- Rx Rate (L1) (Bit/s)	110.89 M
- Rx Rate (Fps)	9,012
- Flood Count (Frames)	53
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,825
- Rx Rate (L1) (Bit/s)	110.66 M
- Rx Rate (Fps)	8,994
- Flood Count (Frames)	52
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,597
- Rx Rate (L1) (Bit/s)	110.98 M
- Rx Rate (Fps)	9,020
- Flood Count (Frames)	51
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,400
- Rx Rate (L1) (Bit/s)	111.31 M
- Rx Rate (Fps)	9,047
- Flood Count (Frames)	51
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,808
- Rx Rate (L1) (Bit/s)	111.07 M
- Rx Rate (Fps)	9,027
- Flood Count (Frames)	50
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	271,656
- Rx Rate (L1) (Bit/s)	111.42 M
- Rx Rate (Fps)	9,055
- Flood Count (Frames)	49

Part.Mesh, N->N: Loss by Frame Size at 90.00% Rate

Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13,392,856	7,601,351	4,076,085	2,114,662	1,077,586	865,382
Rx Rate (Percent)	0.01 %	0.01 %	10.96 %	10.87 %	11.08 %	11.01 %
Rx Rate (L1) (Bit/s)	548.15 K	1.13 M	986.16 M	978.39 M	997.14 M	990.67 M
Rx Rate (Fps)	815.7	951.03	446.63 K	229.89 K	119.39 K	95.26 K
Loss Rate (Percent)	99.99 %	99.99 %	89.04 %	89.13 %	88.92 %	88.99 %
Loss (Frames)	401,761,206	228,011,984	108,883,641	56,543,293	28,745,890	23,103,760
P-0-0-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0

- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44,642,853	25,337,835	13,586,949	7,048,872	3,591,954	2,884,608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1,488,095	844,595	452,898	234,962	119,732	96,154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,041	3,102	1,469,390	777,517	398,378	300,224
- Rx Rate (L1) (Bit/s)	68.12 K	122.43 K	108.15 M	110.3 M	110.91 M	104.08 M
- Rx Rate (Fps)	101	103	48,980	25,917	13,279	10,007
- Flood Count (Frames)	60	63	54	52	52	50
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,508	3,246	1,495,474	774,406	397,957	319,809
- Rx Rate (L1) (Bit/s)	33.78 K	128.11 K	110.07 M	109.86 M	110.79 M	110.87 M
- Rx Rate (Fps)	50	108	49,849	25,814	13,265	10,660
- Flood Count (Frames)	60	62	50	51	54	53
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1,530	3,113	1,477,668	670,103	398,888	319,785
- Rx Rate (L1) (Bit/s)	34.27 K	122.86 K	108.76 M	95.07 M	111.05 M	110.86 M
- Rx Rate (Fps)	51	104	49,256	22,337	13,296	10,660
- Flood Count (Frames)	60	59	50	53	53	53
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	3,053	3,053	1,504,014	778,376	398,882	319,908
- Rx Rate (L1) (Bit/s)	68.39 K	120.49 K	110.7 M	110.43 M	111.05 M	110.9 M
- Rx Rate (Fps)	102	102	50,134	25,946	13,296	10,664
- Flood Count (Frames)	58	57	53	50	51	54
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,057	3,419	1,489,446	778,949	399,045	319,763
- Rx Rate (L1) (Bit/s)	68.48 K	134.94 K	109.62 M	110.51 M	111.09 M	110.85 M
- Rx Rate (Fps)	102	114	49,648	25,965	13,302	10,659
- Flood Count (Frames)	55	55	52	48	51	49
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,089	3,103	1,487,041	775,240	397,612	319,663
- Rx Rate (L1) (Bit/s)	69.19 K	122.47 K	109.45 M	109.98 M	110.7 M	110.82 M
- Rx Rate (Fps)	103	103	49,568	25,841	13,254	10,655
- Flood Count (Frames)	57	56	50	50	52	51
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,005	3,052	1,502,456	777,799	397,421	319,414
- Rx Rate (L1) (Bit/s)	67.31 K	120.45 K	110.58 M	110.34 M	110.64 M	110.73 M
- Rx Rate (Fps)	100	102	50,082	25,927	13,247	10,647
- Flood Count (Frames)	58	58	53	48	53	50
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,103	3,268	1,483,534	781,312	397,290	319,511
- Rx Rate (L1) (Bit/s)	69.51 K	128.98 K	109.19 M	110.84 M	110.61 M	110.76 M
- Rx Rate (Fps)	103	109	49,451	26,044	13,243	10,650
- Flood Count (Frames)	58	55	51	49	51	46
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3,085	3,175	1,489,877	782,853	396,223	319,635
- Rx Rate (L1) (Bit/s)	69.1 K	125.31 K	109.65 M	111.06 M	110.31 M	110.81 M
- Rx Rate (Fps)	103	106	49,663	26,095	13,207	10,655
- Flood Count (Frames)	56	59	51	49	52	51

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731,468
Rx Rate (Percent)	10.83 %
Rx Rate (L1) (Bit/s)	975.01 M
Rx Rate (Fps)	79.24 K
Loss Rate (Percent)	89.17 %
Loss (Frames)	19,566,723
P-0-0-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0

- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2,438,226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81,274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	250,208
- Rx Rate (L1) (Bit/s)	102.62 M
- Rx Rate (Fps)	8,340
- Flood Count (Frames)	58
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252,422

- Rx Rate (L1) (Bit/s)	103.53 M
- Rx Rate (Fps)	8,414
- Flood Count (Frames)	61
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	250,051
- Rx Rate (L1) (Bit/s)	102.55 M
- Rx Rate (Fps)	8,335
- Flood Count (Frames)	58
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,214
- Rx Rate (L1) (Bit/s)	110.41 M
- Rx Rate (Fps)	8,974
- Flood Count (Frames)	58
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	273,049
- Rx Rate (L1) (Bit/s)	111.99 M
- Rx Rate (Fps)	9,102
- Flood Count (Frames)	55
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,899
- Rx Rate (L1) (Bit/s)	110.69 M
- Rx Rate (Fps)	8,997
- Flood Count (Frames)	57
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	269,139
- Rx Rate (L1) (Bit/s)	110.38 M
- Rx Rate (Fps)	8,971
- Flood Count (Frames)	57
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	272,879
- Rx Rate (L1) (Bit/s)	111.92 M
- Rx Rate (Fps)	9,096
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270,450
- Rx Rate (L1) (Bit/s)	110.92 M
- Rx Rate (Fps)	9,015
- Flood Count (Frames)	54

Part.Mesh, N->N: Loss by Frame Size at 100.00% Rate