

Table 21: Summary of Demographic and Baseline Characteristics

This is page value: 1

| Variable | Category/Statistic | Placebo (N=86) | Xanomeline Low Dose (N=96) | Xanomeline High Dose (N=72) | Total (N=254) |
|---------------------------|-------------------------------------|-------------------|----------------------------------|-----------------------------------|------------------|
| Pooled Age Group 1, n (%) | 18-64 | 14 (16%) | 8 (8%) | 11 (15%) | 33 (13%) |
| | >64 | 72 (84%) | 88 (92%) | 61 (85%) | 221 (87%) |
| Gender, n (%) | Male | 33 (38%) | 41 (43%) | 37 (51%) | 111 (44%) |
| | Female | 53 (62%) | 55 (57%) | 35 (49%) | 143 (56%) |
| Age (years) | n | 86 | 96 | 72 | 254 |
| | Mean | 75.2 | 76.0 | 73.8 | 75.1 |
| | Median | 76.0 | 78.0 | 75.5 | 77.0 |
| | SD | 8.59 | 8.11 | 7.94 | 8.25 |
| | Min | 52 | 51 | 56 | 51 |
| | Max | 89 | 88 | 88 | 89 |
| Race, n (%) | AMERICAN INDIAN OR ALASKA NATIVE | 0 (0%) | 0 (0%) | 1 (1%) | 1 (0%) |
| | BLACK OR AFRICAN AMERICAN | 8 (9%) | 6 (6%) | 9 (12%) | 23 (9%) |
| | WHITE | 78 (91%) | 90 (94%) | 62 (86%) | 230 (91%) |
| Ethnicity, n (%) | HISPANIC OR LATINO | 3 (3%) | 6 (6%) | 3 (4%) | 12 (5%) |
| | NOT HISPANIC OR LATINO | 83 (97%) | 90 (94%) | 69 (96%) | 242 (95%) |

- 1.) Baseline is defined as the last non-missing value prior to the first dose.
- 2.) Treatment duration is calculated as: (last dose date - first dose date) + 28 days.
- 3.) Age is collected in years.

Table 21: Summary of Demographic and Baseline Characteristics

This is page value: 1

| Variable | Category/Statistic | Placebo | Xanomeline | Xanomeline | Total |
|---------------------------------|--------------------|---------|--------------------|---------------------|---------|
| | | (N=86) | Low Dose (N=96) | High Dose (N=72) | (N=254) |
| Total Treatment Duration (Days) | n | 85 | 95 | 72 | 252 |
| | Mean | 149.5 | 86.8 | 112.2 | 115.2 |
| | Median | 182.0 | 63.0 | 96.5 | 132.0 |
| | SD | 60.35 | 70.47 | 65.52 | 70.71 |
| | Min | 7 | 1 | 15 | 1 |
| | Max | 210 | 212 | 200 | 212 |

- 1.) Baseline is defined as the last non-missing value prior to the first dose.
- 2.) Treatment duration is calculated as: (last dose date - first dose date) + 28 days.
- 3.) Age is collected in years.

Table 21: Summary of Demographic and Baseline Characteristics

This is page value: 2

| Variable | Category/Statistic | Placebo (N=86) | Xanomeline Low Dose (N=96) | Xanomeline High Dose (N=72) | Total (N=254) |
|---------------------------|-------------------------------------|-------------------|----------------------------------|-----------------------------------|------------------|
| Pooled Age Group 1, n (%) | 18-64 | 14 (16%) | 8 (8%) | 11 (15%) | 33 (13%) |
| | >64 | 72 (84%) | 88 (92%) | 61 (85%) | 221 (87%) |
| Gender, n (%) | Male | 33 (38%) | 41 (43%) | 37 (51%) | 111 (44%) |
| | Female | 53 (62%) | 55 (57%) | 35 (49%) | 143 (56%) |
| Age (years) | n | 86 | 96 | 72 | 254 |
| | Mean | 75.2 | 76.0 | 73.8 | 75.1 |
| | Median | 76.0 | 78.0 | 75.5 | 77.0 |
| | SD | 8.59 | 8.11 | 7.94 | 8.25 |
| | Min | 52 | 51 | 56 | 51 |
| | Max | 89 | 88 | 88 | 89 |
| Race, n (%) | AMERICAN INDIAN OR ALASKA NATIVE | 0 (0%) | 0 (0%) | 1 (1%) | 1 (0%) |
| | BLACK OR AFRICAN AMERICAN | 8 (9%) | 6 (6%) | 9 (12%) | 23 (9%) |
| | WHITE | 78 (91%) | 90 (94%) | 62 (86%) | 230 (91%) |
| Ethnicity, n (%) | HISPANIC OR LATINO | 3 (3%) | 6 (6%) | 3 (4%) | 12 (5%) |
| | NOT HISPANIC OR LATINO | 83 (97%) | 90 (94%) | 69 (96%) | 242 (95%) |

- 1.) Baseline is defined as the last non-missing value prior to the first dose.
- 2.) Treatment duration is calculated as: (last dose date - first dose date) + 28 days.
- 3.) Age is collected in years.

Table 21: Summary of Demographic and Baseline Characteristics

This is page value: 2

| Variable | Category/Statistic | Placebo | Xanomeline | Xanomeline | Total |
|---------------------------------|--------------------|---------|--------------------|---------------------|---------|
| | | (N=86) | Low Dose (N=96) | High Dose (N=72) | (N=254) |
| Total Treatment Duration (Days) | n | 85 | 95 | 72 | 252 |
| | Mean | 149.5 | 86.8 | 112.2 | 115.2 |
| | Median | 182.0 | 63.0 | 96.5 | 132.0 |
| | SD | 60.35 | 70.47 | 65.52 | 70.71 |
| | Min | 7 | 1 | 15 | 1 |
| | Max | 210 | 212 | 200 | 212 |

- 1.) Baseline is defined as the last non-missing value prior to the first dose.
- 2.) Treatment duration is calculated as: (last dose date - first dose date) + 28 days.
- 3.) Age is collected in years.